



Printing information and terms of use for posters of grade determination tables

Printing information

- Poster size: 61 x 91 cm (24 x 36 in)
- Maintain aspect ratio when scaling
- Heavy stock is recommended
- Consider lamination
- Source: [Official Grain Grading Guide](#) on grainscanada.gc.ca

Terms of use for posters of grade determination tables

- A new grade determination table should be printed at the beginning of the crop year
- The previous crop year's table should be discarded
- A grade determination table published on the Canadian Grain Commission website is the authoritative version
- The Canadian Grain Commission may make changes to a grade determination table during a crop year and the printed version may not reflect current information
- Any change to a grade determination table will be communicated through a [Canadian Grain Commission trade memorandum](#)
- Users of printed grade determination tables should check the Canadian Grain Commission website on a regular basis to ensure they are working with a current version of the table
- If a change has been made to a grade determination table during the crop year, a new table should be printed and the previous version discarded

Primary and export grade determination tables

Triticale, Canada (CAN)

Grading factor	No. 1 Canada	No. 2 Canada	No. 3 Canada	Grade, if No. 3 specs not met
Standard of quality				
Degree of soundness	Reasonably well matured, reasonably free from damaged kernels	Fairly well matured, reasonably free from severely damaged kernels	Reasonably sweet, excluded from higher grades on account of light weight or damaged kernels	
Minimum test weight kg/hL (g/0.5 L)*	65 (315)	62 (301)	No minimum	
Variety	Any variety of triticale registered under the Seeds Act	Any variety of triticale registered under the Seeds Act	Any variety of triticale	
Damage				
Broken %	4	7	50	Sample Broken Grain
Fireburnt %	0.0	0.0	0.0	Triticale, Sample Canada Account Fireburn
Fusarium %	0.3	0.5	1.0	Triticale, Sample Canada Account Fusarium Damage
Heated %	0.1	0.8	5.0	Triticale, Sample Canada Account Heated
Smudge and blackpoint %	10	15	No limit	
Sprouted %	0.5	2.0	10.0	Triticale, Sample Canada Account Sprouted
Foreign material				
Cereal grains other than wheat %	1	2	3	See Mixed grain
Ergot %	0.03	0.05	0.10	Triticale, Sample Canada Account Ergot
Excreta %	0.01	0.01	0.03	Triticale, Sample Canada Account Excreta
Matter other than cereal grains %	0.5	1.0	2.0	Triticale, Sample Canada Account Admixture
Sclerotinia %	0.03	0.05	0.10	Triticale, Sample Canada Account Admixture
Stones %	0.03	0.03	0.07	2.5% or less– West - Triticale, Rejected (grade) Account Stones or East - Triticale, Sample Canada Account Stones, Over 2.5%– Triticale, Sample Salvage
Total % Mineral matter including stones	0.07	0.10	0.15	2.5% or less– West - Triticale, Rejected (grade) Account Stones or East - Triticale, Sample Canada Account Stones, Over 2.5%– Triticale, Sample Salvage
Total % Foreign material	2.5	4.0	7.0	See Mixed grain

*Use wheat test weight conversion table.