

WEST NILE VIRUS AND OTHER MOSQUITO-BORNE DISEASE NATIONAL SURVEILLANCE REPORT

JULY 26 TO AUGUST 1, 2015 – REPORT WEEK 30

CANADA

HUMANS

During surveillance week 30 (July 26 to August 1, 2015), one human case of West Nile virus was reported from Niagara, Ontario to the Public Health Agency of Canada (the Agency).

As of surveillance week 30, a total of two human cases have been reported in Ontario: one from Niagara and one from Waterloo.

MOSQUITOES

As of surveillance week 30, there have been 27 mosquito pools tested positive for West Nile virus in Canada: Ontario (11), Manitoba (8) and Saskatchewan (8).

DEAD BIRDS

As of surveillance week 30, the [Canadian Wildlife Health Cooperative](#) has reported ten dead birds tested positive for West Nile virus: Ontario (6) and Quebec (4).

DOMESTIC ANIMALS

As of surveillance week 30, the [Canadian Food Inspection Agency](#) has reported one horse tested positive for West Nile virus.

UNITED STATES

As of August 4, the [Centers for Disease Control and Prevention \(CDC\)](#) have reported 90 human cases of West Nile virus:

Alabama (1), Arizona (17), Arkansas (1), Colorado (1), California (8), Colorado (3), Delaware (1), Florida (3), Idaho (2), Kansas (4), Louisiana (3), Maryland (1), Mississippi (3), Montana (1), Nebraska (6), New Mexico (1), North Dakota (1), Ohio (2), Oklahoma (8), Pennsylvania (1), South Dakota (5), Texas (8), Virginia (1), Washington (7) and Wyoming (1).

Of these, 50 (55.6%) were diagnosed as neuroinvasive disease cases, 40 (44.4%) as non-neuroinvasive disease cases. 3 deaths were reported. Forty one (41) presumptive viremic blood donors have been identified.

EUROPEAN UNION, EUROPEAN ECONOMIC AREA AND NEIGHBOURING COUNTRIES

During surveillance week 30, the [European Centre for Disease Prevention and Control \(ECDC\)](#) has reported two human case of West Nile fever: one in Bulgaria and one in Italy. In neighbouring countries, two cases in Israel were reported.

ISSN: 2368-2841



Public Health
Agency of Canada

Agence de la santé
publique du Canada

Canada

FIGURE 1: West Nile Virus clinical cases and asymptomatic infections, by Province/Territory and by report week, 2015 season




TABLE 1: West Nile Virus clinical cases and asymptomatic infections, by Province/Territory and by report week, 2015 season

[illegible]

TABLE 2: West Nile Virus human clinical cases and asymptomatic infections by Province/Territory for the current report week and year to date, 2015 season


	Week 30: July 26 to August 1, 2015					
	West Nile virus neurological syndrome	West Nile virus non-neurological syndrome	Unclassified/unspecified	Total clinical cases ¹	Number of travel-related cases ²	West Nile virus asymptomatic infection ³
Newfoundland and Labrador	0	0	0	0	0	0
Prince Edward Island	0	0	0	0	0	0
Nova Scotia	0	0	0	0	0	0
New Brunswick	0	0	0	0	0	0
Quebec	0	0	0	0	0	0
Ontario	0	0	1	1	0	0
Manitoba	0	0	0	0	0	0
Saskatchewan	0	0	0	0	0	0
Alberta	0	0	0	0	0	0
British Columbia	0	0	0	0	0	0
Yukon Territory	0	0	0	0	0	0
Northwest Territory	0	0	0	0	0	0
Nunavut	0	0	0	0	0	0
Total	0	0	1	1	0	0

	Year to date: January 1 to August 1, 2015					
	West Nile virus neurological syndrome	West Nile virus non-neurological syndrome	Unclassified/unspecified	Total clinical cases ¹	Number of travel-related cases ²	West Nile virus asymptomatic infection ³
Newfoundland and Labrador	0	0	0	0	0	0
Prince Edward Island	0	0	0	0	0	0
Nova Scotia	0	0	0	0	0	0
New Brunswick	0	0	0	0	0	0
Quebec	0	0	0	0	0	0
Ontario	0	0	2	2	0	0
Manitoba	0	0	0	0	0	0
Saskatchewan	0	0	0	0	0	0
Alberta	0	0	0	0	0	0
British Columbia	0	0	0	0	0	0
Yukon Territory	0	0	0	0	0	0
Northwest Territory	0	0	0	0	0	0
Nunavut	0	0	0	0	0	0
Total	0	0	2	2	0	0

¹ Total clinical cases is the sum of both probable and confirmed: West Nile virus neurological and non-neurological syndromes, along with any unclassified or unspecified cases.

² Likely related to travel outside the Province/Territory. These cases are included in either the total clinical cases or West Nile virus asymptomatic infections.

³ Satisfies West Nile virus diagnostic test criteria in the absence of clinical criteria. This category could include asymptomatic blood donors whose blood is screened using a nucleic acid amplification test, by blood operators (i.e. Canadian Blood Services or Hema-Quebec) and is subsequently brought to the attention of public health officials. Blood operators in Canada perform a supplementary West Nile virus specific nucleic acid amplification test following any positive donor screen test result.

FIGURE 2: West Nile Virus clinical cases and asymptomatic infections by report week for selected years

* West Nile virus clinical cases and asymptomatic infections are grouped by report week, based on episode date. Episode date could include one of the following: onset date, diagnosis date, lab sample date or reporting date.

TABLE 3: West Nile Virus clinical cases and asymptomatic infections by report week for selected years

	Report week																																														
	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47																
2015	0	0	0	0	0	0	0	0	0	0	0	1	0	1																																	
2014	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	4*	3	5	6	1	1	0	0	1	0	0	0	0	0	0	0															
2013	1	0	0	0	0	1	1	0	0	0	1	2	1	5	5	8	17	11	13	13	11	9	1	6	1	0	4	1	0	1	0	0															
2012	1	0	0	0	0	0	0	0	0	0	3	5	11	16	27	53	63	57	43	43	45	24	30	14	9	5	1	0	0	0	0	0															
2007	0	0	0	0	0	0	2	2	3	4	11	35	36	72	139	424	471	443	287	182	116	71	30	18	10	11	5	4	2	0	0	0															
2005	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	4	11	28	28	38	45	27	15	7	12	3	3	1	0	0	0	0															
2003	0	0	0	0	0	0	0	0	0	1	1	1	5	11	9	27	66	249	323	324	178	107	82	37	14	8	4	3	0	0	0	0															

* One of these cases was likely exposed prior to the 2014 West Nile virus season.

TABLE 4.1: Number of West Nile Virus mosquito pools tested weekly by Province/Territory - 2015 season¹

	Report week of 2015																												Total
	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	
Newfoundland and Labrador	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
Prince Edward Island	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
New Brunswick	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
Nova Scotia	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
Quebec	0	0	0	0	0	0	0	0	0	120	127	132	131	106															616
Ontario	0	0	0	0	0	180	356	852	886	954	1152	1216	1219	1222															8037
Manitoba	0	0	0	0	12	4	87	82	44	75	73	132	139	204															852
Saskatchewan	0	0	0	0	2	0	3	3	10	13	16	40	47	69															203
Alberta	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
British Columbia	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
Yukon Territory	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
Northwest Territory	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
Nunavut	0	0	0	0	0	0	0	0	0	0	0	0	0	0															0
Total	0	0	0	0	14	184	446	937	940	1162	1368	1520	1536	1601															9708

¹ Detailed West Nile virus mosquito surveillance data can be accessed through [Provincial/Territorial websites](#).

² Exact number of tested mosquito pools to be determined.

TABLE 4.2: Number of mosquito pools tested and number of positive mosquito pools by Province/Territory, 2015 season

Province	Year to date: January 1 to Aug 1, 2015		
	Number of positive mosquito pools	Number of mosquito pools tested	Percentage of positive mosquito pools (%)
Quebec	0	616	0
Ontario	11	8037	0.14
Manitoba	8	852	0.94
Saskatchewan	8	203	3.94
Total	27	9708	0.28


FIGURE 3: Reported percentage of dead birds testing positive for West Nile Virus by Province/Territory and by report week, 2015 season** Data from the [Canadian Wildlife Health Cooperative](#).

TABLE 5: Reported number of dead birds testing positive for West Nile Virus by Province/Territory and by report week, 2015 season*

	Report week of 2015																															
	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	Total
Newfoundland and Labrador	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Prince Edward Island	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
New Brunswick	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Nova Scotia	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Quebec	0	0	0	0	0	0	0	0	0	0	0	1'	1'	2'																		4 ¹
Ontario	0	0	0	0	0	0	0	1	0	0	0	0	4	1																		6
Manitoba	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Saskatchewan	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Alberta	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
British Columbia	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Yukon Territory	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Northwest Territory	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Nunavut	0	0	0	0	0	0	0	0	0	0	0	0	0	0																		0
Total	0	0	0	0	0	0	0	1	0	0	0	1	5	3																		10

* Data from the [Canadian Wildlife Health Cooperative](#).¹Data from the Ministry of Health and Social Services, Quebec


FIGURE 4 Number of dead birds testing positive for West Nile Virus in the 2015 season by report week, as compared to the 2003, 2012 and 2014 season

TABLE 6: Percentage of dead birds testing positive for West Nile Virus in the 2015 season by report week, as compared to the 2003, 2012 and 2014 seasons

		Report week																															
		17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	
Numbers positive	2015	0	0	0	0	0	0	0	1	0	0	0	1	5	3																		
Numbers tested	2015	0	0	0	0	0	0	0	1	0	0	1	1	6	5																		
Percentage positive	2015	0	0	0	0	0	0	0	100	0	0	0	100	83	60																		
Numbers positive	2014	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	2	4	0	2	3	0	1	0	0	0	0	0	0	0	
Numbers tested	2014	0	0	0	0	0	0	0	0	0	0	0	0	0	41*	10	13	9	7	13	6	10	3	1	4	2	1	0	0	0	0	0	
Percentage positive	2014	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	15	22	29	31	0	20	100	0	25	0	0	0	0	0	0	0	
Percentage positive	2012	0	0	0	0	0	0	0	0	0	0	33	67	33	67	33	50	67	64	67	33	67	67	55	0	0	0	0	0	0	0	0	
Percentage positive	2003	0	0	1	0	1	1	1	1	1	3	3	6	7	10	17	21	38	35	43	46	45	45	58	29	20	15	8	0	0	0	0	

* Data became available during Week 30; this is a cumulative number of dead birds tested from Week 1 to Week 30.