



Health  
Canada Santé  
Canada

Your health and  
safety... our priority.

Votre santé et votre  
sécurité... notre priorité.

Proposed Maximum Residue Limit

PMRL2018-49

# Chlorothalonil

*(publié aussi en français)*

**20 November 2018**

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications  
Pest Management Regulatory Agency  
Health Canada  
2720 Riverside Drive  
A.L. 6607 D  
Ottawa, Ontario K1A 0K9

Internet: [canada.ca/pesticides](http://canada.ca/pesticides)  
[hc.pmra.publications-arla.sc@canada.ca](mailto:hc.pmra.publications-arla.sc@canada.ca)  
Facsimile: 613-736-3758  
Information Service:  
1-800-267-6315 or 613-736-3799  
[hc.pmra.info-arla.sc@canada.ca](mailto:hc.pmra.info-arla.sc@canada.ca)

Canada 

ISSN: 1925-0835 (print)  
1925-0843 (online)

Catalogue number: H113-24/2018-49E (print version)  
H113-24/2018-49E-PDF (PDF version)

**© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2018**

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Services and Procurement Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) is proposing to establish a maximum residue limit (MRL) for chlorothalonil on edible-podded legume vegetables (crop subgroup 6A) to permit the import and sale of these vegetables containing such residues.

Chlorothalonil is a fungicide currently registered in Canada for use on various commodities.

The PMRA must determine the quantity of residues that are likely to remain in or on the imported food commodities when chlorothalonil is used according to label directions in the exporting country, and that such residues will not be a concern to human health. This quantity is then legally established as an MRL on the corresponding imported commodity. An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Consultation on the proposed MRL for chlorothalonil is being conducted via this document (see Next Steps). A summary of the field trial data used to support the proposed MRL can be found in Appendix I.

To comply with Canada's international trade obligations, consultation on the proposed MRL is also being conducted internationally by notifying the World Trade Organization, as coordinated by Canada's Notification Authority and Enquiry Point.

The proposed MRL, to replace the MRL already established for chlorothalonil, is as follows.

**Table 1 Proposed Maximum Residue Limit for Chlorothalonil**

Common Name	Residue Definition	MRL (ppm) <sup>1</sup>	Food Commodity
Chlorothalonil	2,4,5,6-tetrachloro-1,3-benzenedicarbonitrile including the metabolite 4-hydroxy-2,5,6-trichloro-1,3-benzenedicarbonitrile	5.0 <sup>2</sup>	Edible-podded legume vegetables (crop subgroup 6A)

<sup>1</sup> ppm = parts per million

<sup>2</sup> This action extends the current MRL of 5.0 ppm on edible-podded snow peas to all commodities within crop subgroup 6A.

MRLs are proposed for each commodity included in the listed crop grouping in accordance with the Residue Chemistry Crop Groups webpage in the Pesticides section of the Canada.ca website.

MRLs established in Canada may be found using the Maximum Residue Limit Database on the Maximum Residue Limits for Pesticides webpage. The database allows users to search for established MRLs, regulated under the *Pest Control Products Act*, both for pesticides or for food commodities.

## International Situation and Trade Implications

Table 2 compares the MRL proposed for chlorothalonil in Canada with the corresponding American tolerance and Codex MRL.<sup>1</sup> American tolerances are listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide. A listing of established Codex MRLs is available on the Codex Alimentarius Pesticide Index webpage, by pesticide or commodity.

**Table 2 Comparison of the Canadian MRL, American Tolerance and Codex MRL (where different)**

<b>Food Commodity</b>	<b>Canadian MRL (ppm)</b>	<b>American Tolerance (ppm)</b>	<b>Codex MRL (ppm)</b>
Edible-podded legume vegetables (crop subgroup 6A)	5.0	5.0 (edible-podded pea)	None established

### Next Steps

The PMRA invites the public to submit written comments on the proposed MRL for chlorothalonil up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRL. Comments received will be addressed in a separate document linked to this PMRL. The established MRL will be legally in effect as of the date that they are entered into the Maximum Residue Limit Database.

---

<sup>1</sup> The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

## Appendix I

### Summary of Field Trial Data Used to Support the Proposed Maximum Residue Limit

Residue data for chlorothalonil in snap beans were available to support the maximum residue limit on imported edible-podded legume vegetables (crop subgroup 6A).

#### Maximum Residue Limit

The recommendation for the maximum residue limit (MRL) for chlorothalonil was based upon the residues observed in snap beans treated at exaggerated rates in the exporting country.

Table A1 summarizes the residue data used to calculate the proposed MRL for imported edible-podded legume vegetables (crop subgroup 6A).

**Table A1 Summary of Field Trial and Processing Data Used to Support the MRL**

Commodity	Application Method/ Total Application Rate (kg a.i./ha) <sup>1</sup>	Preharvest Interval (days)	Lowest Average Field Trial Residues (ppm)	Highest Average Field Trial Residues (ppm)	Experimental Processing Factor
Snap beans	Broadcast spray/ 7.41–7.44	7	0.43	3.04	None

<sup>1</sup> kg a.i./ha = kilograms of active ingredient per hectare

Following the review of all available data, the MRL as proposed in Table 1 is recommended to cover residues of chlorothalonil. Residues of chlorothalonil in these imported crop commodities at the proposed MRL will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.