



Health
Canada Santé
Canada

Your health and
safety... our priority.

Votre santé et votre
sécurité... notre priorité.

Proposed Maximum Residue Limit

PMRL2019-17

Metalaxyl

(publié aussi en français)

23 August 2019

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications
Pest Management Regulatory Agency
Health Canada
2720 Riverside Drive
A.L. 6607 D
Ottawa, Ontario K1A 0K9

Internet: canada.ca/pesticides
hc.pmra.publications-arla.sc@canada.ca
Facsimile: 613-736-3758
Information Service:
1-800-267-6315 or 613-736-3799
hc.pmra.info-arla.sc@canada.ca

Canada 

ISSN: 1925-0835 (print)
1925-0843 (online)

Catalogue number: H113-24/2019-17E (print version)
H113-24/2019-17E-PDF (PDF version)

© Her Majesty the Queen in Right of Canada, represented by the Minister of Health Canada, 2019

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of the Minister of Public Services and Procurement Canada, Ottawa, Ontario K1A 0S5.

Under the authority of the *Pest Control Products Act*, Health Canada's Pest Management Regulatory Agency (PMRA) has concluded that the addition of the new use on annual canarygrass to the product label of Insure Cereal FX4, containing technical grade pyraclostrobin, fluxapyroxad, triticonazole and metalaxyl, is acceptable. The specific uses approved in Canada are detailed on the label of Insure Cereal FX4, *Pest Control Products Act* Registration Number 33210.

The evaluation of this metalaxyl application indicated that the end-use product has value and the human health and environmental risks associated with the new use are acceptable.

Before registering a pesticide for food use in Canada, the PMRA must determine the quantity of residues that are likely to remain in or on the food when the pesticide is used according to label directions and that such residues will not be a concern to human health. This quantity is then legally established as a maximum residue limit (MRL). An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except where separate MRLs are specified for the raw agricultural commodity and a processed product made from it.

Consultation on the proposed MRL for metalaxyl is being conducted via this document (see Next Steps). MRL consultation for the other active ingredients, pyraclostrobin, triticonazole and fluxapyroxad, present in Insure Cereal FX4 is being consulted under separate actions. A summary of the field trial data used to support the proposed MRL can be found in Appendix I.

To comply with Canada's international trade obligations, consultation on the proposed MRL is also being conducted internationally by notifying the World Trade Organization, as coordinated by the Canada's Notification Authority and Enquiry Point.

The proposed MRL, to be added to the MRLs already established for metalaxyl, is as follows.

Table 1 Proposed Maximum Residue Limit for Metalaxyl

Common Name	Residue Definition	MRL (ppm) ¹	Food Commodity
Metalaxyl	methyl <i>N</i> -(2,6-dimethylphenyl)- <i>N</i> -(methoxyacetyl)-DL-alaninate, including metabolites that can be converted to the 2,6-dimethylaniline moiety, each expressed as metalaxyl equivalents	0.05	Annual canarygrass seeds

¹ ppm = parts per million

MRLs established in Canada may be found using the Maximum Residue Limit Database on the Maximum Residue Limits for Pesticides webpage. The database allows users to search for established MRLs, regulated under the *Pest Control Products Act*, both for pesticides or for food commodities.

International Situation and Trade Implications

Currently, there is no American tolerance for metalaxyl on annual canarygrass seeds listed in the Electronic Code of Federal Regulations, 40 CFR Part 180, by pesticide, nor is there any Codex MRL¹ listed for metalaxyl on annual canarygrass seeds on the Codex Alimentarius Pesticide Index webpage, by pesticide or commodity.

Next Steps

The PMRA invites the public to submit written comments on the proposed MRL for metalaxyl up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). The PMRA will consider all comments received before making a final decision on the proposed MRL. Comments received will be addressed in a separate document linked to this PMRL. The established MRL will be legally in effect as of the date that it is entered into the Maximum Residue Limit Database.

¹ The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

Appendix I

Summary of Field Trial Data Used to Support the Proposed Maximum Residue Limit

Previously reviewed residue data from field trials conducted on wheat (translated to annual canarygrass) were reassessed in the framework of this petition. In addition, a processing study in treated wheat was also reassessed to determine the potential for concentration of residues of metalaxyl into processed commodities.

Maximum Residue Limit

The recommendation for a maximum residue limit (MRL) for metalaxyl was based upon the previously reviewed field trial data, and the guidance provided in the OECD MRL Calculator. Table A1 summarizes the residue data used to calculate the proposed MRL for annual canarygrass seeds.

Table A1 Summary of Field Trial and Processing Data Used to Support the MRL

Commodity	Application Method/ Total Application Rate (g a.i./ha) ¹	Preharvest Interval (days)	Lowest Average Field Trial Residues (ppm)	Highest Average Field Trial Residues (ppm)	Experimental Processing Factor
Wheat grain	Soil treatment at planting / 1120	209-259	<0.05	0.13 ²	Wheat flour: 1.6×

¹ g a.i./ha = grams of active ingredient per hectare.

² Based on the degree of exaggeration (933-fold) of a soil application, it was determined that residues resulting from a seed treatment at 1.2 g a.i./ha would not be quantifiable.

Following the review of all available data, the MRL as proposed in Table 1 is recommended to cover residues of metalaxyl. Residues of metalaxyl in annual canarygrass seeds at the proposed MRL will not pose an unacceptable risk to any segment of the population, including infants, children, adults and seniors.