

Proposed Maximum Residue Limit

PMRL2022-17

Mecoprop

(publié aussi en français)

18 October 2022

This document is published by the Health Canada Pest Management Regulatory Agency. For further information, please contact:

Publications Pest Management Regulatory Agency Health Canada 2720 Riverside Drive A.L. 6607 D Ottawa, Ontario K1A 0K9 Internet: canada.ca/pesticides pmra.publications-arla@hc-sc.gc.ca Facsimile: 613-736-3758 Information Service: 1-800-267-6315 or 613-736-3799 pmra.info-arla@hc-sc.gc.ca



ISSN: 1925-0835 (print) 1925-0843 (online)

Catalogue number: H113-24/2022-17E (print version) H113-24/2022-17E-PDF (PDF version)

© His Majesty the King in Right of Canada, as represented by the Minister of Health Canada, 2022

All rights reserved. No part of this information (publication or product) may be reproduced or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, or stored in a retrieval system, without prior written permission of Health Canada, Ottawa, Ontario K1A 0K9.

Purpose of consultation

A Maximum residue limit (MRL)¹ is being proposed for the pesticide mecoprop,² as part of the following application for Canadian use, under submission number 2018-3177.

Under the authority of the <u>Pest Control Products Act</u>, Health Canada's Pest Management Regulatory Agency (PMRA) is proposing acceptability of the requested application to add the new commodity of annual canarygrass to the product label of IPCO Tracker XP Liquid Herbicide, containing technical grade MCPA, mecoprop-p and dicamba, to control or suppress various broadleaf weeds. The specific uses approved in Canada are detailed on this product label, *Pest Control Products Act* Registration Number <u>27790</u>.

The evaluation of this mecoprop-p, dicamba and MCPA application indicated that the end-use product has value, and the human health and environmental risks associated with the new use are acceptable. Dietary risks from the consumption of food listed in Table 1 were shown to be acceptable when mecoprop-p is used according to the supported label directions. Therefore, food containing residues resulting from this use is safe to eat, and an MRL is being proposed as a result of this assessment. A summary of the field trial data used to support the proposed MRL can be found in <u>Appendix I</u>.

Dietary health assessment

In assessing the risk of a pesticide, Health Canada combines information on pesticide toxicity with information on the degree and duration of dietary exposure to the pesticide residue from food. The risk assessment process involves four distinct steps:

- 1) Identifying the toxicology hazards posed by the pesticide;
- 2) Determining the "acceptable dietary level" for Canadians (including all vulnerable populations), which is protective of adverse health effects;
- 3) Estimating human dietary exposure to the pesticide from all applicable sources (domestic and imported commodities); and
- 4) Characterizing health risk by comparing the estimated human dietary exposure to the acceptable dietary level.

Before registering a pesticide for food use in Canada, Health Canada must determine the quantity of residues that could remain in or on the food when the pesticide is used according to label directions and that such residues will not be a concern to human health (Steps 3 and 4 above). If estimated human exposure is less than or equal to the acceptable level (developed in Step 2 above), Health Canada concludes that consuming residues resulting from use according to

¹ A maximum residue limit (MRL) is the maximum amount of residue that may remain in or on food when a pesticide is used according to label directions.

² Mecoprop is the unresolved isomeric mixture of the technical grade active mecoprop-p (the resolved isomer). Residues of mecoprop-p are covered by MRLs established for mecoprop.

approved label directions is not a health concern. The proposed MRL is then subject to consultation to legally specify it as an MRL. An MRL applies to the identified raw agricultural food commodity as well as to any processed food product that contains it, except for certain instances where different MRLs are specified for the raw agricultural commodity and its processed product(s).

Residues of the resolved isomer mecoprop-p are covered by MRLs established for mecoprop, the unresolved isomeric mixture. Consultation on the proposed MRL for mecoprop is being conducted via this document. IPCO Tracker XP Liquid Herbicide also contains two other active ingredients; dicamba and MCPA. An MRL consultation for dicamba is being consulted under a separate action. For MCPA, the currently established MRLs of 0.04 ppm on annual canarygrass bran, and 0.03 ppm on annual canarygrass grain are sufficient to cover residues resulting from this new use and are therefore unaffected by this MRL action. Health Canada invites the public to submit written comments on the proposed MRL for mecoprop in accordance with the process outlined in the Next steps Section of this document.

To comply with Canada's international trade obligations, consultation on the proposed MRL is also being conducted internationally by notifying the <u>World Trade Organization</u>, as coordinated by the <u>Canada's Notification Authority and Enquiry Point</u>.

Proposed MRL

The proposed MRL, to be added to the MRLs already established for mecoprop, is summarized in Table 1.

Common name	Residue definition	MRL (ppm) ¹	Food commodity
Mecoprop	2-(4-chloro-2-methylphenoxy)propanoic acid	0.02	Annual canarygrass

Table 1Proposed maximum residue limit for mecoprop

¹ ppm = parts per million

MRLs established in Canada may be found using the <u>Maximum Residue Limit Database</u> on the <u>Maximum Residue Limits for Pesticides</u> webpage. The database allows users to search for established MRLs, regulated under the *Pest Control Products Act*, both for pesticides or for food commodities.

International situation and trade implications

Currently, there are no American tolerances for mecoprop in or on any commodity on the <u>Electronic Code of Federal Regulations</u>, 40 CFR part 180; nor are there Codex MRLs³ listed for mecoprop in or on any commodity on the Codex Alimentarius <u>Pesticide Index</u> webpage.

Next steps

Health Canada invites the public to submit written comments on the proposed MRL for mecoprop up to 75 days from the date of publication of this document. Please forward your comments to Publications (see the contact information on the cover page of this document). Health Canada will consider all comments received and a science-based approach will be applied in making a final decision on the proposed MRL. Comments received will be addressed in a separate document linked to this PMRL. The established MRL will be legally in effect as of the date that it is entered into the <u>Maximum Residue Limit Database</u>.

³ The Codex Alimentarius Commission is an international organization under the auspices of the United Nations that develops international food standards, including MRLs.

Appendix I

Summary of field trial data used to support the proposed maximum residue limit

Previously reviewed residue data from field trials conducted in/on wheat and barley were reassessed in the framework of this petition. In addition, a processing study in treated wheat was also reassessed to determine the potential for concentration of residues of mecoprop-p into processed commodities.

Dietary risk assessment results

Acute dietary (food plus drinking water) intake estimates indicated that the general population and all population subgroups are exposed to less than 2% of the acute reference dose, and therefore there are no health concerns.

Chronic dietary (food plus drinking water) intake estimates indicated that the general population and all population subgroups are exposed to less than 3% of the acceptable daily intake, with a cancer risk for the most affected subpopulation (non nursing infants) of 0.3×10^{-6} (less than 1 in a million), and therefore there are no health concerns.

Maximum residue limit

The recommendation for the maximum residue limit (MRL) for mecoprop was based upon the field trial data on file, and the guidance provided in the <u>OECD MRL Calculator</u>. Table A1 summarizes the residue data used to calculate the proposed MRL for annual canarygrass grain.

Table A1	Summary of field trial and	processing data used to support the MRL
	,	

Commodity	Application method/Total application rate (kg a.e./ha) ¹	Preharvest interval (days)	Lowest average field trial residues (ppm)	Highest average field trial residues (ppm)	Experimental processing factor
Wheat grain	Foliar	58–104	< 0.01	< 0.01	No
	application/				quantifiable
	1.05				residues
Barley grain	Foliar	53–79	< 0.01	< 0.01	observed at
	application/				exaggerated
	1.05				rates.

¹ kg a.e./ha = kilograms of acid equivalents per hectare

Following the review of all available data, the MRL proposed in Table 1 is recommended to cover residues of mecoprop. Dietary risks from exposure to residues of mecoprop in this crop commodity at the proposed MRL were shown to be acceptable for the general population and all subpopulations, including infants, children, adults and seniors. Thus the food that contain residues as listed in Table 1 is considered safe to eat.

References

None.