



Physical Security Directive - Security Level Cage

Section	Directive on Physical Security Requirements for Controlled Substances and Drugs Containing Cannabis	Information indicating how the requirements of the Directive for Security Level Cage are met	Included in Floor Plan	For Office Use Only
				Requirement Met
5.1.1.1 Cage	The caged area is to be located at least 1 metre (3') from an outside wall if located on a ground floor or accessible from a roof. The Office considers a common wall shared with another firm to be an outside wall, therefore, a 1 metre (3') free area is required. The Office may consider equivalents to the 1 metre (3') free area (see examples 4.5.1.5).			<input type="checkbox"/>
5.1.1.2	The caged area must be located in a locked room.			<input type="checkbox"/>
5.1.1.3	There must be sufficient electrical detection to detect unauthorized movement within the caged area.			<input type="checkbox"/>
5.1.1.4	Cage door or gate to be secured with an approved padlock (see Appendix E) or its equivalent.			<input type="checkbox"/>
5.1.2.1	The walls and ceiling of a caged area must be constructed of 3.5 mm (10 gauge) rolled and flattened metal mesh which has 2.5 cm x 5 cm (1" x 2") diamond shaped openings securely fastened together. If the existing floor and ceiling are to be used then the walls are to extend from structural floor to structural ceiling. The gate or door must provide force resistance equivalent to that of the walls and ceiling and be equipped with electrical door contacts.			<input type="checkbox"/>

Physical Security Directive - Security Level Cage

Section	Directive on Physical Security Requirements for Controlled Substances and Drugs Containing Cannabis	Information indicating how the requirements of the Directive for Security Level Cage are met	Included in Floor Plan	For Office Use Only
				Requirement Met
	Please confirm that the cage is 5 sided			<input type="checkbox"/>