## List of Maximum Residue Limits Regulated Under the Pest Control Products Act

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                      |
|---|-----------------------------------|--|--------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established                      |
| 1-Methylcyclopropene  | 0.01                              | Apples   | Canada Gazette<br>Prior to 16 June 2 |
| 1-Methylcyclopropene  | 0.01                              | Bananas  | EMRL2010-07                          |
| 1-Methylcyclopropene  | 0.01                              | Pears  | (26 July 2010)<br>EMRL2011-04        |
| 1-Methylcyclopropene  | 0.01                              | Tomatoes                                       | (14 March 2011<br>EMRL2008-08        |
| 2,4-D   | 0.05                              | Apples   | (6 August 2008<br>EMRL2011-13        |
| 2,4-D   | 0.05                              | Apricots                                       | (18 March 2011<br>EMRL2011-13        |
|   |                                   | ·  | (18 March 201                        |
| 2,4-D   | 0.05                              | Asian pears                                    | EMRL2011-13<br>(18 March 2011        |
| 2,4-D   | 5.0                               | Asparagus                                      | Canada Gazette<br>Prior to 16 June 2 |
| 2,4-D   | 2.0                               | Citrus fruits                                  | Canada Gazette<br>Prior to 16 June 2 |
| 2,4-D   | 0.05                              | Crabapples                                     | EMRL2011-13<br>(18 March 2011        |
| 2,4-D   | 0.5                               | Cranberries                                    | Canada Gazette Prior to 16 June 2    |
| 2,4-D   | 0.05                              | Field corn                                     | EMRL2011-13                          |
| 2,4-D   | 0.05                              | Loquats  | (18 March 2011<br>EMRL2011-13        |
| 2,4-D   | 0.05                              | Mayhaws  | (18 March 2011<br>EMRL2011-13        |
| 2,4-D   | 0.05                              | Nectarines                                     | (18 March 2011<br>EMRL2011-13        |
| 2,4-D   | 0.05                              | Peaches  | (18 March 2011<br>EMRL2011-13        |
| ·   |                                   |  | (18 March 2011                       |
| 2,4-D   | 0.05                              | Pears  | EMRL2011-13<br>(18 March 2011        |
| 2,4-D   | 0.05                              | Plumcots                                       | EMRL2011-13<br>(18 March 2011        |
| 2,4-D   | 0.05                              | Plums  | EMRL2011-13<br>(18 March 2011        |
| 2,4-D   | 0.05                              | Prune plums                                    | EMRL2011-13<br>(18 March 2011        |
| 2,4-D   | 0.05                              | Quinces  | EMRL2011-13<br>(18 March 2011        |
| 2,4-D   | 0.05                              | Strawberries                                   | EMRL2011-13                          |
| 2,4-D   | 0.05                              | Sweet cherries                                 | (18 March 2011<br>EMRL2011-13        |
| 2,4-D   | 0.05                              | Sweet corn kernels plus cob with husks removed | (18 March 2011<br>EMRL2011-13        |
| 2,4-D   | 0.05                              | Tart cherries                                  | (18 March 2011<br>EMRL2011-13        |
| 4-CPA   | 2.0                               | Mung bean sprouts                              | (18 March 2011<br>Canada Gazette     |
| Abamectin   | 0.005                             | Almonds  | Prior to 16 June 2 Canada Gazette    |
|   |                                   |  | Prior to 16 June 2                   |
| Abamectin   | 0.02                              | Apples   | Canada Gazette<br>Prior to 16 June 2 |
| Abamectin   | 0.05                              | Celery   | Canada Gazette<br>Prior to 16 June 2 |
| Abamectin   | 0.02                              | Citrus fruits                                  | Canada Gazette<br>Prior to 16 June 2 |
| Abamectin   | 0.005                             | Cucumbers                                      | Canada Gazette<br>Prior to 16 June 2 |
| Abamectin   | 0.02                              | Grapes   | EMRL2011-22                          |
| Abamectin   | 0.05                              | Head Lettuce                                   | (10 May 2011)<br>Canada Gazette      |
| Abamectin   | 0.02                              | Pears  | Prior to 16 June 2 Canada Gazette    |
| Abamectin   | 0.01                              | Peppers  | Prior to 16 June 2<br>Canada Gazette |
| Abamectin   | 0.01                              | Potatoes                                       | Prior to 16 June 2<br>EMRL2010-02    |
| Abamectin   | 0.02                              | Strawberries                                   | (3 June 2010)<br>Canada Gazette      |
|   |                                   |  | Prior to 16 June 2                   |
| Abamectin   | 0.01                              | Tomatoes                                       | Canada Gazette<br>Prior to 16 June 2 |
| Abamectin   | 0.005                             | Walnuts  | Canada Gazette<br>Prior to 16 June 2 |
| Acephate  | 1.0                               | Beans  | Canada Gazette<br>Prior to 16 June 2 |

| e residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                                 |  |
|--|-----------------------------------|---------------------------------|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established Via                        |
| Acephate   | 1.5                               | Brussels sprouts                | Canada Gazette II Prior to 16 June 2008    |
| Acephate   | 0.3                               | Cabbages                        | Canada Gazette II                          |
| Acephate   | 2.0                               | Cauliflower                     | Prior to 16 June 2008<br>Canada Gazette II |
| Acephate   | 5.0                               | Celery                          | Prior to 16 June 2008<br>Canada Gazette II |
| <u> </u>   |                                   | ·                               | Prior to 16 June 2008                      |
| Acephate   | 0.5                               | Corn                            | Canada Gazette II Prior to 16 June 2008    |
| Acephate   | 0.5                               | Cranberries                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Acephate   | 1.0                               | Lettuce                         | Canada Gazette II                          |
| Acephate   | 0.05                              | Milk                            | Prior to 16 June 2008<br>Canada Gazette II |
| Acephate   | 2.0                               | Peppers                         | Prior to 16 June 2008<br>Canada Gazette II |
| <u> </u>   |                                   |                                 | Prior to 16 June 2008                      |
| Acephate   | 0.5                               | Potatoes                        | Canada Gazette II<br>Prior to 16 June 2008 |
| Acephate   | 0.03                              | Saskatoon berries (juneberries) | EMRL2008-39<br>(17 November 2008)          |
| Acephate   | 0.5                               | Soybeans                        | Canada Gazette II                          |
| Acequinocyl  | 0.02                              | Almonds                         | Prior to 16 June 2008<br>EMRL2009-03       |
| Acequinocyl  | 0.3                               | Apples                          | (8 May 2009)<br>EMRL2009-03                |
| . , ,  |                                   |                                 | (8 May 2009)                               |
| Acequinocyl  | 0.3                               | Asian pears                     | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.35                              | Calamondins                     | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.35                              | Citrus citrons                  | EMRL2009-03                                |
| Acequinocyl  | 0.35                              | Citrus hybrids                  | (8 May 2009)<br>EMRL2009-03                |
| Acequinocyl  | 30                                | Citrus oil                      | (8 May 2009)<br>EMRL2009-03                |
|  |                                   |                                 | (8 May 2009)                               |
| Acequinocyl  | 0.3                               | Crabapples                      | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.02                              | Fat of cattle                   | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.02                              | Fat of goats                    | EMRL2009-03                                |
| Acequinocyl  | 0.02                              | Fat of horses                   | (8 May 2009)<br>EMRL2009-03                |
| Acequinocyl  | 0.02                              | Fat of sheep                    | (8 May 2009)<br>EMRL2009-03                |
| Acequinocyl  | 0.35                              | Grapefruits                     | (8 May 2009)<br>EMRL2009-03                |
| Acequinocyi  | 0.33                              | Graperruits                     | (8 May 2009)                               |
| Acequinocyl  | 0.35                              | Kumquats                        | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.35                              | Lemons                          | EMRL2009-03                                |
| Acequinocyl  | 0.35                              | Limes                           | (8 May 2009)<br>EMRL2009-03                |
| Acequinocyl  | 0.3                               | Loquats                         | (8 May 2009)<br>EMRL2009-03                |
| Acequinocyl  | 0.3                               | Mayhaws                         | (8 May 2009)<br>EMRL2009-03                |
| . , ,  |                                   | ·                               | (8 May 2009)                               |
| Acequinocyl  | 0.02                              | Meat byproducts of cattle       | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.02                              | Meat byproducts of goats        | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.02                              | Meat byproducts of horses       | EMRL2009-03                                |
| Acequinocyl  | 0.02                              | Meat byproducts of sheep        | (8 May 2009)<br>EMRL2009-03                |
| Acequinocyl  | 0.02                              | Meat of cattle                  | (8 May 2009)<br>EMRL2009-03                |
| · ,  |                                   |                                 | (8 May 2009)                               |
| Acequinocyl  | 0.02                              | Meat of goats                   | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.02                              | Meat of horses                  | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.02                              | Meat of sheep                   | EMRL2009-03                                |
| Acequinocyl  | 0.02                              | Milk                            | (8 May 2009)<br>EMRL2009-03                |
| Acequinocyl  | 0.35                              | Oranges                         | (8 May 2009)<br>EMRL2009-03                |
| · · ·  |                                   |                                 | (8 May 2009)                               |
| Acequinocyl  | 0.3                               | Pears                           | EMRL2009-03<br>(8 May 2009)                |
| Acequinocyl  | 0.02                              | Pistachios                      | EMRL2009-03<br>(8 May 2009)                |

|                    |                                   | distinct table on the MRL webpage |                                  |
|--------------------|-----------------------------------|-----------------------------------|----------------------------------|
| Common Name        | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established V                |
| Acequinocyl        | 0.35                              | Pummelos                          | EMRL2009-03                      |
| Acequinocyl        | 0.3                               | Quinces                           | (8 May 2009)<br>EMRL2009-03      |
|                    |                                   |                                   | (8 May 2009)                     |
| Acequinocyl        | 0.35                              | Satsuma mandarins                 | EMRL2009-03                      |
| Acequinocyl        | 0.5                               | Strawberries                      | (8 May 2009)<br>EMRL2009-03      |
|                    | 0.05                              | <del>-</del> .                    | (8 May 2009)                     |
| Acequinocyl        | 0.35                              | Tangerines                        | EMRL2009-03<br>(8 May 2009)      |
| Acetamiprid        | 3.0                               | Amaranth                          | EMRL2008-01                      |
| Acetamiprid        | 1.0                               | Apples                            | (9 July 2008)<br>EMRL2008-01     |
| Noctampha          | 1.0                               | Дрисо                             | (9 July 2008)                    |
| Acetamiprid        | 0.7                               | Apricots                          | EMRL2010-40                      |
| Acetamiprid        | 0.6                               | Aronia berries                    | (29 November 2010<br>EMRL2011-46 |
| <u> </u>           |                                   |                                   | (18 May 2011)                    |
| Acetamiprid        | 3.0                               | Arugula                           | EMRL2008-01<br>(9 July 2008)     |
| Acetamiprid        | 1.0                               | Asian pears                       | EMRL2008-01                      |
| A a a to maio vi d | 0.0                               | Dell papers                       | (9 July 2008)                    |
| Acetamiprid        | 0.2                               | Bell peppers                      | EMRL2008-01<br>(9 July 2008)     |
| Acetamiprid        | 1.2                               | Bok choy Chinese cabbages         | EMRL2008-01                      |
| Acetamiprid        | 1.2                               | Broccoli                          | (9 July 2008)<br>EMRL2008-01     |
| Acetamphu          | 1.2                               | Bioccoli                          | (9 July 2008)                    |
| Acetamiprid        | 1.2                               | Broccoli raab                     | EMRL2008-01                      |
| Acetamiprid        | 1.2                               | Brussels sprouts                  | (9 July 2008)<br>EMRL2008-01     |
|                    |                                   |                                   | (9 July 2008)                    |
| Acetamiprid        | 0.6                               | Buffalo currants                  | EMRL2011-46                      |
| Acetamiprid        | 1.2                               | Cabbages                          | (18 May 2011)<br>EMRL2008-01     |
|                    | 0.5                               |                                   | (9 July 2008)                    |
| Acetamiprid        | 0.5                               | Calamondins                       | EMRL2008-01<br>(9 July 2008)     |
| Acetamiprid        | 3.0                               | Cardoon                           | EMRL2008-01                      |
| Acetamiprid        | 1.2                               | Cauliflower                       | (9 July 2008)<br>EMRL2008-01     |
| Acetampha          | 1.2                               | Gadinower                         | (9 July 2008)                    |
| Acetamiprid        | 3.0                               | Celery                            | EMRL2008-01                      |
| Acetamiprid        | 3.0                               | Celtuce                           | (9 July 2008)<br>EMRL2008-01     |
|                    |                                   |                                   | (9 July 2008)                    |
| Acetamiprid        | 0.6                               | Chilean guavas                    | EMRL2011-46<br>(18 May 2011)     |
| Acetamiprid        | 1.2                               | Chinese broccoli                  | EMRL2008-01                      |
| A a a ta maio ni d | 2.0                               | Chinago palany                    | (9 July 2008)                    |
| Acetamiprid        | 3.0                               | Chinese celery                    | EMRL2008-01<br>(9 July 2008)     |
| Acetamiprid        | 1.2                               | Chinese mustard cabbages          | EMRL2008-01                      |
| Acetamiprid        | 0.5                               | Citrus citrons                    | (9 July 2008)<br>EMRL2008-01     |
| <u> </u>           |                                   |                                   | (9 July 2008)                    |
| Acetamiprid        | 0.5                               | Citrus hybrids                    | EMRL2008-01                      |
| Acetamiprid        | 1.2                               | Collards                          | (9 July 2008)<br>EMRL2008-01     |
|                    |                                   |                                   | (9 July 2008)                    |
| Acetamiprid        | 3.0                               | Corn salad                        | EMRL2008-01<br>(9 July 2008)     |
| Acetamiprid        | 1.0                               | Crabapples                        | EMRL2008-01                      |
| Acetamiprid        | 0.6                               | Currants                          | (9 July 2008)<br>EMRL2011-46     |
|                    | 0.0                               | Currains                          | (18 May 2011)                    |
| Acetamiprid        | 3.0                               | Dandelion leaves                  | EMRL2008-01                      |
| Acetamiprid        | 3.0                               | Dock                              | (9 July 2008)<br>EMRL2008-01     |
| <u> </u>           |                                   |                                   | (9 July 2008)                    |
| Acetamiprid        | 1.2                               | Dried citrus fruit pulp           | EMRL2008-01<br>(9 July 2008)     |
| Acetamiprid        | 0.4                               | Dried prune plums                 | EMRL2010-40                      |
| <u> </u>           |                                   |                                   | (29 November 2010                |
| Acetamiprid        | 3.0                               | Edible leaved chrysanthemum       | EMRL2008-01<br>(9 July 2008)     |
| Acetamiprid        | 0.2                               | Eggplants                         | EMRL2008-01                      |
| Apotominstil       | 0.04                              | Face                              | (9 July 2008)                    |
| Acetamiprid        | 0.01                              | Eggs                              | EMRL2008-01<br>(9 July 2008)     |
| Acetamiprid        | 0.6                               | Elderberries                      | EMRL2011-46                      |
| Acetamiprid        | 3.0                               | Endives                           | (18 May 2011)<br>EMRL2008-01     |
| Acciainipilu       | 5.0                               | LIIUIVE3                          | (9 July 2008)                    |

|             |                                   | a distinct table on the MRL webpage     | I                            |
|-------------|-----------------------------------|---|------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                          | MRL Established              |
| Acetamiprid | 0.6                               | European barberries                     | EMRL2011-46                  |
| Acetamiprid | 0.1                               | Fat of cattle                           | (18 May 2011)<br>EMRL2008-01 |
| Acetamiprid | 0.1                               | Fat of goats                            | (9 July 2008)<br>EMRL2008-01 |
| Acetampho   | 0.1                               | Fal of goals                            | (9 July 2008)                |
| Acetamiprid | 0.1                               | Fat of hogs                             | EMRL2008-01                  |
| Acetamiprid | 0.1                               | Fat of horses                           | (9 July 2008)<br>EMRL2008-01 |
| Acetamiprid | 0.01                              | Fat of poultry                          | (9 July 2008)<br>EMRL2008-01 |
| <u> </u>    |                                   |   | (9 July 2008)                |
| Acetamiprid | 0.1                               | Fat of sheep                            | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 3.0                               | Fresh chervil leaves                    | EMRL2008-01                  |
| Acetamiprid | 3.0                               | Fresh Florence fennel leaves and stalks | (9 July 2008)<br>EMRL2008-01 |
| Acetamiprid | 3.0                               | Fresh parsley leaves                    | (9 July 2008)<br>EMRL2008-01 |
| <u> </u>    |                                   |   | (9 July 2008)                |
| Acetamiprid | 3.0                               | Garden cress                            | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 3.0                               | Garden purslane                         | EMRL2008-01                  |
| Acetamiprid | 3.0                               | Garland chrysanthemum                   | (9 July 2008)<br>EMRL2008-01 |
| ·           | 0.0                               | ·                                       | (9 July 2008)                |
| Acetamiprid | 0.6                               | Gooseberries                            | EMRL2011-46<br>(18 May 2011) |
| Acetamiprid | 0.5                               | Grapefruits                             | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 0.2                               | Grapes                                  | EMRL2008-01                  |
| Acetamiprid | 0.2                               | Groundcherries                          | (9 July 2008)<br>EMRL2008-01 |
|             |                                   |   | (9 July 2008)                |
| Acetamiprid | 3.0                               | Head lettuce                            | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 0.6                               | Highbush blueberries                    | EMRL2011-46                  |
| Acetamiprid | 0.6                               | Highbush cranberries                    | (18 May 2011)<br>EMRL2011-46 |
| Acetamiprid | 0.6                               | Honeysuckle                             | (18 May 2011)<br>EMRL2011-46 |
|             |                                   | ·                                       | (18 May 2011)                |
| Acetamiprid | 0.6                               | Huckleberries                           | EMRL2011-46<br>(18 May 2011) |
| Acetamiprid | 0.6                               | Jostaberries                            | EMRL2011-46                  |
| Acetamiprid | 1.2                               | Kale                                    | (18 May 2011)<br>EMRL2008-01 |
| Acetamiprid | 1.2                               | Kohlrabi                                | (9 July 2008)<br>EMRL2008-01 |
| ·           |                                   |   | (9 July 2008)                |
| Acetamiprid | 0.5                               | Kumquats                                | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 3.0                               | Leaf lettuce                            | EMRL2008-01                  |
| Acetamiprid | 0.5                               | Lemons                                  | (9 July 2008)<br>EMRL2008-01 |
| Acatomicrid | 0.5                               | Limos                                   | (9 July 2008)                |
| Acetamiprid | 0.5                               | Limes                                   | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 0.6                               | Lingonberries                           | EMRL2011-46<br>(18 May 2011) |
| Acetamiprid | 0.05                              | Liver of poultry                        | EMRL2008-01                  |
| Acetamiprid | 1.0                               | Loquats                                 | (9 July 2008)<br>EMRL2008-01 |
| <u> </u>    |                                   | ·                                       | (9 July 2008)                |
| Acetamiprid | 0.6                               | Lowbush blueberries                     | EMRL2011-46<br>(18 May 2011) |
| Acetamiprid | 1.0                               | Mayhaws                                 | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 0.3                               | Meat byproducts of cattle               | EMRL2008-01                  |
| Acetamiprid | 0.3                               | Meat byproducts of goats                | (9 July 2008)<br>EMRL2008-01 |
| <u> </u>    |                                   |   | (9 July 2008)                |
| Acetamiprid | 0.3                               | Meat byproducts of hogs                 | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 0.3                               | Meat byproducts of horses               | EMRL2008-01                  |
| Acetamiprid | 0.3                               | Meat byproducts of sheep                | (9 July 2008)<br>EMRL2008-01 |
| Acetamiprid | 0.1                               | Meat of cattle                          | (9 July 2008)<br>EMRL2008-01 |
| ·           |                                   |   | (9 July 2008)                |
| Acetamiprid | 0.1                               | Meat of goats                           | EMRL2008-01<br>(9 July 2008) |
| Acetamiprid | 0.1                               | Meat of hogs                            | EMRL2008-01                  |

|                     |                                   | distinct table on the MRL webpage |                                 |
|---------------------|-----------------------------------|-----------------------------------|---------------------------------|
| Common Name         | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                 |
| Acetamiprid         | 0.1                               | Meat of horses                    | EMRL2008-01                     |
| Acetamiprid         | 0.01                              | Meat of poultry                   | (9 July 2008)<br>EMRL2008-01    |
| A cotomin vid       | 0.1                               | Most of shoop                     | (9 July 2008)                   |
| Acetamiprid         | 0.1                               | Meat of sheep                     | EMRL2008-01<br>(9 July 2008)    |
| Acetamiprid         | 0.1                               | Milk                              | EMRL2008-01                     |
| Acetamiprid         | 1.2                               | Mustard greens                    | (9 July 2008)<br>EMRL2008-01    |
| ·                   |                                   | -                                 | (9 July 2008)                   |
| Acetamiprid         | 0.01                              | Mustard seeds                     | EMRL2008-01<br>(9 July 2008)    |
| Acetamiprid         | 1.2                               | Mustard spinach                   | EMRL2008-01                     |
| Acetamiprid         | 1.2                               | Napa Chinese cabbages             | (9 July 2008)<br>EMRL2008-01    |
| ·                   |                                   |                                   | (9 July 2008)                   |
| Acetamiprid         | 0.6                               | Native currants                   | EMRL2011-46<br>(18 May 2011)    |
| Acetamiprid         | 0.7                               | Nectarines                        | EMRL2010-40                     |
| Acetamiprid         | 3.0                               | New Zealand spinach               | (29 November 201<br>EMRL2008-01 |
| ·                   |                                   | •                                 | (9 July 2008)                   |
| Acetamiprid         | 0.2                               | Non-bell peppers                  | EMRL2008-01<br>(9 July 2008)    |
| Acetamiprid         | 3.0                               | Orach leaves                      | EMRL2008-01                     |
| Acetamiprid         | 0.5                               | Oranges                           | (9 July 2008)<br>EMRL2008-01    |
| Acetampha           | 0.3                               | Oranges                           | (9 July 2008)                   |
| Acetamiprid         | 0.7                               | Peaches                           | EMRL2010-40<br>(29 November 201 |
| Acetamiprid         | 1.0                               | Pears                             | EMRL2008-01                     |
| Acetamiprid         | 0.2                               | Ponings                           | (9 July 2008)<br>EMRL2008-01    |
| Acetampho           | 0.2                               | Pepinos                           | (9 July 2008)                   |
| Acetamiprid         | 0.2                               | Pepper hybrids                    | EMRL2008-01                     |
| Acetamiprid         | 0.2                               | Plumcots                          | (9 July 2008)<br>EMRL2010-40    |
| Acatominaid         | 0.2                               | Plums                             | (29 November 201                |
| Acetamiprid         | 0.2                               | Plums                             | EMRL2010-40<br>(29 November 201 |
| Acetamiprid         | 0.01                              | Potatoes                          | EMRL2008-01                     |
| Acetamiprid         | 0.2                               | Prune plums                       | (9 July 2008)<br>EMRL2010-40    |
| A = 4 = == t= = t d | 0.5                               | Pummelos                          | (29 November 201<br>EMRL2008-01 |
| Acetamiprid         | 0.5                               | Pummeios                          | (9 July 2008)                   |
| Acetamiprid         | 1.0                               | Quinces                           | EMRL2008-01                     |
| Acetamiprid         | 3.0                               | Radicchio                         | (9 July 2008)<br>EMRL2008-01    |
|                     |                                   |                                   | (9 July 2008)                   |
| Acetamiprid         | 1.2                               | Rape greens                       | EMRL2008-01<br>(9 July 2008)    |
| Acetamiprid         | 0.01                              | Rapeseeds (canola)                | EMRL2008-01                     |
| Acetamiprid         | 3.0                               | Rhubarb                           | (9 July 2008)<br>EMRL2008-01    |
| ·                   |                                   |                                   | (9 July 2008)                   |
| Acetamiprid         | 0.6                               | Salal berries                     | EMRL2011-46<br>(18 May 2011)    |
| Acetamiprid         | 0.6                               | Saskatoon berries (juneberries)   | EMRL2011-46                     |
| Acetamiprid         | 0.5                               | Satsuma mandarins                 | (18 May 2011)<br>EMRL2008-01    |
|                     |                                   |                                   | (9 July 2008)                   |
| Acetamiprid         | 0.6                               | Sea buckthorn                     | EMRL2011-46<br>(18 May 2011)    |
| Acetamiprid         | 3.0                               | Spinach                           | EMRL2008-01                     |
| Acetamiprid         | 0.7                               | Sweet cherries                    | (9 July 2008)<br>EMRL2010-40    |
| ·                   |                                   |                                   | (29 November 201                |
| Acetamiprid         | 3.0                               | Swiss chard                       | EMRL2008-01<br>(9 July 2008)    |
| Acetamiprid         | 0.5                               | Tangerines                        | EMRL2008-01                     |
| Acetamiprid         | 0.7                               | Tart cherries                     | (9 July 2008)<br>EMRL2010-40    |
| ·                   |                                   |                                   | (29 November 201                |
| Acetamiprid         | 0.2                               | Tomatillos                        | EMRL2008-01                     |
| Acetamiprid         | 0.4                               | Tomato paste                      | (9 July 2008)<br>EMRL2008-01    |
| Acotominsid         | 0.2                               | Tomotoco                          | (9 July 2008)                   |
| Acetamiprid         | 0.2                               | Tomatoes                          | EMRL2008-01<br>(9 July 2008)    |
| Acetamiprid         | 0.6                               | Undelinted cotton seeds           | EMRL2008-01                     |
|                     |                                   | Upland cress                      | (9 July 2008)<br>EMRL2008-01    |

|  |                                   | a distinct table on the MRL webpage     | 1                            |
|--|-----------------------------------|---|------------------------------|
| Common Name                                    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                          | MRL Established \            |
| Acetamiprid                                    | 3.0                               | Vine spinach                            | EMRL2008-01                  |
| Acetamiprid                                    | 3.0                               | Winter purslane                         | (9 July 2008)<br>EMRL2008-01 |
| Acibenzolar-S-methyl                           | 0.25                              | Amaranth                                | (9 July 2008)<br>EMRL2008-01 |
| <u>,                                      </u> |                                   |   | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 0.25                              | Arugula                                 | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 0.1                               | Bananas                                 | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 1.0                               | Bell peppers                            | (9 July 2008)<br>EMRL2008-01 |
| Acibenzolar-S-methyl                           | 1.0                               | Dale about Chinage and home             | (9 July 2008)<br>EMRL2008-01 |
| <u>,                                      </u> | 1.0                               | Bok choy Chinese cabbages               | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 1.0                               | Broccoli                                | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 1.0                               | Broccoli raab                           | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 1.0                               | Brussels sprouts                        | (9 July 2008)<br>EMRL2008-01 |
| <u>,                                      </u> | 1.0                               |   | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 1.0                               | Cabbages                                | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 0.25                              | Cardoon                                 | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 1.0                               | Cauliflower                             | (9 July 2008)<br>EMRL2008-01 |
| Acibenzolar-S-methyl                           | 0.25                              | Celery                                  | (9 July 2008)<br>EMRL2008-01 |
|  |                                   |   | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 0.25                              | Celtuce                                 | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 1.0                               | Chinese broccoli                        | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 0.25                              | Chinese celery                          | (9 July 2008)<br>EMRL2008-01 |
| Acibenzolar-S-methyl                           | 1.0                               | Chinese mustard cabbages                | (9 July 2008)<br>EMRL2008-01 |
| <u>,                                      </u> |                                   |   | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 1.0                               | Collards                                | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 0.25                              | Corn salad                              | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 0.25                              | Dandelion leaves                        | (9 July 2008)<br>EMRL2008-01 |
| Acibenzolar-S-methyl                           | 0.25                              | Dock                                    | (9 July 2008)<br>EMRL2008-01 |
|  |                                   |   | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 0.25                              | Edible leaved chrysanthemum             | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 1.0                               | Eggplants                               | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 0.25                              | Endives                                 | (9 July 2008)<br>EMRL2008-01 |
| Anihammalan C mathud                           | 0.25                              | Freeh chemil leeves                     | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 0.25                              | Fresh chervil leaves                    | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 0.25                              | Fresh Florence fennel leaves and stalks | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 0.25                              | Fresh parsley leaves                    | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 0.25                              | Garden cress                            | (9 July 2008)<br>EMRL2008-01 |
| <u>,                                      </u> |                                   |   | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 0.25                              | Garden purslane                         | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 0.25                              | Garland chrysanthemum                   | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 1.0                               | Groundcherries                          | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 0.25                              | Head lettuce                            | (9 July 2008)<br>EMRL2008-01 |
|  |                                   |   | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 1.0                               | Kale                                    | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 1.0                               | Kohlrabi                                | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 0.25                              | Leaf lettuce                            | (9 July 2008)<br>EMRL2008-01 |
| Acibenzolar-S-methyl                           | 1.0                               | Mustard greens                          | (9 July 2008)<br>EMRL2008-01 |
| <u> </u>                                       |                                   |   | (9 July 2008)                |
| Acibenzolar-S-methyl                           | 1.0                               | Mustard spinach                         | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 1.0                               | Napa Chinese cabbages                   | EMRL2008-01                  |
| Acibenzolar-S-methyl                           | 1.0                               | New Zealand spinach                     | (9 July 2008)<br>EMRL2008-01 |
| Acibenzolar-S-methyl                           |                                   |   | (9 July 2008)                |
| <u> </u>                                       | 1.0                               | Non-bell peppers                        | EMRL2008-01<br>(9 July 2008) |
| Acibenzolar-S-methyl                           | 0.25                              | Orach leaves                            | EMRL2008-01                  |

|                           |                                   | distinct table on the MRL webpage |   |
|---------------------------|-----------------------------------|-----------------------------------|---|
| Common Name               | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established \                         |
| Acibenzolar-S-methyl      | 1.0                               | Pepinos                           | EMRL2008-01                               |
| Acibenzolar-S-methyl      | 1.0                               | Pepper hybrids                    | (9 July 2008)<br>EMRL2008-01              |
| Acibenzolar-S-methyl      | 0.25                              | Radicchio                         | (9 July 2008)<br>EMRL2008-01              |
|                           |                                   | Nadicellio                        | (9 July 2008)                             |
| Acibenzolar-S-methyl      | 1.0                               | Rape greens                       | EMRL2008-01<br>(9 July 2008)              |
| Acibenzolar-S-methyl      | 0.25                              | Rhubarb                           | EMRL2008-01                               |
| Acibenzolar-S-methyl      | 1.0                               | Spinach                           | (9 July 2008)<br>EMRL2008-01              |
| A sib some low Compathy d | 0.25                              | Swiss chard                       | (9 July 2008)<br>EMRL2008-01              |
| Acibenzolar-S-methyl      | 0.25                              |                                   | (9 July 2008)                             |
| Acibenzolar-S-methyl      | 1.0                               | Tomatillos                        | EMRL2008-01<br>(9 July 2008)              |
| Acibenzolar-S-methyl      | 3.0                               | Tomato paste                      | EMRL2008-01                               |
| Acibenzolar-S-methyl      | 1.0                               | Tomatoes                          | (9 July 2008)<br>EMRL2008-01              |
|                           | 0.05                              |                                   | (9 July 2008)                             |
| Acibenzolar-S-methyl      | 0.25                              | Upland cress                      | EMRL2008-01<br>(9 July 2008)              |
| Acibenzolar-S-methyl      | 1.0                               | Vine spinach                      | EMRL2008-01                               |
| Acibenzolar-S-methyl      | 0.25                              | Winter purslane                   | (9 July 2008)<br>EMRL2008-01              |
| Alachlor                  | 0.02                              | Corn                              | (9 July 2008)<br>Canada Gazette I         |
|                           |                                   |                                   | Prior to 16 June 200                      |
| Alachlor                  | 0.02                              | Dry beans                         | Canada Gazette I<br>Prior to 16 June 200  |
| Alachlor                  | 0.001                             | Meat                              | Canada Gazette I                          |
| Alachlor                  | 0.001                             | Milk                              | Prior to 16 June 200<br>Canada Gazette I  |
| Alachlor                  | 0.02                              | Soybean oil                       | Prior to 16 June 200<br>Canada Gazette I  |
|                           |                                   | Soybean oii                       | Prior to 16 June 200                      |
| Alachlor                  | 0.2                               | Soybeans                          | Canada Gazette I<br>Prior to 16 June 200  |
| Aldicarb                  | 0.5                               | Potatoes                          | Canada Gazette I                          |
| Aldrin and Dieldrin       | 0.1                               | Butter                            | Prior to 16 June 200<br>Canada Gazette I  |
| Aldrin and Dialdrin       | 0.4                               | Chann                             | Prior to 16 June 200<br>Canada Gazette I  |
| Aldrin and Dieldrin       | 0.1                               | Cheese                            | Prior to 16 June 200                      |
| Aldrin and Dieldrin       | 0.2                               | Fat of cattle                     | Canada Gazette II<br>Prior to 16 June 200 |
| Aldrin and Dieldrin       | 0.2                               | Fat of goats                      | Canada Gazette I                          |
| Aldrin and Dieldrin       | 0.2                               | Fat of hogs                       | Prior to 16 June 200<br>Canada Gazette I  |
|                           |                                   |                                   | Prior to 16 June 200                      |
| Aldrin and Dieldrin       | 0.2                               | Fat of poultry                    | Canada Gazette I<br>Prior to 16 June 200  |
| Aldrin and Dieldrin       | 0.2                               | Fat of sheep                      | Canada Gazette I<br>Prior to 16 June 200  |
| Aldrin and Dieldrin       | 0.2                               | Meat byproducts of cattle         | Canada Gazette I                          |
| Aldrin and Dieldrin       | 0.2                               | Meat byproducts of goats          | Prior to 16 June 200<br>Canada Gazette I  |
|                           |                                   |                                   | Prior to 16 June 200                      |
| Aldrin and Dieldrin       | 0.2                               | Meat byproducts of hogs           | Canada Gazette I<br>Prior to 16 June 200  |
| Aldrin and Dieldrin       | 0.2                               | Meat byproducts of poultry        | Canada Gazette I<br>Prior to 16 June 200  |
| Aldrin and Dieldrin       | 0.2                               | Meat byproducts of sheep          | Canada Gazette I                          |
| Aldrin and Dieldrin       | 0.2                               | Meat of cattle                    | Prior to 16 June 200<br>Canada Gazette I  |
|                           |                                   |                                   | Prior to 16 June 200                      |
| Aldrin and Dieldrin       | 0.2                               | Meat of goats                     | Canada Gazette I<br>Prior to 16 June 200  |
| Aldrin and Dieldrin       | 0.2                               | Meat of hogs                      | Canada Gazette I                          |
| Aldrin and Dieldrin       | 0.2                               | Meat of poultry                   | Prior to 16 June 200<br>Canada Gazette I  |
| Aldrin and Dieldrin       | 0.2                               | Meat of sheep                     | Prior to 16 June 200<br>Canada Gazette I  |
|                           |                                   | ·                                 | Prior to 16 June 200                      |
| Aldrin and Dieldrin       | 0.1                               | Milk                              | Canada Gazette I<br>Prior to 16 June 200  |
| Aldrin and Dieldrin       | 0.1                               | Other dairy products              | Canada Gazette I                          |
| Aminoethoxyvinylglycine   | 0.08                              | Apples                            | Prior to 16 June 200<br>EMRL2011-42       |
| hydrochloride             |                                   | **                                | (18 May 2011)                             |
| Aminopyralid              | 0.02                              | Fat of cattle                     | EMRL2008-02<br>(9 July 2008)              |
| Aminopyralid              | 0.02                              | Fat of goats                      | EMRL2008-02                               |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |  |  |
|---|-----------------------------------|---|--|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                            | MRL Established V                        |  |
| Aminopyralid  | 0.02                              | Fat of horses                             | EMRL2008-02                              |  |
| Aminopyralid  | 0.02                              | Fat of sheep                              | (9 July 2008)<br>EMRL2008-02             |  |
| A main a mu uma li al   | 0.2                               | Videou of comp                            | (9 July 2008)                            |  |
| Aminopyralid  | 0.3                               | Kidney of cattle                          | EMRL2008-02<br>(9 July 2008)             |  |
| Aminopyralid  | 0.3                               | Kidney of goats                           | EMRL2008-02                              |  |
| Aminopyralid  | 0.3                               | Kidney of horses                          | (9 July 2008)<br>EMRL2008-02             |  |
| Aminopyralid  | 0.3                               | Kidney of sheep                           | (9 July 2008)<br>EMRL2008-02             |  |
| Aminopyrand   | 0.3                               | Ridney of sneep                           | (9 July 2008)                            |  |
| Aminopyralid  | 0.02                              | Meat byproducts (except kidney) of cattle | EMRL2008-02<br>(9 July 2008)             |  |
| Aminopyralid  | 0.02                              | Meat byproducts (except kidney) of goats  | EMRL2008-02                              |  |
| Aminopyralid  | 0.02                              | Meat byproducts (except kidney) of horses | (9 July 2008)<br>EMRL2008-02             |  |
|   |                                   |   | (9 July 2008)                            |  |
| Aminopyralid  | 0.02                              | Meat byproducts (except kidney) of sheep  | EMRL2008-02<br>(9 July 2008)             |  |
| Aminopyralid  | 0.02                              | Meat of cattle                            | EMRL2008-02                              |  |
| Aminopyralid  | 0.02                              | Meat of goats                             | (9 July 2008)<br>EMRL2008-02             |  |
|   |                                   |   | (9 July 2008)                            |  |
| Aminopyralid  | 0.02                              | Meat of horses                            | EMRL2008-02<br>(9 July 2008)             |  |
| Aminopyralid  | 0.02                              | Meat of sheep                             | EMRL2008-02                              |  |
| Aminopyralid  | 0.03                              | Milk                                      | (9 July 2008)<br>EMRL2008-02             |  |
|   |                                   |   | (9 July 2008)                            |  |
| Aminopyralid  | 0.04                              | Wheat                                     | EMRL2008-02<br>(9 July 2008)             |  |
| Aminopyralid  | 0.1                               | Wheat bran                                | EMRL2008-02                              |  |
| Amitraz   | 0.5                               | Apples                                    | (9 July 2008)<br>Canada Gazette I        |  |
| Amitraz   | 0.2                               |   | Prior to 16 June 200                     |  |
| Amitraz   | 0.2                               | Kidney of cattle                          | Canada Gazette I<br>Prior to 16 June 200 |  |
| Amitraz   | 0.2                               | Kidney of hogs                            | Canada Gazette I<br>Prior to 16 June 200 |  |
| Amitraz   | 0.2                               | Liver of cattle                           | Canada Gazette I                         |  |
| Amitraz   | 0.2                               | Liver of hogs                             | Prior to 16 June 200<br>Canada Gazette I |  |
|   | 10                                |   | Prior to 16 June 200                     |  |
| Amitraz   | 1.0                               | Pears                                     | Canada Gazette I<br>Prior to 16 June 200 |  |
| Amitrole  | 0.01                              | Barley                                    | Canada Gazette I                         |  |
| Amitrole  | 0.01                              | Peas                                      | Prior to 16 June 200<br>Canada Gazette I |  |
| Amitrole  | 0.01                              | Rapeseeds (canola)                        | Prior to 16 June 200<br>Canada Gazette I |  |
| Amidole   |                                   |   | Prior to 16 June 20                      |  |
| Amitrole  | 0.01                              | Wheat                                     | Canada Gazette I<br>Prior to 16 June 20  |  |
| Atrazine  | 0.04                              | Eggs                                      | EMRL2011-21                              |  |
| Atrazine  | 0.04                              | Fat of cattle                             | (10 May 2011)<br>EMRL2011-21             |  |
|   |                                   |   | (10 May 2011)                            |  |
| Atrazine  | 0.04                              | Fat of goats                              | EMRL2011-21<br>(10 May 2011)             |  |
| Atrazine  | 0.04                              | Fat of hogs                               | EMRL2011-21                              |  |
| Atrazine  | 0.04                              | Fat of horses                             | (10 May 2011)<br>EMRL2011-21             |  |
| Atrazine  | 0.04                              | Fat of poultry                            | (10 May 2011)<br>EMRL2011-21             |  |
| Attazille   | 0.04                              | · · ·                                     | (10 May 2011)                            |  |
| Atrazine  | 0.04                              | Fat of sheep                              | EMRL2011-21<br>(10 May 2011)             |  |
| Atrazine  | 0.2                               | Field corn                                | EMRL2011-21                              |  |
| Atrazine  | 0.04                              | Meat byproducts of cattle                 | (10 May 2011)<br>EMRL2011-21             |  |
|   |                                   |   | (10 May 2011)                            |  |
| Atrazine  | 0.04                              | Meat byproducts of goats                  | EMRL2011-21<br>(10 May 2011)             |  |
| Atrazine  | 0.04                              | Meat byproducts of hogs                   | EMRL2011-21                              |  |
| Atrazine  | 0.04                              | Meat byproducts of horses                 | (10 May 2011)<br>EMRL2011-21             |  |
|   |                                   | <u> </u>                                  | (10 May 2011)                            |  |
| Atrazine  | 0.04                              | Meat byproducts of poultry                | EMRL2011-21<br>(10 May 2011)             |  |
| Atrazine  | 0.04                              | Meat byproducts of sheep                  | EMRL2011-21                              |  |
|   |                                   |   | (10 May 2011)                            |  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                       |  |
|---|-----------------------------------|--|---------------------------------------|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established                       |  |
| Atrazine  | 0.04                              | Meat of goats                                  | EMRL2011-21<br>(10 May 2011)          |  |
| Atrazine  | 0.04                              | Meat of hogs                                   | EMRL2011-21                           |  |
| Atrazine  | 0.04                              | Meat of horses                                 | (10 May 2011)<br>EMRL2011-21          |  |
| Attazine  |                                   |  | (10 May 2011)                         |  |
| Atrazine  | 0.04                              | Meat of poultry                                | EMRL2011-21<br>(10 May 2011)          |  |
| Atrazine  | 0.04                              | Meat of sheep                                  | EMRL2011-21                           |  |
| Atrazine  | 0.04                              | Milk   | (10 May 2011)<br>EMRL2011-21          |  |
| Atronico  | 0.0                               | Danaara arain                                  | (10 May 2011)<br>EMRL2011-21          |  |
| Atrazine  | 0.2                               | Popcorn grain                                  | (10 May 2011)                         |  |
| Atrazine  | 0.2                               | Sweet corn kernels plus cob with husks removed | EMRL2011-21<br>(10 May 2011)          |  |
| Azinphos-methyl   | 2.0                               | Apples   | Canada Gazette                        |  |
| Azinphos-methyl   | 2.0                               | Apricots                                       | Prior to 16 June 20<br>Canada Gazette |  |
| A =in a boo mosthyd   | 0.5                               | Autiahalaa                                     | Prior to 16 June 20                   |  |
| Azinphos-methyl   | 0.5                               | Artichokes                                     | Canada Gazette<br>Prior to 16 June 20 |  |
| Azinphos-methyl   | 2.0                               | Beans  | Canada Gazette<br>Prior to 16 June 20 |  |
| Azinphos-methyl   | 2.0                               | Blackberries                                   | Canada Gazette                        |  |
| Azinphos-methyl   | 2.0                               | Blueberries                                    | Prior to 16 June 20<br>Canada Gazette |  |
|   |                                   |  | Prior to 16 June 20                   |  |
| Azinphos-methyl   | 2.0                               | Boysenberries                                  | Canada Gazette Prior to 16 June 20    |  |
| Azinphos-methyl   | 1.0                               | Broccoli                                       | Canada Gazette<br>Prior to 16 June 20 |  |
| Azinphos-methyl   | 1.0                               | Brussels sprouts                               | Canada Gazette                        |  |
| Azinphos-methyl   | 1.0                               | Cabbages                                       | Prior to 16 June 20<br>Canada Gazette |  |
|   |                                   |  | Prior to 16 June 20                   |  |
| Azinphos-methyl   | 0.5                               | Cauliflower                                    | Canada Gazette Prior to 16 June 20    |  |
| Azinphos-methyl   | 0.5                               | Celery   | Canada Gazette Prior to 16 June 20    |  |
| Azinphos-methyl   | 1.0                               | Cherries                                       | Canada Gazette                        |  |
| Azinphos-methyl   | 2.0                               | Citrus fruits                                  | Prior to 16 June 20<br>Canada Gazette |  |
|   | 1.0                               | Ocean  | Prior to 16 June 20<br>Canada Gazette |  |
| Azinphos-methyl   | 1.0                               | Cranberries                                    | Prior to 16 June 20                   |  |
| Azinphos-methyl   | 0.5                               | Cucumbers                                      | Canada Gazette Prior to 16 June 20    |  |
| Azinphos-methyl   | 1.0                               | Currants                                       | Canada Gazette                        |  |
| Azinphos-methyl   | 0.5                               | Dry bulb onions                                | Prior to 16 June 20<br>Canada Gazette |  |
|   |                                   |  | Prior to 16 June 20                   |  |
| Azinphos-methyl   | 5.0                               | Grapes   | Canada Gazette Prior to 16 June 20    |  |
| Azinphos-methyl   | 1.0                               | Green onions                                   | Canada Gazette Prior to 16 June 20    |  |
| Azinphos-methyl   | 0.4                               | Kiwifruit (edible portion)                     | Canada Gazette                        |  |
| Azinphos-methyl   | 2.0                               | Loganberries                                   | Prior to 16 June 20<br>Canada Gazette |  |
| Azinphos-methyl   |                                   | Peaches/nectarines                             | Prior to 16 June 20                   |  |
|   | 2.0                               |  | Canada Gazette<br>Prior to 16 June 20 |  |
| Azinphos-methyl   | 2.0                               | Pears  | Canada Gazette<br>Prior to 16 June 20 |  |
| Azinphos-methyl   | 0.2                               | Peppers  | Canada Gazette                        |  |
| Azinphos-methyl   | 1.0                               | Plums  | Prior to 16 June 20<br>Canada Gazette |  |
| Azinphos-methyl   | 2.0                               | Quinces  | Prior to 16 June 20<br>Canada Gazette |  |
|   |                                   |  | Prior to 16 June 20                   |  |
| Azinphos-methyl   | 2.0                               | Raspberries                                    | Canada Gazette<br>Prior to 16 June 20 |  |
| Azinphos-methyl   | 2.0                               | Spinach  | Canada Gazette                        |  |
| Azinphos-methyl   | 1.0                               | Strawberries                                   | Prior to 16 June 20<br>Canada Gazette |  |
|   |                                   |  | Prior to 16 June 20                   |  |
| Azinphos-methyl   | 1.0                               | Tomatoes                                       | Canada Gazette<br>Prior to 16 June 20 |  |
| Azoxystrobin  | 38                                | Allspice                                       | EMRL2010-23<br>(24 September 20       |  |
| Azoxystrobin  | 0.02                              | Almonds  | EMRL2008-02                           |  |
| Azoxystrobin  | 30                                | Amaranth                                       | (9 July 2008)<br>EMRL2010-23          |  |

|  |                                   | distinct table on the MRL webpage |                               |
|--|-----------------------------------|-----------------------------------|-------------------------------|
| Common Name                            | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established               |
| Azoxystrobin                           | 38                                | Anise seeds                       | EMRL2010-2                    |
| Azoxystrobin                           | 38                                | Anise star                        | (24 September 2<br>EMRL2010-2 |
| ·                                      |                                   |                                   | (24 September 2               |
| Azoxystrobin                           | 38                                | Annatto seeds                     | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 3.0                               | Aronia berries                    | EMRL2010-2                    |
| Azoxystrobin                           | 30                                | Arugula                           | (24 September 2<br>EMRL2010-2 |
| ·                                      |                                   | <u> </u>                          | (24 September 2               |
| Azoxystrobin                           | 0.04                              | Asparagus                         | EMRL2008-0<br>(9 July 2008    |
| Azoxystrobin                           | 10                                | Australian desert limes           | EMRL2010-2                    |
| Azoxystrobin                           | 10                                | Australian finger limes           | (24 September 2<br>EMRL2010-2 |
|  | 40                                |                                   | (24 September 2               |
| Azoxystrobin                           | 10                                | Australian round limes            | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 0.5                               | Balsam apples                     | EMRL2008-0                    |
| Azoxystrobin                           | 0.5                               | Balsam pears                      | (9 July 2008<br>EMRL2008-0    |
| Azoxystrobin                           | 2.0                               | Bananas                           | (9 July 2008<br>EMRL2010-2    |
| <u> </u>                               | 2.0                               |                                   | (24 September 2               |
| Azoxystrobin                           | 0.03                              | Barley                            | EMRL2010-0<br>(3 June 2010    |
| Azoxystrobin                           | 0.02                              | Beechnuts                         | EMRL2008-0                    |
| Azoxystrobin                           | 2.0                               | Bell peppers                      | (9 July 2008<br>EMRL2010-2    |
| Azoxystrobin                           | 2.0                               | Бен реррего                       | (24 September 2               |
| Azoxystrobin                           | 38                                | Black caraway seeds               | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 0.5                               | Black salsify roots               | EMRL2008-0                    |
| Azoxystrobin                           | 0.02                              | Black walnuts                     | (9 July 2008<br>EMRL2008-0    |
|  |                                   |                                   | (9 July 2008                  |
| Azoxystrobin                           | 5.0                               | Blackberries                      | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 25                                | Bok choy Chinese cabbages         | EMRL2010-2                    |
| Azoxystrobin                           | 0.02                              | Brazil nuts                       | (24 September 2<br>EMRL2008-0 |
| A                                      | 2.0                               | Describ                           | (9 July 2008                  |
| Azoxystrobin                           | 3.0                               | Broccoli                          | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 25                                | Broccoli raab                     | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 10                                | Brown River finger limes          | EMRL2010-2                    |
| Azoxystrobin                           | 3.0                               | Brussels sprouts                  | (24 September 2<br>EMRL2010-2 |
| Azoxystrobin                           | 3.0                               | Brassels sprouts                  | (24 September 2               |
| Azoxystrobin                           | 0.03                              | Buckwheat                         | EMRL2010-0<br>(3 June 2010    |
| Azoxystrobin                           | 3.0                               | Buffalo currants                  | EMRL2010-2                    |
| Azoxystrobin                           | 0.02                              | Butternuts                        | (24 September 2<br>EMRL2008-0 |
| <u> </u>                               |                                   |                                   | (9 July 2008                  |
| Azoxystrobin                           | 3.0                               | Cabbages                          | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 10                                | Calamondins                       | EMRL2010-2                    |
| Azoxystrobin                           | 0.5                               | Cantaloupes                       | (24 September 2<br>EMRL2008-0 |
| Azoxystrobin                           | 38                                | Caper buds                        | (9 July 2008<br>EMRL2010-2    |
| <u> </u>                               |                                   | ·                                 | (24 September 2               |
| Azoxystrobin                           | 38                                | Caraway seeds                     | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 38                                | Cardamom amomum seeds             | EMRL2010-2                    |
| Azoxystrobin                           | 38                                | Cardamom seeds                    | (24 September 2<br>EMRL2010-2 |
|  |                                   |                                   | (24 September 2               |
| Azoxystrobin                           | 30                                | Cardoon                           | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 0.5                               | Carrot roots                      | EMRL2008-0                    |
| Azoxystrobin                           | 0.02                              | Cashew nuts                       | (9 July 2008<br>EMRL2008-0    |
| ·                                      | 20                                |                                   | (9 July 2008                  |
| Azoxystrobin                           | 38                                | Cassia                            | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 3.0                               | Cauliflower                       | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin                           | 0.5                               | Celeriac roots                    | EMRL2008-0                    |
| A===================================== | 00                                | Onlaw                             | (9 July 2008                  |
| Azoxystrobin                           | 30                                | Celery                            | EMRL2010-2<br>(24 September 2 |

|                   |                                   | distinct table on the MRL webpage | T =                             |
|-------------------|-----------------------------------|-----------------------------------|---------------------------------|
| Common Name       | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                 |
| Azoxystrobin      | 38                                | Celery seeds                      | EMRL2010-23                     |
| Azoxystrobin      | 30                                | Celtuce                           | (24 September 20<br>EMRL2010-23 |
| A = ava vatrah in | 0.5                               | Chausta fruit                     | (24 September 20<br>EMRL2008-02 |
| Azoxystrobin      | 0.5                               | Chayote fruit                     | (9 July 2008)                   |
| Azoxystrobin      | 0.02                              | Chestnuts                         | EMRL2008-02                     |
| Azoxystrobin      | 0.5                               | Chicory roots                     | (9 July 2008)<br>EMRL2008-02    |
| Americation       | 3.0                               | Chileen munus                     | (9 July 2008)<br>EMRL2010-23    |
| Azoxystrobin      | 3.0                               | Chilean guavas                    | (24 September 20                |
| Azoxystrobin      | 3.0                               | Chinese broccoli                  | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 30                                | Chinese celery                    | EMRL2010-23                     |
| Azoxystrobin      | 0.5                               | Chinese cucumbers                 | (24 September 20<br>EMRL2008-02 |
|                   |                                   |                                   | (9 July 2008)                   |
| Azoxystrobin      | 3.0                               | Chinese mustard cabbages          | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 0.5                               | Chinese waxgourds                 | EMRL2008-02                     |
| Azoxystrobin      | 0.02                              | Chinquapins                       | (9 July 2008)<br>EMRL2008-02    |
|                   |                                   |                                   | (9 July 2008)                   |
| Azoxystrobin      | 38                                | Cinnamon                          | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 0.5                               | Citron melons                     | EMRL2008-02                     |
| Azoxystrobin      | 10                                | Citrus citrons                    | (9 July 2008)<br>EMRL2010-23    |
|                   |                                   |                                   | (24 September 20                |
| Azoxystrobin      | 10                                | Citrus hybrids                    | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 38                                | Cloves                            | EMRL2010-23                     |
| Azoxystrobin      | 25                                | Collards                          | (24 September 20<br>EMRL2010-23 |
| Azoxystrobin      | 38                                | Common fennel seeds               | (24 September 20<br>EMRL2010-23 |
| AZOXYSIIODIII     |                                   |                                   | (24 September 20                |
| Azoxystrobin      | 38                                | Coriander seeds                   | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 0.2                               | Corn oil                          | EMRL2008-02                     |
| Azoxystrobin      | 30                                | Corn salad                        | (9 July 2008)<br>EMRL2010-23    |
| Azoxystrobin      | 0.5                               | Cranberries                       | (24 September 20<br>EMRL2010-23 |
| AZOXYSIIODIII     | 0.5                               | Crambernes                        | (24 September 20                |
| Azoxystrobin      | 0.5                               | Cucumbers                         | EMRL2008-02<br>(9 July 2008)    |
| Azoxystrobin      | 38                                | Culantro seeds                    | EMRL2010-23                     |
| Azoxystrobin      | 38                                | Cumin                             | (24 September 20<br>EMRL2010-23 |
|                   |                                   |                                   | (24 September 20                |
| Azoxystrobin      | 3.0                               | Currants                          | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 30                                | Dandelion leaves                  | EMRL2010-23                     |
| Azoxystrobin      | 38                                | Dill seeds                        | (24 September 2)<br>EMRL2010-23 |
|                   | 20                                | Dock                              | (24 September 20                |
| Azoxystrobin      | 30                                |                                   | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 260                               | Dried balm leaves                 | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 260                               | Dried basil leaves                | EMRL2010-23                     |
| Azoxystrobin      | 260                               | Dried borage leaves               | (24 September 20<br>EMRL2010-23 |
|                   |                                   |                                   | (24 September 20                |
| Azoxystrobin      | 260                               | Dried burnet leaves               | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 260                               | Dried camomile                    | EMRL2010-23                     |
| Azoxystrobin      | 260                               | Dried catnip                      | (24 September 20<br>EMRL2010-23 |
| Azoxystrobin      | 260                               | Dried chervil leaves              | (24 September 20<br>EMRL2010-23 |
|                   |                                   |                                   | (24 September 2                 |
| Azoxystrobin      | 260                               | Dried Chinese chive leaves        | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 260                               | Dried chive leaves                | EMRL2010-23                     |
| Azoxystrobin      | 260                               | Dried clary leaves                | (24 September 2)<br>EMRL2010-23 |
|                   |                                   | ·                                 | (24 September 20                |
| Azoxystrobin      | 260                               | Dried coriander leaves            | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin      | 260                               | Dried costmary leaves             | EMRL2010-23                     |

|              |                                   | distinct table on the MRL webpage | AND E                         |
|--------------|-----------------------------------|-----------------------------------|-------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established               |
| Azoxystrobin | 260                               | Dried curry leaves                | EMRL2010-2                    |
| Azoxystrobin | 260                               | Dried dillweed leaves             | (24 September 2<br>EMRL2010-2 |
| Azoxystrobin | 260                               | Dried horehound leaves            | (24 September 2<br>EMRL2010-2 |
|              |                                   |                                   | (24 September 2               |
| Azoxystrobin | 260                               | Dried hyssop tops                 | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin | 260                               | Dried lavender                    | EMRL2010-2                    |
| Azoxystrobin | 260                               | Dried lemongrass leaves           | (24 September 2<br>EMRL2010-2 |
| Azoxystrobin | 260                               | Dried lovage leaves               | (24 September 2<br>EMRL2010-2 |
|              | 260                               |                                   | (24 September 2<br>EMRL2010-2 |
| Azoxystrobin |                                   | Dried marigold                    | (24 September 2               |
| Azoxystrobin | 260                               | Dried marjoram                    | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin | 260                               | Dried nasturtium                  | EMRL2010-2                    |
| Azoxystrobin | 260                               | Dried parsley leaves              | (24 September 2<br>EMRL2010-2 |
| Azoxystrobin | 260                               | Dried pennyroyal leaves           | (24 September 2<br>EMRL2010-2 |
|              |                                   |                                   | (24 September 2               |
| Azoxystrobin | 260                               | Dried rosemary leaves             | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin | 260                               | Dried rue leaves                  | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin | 260                               | Dried saffron                     | EMRL2010-2                    |
| Azoxystrobin | 260                               | Dried sage leaves                 | (24 September 2<br>EMRL2010-2 |
| Azoxystrobin | 260                               | Dried summer savory leaves        | (24 September 2<br>EMRL2010-2 |
|              |                                   |                                   | (24 September 2               |
| Azoxystrobin | 260                               | Dried sweet bay leaves            | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin | 260                               | Dried tansy leaves                | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin | 260                               | Dried tarragon leaves             | EMRL2010-2                    |
| Azoxystrobin | 260                               | Dried thyme leaves                | (24 September 2<br>EMRL2010-2 |
| Azoxystrobin | 260                               | Dried winter savory leaves        | (24 September 2<br>EMRL2010-2 |
|              | 260                               | Dried woodruff leaves             | (24 September 2<br>EMRL2010-2 |
| Azoxystrobin | 260                               |                                   | (24 September 2               |
| Azoxystrobin | 260                               | Dried wormwood leaves             | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin | 0.2                               | Dry adzuki beans                  | EMRL2008-0                    |
| Azoxystrobin | 0.2                               | Dry beans                         | (9 July 2008<br>EMRL2008-0    |
| Azoxystrobin | 0.2                               | Dry blackeyed peas                | (9 July 2008<br>EMRL2008-0    |
|              |                                   |                                   | (9 July 2008                  |
| Azoxystrobin | 0.2                               | Dry broad beans                   | EMRL2008-0<br>(9 July 2008    |
| Azoxystrobin | 1.0                               | Dry bulb onions                   | EMRL2010-2<br>(24 September 2 |
| Azoxystrobin | 0.2                               | Dry catjang seeds                 | EMRL2008-0                    |
| Azoxystrobin | 0.2                               | Dry chickpeas                     | (9 July 2008<br>EMRL2008-0    |
| Azoxystrobin | 0.2                               | Dry field peas                    | (9 July 2008<br>EMRL2008-0    |
| Azoxystrobin | 0.2                               | Dry quar seeds                    | (9 July 2008<br>EMRL2008-0    |
| ,            |                                   |                                   | (9 July 2008                  |
| Azoxystrobin | 0.2                               | Dry kidney beans                  | EMRL2008-0<br>(9 July 2008    |
| Azoxystrobin | 0.2                               | Dry lablab beans                  | EMRL2008-0                    |
| Azoxystrobin | 0.2                               | Dry lentils                       | (9 July 2008<br>EMRL2008-0    |
| Azoxystrobin | 0.2                               | Dry lima beans                    | (9 July 2008<br>EMRL2008-0    |
|              | 0.2                               | <u> </u>                          | (9 July 2008<br>EMRL2008-0    |
| Azoxystrobin |                                   | Dry moth beans                    | (9 July 2008                  |
| Azoxystrobin | 0.2                               | Dry mung beans                    | EMRL2008-0<br>(9 July 2008    |
| Azoxystrobin | 0.2                               | Dry navy beans                    | EMRL2008-0                    |
| Azoxystrobin | 0.2                               | Dry pigeon peas                   | (9 July 2008<br>EMRL2008-0    |
|              | i 1                               |                                   | (9 July 2008)                 |

|                |                                   | in a distinct table on the MRL webpage               | 1                               |
|----------------|-----------------------------------|--|---------------------------------|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                 |
| Azoxystrobin   | 0.2                               | Dry pinto beans                                      | EMRL2008-02                     |
| Azoxystrobin   | 0.2                               | Dry rice beans                                       | (9 July 2008)<br>EMRL2008-02    |
|                |                                   |  | (9 July 2008)                   |
| Azoxystrobin   | 0.2                               | Dry southern peas                                    | EMRL2008-02<br>(9 July 2008)    |
| Azoxystrobin   | 0.5                               | Dry soybeans   | EMRL2010-23                     |
| Azovyotrobio   | 0.2                               | Dry tepary beans                                     | (24 September 20<br>EMRL2008-02 |
| Azoxystrobin   | 0.2                               | Dry tepary beans                                     | (9 July 2008)                   |
| Azoxystrobin   | 0.2                               | Dry urd beans  | EMRL2008-02                     |
| Azoxystrobin   | 0.5                               | Edible burdock roots                                 | (9 July 2008)<br>EMRL2008-02    |
|                |                                   |  | (9 July 2008)                   |
| Azoxystrobin   | 0.5                               | Edible gourds (other than those listed in this item) | EMRL2008-02<br>(9 July 2008)    |
| Azoxystrobin   | 30                                | Edible leaved chrysanthemum                          | EMRL2010-23                     |
| A              | 0.00                              | Edition and deal in the con-                         | (24 September 20                |
| Azoxystrobin   | 0.02                              | Edible-podded jackbeans                              | EMRL2010-03<br>(3 June 2010)    |
| Azoxystrobin   | 0.02                              | Edible-podded moth beans                             | EMRL2010-03                     |
| Azoxystrobin   | 1.6                               | Edible-podded peas                                   | (3 June 2010)<br>EMRL2008-02    |
| 7120XYStrODII1 | 1.0                               | Edible podded pede                                   | (9 July 2008)                   |
| Azoxystrobin   | 0.02                              | Edible-podded runner beans                           | EMRL2010-03                     |
| Azoxystrobin   | 0.02                              | Edible-podded snap beans                             | (3 June 2010)<br>EMRL2010-03    |
|                |                                   | · · ·  | (3 June 2010)                   |
| Azoxystrobin   | 0.02                              | Edible-podded soybeans                               | EMRL2010-03<br>(3 June 2010)    |
| Azoxystrobin   | 0.02                              | Edible-podded sword beans                            | EMRL2010-03                     |
| Azovietrobio   | 0.02                              | Edible-podded wax beans                              | (3 June 2010)<br>EMRL2010-03    |
| Azoxystrobin   | 0.02                              | Edible-podded wax bearts                             | (3 June 2010)                   |
| Azoxystrobin   | 0.02                              | Edible-podded yardlong beans                         | EMRL2010-03                     |
| Azoxystrobin   | 2.0                               | Eggplants  | (3 June 2010)<br>EMRL2010-23    |
|                |                                   |  | (24 September 20                |
| Azoxystrobin   | 0.01                              | Eggs   | EMRL2008-02<br>(9 July 2008)    |
| Azoxystrobin   | 3.0                               | Elderberries   | EMRL2010-23                     |
| Azoxystrobin   | 30                                | Endives  | (24 September 20<br>EMRL2010-23 |
| AZOAYƏLI ODIII | 30                                | Lituives   | (24 September 20                |
| Azoxystrobin   | 0.02                              | English walnuts                                      | EMRL2008-02                     |
| Azoxystrobin   | 3.0                               | European barberries                                  | (9 July 2008)<br>EMRL2010-23    |
|                |                                   | ·  | (24 September 20                |
| Azoxystrobin   | 0.01                              | Fat of poultry                                       | EMRL2008-02<br>(9 July 2008)    |
| Azoxystrobin   | 38                                | Fenugreek seeds                                      | EMRL2010-23                     |
| Azoxystrobin   | 0.03                              | Field corn   | (24 September 20<br>EMRL2008-02 |
|                |                                   |  | (9 July 2008)                   |
| Azoxystrobin   | 0.02                              | Filberts   | EMRL2008-02                     |
| Azoxystrobin   | 38                                | Florence fennel seeds                                | (9 July 2008)<br>EMRL2010-23    |
|                |                                   |  | (24 September 20                |
| Azoxystrobin   | 50                                | Fresh angelica                                       | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin   | 50                                | Fresh balm leaves                                    | EMRL2010-23                     |
| Azoxystrobin   | 50                                | Fresh basil leaves                                   | (24 September 20<br>EMRL2010-23 |
| 71207y51100111 |                                   |  | (24 September 20                |
| Azoxystrobin   | 50                                | Fresh borage leaves                                  | EMRL2010-23                     |
| Azoxystrobin   | 50                                | Fresh burnet leaves                                  | (24 September 20<br>EMRL2010-23 |
|                |                                   |  | (24 September 20                |
| Azoxystrobin   | 30                                | Fresh chervil leaves                                 | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin   | 50                                | Fresh clary leaves                                   | EMRL2010-23                     |
| Azoxystrobin   | 50                                | Fresh coriander leaves                               | (24 September 20<br>EMRL2010-23 |
|                | 30                                |  | (24 September 20                |
| Azoxystrobin   | 50                                | Fresh costmary leaves                                | EMRL2010-23                     |
| Azoxystrobin   | 50                                | Fresh culantro leaves                                | (24 September 20<br>EMRL2010-23 |
|                |                                   |  | (24 September 20                |
| Azoxystrobin   | 50                                | Fresh curry leaves                                   | EMRL2010-23<br>(24 September 20 |
| Azoxystrobin   | 50                                | Fresh dillweed leaves                                | EMRL2010-23                     |
| Azoxystrobin   | 30                                | Fresh Florence from 11                               | (24 September 20<br>EMRL2010-23 |
|                |                                   | Fresh Florence fennel leaves and stalks              | FMR1 2010-23                    |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                            |                                    |
|---|-----------------------------------|----------------------------|------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity             | MRL Established                    |
| Azoxystrobin  | 50                                | Fresh horehound leaves     | EMRL2010-2:                        |
| Azoxystrobin  | 50                                | Fresh hyssop tops          | (24 September 2<br>EMRL2010-2      |
| Azoxystrobin  | 50                                | Fresh lavender             | (24 September 2<br>EMRL2010-2      |
|   |                                   |                            | (24 September 2                    |
| Azoxystrobin  | 50                                | Fresh lemongrass leaves    | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 50                                | Fresh lovage leaves        | EMRL2010-2                         |
| Azoxystrobin  | 50                                | Fresh marigold             | (24 September 2<br>EMRL2010-2      |
| Azoxystrobin  | 50                                | Fresh marjoram             | (24 September 2<br>EMRL2010-2      |
|   | 50                                | Fresh nasturtium           | (24 September 2<br>EMRL2010-2      |
| Azoxystrobin  |                                   |                            | (24 September 2                    |
| Azoxystrobin  | 30                                | Fresh parsley leaves       | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 50                                | Fresh pennyroyal leaves    | EMRL2010-2                         |
| Azoxystrobin  | 50                                | Fresh rosemary leaves      | (24 September 2<br>EMRL2010-2      |
| Azoxystrobin  | 50                                | Fresh rue leaves           | (24 September 2<br>EMRL2010-2      |
|   |                                   |                            | (24 September 2                    |
| Azoxystrobin  | 50                                | Fresh sage leaves          | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 50                                | Fresh summer savory leaves | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 50                                | Fresh sweet bay leaves     | EMRL2010-2                         |
| Azoxystrobin  | 50                                | Fresh tansy leaves         | (24 September 2<br>EMRL2010-2      |
| Azoxystrobin  | 50                                | Fresh tarragon leaves      | (24 September 2<br>EMRL2010-2      |
|   |                                   |                            | (24 September 2                    |
| Azoxystrobin  | 50                                | Fresh thyme leaves         | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 50                                | Fresh winter savory leaves | EMRL2010-2<br>(24 September 2      |
| Azoxystrobin  | 50                                | Fresh woodruff leaves      | EMRL2010-2                         |
| Azoxystrobin  | 50                                | Fresh wormwood leaves      | (24 September 2<br>EMRL2010-2      |
| Azoxystrobin  | 0.5                               | Garden beet roots          | (24 September 2<br>EMRL2008-0      |
|   | 35                                | Condon boot tone           | (9 July 2008)<br>EMRL2010-2        |
| Azoxystrobin  | 35                                | Garden beet tops           | (24 September 2                    |
| Azoxystrobin  | 30                                | Garden cress               | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 30                                | Garden purslane            | EMRL2010-2                         |
| Azoxystrobin  | 30                                | Garland chrysanthemum      | (24 September 2<br>EMRL2010-2      |
| Azoxystrobin  | 0.5                               | Ginseng roots              | (24 September 2<br>EMRL2008-0      |
|   | 4.0                               |                            | (9 July 2008)<br>EMRL2010-2        |
| Azoxystrobin  |                                   | Globe artichokes           | (24 September 2                    |
| Azoxystrobin  | 3.0                               | Gooseberries               | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 0.2                               | Grain Iupin                | EMRL2008-0                         |
| Azoxystrobin  | 38                                | Grains of paradise         | (9 July 2008)<br>EMRL2010-2        |
| Azoxystrobin  | 10                                | Grapefruits                | (24 September 2<br>EMRL2010-2      |
|   | 3.0                               |                            | (24 September 2)<br>Canada Gazetti |
| Azoxystrobin  |                                   | Grapes                     | Prior to 16 June 2                 |
| Azoxystrobin  | 7.5                               | Green onions               | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 2.0                               | Groundcherries             | EMRL2010-2                         |
| Azoxystrobin  | 30                                | Head lettuce               | (24 September 2<br>EMRL2010-2      |
| Azoxystrobin  | 0.02                              | Hickory nuts               | (24 September 2<br>EMRL2008-0      |
|   | 3.0                               | Highbush blueberries       | (9 July 2008)<br>EMRL2010-2        |
| Azoxystrobin  |                                   |                            | (24 September 2                    |
| Azoxystrobin  | 3.0                               | Highbush cranberries       | EMRL2010-23<br>(24 September 2     |
| Azoxystrobin  | 3.0                               | Honeysuckle                | EMRL2010-2                         |
| Azoxystrobin  | 20                                | Hops (dried)               | (24 September 2<br>EMRL2010-2      |
|   | 1 1                               |                            | (24 September 2                    |

|                     |                                   | in a distinct table on the MRL webpage            |                                      |
|---------------------|-----------------------------------|---|--------------------------------------|
| Common Name         | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established                      |
| Azoxystrobin        | 3.0                               | Huckleberries                                     | EMRL2010-23                          |
| Azoxystrobin        | 10                                | Japanese summer grapefruits                       | (24 September 20<br>EMRL2010-23      |
| A = a va vatra b in | 3.0                               | Jostaberries                                      | (24 September 20<br>EMRL2010-23      |
| Azoxystrobin        | 3.0                               | Jostabernes                                       | (24 September 20                     |
| Azoxystrobin        | 38                                | Juniper berries                                   | EMRL2010-23                          |
| Azoxystrobin        | 25                                | Kale  | (24 September 20<br>EMRL2010-23      |
| Azoxystrobin        | 0.06                              | Kidney of cattle                                  | (24 September 20<br>Canada Gazette   |
| Azoxystrobin        |                                   | ·   | Prior to 16 June 2                   |
| Azoxystrobin        | 0.06                              | Kidney of hogs                                    | Canada Gazette Prior to 16 June 2    |
| Azoxystrobin        | 0.06                              | Kidney of horses                                  | Canada Gazette                       |
| Azoxystrobin        | 0.06                              | Kidney of sheep                                   | Prior to 16 June 2 Canada Gazette    |
|                     |                                   | · · ·   | Prior to 16 June 2                   |
| Azoxystrobin        | 3.0                               | Kohlrabi  | EMRL2010-23<br>(24 September 20      |
| Azoxystrobin        | 10                                | Kumquats  | EMRL2010-23                          |
| Azoxystrobin        | 30                                | Leaf lettuce                                      | (24 September 20<br>EMRL2010-23      |
| Azoxystrobin        | 10                                | Lemons  | (24 September 20<br>EMRL2010-23      |
| Azoxystrobin        | 10                                | Lemons  | (24 September 20                     |
| Azoxystrobin        | 10                                | Limes   | EMRL2010-23<br>(24 September 20      |
| Azoxystrobin        | 3.0                               | Lingonberries                                     | EMRL2010-23                          |
| Azoxystrobin        | 0.3                               | Liver of cattle                                   | (24 September 20<br>Canada Gazette   |
|                     |                                   |   | Prior to 16 June 2                   |
| Azoxystrobin        | 0.3                               | Liver of hogs                                     | Canada Gazette Prior to 16 June 2    |
| Azoxystrobin        | 0.3                               | Liver of horses                                   | Canada Gazette<br>Prior to 16 June 2 |
| Azoxystrobin        | 0.01                              | Liver of poultry                                  | EMRL2008-02                          |
| Azoxystrobin        | 0.3                               | Liver of sheep                                    | (9 July 2008)<br>Canada Gazette      |
|                     |                                   | ·   | Prior to 16 June 2                   |
| Azoxystrobin        | 5.0                               | Loganberries                                      | EMRL2010-23<br>(24 September 20      |
| Azoxystrobin        | 38                                | Lovage seeds                                      | EMRL2010-23<br>(24 September 20      |
| Azoxystrobin        | 3.0                               | Lowbush blueberries                               | EMRL2010-23                          |
| Azoxystrobin        | 2.0                               | Lychees   | (24 September 20<br>EMRL2010-23      |
|                     |                                   | ·   | (24 September 20                     |
| Azoxystrobin        | 0.02                              | Macadamia nuts                                    | EMRL2008-02<br>(9 July 2008)         |
| Azoxystrobin        | 38                                | Mace  | EMRL2010-23                          |
| Azoxystrobin        | 2.0                               | Mangoes   | (24 September 20<br>EMRL2010-23      |
| Azoxystrobin        |                                   | Meat byproducts of cattle                         | (24 September 20<br>Canada Gazette   |
|                     | 0.01                              | •   | Prior to 16 June 2                   |
| Azoxystrobin        | 0.01                              | Meat byproducts of hogs                           | Canada Gazette<br>Prior to 16 June 2 |
| Azoxystrobin        | 0.01                              | Meat byproducts of horses                         | Canada Gazette                       |
| Azoxystrobin        | 0.01                              | Meat byproducts of sheep                          | Prior to 16 June 2 Canada Gazette    |
|                     |                                   |   | Prior to 16 June 2<br>Canada Gazette |
| Azoxystrobin        | 0.01                              | Meat of cattle                                    | Prior to 16 June 2                   |
| Azoxystrobin        | 0.01                              | Meat of hogs                                      | Canada Gazette<br>Prior to 16 June 2 |
| Azoxystrobin        | 0.01                              | Meat of horses                                    | Canada Gazette                       |
| Azoxystrobin        | 0.01                              | Meat of poultry                                   | Prior to 16 June 2<br>EMRL2008-02    |
|                     |                                   | · ·   | (9 July 2008)                        |
| Azoxystrobin        | 0.01                              | Meat of sheep                                     | Canada Gazette Prior to 16 June 2    |
| Azoxystrobin        | 10                                | Mediterranean mandarins                           | EMRL2010-23                          |
| Azoxystrobin        | 0.006                             | Milk  | (24 September 20<br>EMRL2008-02      |
| Azoxystrobin        | 10                                | Mount White limes                                 | (9 July 2008)<br>EMRL2010-23         |
|                     |                                   |   | (24 September 20                     |
| Azoxystrobin        | 0.5                               | Muskmelons (other than those listed in this item) | EMRL2008-02<br>(9 July 2008)         |
| Azoxystrobin        | 25                                | Mustard greens                                    | EMRL2010-23                          |
|                     |                                   |   | (24 September 20                     |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                       |                                       |
|---|-----------------------------------|-----------------------|---------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity        | MRL Established                       |
| Azoxystrobin  | 25                                | Mustard spinach       | EMRL2010-23                           |
| Azoxystrobin  | 3.0                               | Napa Chinese cabbages | (24 September 20<br>EMRL2010-23       |
|   |                                   | · · ·                 | (24 September 20                      |
| Azoxystrobin  | 3.0                               | Native currants       | EMRL2010-23<br>(24 September 20       |
| Azoxystrobin  | 10                                | New Guinea wild limes | EMRL2010-23                           |
| Azoxystrobin  | 30                                | New Zealand spinach   | (24 September 20<br>EMRL2010-23       |
|   |                                   |                       | (24 September 20                      |
| Azoxystrobin  | 2.0                               | Non-bell peppers      | EMRL2010-23<br>(24 September 20       |
| Azoxystrobin  | 38                                | Nutmeg                | EMRL2010-23                           |
| Azoxystrobin  | 0.03                              | Oats                  | (24 September 20<br>EMRL2010-03       |
| AZOXYSTIODITI   | 0.03                              | Cais                  | (3 June 2010)                         |
| Azoxystrobin  | 30                                | Orach leaves          | EMRL2010-23<br>(24 September 20       |
| Azoxystrobin  | 3.3                               | Orange oil            | EMRL2008-02                           |
| A   | 40                                | 0.000                 | (9 July 2008)                         |
| Azoxystrobin  | 10                                | Oranges               | EMRL2010-23<br>(24 September 20       |
| Azoxystrobin  | 0.5                               | Oriental radish roots | EMRL2008-02                           |
| Azoxystrobin  | 0.5                               | Parsnip roots         | (9 July 2008)<br>EMRL2008-02          |
|   |                                   | <u> </u>              | (9 July 2008)                         |
| Azoxystrobin  | 0.8                               | Peaches/nectarines    | Canada Gazette<br>Prior to 16 June 20 |
| Azoxystrobin  | 0.6                               | Peanut oil            | EMRL2010-23                           |
| Amananahia  | 0.2                               | Despute               | (24 September 20<br>EMRL2010-23       |
| Azoxystrobin  | 0.2                               | Peanuts               | (24 September 20                      |
| Azoxystrobin  | 0.03                              | Pearl millet          | EMRL2010-03                           |
| Azoxystrobin  | 0.02                              | Pecans                | (3 June 2010)<br>EMRL2008-02          |
|   |                                   |                       | (9 July 2008)                         |
| Azoxystrobin  | 2.0                               | Pepinos               | EMRL2010-23<br>(24 September 20       |
| Azoxystrobin  | 2.0                               | Pepper hybrids        | EMRL2010-23                           |
| Azoxystrobin  | 30                                | Peppermint            | (24 September 20<br>EMRL2010-23       |
|   |                                   |                       | (24 September 20                      |
| Azoxystrobin  | 0.55                              | Pistachios            | EMRL2008-02<br>(9 July 2008)          |
| Azoxystrobin  | 0.03                              | Popcorn grain         | EMRL2010-03                           |
| Azoxystrobin  | 38                                | Poppy seeds           | (3 June 2010)<br>EMRL2010-23          |
| AZOXYSTIODIII   | 36                                | r oppy seeds          | (24 September 20                      |
| Azoxystrobin  | 0.03                              | Potatoes              | EMRL2008-02                           |
| Azoxystrobin  | 0.03                              | Proso millet          | (9 July 2008)<br>EMRL2010-03          |
|   | 40                                |                       | (3 June 2010)                         |
| Azoxystrobin  | 10                                | Pummelos              | EMRL2010-23<br>(24 September 20       |
| Azoxystrobin  | 0.5                               | Pumpkins              | EMRL2008-02                           |
| Azoxystrobin  | 30                                | Radicchio             | (9 July 2008)<br>EMRL2010-23          |
|   |                                   |                       | (24 September 20                      |
| Azoxystrobin  | 0.5                               | Radish roots          | EMRL2008-02<br>(9 July 2008)          |
| Azoxystrobin  | 25                                | Rape greens           | EMRL2010-23                           |
| Azoxystrobin  | 1.0                               | Rapeseeds (canola)    | (24 September 20<br>Canada Gazette    |
|   |                                   |                       | Prior to 16 June 20                   |
| Azoxystrobin  | 5.0                               | Raspberries           | EMRL2010-23                           |
| Azoxystrobin  | 30                                | Rhubarb               | (24 September 20<br>EMRL2010-23       |
|   | 5.0                               |                       | (24 September 20                      |
| Azoxystrobin  | 5.0                               | Rice                  | EMRL2010-23<br>(24 September 20       |
| Azoxystrobin  | 10                                | Russell River limes   | EMRL2010-23                           |
| Azoxystrobin  | 0.5                               | Rutabaga roots        | (24 September 20<br>EMRL2008-02       |
|   |                                   |                       | (9 July 2008)                         |
| Azoxystrobin  | 0.03                              | Rye                   | EMRL2010-03<br>(3 June 2010)          |
| Azoxystrobin  | 38                                | Saffron               | EMRL2010-23                           |
| Azovi otrobio   | 20                                | Calal harrian         | (24 September 20                      |
| Azoxystrobin  | 3.0                               | Salal berries         | EMRL2010-23<br>(24 September 20       |
| Azoxystrobin  | 0.5                               | Salsify roots         | EMRL2008-02                           |
|   |                                   |                       | (9 July 2008)<br>EMRL2010-23          |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |  |
|--|-----------------------------------|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established Via                        |
| Azoxystrobin   | 10                                | Satsuma mandarins                              | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 3.0                               | Sea buckthorn                                  | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 0.5                               | Skirret roots                                  | EMRL2008-02                                |
| Azoxystrobin   | 0.03                              | Sorghum  | (9 July 2008)<br>EMRL2010-03               |
| Azoxystrobin   | 0.5                               | Spanish salsify roots                          | (3 June 2010)<br>EMRL2008-02               |
| Azoxystrobin   | 30                                | Spearmint                                      | (9 July 2008)<br>EMRL2010-23               |
| Azoxystrobin   | 30                                | Spinach  | (24 September 2010)<br>EMRL2010-23         |
| Azoxystrobin   | 0.02                              | ·  | (24 September 2010)<br>EMRL2010-03         |
| <u> </u>   |                                   | Succulent shelled blackeyed peas               | (3 June 2010)                              |
| Azoxystrobin   | 0.02                              | Succulent shelled broad beans                  | EMRL2010-03<br>(3 June 2010)               |
| Azoxystrobin   | 0.02                              | Succulent shelled cowpeas                      | EMRL2010-03<br>(3 June 2010)               |
| Azoxystrobin   | 0.2                               | Succulent shelled English peas                 | EMRL2010-03<br>(3 June 2010)               |
| Azoxystrobin   | 0.2                               | Succulent shelled garden peas                  | EMRL2010-03<br>(3 June 2010)               |
| Azoxystrobin   | 0.2                               | Succulent shelled green peas                   | EMRL2010-03                                |
| Azoxystrobin   | 0.02                              | Succulent shelled lima beans                   | (3 June 2010)<br>EMRL2010-03               |
| Azoxystrobin   | 0.2                               | Succulent shelled peas                         | (3 June 2010)<br>EMRL2010-03               |
| Azoxystrobin   | 0.2                               | Succulent shelled pigeon peas                  | (3 June 2010)<br>EMRL2010-03               |
| Azoxystrobin   | 0.02                              | Succulent shelled southern peas                | (3 June 2010)<br>EMRL2010-03               |
| Azoxystrobin   | 0.5                               | Sugar beet roots                               | (3 June 2010)<br>EMRL2010-23               |
| <u> </u>   |                                   |  | (24 September 2010)<br>EMRL2008-02         |
| Azoxystrobin   | 0.5                               | Summer squash                                  | (9 July 2008)                              |
| Azoxystrobin   | 0.5                               | Sunflower seeds                                | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 0.03                              | Sweet corn kernels plus cob with husks removed | EMRL2008-02<br>(9 July 2008)               |
| Azoxystrobin   | 10                                | Sweet limes                                    | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 30                                | Swiss chard                                    | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 10                                | Tachibana oranges                              | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 10                                | Tahiti limes                                   | EMRL2010-23                                |
| Azoxystrobin   | 10                                | Tangelos                                       | (24 September 2010)<br>EMRL2010-23         |
| Azoxystrobin   | 10                                | Tangerines                                     | (24 September 2010)<br>EMRL2010-23         |
| Azoxystrobin   | 10                                | Tangors  | (24 September 2010)<br>EMRL2010-23         |
| Azoxystrobin   | 0.03                              | Teosinte                                       | (24 September 2010)<br>EMRL2010-03         |
| <u> </u>   | 2.0                               |  | (3 June 2010)                              |
| Azoxystrobin   |                                   | Tomatillos                                     | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 0.6                               | Tomato paste                                   | Canada Gazette II<br>Prior to 16 June 2008 |
| Azoxystrobin   | 0.2                               | Tomatoes                                       | Canada Gazette II<br>Prior to 16 June 2008 |
| Azoxystrobin   | 10                                | Trifoliate oranges                             | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 0.03                              | Triticale                                      | EMRL2010-03<br>(3 June 2010)               |
| Azoxystrobin   | 0.5                               | Turnip roots                                   | EMRL2008-02<br>(9 July 2008)               |
| Azoxystrobin   | 0.5                               | Turnip-rooted chervil roots                    | EMRL2008-02                                |
| Azoxystrobin   | 0.5                               | Turnip-rooted parsley roots                    | (9 July 2008)<br>EMRL2008-02               |
| Azoxystrobin   | 10                                | Uniq fruits                                    | (9 July 2008)<br>EMRL2010-23               |
| Azoxystrobin   | 30                                | Upland cress                                   | (24 September 2010)<br>EMRL2010-23         |
| Azoxystrobin   | 38                                | Vanilla  | (24 September 2010)<br>EMRL2010-23         |
| <u> </u>   |                                   |  | (24 September 2010)                        |
| Azoxystrobin   | 30                                | Vine spinach                                   | EMRL2010-23<br>(24 September 2010)         |
| Azoxystrobin   | 3.0                               | Watercress                                     | EMRL2010-23<br>(24 September 2010)         |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |  |  |
|--|-----------------------------------|--|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established Via                        |  |
| Azoxystrobin   | 0.5                               | Watermelons                                    | EMRL2008-02                                |  |
| Azoxystrobin   | 0.5                               | West Indian gherkins                           | (9 July 2008)<br>EMRL2008-02               |  |
| Azovyetrobio   | 0.03                              | Wheat  | (9 July 2008)<br>EMRL2010-03               |  |
| Azoxystrobin   | 0.03                              | wneat  | (3 June 2010)                              |  |
| Azoxystrobin   | 38                                | White pepper                                   | EMRL2010-23<br>(24 September 2010)         |  |
| Azoxystrobin   | 5.0                               | Wild raspberries                               | EMRL2010-23                                |  |
| Azoxystrobin   | 0.03                              | Wild rice                                      | (24 September 2010)<br>EMRL2010-03         |  |
| Azoxystrobin   | 30                                | Winter purslane                                | (3 June 2010)<br>EMRL2010-23               |  |
| Azoxystrobin   | 0.5                               | Winter squash                                  | (24 September 2010)<br>EMRL2008-02         |  |
| Benoxacor  | 0.01                              | Asparagus                                      | (9 July 2008)<br>EMRL2011-13               |  |
| Benoxacor  | 0.01                              | Bell peppers                                   | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Dry beans                                      | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Edible-podded snap beans                       | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Field corn                                     | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Garden beet roots                              | (18 March 2011)<br>EMRL2011-13             |  |
|  |                                   |  | (18 March 2011)                            |  |
| Benoxacor  | 0.01                              | Lima beans                                     | EMRL2011-13<br>(18 March 2011)             |  |
| Benoxacor  | 0.01                              | Peas   | EMRL2011-13<br>(18 March 2011)             |  |
| Benoxacor  | 0.01                              | Popcorn grain                                  | EMRL2011-13<br>(18 March 2011)             |  |
| Benoxacor  | 0.01                              | Potatoes                                       | EMRL2011-13<br>(18 March 2011)             |  |
| Benoxacor  | 0.01                              | Pumpkins                                       | EMRL2011-13                                |  |
| Benoxacor  | 0.01                              | Rutabagas                                      | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Soybeans                                       | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Sugar beet roots                               | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Sweet corn kernels plus cob with husks removed | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Tomatoes                                       | (18 March 2011)<br>EMRL2011-13             |  |
| Benoxacor  | 0.01                              | Winter squash                                  | (18 March 2011)<br>EMRL2011-13             |  |
|  |                                   | Padas  | (18 March 2011)                            |  |
| Bentazon   | 0.1                               | вапеу  | Canada Gazette II<br>Prior to 16 June 2008 |  |
| Bentazon   | 0.5                               | Beans  | Canada Gazette II Prior to 16 June 2008    |  |
| Bentazon   | 0.05                              | Blueberries                                    | Canada Gazette II<br>Prior to 16 June 2008 |  |
| Bentazon   | 0.05                              | Corn   | Canada Gazette II                          |  |
| Bentazon   | 0.05                              | Flax   | Prior to 16 June 2008 Canada Gazette II    |  |
| Rontazon   | 0.1                               | Looks  | Prior to 16 June 2008 Canada Gazette II    |  |
| Bentazon   |                                   | Leeks  | Prior to 16 June 2008                      |  |
| Bentazon   | 0.1                               | Onions   | Canada Gazette II<br>Prior to 16 June 2008 |  |
| Bentazon   | 0.05                              | Peanuts  | Canada Gazette II<br>Prior to 16 June 2008 |  |
| Bentazon   | 3.0                               | Peas   | Canada Gazette II Prior to 16 June 2008    |  |
| Bentazon   | 0.05                              | Rice   | Canada Gazette II                          |  |
| Bentazon   | 0.05                              | Soybeans                                       | Prior to 16 June 2008<br>Canada Gazette II |  |
| Bentazon   | 0.1                               | Wheat  | Prior to 16 June 2008<br>Canada Gazette II |  |
|  |                                   |  | Prior to 16 June 2008                      |  |
| BHC isomers, except Lindane  | 0.1                               | Butter   | Canada Gazette II<br>Prior to 16 June 2008 |  |
| BHC isomers, except Lindane  | 0.1                               | Cheese   | Canada Gazette II<br>Prior to 16 June 2008 |  |
| BHC isomers, except Lindane  | 0.1                               | Meat byproducts of cattle                      | Canada Gazette II                          |  |

|                             |                                   | s are available in a distinct table on the MRL webpage |   |
|-----------------------------|-----------------------------------|--|---|
| Common Name                 | Maximum<br>Residue Limit<br>(ppm) | Food Commodity   | MRL Established V                             |
| BHC isomers, except Lindane | 0.1                               | Meat byproducts of goats                               | Canada Gazette II Prior to 16 June 200        |
| BHC isomers, except Lindane | 0.1                               | Meat byproducts of hogs                                | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Meat byproducts of poultry                             | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Meat byproducts of sheep                               | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Meat of cattle   | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Meat of goats  | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Meat of hogs   | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Meat of poultry  | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Meat of sheep  | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Milk   | Canada Gazette II<br>Prior to 16 June 200     |
| BHC isomers, except Lindane | 0.1                               | Other dairy products                                   | Canada Gazette II<br>Prior to 16 June 200     |
| Bifenazate                  | 0.6                               | Apples   | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate  Bifenazate      | 5.0                               | Bell peppers  Blackberries                             | EMRL2008-02<br>(9 July 2008)<br>EMRL2011-47   |
| Bifenazate                  | 0.25                              | Cucumbers  | (18 May 2011)<br>EMRL2008-02                  |
| Bifenazate                  | 0.23                              | Fat of cattle  | (9 July 2008)<br>EMRL2008-02                  |
| Bifenazate                  | 0.01                              | Fat of goats   | (9 July 2008)<br>EMRL2008-02                  |
| Bifenazate                  | 0.01                              | Fat of hogs  | (9 July 2008)<br>EMRL2008-02                  |
| Bifenazate                  | 0.01                              | Fat of horses  | (9 July 2008)<br>EMRL2008-02                  |
| Bifenazate                  | 0.01                              | Fat of sheep   | (9 July 2008)<br>EMRL2008-02                  |
| Bifenazate                  | 1.0                               | Grapes   | (9 July 2008)<br>EMRL2008-02                  |
| Bifenazate                  | 5.0                               | Loganberries   | (9 July 2008)<br>EMRL2011-47                  |
| Bifenazate                  | 0.02                              | Meat byproducts of cattle                              | (18 May 2011)<br>EMRL2008-02<br>(9 July 2008) |
| Bifenazate                  | 0.02                              | Meat byproducts of goats                               | (9 July 2008)<br>EMRL2008-02<br>(9 July 2008) |
| Bifenazate                  | 0.02                              | Meat byproducts of hogs                                | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate                  | 0.02                              | Meat byproducts of horses                              | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate                  | 0.02                              | Meat byproducts of sheep                               | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate                  | 0.02                              | Meat of cattle   | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate                  | 0.02                              | Meat of goats  | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate                  | 0.02                              | Meat of hogs   | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate                  | 0.02                              | Meat of horses   | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate                  | 0.02                              | Meat of sheep  | EMRL2008-02<br>(9 July 2008)                  |
| Bifenazate  Bifenazate      | 0.02                              | Milk   | EMRL2008-02<br>(9 July 2008)<br>EMRL2008-02   |
| Bifenazate                  | 5.0                               | Raisins  Raspberries                                   | (9 July 2008)<br>EMRL2011-47                  |
| Bifenazate                  | 1.5                               | Strawberries   | (18 May 2011)<br>EMRL2008-19                  |
| Bifenazate                  | 0.35                              | Tomatoes   | (3 September 2008)<br>EMRL2008-02             |
| Bifenazate                  | 5.0                               | Wild raspberries                                       | (9 July 2008)<br>EMRL2011-47                  |
| Biphenyl                    | 110                               | Citrus fruits  | (18 May 2011)<br>Canada Gazette II            |
| Boscalid                    | 0.7                               | Almonds  | Prior to 16 June 2006<br>EMRL2008-02          |
| Boscalid                    | 1.0                               | Amaranth   | (9 July 2008)<br>EMRL2008-02                  |
| Boscalid                    | 3.0                               | Apples   | (9 July 2008)<br>EMRL2010-27                  |

|             |                                   | distinct table on the MRL webpage | T .                               |
|-------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established V                 |
| Boscalid    | 1.7                               | Apricots                          | EMRL2008-02                       |
| Boscalid    | 0.05                              | Arracacha                         | (9 July 2008)<br>EMRL2008-02      |
| Decesiid    | 0.05                              | Arranusant                        | (9 July 2008)                     |
| Boscalid    | 0.05                              | Arrowroot                         | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 1.0                               | Arugula                           | EMRL2008-02                       |
| Boscalid    | 3.0                               | Asian pears                       | (9 July 2008)<br>EMRL2010-27      |
| December    | 15                                |                                   | (28 September 2010                |
| Boscalid    | 1.5                               | Balsam apples                     | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 1.5                               | Balsam pears                      | EMRL2008-02                       |
| Boscalid    | 0.2                               | Barley                            | (9 July 2008)<br>EMRL2008-02      |
|             | 0.7                               |                                   | (9 July 2008)                     |
| Boscalid    | 0.7                               | Beechnuts                         | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 1.4                               | Bell peppers                      | EMRL2010-14                       |
| Boscalid    | 0.7                               | Black salsify roots               | (15 September 2010<br>EMRL2008-02 |
|             |                                   | ·                                 | (9 July 2008)                     |
| Boscalid    | 1.0                               | Black salsify tops                | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.7                               | Black walnuts                     | EMRL2008-02                       |
| Boscalid    | 6.0                               | Blackberries                      | (9 July 2008)<br>EMRL2010-14      |
|             |                                   |                                   | (15 September 2010                |
| Boscalid    | 18                                | Bok choy Chinese cabbages         | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 3.5                               | Borage seeds                      | EMRL2011-44                       |
| Boscalid    | 0.7                               | Brazil nuts                       | (18 May 2011)<br>EMRL2008-02      |
|             | · ·                               |                                   | (9 July 2008)                     |
| Boscalid    | 3.0                               | Broccoli                          | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 18                                | Broccoli raab                     | EMRL2008-02                       |
| Boscalid    | 3.0                               | Brussels sprouts                  | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 0.2                               | Buckwheat                         | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.7                               | Butternuts                        | EMRL2008-02                       |
| Boscalid    | 3.0                               | Cabbages                          | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 5.0                               | Canola oil                        | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 1.5                               | Cantaloupes                       | EMRL2008-02                       |
| Boscalid    | 45                                | Cardoon                           | (9 July 2008)<br>EMRL2011-03      |
|             |                                   |                                   | (14 March 2011)                   |
| Boscalid    | 0.7                               | Carrot roots                      | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.7                               | Cashew nuts                       | EMRL2008-02                       |
| Boscalid    | 1.0                               | Cassava leaves                    | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 0.05                              | Cassava roots                     | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 3.0                               | Cauliflower                       | EMRL2008-02                       |
| Boscalid    | 0.7                               | Celeriac roots                    | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 1.0                               | Celeriac tops                     | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 45                                | Celery                            | EMRL2011-03                       |
| Boscalid    | 45                                | Celtuce                           | (14 March 2011)<br>EMRL2011-03    |
|             |                                   |                                   | (14 March 2011)                   |
| Boscalid    | 1.5                               | Chayote fruit                     | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.05                              | Chayote roots                     | EMRL2008-02                       |
| Boscalid    | 0.7                               | Chestnuts                         | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 0.7                               | Chicory roots                     | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 1.0                               | Chicory tops                      | EMRL2008-02                       |
| Boscolid    | 0.05                              |                                   | (9 July 2008)<br>EMRI 2008-02     |
| Boscalid    | 0.05                              | Chinese artichokes                | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 3.0                               | Chinese broccoli                  | EMRL2008-02                       |

|             |                                   | distinct table on the MRL webpage |                                   |
|-------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established V                 |
| Boscalid    | 45                                | Chinese celery                    | EMRL2011-03<br>(14 March 2011)    |
| Boscalid    | 0.5                               | Chinese cucumbers                 | EMRL2010-14                       |
| Boscalid    | 3.0                               | Chinese mustard cabbages          | (15 September 2010<br>EMRL2008-02 |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 3.0                               | Chinese onions                    | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 1.5                               | Chinese waxgourds                 | EMRL2008-02                       |
| Boscalid    | 0.7                               | Chinquapins                       | (9 July 2008)<br>EMRL2008-02      |
| Boscalid    | 0.05                              | Chufa                             | (9 July 2008)<br>EMRL2008-02      |
|             | 0.05                              |                                   | (9 July 2008)                     |
| Boscalid    | 1.5                               | Citron melons                     | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 18                                | Collards                          | EMRL2008-02                       |
| Boscalid    | 1.0                               | Corn salad                        | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 3.0                               | Crabapples                        | EMRL2010-27<br>(28 September 2010 |
| Boscalid    | 0.5                               | Cucumbers                         | EMRL2010-14<br>(15 September 2010 |
| Boscalid    | 3.5                               | Cuphea seeds                      | EMRL2011-44                       |
| Boscalid    | 6.0                               | Currants                          | (18 May 2011)<br>EMRL2010-14      |
|             |                                   |                                   | (15 September 2010                |
| Boscalid    | 1.0                               | Dandelion leaves                  | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 1.0                               | Dock                              | EMRL2008-02                       |
| Boscalid    | 2.5                               | Dry adzuki beans                  | (9 July 2008)<br>EMRL2008-02      |
| Boscalid    | 2.5                               | Dryboons                          | (9 July 2008)<br>EMRL2008-02      |
|             |                                   | Dry beans                         | (9 July 2008)                     |
| Boscalid    | 2.5                               | Dry blackeyed peas                | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 2.5                               | Dry broad beans                   | EMRL2008-02                       |
| Boscalid    | 3.0                               | Dry bulb onions                   | (9 July 2008)<br>EMRL2008-02      |
| Boscalid    | 2.5                               | ·                                 | (9 July 2008)                     |
| Boscalio    | 2.5                               | Dry catjang seeds                 | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 2.5                               | Dry chickpeas                     | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 2.5                               | Dry field peas                    | EMRL2008-02                       |
| Boscalid    | 2.5                               | Dry guar seeds                    | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 2.5                               | Dry kidney beans                  | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 2.5                               | Dry lablab beans                  | EMRL2008-02                       |
| Boscalid    | 2.5                               | Dry lentils                       | (9 July 2008)<br>EMRL2008-02      |
| Boscalid    | 2.5                               | Dry lima beans                    | (9 July 2008)<br>EMRL2008-02      |
|             |                                   | <u> </u>                          | (9 July 2008)                     |
| Boscalid    | 2.5                               | Dry moth beans                    | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 2.5                               | Dry mung beans                    | EMRL2008-02                       |
| Boscalid    | 2.5                               | Dry navy beans                    | (9 July 2008)<br>EMRL2008-02      |
| Boscalid    | 2.5                               | Dry pigeon peas                   | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 2.5                               | Dry pink beans                    | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 2.5                               | Dry pinto beans                   | EMRL2008-02                       |
| Boscalid    | 2.5                               | Dry rice beans                    | (9 July 2008)<br>EMRL2008-02      |
|             |                                   | •                                 | (9 July 2008)                     |
| Boscalid    | 2.5                               | Dry southern peas                 | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.1                               | Dry soybeans                      | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 2.5                               | Dry tepary beans                  | EMRL2008-02                       |
| Boscalid    | 2.5                               | Dry urd beans                     | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |                                   | (9 July 2008)                     |
| Boscalid    | 3.5                               | Echium seeds                      | EMRL2011-44<br>(18 May 2011)      |
| Boscalid    | 0.7                               | Edible burdock roots              | EMRL2008-02                       |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |  |  |                                  |  |
|--|--|--|----------------------------------|--|
| Common Name  | ommon Name Maximum Residue Limit (ppm)  Food Commodity |  | MRL Established V                |  |
| Boscalid   | 1.0  | Edible burdock tops                                  | EMRL2008-02                      |  |
| Boscalid   | 0.05   | Edible canna   | (9 July 2008)<br>EMRL2008-02     |  |
|  | 4.5  |  | (9 July 2008)                    |  |
| Boscalid   | 1.5  | Edible gourds (other than those listed in this item) | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 1.0  | Edible leaved chrysanthemum                          | EMRL2008-02                      |  |
| Boscalid   | 1.6  | Edible-podded dwarf peas                             | (9 July 2008)<br>EMRL2008-02     |  |
| Doscalid   | 1.0  | Edible-podded dwair peas                             | (9 July 2008)                    |  |
| Boscalid   | 1.6  | Edible-podded jackbeans                              | EMRL2008-02                      |  |
| Boscalid   | 1.6  | Edible-podded moth beans                             | (9 July 2008)<br>EMRL2008-02     |  |
|  |  | ·  | (9 July 2008)                    |  |
| Boscalid   | 1.6  | Edible-podded peas                                   | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 1.6  | Edible-podded pigeon peas                            | EMRL2008-02                      |  |
| Boscalid   | 1.6  | Edible-podded runner beans                           | (9 July 2008)<br>EMRL2008-02     |  |
| Doscand  | 1.0  | ·  | (9 July 2008)                    |  |
| Boscalid   | 1.6  | Edible-podded snap beans                             | EMRL2008-02                      |  |
| Boscalid   | 1.6  | Edible-podded snow peas                              | (9 July 2008)<br>EMRL2008-02     |  |
|  |  | ·  | (9 July 2008)                    |  |
| Boscalid   | 1.6  | Edible-podded soybeans                               | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 1.6  | Edible-podded sugar snap peas                        | EMRL2008-02                      |  |
| Boscalid   | 1.6  | Edible-podded sword beans                            | (9 July 2008)<br>EMRL2008-02     |  |
| Doscand  | 1.0  | Edible-podded sword bearis                           | (9 July 2008)                    |  |
| Boscalid   | 1.6  | Edible-podded wax beans                              | EMRL2008-02                      |  |
| Boscalid   | 1.6  | Edible-podded yardlong beans                         | (9 July 2008)<br>EMRL2008-02     |  |
| D list   | 4.4  | Foundants  | (9 July 2008)                    |  |
| Boscalid   | 1.4  | Eggplants  | EMRL2010-14<br>(15 September 201 |  |
| Boscalid   | 0.02   | Eggs   | EMRL2008-02                      |  |
| Boscalid   | 6.0  | Elderberries   | (9 July 2008)<br>EMRL2010-14     |  |
|  |  |  | (15 September 201                |  |
| Boscalid   | 1.0  | Endives  | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 0.7  | English walnuts                                      | EMRL2008-02                      |  |
| Boscalid   | 0.3  | Fat of cattle  | (9 July 2008)<br>EMRL2008-02     |  |
|  |  |  | (9 July 2008)                    |  |
| Boscalid   | 0.3  | Fat of goats   | EMRL2008-02                      |  |
| Boscalid   | 0.3  | Fat of hogs  | (9 July 2008)<br>EMRL2008-02     |  |
| Decedid  | 0.2  | Fat of houses  | (9 July 2008)                    |  |
| Boscalid   | 0.3  | Fat of horses  | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 0.05   | Fat of poultry                                       | EMRL2008-02                      |  |
| Boscalid   | 0.3  | Fat of sheep   | (9 July 2008)<br>EMRL2008-02     |  |
|  |  | ·  | (9 July 2008)                    |  |
| Boscalid   | 0.2  | Field corn   | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 0.7  | Filberts   | EMRL2008-02                      |  |
| Boscalid   | 3.5  | Flaxseeds  | (9 July 2008)<br>EMRL2008-02     |  |
| Doscand  | 3.3  | T lax30003   | (9 July 2008)                    |  |
| Boscalid   | 1.0  | Fresh chervil leaves                                 | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 45   | Fresh Florence fennel leaves and stalks              | EMRL2011-03                      |  |
| December   | 4.0  | Facely a control to the                              | (14 March 2011)                  |  |
| Boscalid   | 1.0  | Fresh parsley leaves                                 | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 1.0  | Garden beet roots                                    | EMRL2008-02                      |  |
| Boscalid   | 1.0  | Garden beet tops                                     | (9 July 2008)<br>EMRL2008-02     |  |
|  |  | ·  | (9 July 2008)                    |  |
| Boscalid   | 1.0  | Garden cress   | EMRL2008-02                      |  |
| Boscalid   | 1.0  | Garden purslane                                      | (9 July 2008)<br>EMRL2008-02     |  |
|  |  |  | (9 July 2008)                    |  |
| Boscalid   | 1.0  | Garland chrysanthemum                                | EMRL2008-02<br>(9 July 2008)     |  |
| Boscalid   | 3.0  | Garlic   | EMRL2008-02                      |  |
| Boscalid   | 0.05   | Ginger roots   | (9 July 2008)<br>EMRL2008-02     |  |
|  | 5.00   |  | (9 July 2008)                    |  |
| Boscalid   | 0.7  | Ginseng roots  | EMRL2008-02                      |  |

|             |                                   | in a distinct table on the MRL webpage            |                                  |
|-------------|-----------------------------------|---|----------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established \                |
| Boscalid    | 3.5                               | Gold of Pleasure seeds                            | EMRL2011-44<br>(18 May 2011)     |
| Boscalid    | 6.0                               | Gooseberries                                      | (18 May 2011)<br>EMRL2010-14     |
| Boscalid    | 2.5                               | Grain lupin                                       | (15 September 201<br>EMRL2008-02 |
|             |                                   | ·   | (9 July 2008)                    |
| Boscalid    | 3.5                               | Grapes  | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 3.0                               | Great headed garlic                               | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 3.0                               | Green onions                                      | EMRL2008-02                      |
| Boscalid    | 1.4                               | Groundcherries                                    | (9 July 2008)<br>EMRL2010-14     |
| Boscalid    | 3.5                               | Hare's ear mustard seeds                          | (15 September 201<br>EMRL2011-44 |
|             |                                   |   | (18 May 2011)                    |
| Boscalid    | 6.5                               | Head lettuce                                      | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 0.7                               | Hickory nuts                                      | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 6.0                               | Highbush blueberries                              | EMRL2010-14                      |
| Boscalid    | 35                                | Hops  | (15 September 201<br>EMRL2010-27 |
| Boscalid    | 0.7                               | Horseradish roots                                 | (28 September 201<br>EMRL2008-02 |
|             |                                   |   | (9 July 2008)                    |
| Boscalid    | 6.0                               | Huckleberries                                     | EMRL2010-14<br>(15 September 201 |
| Boscalid    | 0.05                              | Jerusalem artichokes                              | EMRL2008-02                      |
| Boscalid    | 18                                | Kale  | (9 July 2008)<br>EMRL2008-02     |
| Boscalid    | 3.0                               | Kohlrabi  | (9 July 2008)<br>EMRL2008-02     |
|             |                                   |   | (9 July 2008)                    |
| Boscalid    | 11                                | Leaf lettuce                                      | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 3.0                               | Leeks   | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 0.05                              | Lerens  | EMRL2008-02                      |
| Boscalid    | 6.0                               | Loganberries                                      | (9 July 2008)<br>EMRL2010-14     |
| Boscalid    | 3.0                               | Loquats   | (15 September 201<br>EMRL2010-27 |
| Boscalid    | 11                                | Lowbush blueberries                               | (28 September 201<br>EMRL2010-14 |
|             |                                   |   | (15 September 201                |
| Boscalid    | 0.7                               | Macadamia nuts                                    | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 3.0                               | Mayhaws   | EMRL2010-27                      |
| Boscalid    | 0.35                              | Meat byproducts of cattle                         | (28 September 201<br>EMRL2008-02 |
| Boscalid    | 0.35                              | Meat byproducts of goats                          | (9 July 2008)<br>EMRL2008-02     |
|             |                                   |   | (9 July 2008)                    |
| Boscalid    | 0.35                              | Meat byproducts of hogs                           | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 0.35                              | Meat byproducts of horses                         | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 0.1                               | Meat byproducts of poultry                        | EMRL2008-02                      |
| Boscalid    | 0.35                              | Meat byproducts of sheep                          | (9 July 2008)<br>EMRL2008-02     |
| Boscalid    | 0.1                               | Meat of cattle                                    | (9 July 2008)<br>EMRL2008-02     |
|             |                                   |   | (9 July 2008)                    |
| Boscalid    | 0.1                               | Meat of goats                                     | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 0.1                               | Meat of hogs                                      | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 0.1                               | Meat of horses                                    | EMRL2008-02                      |
| Boscalid    | 0.05                              | Meat of poultry                                   | (9 July 2008)<br>EMRL2008-02     |
| Boscalid    | 0.1                               | Meat of sheep                                     | (9 July 2008)<br>EMRL2008-02     |
|             |                                   | ·   | (9 July 2008)                    |
| Boscalid    | 0.1                               | Milk  | EMRL2008-02<br>(9 July 2008)     |
| Boscalid    | 3.5                               | Milkweed seeds                                    | EMRL2011-44<br>(18 May 2011)     |
| Boscalid    | 1.5                               | Muskmelons (other than those listed in this item) | EMRL2008-02                      |
| Boscalid    | 18                                | Mustard greens                                    | (9 July 2008)<br>EMRL2008-02     |
| Boscalid    |                                   | Mustard seed oil                                  | (9 July 2008)<br>EMRL2011-44     |
| DOSCAIIO    | 5.0                               | WIUSIAIU SEEU OII                                 | (18 May 2011)                    |

| e residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                              |                                   |
|--|-----------------------------------|------------------------------|-----------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity               | MRL Established Vi                |
| Boscalid   | 3.5                               | Mustard seeds (oilseed type) | EMRL2008-02                       |
| Boscalid   | 18                                | Mustard spinach              | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 3.0                               | Napa Chinese cabbages        | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 1.7                               | Nectarines                   | (9 July 2008)<br>EMRL2008-02      |
|  |                                   |                              | (9 July 2008)                     |
| Boscalid   | 60                                | New Zealand spinach          | EMRL2011-03<br>(14 March 2011)    |
| Boscalid   | 1.4                               | Non-bell peppers             | EMRL2010-14<br>(15 September 2010 |
| Boscalid   | 0.2                               | Oats                         | EMRL2008-02                       |
| Boscalid   | 3.5                               | Oil radish seeds             | (9 July 2008)<br>EMRL2011-44      |
| Boscalid   | 1.0                               | Orach leaves                 | (18 May 2011)<br>EMRL2008-02      |
| Boscalid   | 0.7                               | Oriental radish roots        | (9 July 2008)<br>EMRL2008-02      |
|  |                                   |                              | (9 July 2008)                     |
| Boscalid   | 1.0                               | Oriental radish tops         | EMRL2008-02<br>(9 July 2008)      |
| Boscalid   | 0.7                               | Parsnip roots                | EMRL2008-02<br>(9 July 2008)      |
| Boscalid   | 1.7                               | Peaches                      | EMRL2008-02<br>(9 July 2008)      |
| Boscalid   | 0.15                              | Peanut oil                   | EMRL2008-02                       |
| Boscalid   | 0.05                              | Peanuts                      | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 0.2                               | Pearl millet                 | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   |                                   |                              | (9 July 2008)                     |
|  | 3.0                               | Pears                        | EMRL2010-27<br>(28 September 2010 |
| Boscalid   | 0.7                               | Pecans                       | EMRL2008-02<br>(9 July 2008)      |
| Boscalid   | 1.4                               | Pepinos                      | EMRL2010-14<br>(15 September 2010 |
| Boscalid   | 1.4                               | Pepper hybrids               | EMRL2010-14                       |
| Boscalid   | 30                                | Peppermint tops              | (15 September 2010<br>EMRL2008-02 |
| Boscalid   | 0.7                               | Pistachios                   | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 1.7                               | Plumcots                     | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 1.7                               | Plums                        | (9 July 2008)<br>EMRL2008-02      |
|  |                                   |                              | (9 July 2008)                     |
| Boscalid   | 0.2                               | Popcorn grain                | EMRL2008-02<br>(9 July 2008)      |
| Boscalid   | 3.5                               | Poppy seeds                  | EMRL2011-44<br>(18 May 2011)      |
| Boscalid   | 3.0                               | Potato onions                | EMRL2008-02                       |
| Boscalid   | 0.05                              | Potatoes                     | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 0.2                               | Proso millet                 | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 1.7                               | Prune plums                  | (9 July 2008)<br>EMRL2008-02      |
|  |                                   | ·                            | (9 July 2008)                     |
| Boscalid   | 1.5                               | Pumpkins                     | EMRL2008-02<br>(9 July 2008)      |
| Boscalid   | 3.0                               | Quinces                      | EMRL2010-27<br>(28 September 2010 |
| Boscalid   | 1.0                               | Radicchio                    | EMRL2008-02                       |
| Boscalid   | 1.0                               | Radish roots                 | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 1.0                               | Radish tops                  | (9 July 2008)<br>EMRL2008-02      |
| Boscalid   | 8.5                               | Raisins                      | (9 July 2008)<br>EMRL2008-02      |
|  |                                   |                              | (9 July 2008)                     |
| Boscalid   | 18                                | Rape greens                  | EMRL2008-02<br>(9 July 2008)      |
| Boscalid   | 3.5                               | Rapeseeds (canola)           | EMRL2008-02<br>(9 July 2008)      |
| Boscalid   | 6.0                               | Raspberries                  | EMRL2010-14<br>(15 September 2010 |
| Boscalid   | 45                                | Rhubarb                      | EMRL2011-03                       |
| Boscalid   | 0.2                               | Rice                         | (14 March 2011)<br>EMRL2008-02    |
|  | 1                                 |                              | (9 July 2008)                     |

|             |                                   | in a distinct table on the MRL webpage         |                                   |
|-------------|-----------------------------------|--|-----------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established V                 |
| Boscalid    | 1.0                               | Rutabaga tops                                  | EMRL2008-02                       |
| Boscalid    | 0.2                               | Rye  | (9 July 2008)<br>EMRL2008-02      |
|             |                                   | ·  | (9 July 2008)                     |
| Boscalid    | 0.6                               | Safflower seeds                                | EMRL2008-02                       |
| Boscalid    | 0.7                               | Salsify roots                                  | (9 July 2008)<br>EMRL2008-02      |
|             |                                   | ,<br>  | (9 July 2008)                     |
| Boscalid    | 6                                 | Saskatoon berries (juneberries)                | EMRL2011-06                       |
| Boscalid    | 3.5                               | Sesame seeds                                   | (16 March 2011)<br>EMRL2011-44    |
|             |                                   |  | (18 May 2011)                     |
| Boscalid    | 3.0                               | Shallots                                       | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.7                               | Skirret roots                                  | EMRL2008-02                       |
|             |                                   |  | (9 July 2008)                     |
| Boscalid    | 0.2                               | Sorghum  | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.7                               | Spanish salsify roots                          | EMRL2008-02                       |
|             |                                   | · · · · · · · · · · · · · · · · · · ·          | (9 July 2008)                     |
| Boscalid    | 30                                | Spearmint tops                                 | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 60                                | Spinach  | EMRL2011-03                       |
|             |                                   | <u> </u>                                       | (14 March 2011)                   |
| Boscalid    | 4.5                               | Strawberries                                   | EMRL2010-27<br>(28 September 2010 |
| Boscalid    | 0.6                               | Succulent shelled blackeyed peas               | EMRL2008-02                       |
|             |                                   |  | (9 July 2008)                     |
| Boscalid    | 0.6                               | Succulent shelled broad beans                  | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.6                               | Succulent shelled English peas                 | EMRL2008-02                       |
|             |                                   |  | (9 July 2008)                     |
| Boscalid    | 0.6                               | Succulent shelled garden peas                  | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.6                               | Succulent shelled green peas                   | EMRL2008-02                       |
| DEd         | 0.0                               | Overview to be the different because           | (9 July 2008)                     |
| Boscalid    | 0.6                               | Succulent shelled lima beans                   | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.6                               | Succulent shelled peas                         | EMRL2008-02                       |
| Boscalid    | 0.6                               | Succulent shelled pigeon peas                  | (9 July 2008)<br>EMRL2008-02      |
| Doscalid    | 0.0                               | Succulent shelled pigeon peas                  | (9 July 2008)                     |
| Boscalid    | 0.6                               | Succulent shelled southern peas                | EMRL2008-02                       |
| Boscalid    | 1.0                               | Sugar beet roots                               | (9 July 2008)<br>EMRL2008-02      |
| Boodina     |                                   | Caga: 2001:1000                                | (9 July 2008)                     |
| Boscalid    | 1.5                               | Summer squash                                  | EMRL2008-02                       |
| Boscalid    | 0.6                               | Sunflower seeds                                | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |  | (9 July 2008)                     |
| Boscalid    | 1.7                               | Sweet cherries                                 | EMRL2008-02                       |
| Boscalid    | 0.2                               | Sweet corn kernels plus cob with husks removed | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |  | (9 July 2008)                     |
| Boscalid    | 0.05                              | Sweet potato roots                             | EMRL2008-02                       |
| Boscalid    | 3.5                               | Sweet rocket seeds                             | (9 July 2008)<br>EMRL2011-44      |
|             |                                   |  | (18 May 2011)                     |
| Boscalid    | 45                                | Swiss chard                                    | EMRL2011-03<br>(14 March 2011)    |
| Boscalid    | 0.05                              | Tanier corms                                   | EMRL2008-02                       |
|             |                                   |  | (9 July 2008)                     |
| Boscalid    | 1.0                               | Tanier leaves                                  | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 0.05                              | Taro corms                                     | EMRL2008-02                       |
| DEd         | 4.0                               | Tara la suca                                   | (9 July 2008)                     |
| Boscalid    | 1.0                               | Taro leaves                                    | EMRL2008-02<br>(9 July 2008)      |
| Boscalid    | 1.7                               | Tart cherries                                  | EMRL2008-02                       |
| Boscalid    | 0.2                               | Teosinte                                       | (9 July 2008)<br>EMRL2008-02      |
| Doscand     | 0.2                               | reconite                                       | (9 July 2008)                     |
| Boscalid    | 1.4                               | Tomatillos                                     | EMRL2010-14                       |
| Boscalid    | 1.4                               | Tomatoes                                       | (15 September 2010<br>EMRL2010-14 |
| Doscand     | 1.4                               | i onacoes                                      | (15 September 2010                |
| Boscalid    | 3.0                               | Tree onion tops                                | EMRL2008-02                       |
| Boscalid    | 0.2                               | Triticale                                      | (9 July 2008)<br>EMRL2008-02      |
| Dogodiid    | 0.2                               | Titucale                                       | (9 July 2008)                     |
| Boscalid    | 0.05                              | True yam tubers                                | EMRL2008-02                       |
| Boscalid    | 0.05                              | Turmeric roots                                 | (9 July 2008)<br>EMRL2008-02      |
|             |                                   |  |                                   |

|                |                                   | distinct table on the MRL webpage |  |
|----------------|-----------------------------------|-----------------------------------|--|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                          |
| Boscalid       | 1.0                               | Turnip roots                      | EMRL2008-02<br>(9 July 2008)             |
| Boscalid       | 1.0                               | Turnip tops                       | EMRL2008-02                              |
| Descalid       | 0.7                               | Turnin rected should recte        | (9 July 2008)                            |
| Boscalid       | 0.7                               | Turnip-rooted chervil roots       | EMRL2008-02<br>(9 July 2008)             |
| Boscalid       | 1.0                               | Turnip-rooted chervil tops        | EMRL2008-02                              |
| Boscalid       | 0.7                               | Turnip-rooted parsley roots       | (9 July 2008)<br>EMRL2008-02             |
| Boscalid       | 0.05                              | Undelinted cotton seeds           | (9 July 2008)                            |
| Boscaliu       | 0.05                              |                                   | EMRL2008-02<br>(9 July 2008)             |
| Boscalid       | 1.0                               | Upland cress                      | EMRL2008-02                              |
| Boscalid       | 60                                | Vine spinach                      | (9 July 2008)<br>EMRL2011-03             |
| Boscalid       | 1.5                               | Watermelons                       | (14 March 2011)<br>EMRL2008-02           |
| Boscalio       | 1.5                               | watermelons                       | (9 July 2008)                            |
| Boscalid       | 3.0                               | Welsh onion tops                  | EMRL2008-02                              |
| Boscalid       | 1.5                               | West Indian gherkins              | (9 July 2008)<br>EMRL2008-02             |
| Boscalid       | 0.2                               | Wheat                             | (9 July 2008)<br>EMRL2008-02             |
| Boscaliu       | 0.2                               | vviieat                           | (9 July 2008)                            |
| Boscalid       | 0.2                               | Wild rice                         | EMRL2008-02                              |
| Boscalid       | 1.0                               | Winter purslane                   | (9 July 2008)<br>EMRL2008-02             |
| Boscalid       | 1.5                               | Winter squash                     | (9 July 2008)                            |
| Boscaliu       | 1.5                               | willer squasii                    | EMRL2008-02<br>(9 July 2008)             |
| Boscalid       | 0.05                              | Yam bean roots                    | EMRL2008-02<br>(9 July 2008)             |
| Bromophos      | 1.5                               | Apples                            | Canada Gazette I                         |
| Bromopropylate | 2.0                               | Citrus fruits                     | Prior to 16 June 20 Canada Gazette I     |
|                |                                   |                                   | Prior to 16 June 20                      |
| Bromopropylate | 2.0                               | Grapes                            | Canada Gazette I<br>Prior to 16 June 200 |
| Bromopropylate | 10                                | Raisins                           | Canada Gazette I                         |
| Bromoxynil     | 0.02                              | Dry bulb onions                   | Prior to 16 June 20<br>EMRL2008-32       |
| <u> </u>       |                                   | ·                                 | (17 November 200                         |
| Bromoxynil     | 0.1                               | Eggs                              | Canada Gazette I<br>Prior to 16 June 20  |
| Bromoxynil     | 0.1                               |                                   | EMRL2011-13                              |
| Bromoxynil     | 0.1                               | Flaxseeds Garlic                  | (18 March 2011)<br>EMRL2011-13           |
|                |                                   |                                   | (18 March 2011)                          |
| Bromoxynil     | 0.1                               | Meat byproducts of cattle         | Canada Gazette I<br>Prior to 16 June 20  |
| Bromoxynil     | 0.1                               | Meat byproducts of poultry        | Canada Gazette I                         |
| Bromoxynil     | 0.1                               | Meat of cattle                    | Prior to 16 June 20 Canada Gazette I     |
| D              | 0.4                               | Most of a sulta-                  | Prior to 16 June 20                      |
| Bromoxynil     | 0.1                               | Meat of poultry                   | Canada Gazette I<br>Prior to 16 June 20  |
| Bromoxynil     | 0.1                               | Milk                              | Canada Gazette I                         |
| Bromoxynil     | 0.1                               | Pearl millet                      | Prior to 16 June 20<br>EMRL2010-06       |
| Bromoxynil     | 0.1                               | Proso millet                      | (3 June 2010)<br>EMRL2010-06             |
| Віотіохупії    | 0.1                               | F1050 Hilliet                     | (3 June 2010)                            |
| Bromoxynil     | 0.1                               | Rapeseeds (canola)                | Canada Gazette I<br>Prior to 16 June 20  |
| Bromoxynil     | 0.1                               | Sorghum                           | EMRL2010-06                              |
| Captan         | 5.0                               | Apples                            | (3 June 2010)<br>Canada Gazette I        |
| <u> </u>       |                                   |                                   | Prior to 16 June 20                      |
| Captan         | 5.0                               | Apricots                          | Canada Gazette I<br>Prior to 16 June 20  |
| Captan         | 5.0                               | Blueberries                       | Canada Gazette I                         |
| Captan         | 5.0                               | Cherries                          | Prior to 16 June 20<br>Canada Gazette I  |
|                |                                   |                                   | Prior to 16 June 20                      |
| Captan         | 5.0                               | Cranberries                       | Canada Gazette I<br>Prior to 16 June 20  |
| Captan         | 5.0                               | Grapes                            | Canada Gazette I                         |
| Captan         | 5.0                               | Peaches/nectarines                | Prior to 16 June 20 Canada Gazette I     |
|                |                                   |                                   | Prior to 16 June 20                      |
| Captan         | 5.0                               | Pears                             | Canada Gazette I<br>Prior to 16 June 200 |
| Captan         | 5.0                               | Plums                             | Canada Gazette I                         |

|             |                                   | stinct table on the MRL webpage |  |
|-------------|-----------------------------------|---------------------------------|--|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established Vi                         |
| Captan      | 5.0                               | Raspberries                     | Canada Gazette II Prior to 16 June 2008    |
| Captan      | 5.0                               | Strawberries                    | Canada Gazette II                          |
| Captan      | 5.0                               | Tomatoes                        | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 5.0                               | Apples                          | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 10                                | Apricots                        | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 10                                | Asparagus                       | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 5.0                               | Bananas                         | Prior to 16 June 200                       |
| Carbaryl    | 2.0                               | Barley                          | Prior to 16 June 2006 Canada Gazette II    |
| <u> </u>    |                                   |                                 | Prior to 16 June 200                       |
| Carbaryl    | 5.0                               | Beans                           | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl    | 5.0                               | Beet roots                      | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl    | 10                                | Beet tops                       | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl    | 10                                | Blackberries                    | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl    | 7.0                               | Blueberries                     | Canada Gazette II                          |
| Carbaryl    | 10                                | Boysenberries                   | Prior to 16 June 2006<br>Canada Gazette II |
| Carbaryl    | 5.0                               | Broccoli                        | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 5.0                               | Brussels sprouts                | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 5.0                               | Cabbages                        | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 5.0                               | Carrots                         | Prior to 16 June 2008 Canada Gazette II    |
|             |                                   |                                 | Prior to 16 June 2008 Canada Gazette II    |
| Carbaryl    | 5.0                               | Cauliflower                     | Prior to 16 June 2008                      |
| Carbaryl    | 5.0                               | Celery                          | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl    | 10                                | Cherries                        | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl    | 10                                | Chinese cabbages                | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl    | 10                                | Citrus fruits                   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl    | 10                                | Collards                        | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl    | 1.0                               | Corn                            | Canada Gazette II                          |
| Carbaryl    | 10                                | Cranberries                     | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 3.0                               | Cucumbers                       | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 10                                | Dandelions                      | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 10                                | Dewberries                      | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 5.0                               | Eggplants                       | Prior to 16 June 2008 Canada Gazette II    |
| <u> </u>    |                                   |                                 | Prior to 16 June 2008                      |
| Carbaryl    | 10                                | Endives                         | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl    | 5.0                               | Grapes                          | Canada Gazette II<br>Prior to 16 June 200  |
| Carbaryl    | 5.0                               | Horseradish                     | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl    | 10                                | Kale                            | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl    | 5.0                               | Kohlrabi                        | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl    | 10                                | Lettuce                         | Canada Gazette II                          |
| Carbaryl    | 10                                | Loganberries                    | Prior to 16 June 2008 Canada Gazette II    |
| Carbaryl    | 5.0                               | Meat of poultry                 | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 3.0                               | Melons                          | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 10                                | Mustard greens                  | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl    | 1.0                               | Nuts (shelled)                  | Prior to 16 June 2008 Canada Gazette II    |
|             |                                   |                                 | Prior to 16 June 2008                      |
| Carbaryl    | 10                                | Nuts (whole in shells)          | Canada Gazette II Prior to 16 June 2008    |

| e residue definitions for all cher<br>Common Name | nicals are available in a d<br>Maximum | istinct table on the MRL webpage Food Commodity | MRL Established Vi                         |
|---|--|---|--|
| Common Name                                       | Residue Limit<br>(ppm)                 | Pool Commonly                                   | WRL Established Vi                         |
| Carbaryl  | 2.0                                    | Oats  | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl  | 10                                     | Okras   | Canada Gazette II                          |
| Carbaryl  | 10                                     | Olives (raw)                                    | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl  | 10                                     | Parsley   | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl  | 5.0                                    | Parsnips  | Prior to 16 June 2008<br>Canada Gazette II |
| <u> </u>  |  | ·   | Prior to 16 June 2008 Canada Gazette II    |
| Carbaryl  | 10                                     | Peaches/nectarines                              | Prior to 16 June 2008                      |
| Carbaryl  | 5.0                                    | Pears   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl  | 5.0                                    | Peas  | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl  | 5.0                                    | Peppers   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl  | 10                                     | Plums   | Canada Gazette II                          |
| Carbaryl  | 0.2                                    | Potatoes  | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl  | 3.0                                    | Pumpkins  | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl  | 5.0                                    | Radishes  | Prior to 16 June 2008<br>Canada Gazette II |
| •   |  |   | Prior to 16 June 2008                      |
| Carbaryl  | 10                                     | Raspberries                                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl  | 2.0                                    | Rye   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl  | 5.0                                    | Salsify roots                                   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl  | 10                                     | Salsify tops                                    | Canada Gazette II                          |
| Carbaryl  | 10                                     | Spinach   | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl  | 3.0                                    | Squash  | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl  | 7.0                                    | Strawberries                                    | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl  | 10                                     | Swiss chard                                     | Prior to 16 June 2008<br>Canada Gazette II |
| Carbaryl  | 5.0                                    | Tomatoes  | Prior to 16 June 2008 Canada Gazette II    |
| <u> </u>  |  |   | Prior to 16 June 2008                      |
| Carbaryl  | 5.0                                    | Turnip roots                                    | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl  | 10                                     | Turnip tops                                     | Canada Gazette II Prior to 16 June 2008    |
| Carbaryl  | 10                                     | Watercress                                      | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbaryl  | 2.0                                    | Wheat   | Canada Gazette II                          |
| Carbendazim and Thiophanate-                      | 5.0                                    | Apples  | Prior to 16 June 2008<br>Canada Gazette II |
| methyl Carbendazim and Thiophanate-               | 5.0                                    | Apricots  | Prior to 16 June 2008<br>Canada Gazette II |
| methyl Carbendazim and Thiophanate-               | 1.0                                    | Beans   | Prior to 16 June 2008<br>Canada Gazette II |
| methyl Carbendazim and Thiophanate-               | 6.0                                    | Blackberries                                    | Prior to 16 June 2008<br>Canada Gazette II |
| methyl .  |  |   | Prior to 16 June 2008                      |
| Carbendazim and Thiophanate-<br>methyl            | 6.0                                    | Boysenberries                                   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbendazim and Thiophanate-<br>methyl            | 5.0                                    | Carrots   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbendazim and Thiophanate-<br>methyl            | 5.0                                    | Cherries  | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbendazim and Thiophanate-<br>methyl            | 10                                     | Citrus fruits                                   | Canada Gazette II Prior to 16 June 2008    |
| Carbendazim and Thiophanate-                      | 0.5                                    | Cucumbers                                       | Canada Gazette II                          |
| methyl<br>Carbendazim and Thiophanate-            | 5.0                                    | Grapes  | Prior to 16 June 2008<br>Canada Gazette II |
| methyl Carbendazim and Thiophanate-               | 0.5                                    | Melons  | Prior to 16 June 2008<br>Canada Gazette II |
| methyl Carbendazim and Thiophanate-               | 5.0                                    | Mushrooms                                       | Prior to 16 June 2008<br>Canada Gazette II |
| methyl .  |  |   | Prior to 16 June 2008                      |
| Carbendazim and Thiophanate-<br>methyl            | 10                                     | Peaches/nectarines                              | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbendazim and Thiophanate-<br>methyl            | 5.0                                    | Pears   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbendazim and Thiophanate-<br>methyl            | 1.0                                    | Pineapples (edible pulp)                        | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbendazim and Thiophanate-<br>methyl            | 5.0                                    | Plums   | Canada Gazette II Prior to 16 June 2008    |

| Common Name                            | Maximum                | distinct table on the MRL webpage Food Commodity | MRL Established Vi                         |
|--|------------------------|--|--|
| Common Name                            | Residue Limit<br>(ppm) | rood Commodity                                   | MRL Established Vi                         |
| Carbendazim and Thiophanate-<br>methyl | 0.1                    | Potatoes   | EMRL2011-13<br>(18 March 2011)             |
| Carbendazim and Thiophanate-           | 0.5                    | Pumpkins   | Canada Gazette II                          |
| methyl Carbendazim and Thiophanate-    | 6.0                    | Raspberries                                      | Prior to 16 June 2008 Canada Gazette II    |
| methyl ·                               |                        | ·  | Prior to 16 June 2008                      |
| Carbendazim and Thiophanate-<br>methyl | 0.5                    | Squash   | Canada Gazette II Prior to 16 June 2008    |
| Carbendazim and Thiophanate-<br>methyl | 5.0                    | Strawberries                                     | Canada Gazette II                          |
| Carbendazim and Thiophanate-           | 2.5                    | Tomatoes   | Prior to 16 June 2008<br>Canada Gazette II |
| methyl<br>Carbofuran                   | 0.5                    | Carrots  | Prior to 16 June 2008<br>Canada Gazette II |
|  |                        |  | Prior to 16 June 2008                      |
| Carbofuran                             | 0.3                    | Onions   | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbofuran                             | 0.5                    | Peppers  | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbofuran                             | 0.5                    | Potatoes   | Canada Gazette II                          |
| Carbofuran                             | 0.5                    | Rutabagas (turnips)                              | Prior to 16 June 2008 Canada Gazette II    |
|  |                        |  | Prior to 16 June 2008                      |
| Carbofuran                             | 0.4                    | Strawberries                                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Carbofuran phenolic metabolites        | 1.0                    | Carrots  | Canada Gazette II                          |
| Carbofuran phenolic metabolites        | 0.5                    | Onions   | Prior to 16 June 2008<br>Canada Gazette II |
| Carbofuran phenolic metabolites        | 0.5                    | Peppers  | Prior to 16 June 2008<br>Canada Gazette II |
| ·                                      |                        |  | Prior to 16 June 2008                      |
| Carbofuran phenolic metabolites        | 1.0                    | Potatoes   | Canada Gazette II Prior to 16 June 2008    |
| Carbofuran phenolic metabolites        | 0.5                    | Strawberries                                     | Canada Gazette II                          |
| Carbofuran phenolic metabolites        | 1.0                    | Turnips  | Prior to 16 June 2008<br>Canada Gazette II |
| Carboxin                               | 0.03                   | Rapeseeds (canola)                               | Prior to 16 June 2008<br>EMRL2011-13       |
|  |                        |  | (18 March 2011)                            |
| Carfentrazone-ethyl                    | 0.1                    | Amaranth   | EMRL2009-31<br>(26 November 2009)          |
| Carfentrazone-ethyl                    | 0.1                    | Apples   | EMRL2009-31                                |
| Carfentrazone-ethyl                    | 0.1                    | Apricots   | (26 November 2009)<br>EMRL2009-31          |
| Carfentrazone-ethyl                    | 0.1                    | Arracacha  | (26 November 2009)<br>EMRL2009-31          |
| <u> </u>                               |                        |  | (26 November 2009)                         |
| Carfentrazone-ethyl                    | 0.1                    | Arrowroot  | EMRL2009-31<br>(26 November 2009)          |
| Carfentrazone-ethyl                    | 0.1                    | Arugula  | EMRL2009-31<br>(26 November 2009)          |
| Carfentrazone-ethyl                    | 0.1                    | Asian pears                                      | EMRL2009-31                                |
| Carfentrazone-ethyl                    | 0.1                    | Balsam apples                                    | (26 November 2009)<br>EMRL2009-31          |
| <u> </u>                               |                        |  | (26 November 2009)                         |
| Carfentrazone-ethyl                    | 0.1                    | Balsam pears                                     | EMRL2009-31<br>(26 November 2009)          |
| Carfentrazone-ethyl                    | 0.1                    | Barley   | EMRL2009-31                                |
| Carfentrazone-ethyl                    | 0.8                    | Barley milling fractions                         | (26 November 2009)<br>EMRL2009-31          |
| Carfentrazone-ethyl                    | 0.1                    | Bell peppers                                     | (26 November 2009)<br>EMRL2009-31          |
| •                                      |                        |  | (26 November 2009)                         |
| Carfentrazone-ethyl                    | 0.1                    | Black salsify roots                              | EMRL2009-31<br>(26 November 2009)          |
| Carfentrazone-ethyl                    | 0.1                    | Blackberries                                     | EMRL2009-31                                |
| Carfentrazone-ethyl                    | 0.1                    | Blueberries                                      | (26 November 2009)<br>EMRL2009-31          |
| Carfentrazone-ethyl                    | 0.1                    | Bok choy Chinese cabbages                        | (26 November 2009)<br>EMRL2009-31          |
| <u> </u>                               |                        |  | (26 November 2009)                         |
| Carfentrazone-ethyl                    | 0.1                    | Broccoli   | EMRL2009-31<br>(26 November 2009)          |
| Carfentrazone-ethyl                    | 0.1                    | Broccoli raab                                    | EMRL2009-31                                |
| Carfentrazone-ethyl                    | 0.1                    | Brussels sprouts                                 | (26 November 2009)<br>EMRL2009-31          |
| Carfentrazone-ethyl                    | 0.1                    | Buckwheat  | (26 November 2009)<br>EMRL2009-31          |
|  |                        |  | (26 November 2009)                         |
| Carfentrazone-ethyl                    | 0.8                    | Buckwheat milling fractions                      | EMRL2009-31<br>(26 November 2009)          |
| Carfentrazone-ethyl                    | 0.1                    | Cabbages   | EMRL2009-31                                |
| Carfentrazone-ethyl                    | 0.1                    | Cantaloupes                                      | (26 November 2009)<br>EMRL2009-31          |

|                     |                                   | listinct table on the MRL webpage | T =                             |
|---------------------|-----------------------------------|-----------------------------------|---------------------------------|
| Common Name         | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                 |
| Carfentrazone-ethyl | 0.1                               | Cardoon                           | EMRL2009-31                     |
| Carfentrazone-ethyl | 0.1                               | Carrot roots                      | (26 November 200<br>EMRL2009-31 |
| Carfentrazone-ethyl | 0.1                               | Cassava roots                     | (26 November 200<br>EMRL2009-31 |
|                     |                                   |                                   | (26 November 20                 |
| Carfentrazone-ethyl | 0.1                               | Cauliflower                       | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Celeriac roots                    | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Celery                            | EMRL2009-31                     |
| Carfentrazone-ethyl | 0.1                               | Celtuce                           | (26 November 20<br>EMRL2009-31  |
| Carfentrazone-ethyl | 0.1                               | Chayote fruit                     | (26 November 20<br>EMRL2009-31  |
|                     |                                   | •                                 | (26 November 20                 |
| Carfentrazone-ethyl | 0.1                               | Chayote roots                     | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Chicory roots                     | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Chinese artichokes                | EMRL2009-31                     |
| Carfentrazone-ethyl | 0.1                               | Chinese broccoli                  | (26 November 20)<br>EMRL2009-31 |
| Carfentrazone-ethyl | 0.1                               | Chinese celery                    | (26 November 20)<br>EMRL2009-31 |
|                     |                                   |                                   | (26 November 20                 |
| Carfentrazone-ethyl | 0.1                               | Chinese cucumbers                 | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Chinese mustard cabbages          | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Chinese onions                    | EMRL2009-31                     |
| Carfentrazone-ethyl | 0.1                               | Chinese waxgourds                 | (26 November 20<br>EMRL2009-31  |
| Carfentrazone-ethyl | 0.1                               | Chufa                             | (26 November 20<br>EMRL2009-31  |
|                     |                                   |                                   | (26 November 20                 |
| Carfentrazone-ethyl | 0.1                               | Citron melons                     | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Collards                          | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Corn salad                        | EMRL2009-31                     |
| Carfentrazone-ethyl | 0.1                               | Crabapples                        | (26 November 20<br>EMRL2009-31  |
| Carfentrazone-ethyl | 0.1                               | Cucumbers                         | (26 November 20<br>EMRL2009-31  |
| Carfentrazone-ethyl | 0.1                               | Currants                          | (26 November 20<br>EMRL2009-31  |
|                     |                                   |                                   | (26 November 20                 |
| Carfentrazone-ethyl | 0.1                               | Dandelion leaves                  | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Dock                              | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Dry adzuki beans                  | EMRL2009-31                     |
| Carfentrazone-ethyl | 0.1                               | Dry beans                         | (26 November 20<br>EMRL2009-31  |
| Carfentrazone-ethyl | 0.1                               | Dry blackeyed peas                | (26 November 20)<br>EMRL2009-31 |
|                     |                                   |                                   | (26 November 20                 |
| Carfentrazone-ethyl | 0.1                               | Dry broad beans                   | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Dry bulb onions                   | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Dry catjang seeds                 | EMRL2009-31                     |
| Carfentrazone-ethyl | 0.1                               | Dry chickpeas                     | (26 November 20<br>EMRL2009-31  |
| Carfentrazone-ethyl | 0.1                               | Dry cowpea seeds                  | (26 November 20)<br>EMRL2009-31 |
|                     |                                   |                                   | (26 November 20                 |
| Carfentrazone-ethyl | 0.1                               | Dry field peas                    | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Dry guar seeds                    | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl | 0.1                               | Dry kidney beans                  | EMRL2009-31                     |
| Carfentrazone-ethyl | 0.1                               | Dry lablab beans                  | (26 November 20)<br>EMRL2009-31 |
| Carfentrazone-ethyl | 0.1                               | Dry lentils                       | (26 November 20)<br>EMRL2009-31 |
|                     |                                   |                                   | (26 November 20                 |
| Carfentrazone-ethyl | 0.1                               | Dry lima beans                    | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Dry moth beans                    | EMRL2009-31<br>(26 November 20  |
| Carfentrazone-ethyl | 0.1                               | Dry mung beans                    | EMRL2009-31                     |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                 |
|---|-----------------------------------|--|---------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                 |
| Carfentrazone-ethyl   | 0.1                               | Dry navy beans                                       | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Dry pigeon peas                                      | (26 November 200<br>EMRL2009-31 |
| Carfentrazone-ethyl   | 0.1                               | Dry pink beans                                       | (26 November 200<br>EMRL2009-31 |
|   |                                   |  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Dry pinto beans                                      | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Dry rice beans                                       | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Dry southern peas                                    | (26 November 200<br>EMRL2009-31 |
| Carfentrazone-ethyl   | 0.1                               | Dry soybeans   | (26 November 200<br>EMRL2009-31 |
|   |                                   |  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Dry tepary beans                                     | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Dry urd beans  | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Edible burdock roots                                 | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Edible canna   | (26 November 200<br>EMRL2009-31 |
|   |                                   |  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Edible gourds (other than those listed in this item) | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Edible leaved chrysanthemum                          | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded dwarf peas                             | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded jackbeans                              | (26 November 200<br>EMRL2009-31 |
|   | 0.4                               |  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded moth beans                             | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded peas                                   | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded pigeon peas                            | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded runner beans                           | (26 November 200<br>EMRL2009-31 |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded snap beans                             | (26 November 200<br>EMRL2009-31 |
|   |                                   |  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded snow peas                              | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded soybeans                               | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded sugar snap peas                        | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded sword beans                            | (26 November 200<br>EMRL2009-31 |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded wax beans                              | (26 November 200<br>EMRL2009-31 |
| Carreriti azone-etriyi  |                                   | ·  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Edible-podded yardlong beans                         | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Eggplants  | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Elderberries   | (26 November 200<br>EMRL2009-31 |
| Carfentrazone-ethyl   | 0.1                               | Endives  | (26 November 200<br>EMRL2009-31 |
|   |                                   |  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Fat of cattle  | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Fat of goats   | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Fat of horses  | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Fat of sheep   | (26 November 200<br>EMRL2009-31 |
|   |                                   | ·  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Field corn   | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Flaxseeds  | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Fresh chervil leaves                                 | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Fresh Florence fennel leaves and stalks              | (26 November 200<br>EMRL2009-31 |
| Carfentrazone-ethyl   | 0.1                               | Fresh parsley leaves                                 | (26 November 200<br>EMRL2009-31 |
|   |                                   |  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Garden beet roots                                    | EMRL2009-31<br>(26 November 200 |
| Carfentrazone-ethyl   | 0.1                               | Garden cress   | EMRL2009-31                     |
| Carfentrazone-ethyl   | 0.1                               | Garden purslane                                      | (26 November 200<br>EMRL2009-31 |
|   |                                   | ·  | (26 November 200                |
| Carfentrazone-ethyl   | 0.1                               | Garland chrysanthemum                                | EMRL2009-31                     |

|                     | residue definitions for all chemicals are available in a distinct table on the MRL webpage |   |                                   |  |
|---------------------|--|---|-----------------------------------|--|
| Common Name         | Maximum<br>Residue Limit<br>(ppm)  | Food Commodity                                    | MRL Established Via               |  |
| Carfentrazone-ethyl | 0.1  | Garlic  | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Ginger roots                                      | EMRL2009-31                       |  |
| Carfentrazone-ethyl | 0.1  | Ginseng roots                                     | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Gooseberries                                      | (26 November 2009)<br>EMRL2009-31 |  |
|                     |  |   | (26 November 2009)                |  |
| Carfentrazone-ethyl | 0.1  | Grain lupin                                       | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Grapes  | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Great headed garlic                               | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Green onions                                      | EMRL2009-31                       |  |
| Carfentrazone-ethyl | 0.1  | Groundcherries                                    | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Head lettuce                                      | (26 November 2009)<br>EMRL2009-31 |  |
|                     | 0.1  | Horseradish roots                                 | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl |  |   | (26 November 2009)                |  |
| Carfentrazone-ethyl | 0.1  | Huckleberries                                     | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Jerusalem artichokes                              | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Kale  | EMRL2009-31                       |  |
| Carfentrazone-ethyl | 0.1  | Kohlrabi  | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Leaf lettuce                                      | (26 November 2009)<br>EMRL2009-31 |  |
| <u> </u>            |  |   | (26 November 2009)                |  |
| Carfentrazone-ethyl | 0.1  | Leeks   | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Lerens  | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Loganberries                                      | EMRL2009-31                       |  |
| Carfentrazone-ethyl | 0.1  | Loquats   | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Mayhaws   | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Meat byproducts of cattle                         | (26 November 2009)<br>EMRL2009-31 |  |
| <u> </u>            |  |   | (26 November 2009)                |  |
| Carfentrazone-ethyl | 0.1  | Meat byproducts of goats                          | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Meat byproducts of horses                         | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Meat byproducts of sheep                          | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Meat of cattle                                    | EMRL2009-31                       |  |
| Carfentrazone-ethyl | 0.1  | Meat of goats                                     | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Meat of horses                                    | (26 November 2009)<br>EMRL2009-31 |  |
| <u> </u>            |  |   | (26 November 2009)                |  |
| Carfentrazone-ethyl | 0.1  | Meat of sheep                                     | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.05   | Milk  | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.8  | Millet milling fractions                          | EMRL2009-31                       |  |
| Carfentrazone-ethyl | 0.1  | Muskmelons (other than those listed in this item) | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Mustard greens                                    | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Mustard seeds (oilseed type)                      | (26 November 2009)<br>EMRL2009-31 |  |
| <u> </u>            |  |   | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Mustard spinach                                   | (26 November 2009)                |  |
| Carfentrazone-ethyl | 0.1  | Napa Chinese cabbages                             | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | Nectarines  | EMRL2009-31<br>(26 November 2009) |  |
| Carfentrazone-ethyl | 0.1  | New Zealand spinach                               | EMRL2009-31                       |  |
| Carfentrazone-ethyl | 0.1  | Non-bell peppers                                  | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.8  | Oat milling fractions                             | (26 November 2009)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl | 0.1  | Oats  | (26 November 2009)<br>EMRL2009-31 |  |
|                     |  |   | (26 November 2009)                |  |
| Carfentrazone-ethyl | 0.1  | Orach leaves                                      | EMRL2009-31<br>(26 November 2009) |  |

|  |                                   | distinct table on the MRL webpage | 1                                 |
|--|-----------------------------------|-----------------------------------|-----------------------------------|
| Common Name                                    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established Via               |
| Carfentrazone-ethyl                            | 0.1                               | Oriental radish roots             | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Parsnip roots                     | EMRL2009-31                       |
| Carfentrazone-ethyl                            | 0.1                               | Peaches                           | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.1                               | Pearl millet                      | (26 November 2009)<br>EMRL2009-31 |
|  |                                   |                                   | (26 November 2009)                |
| Carfentrazone-ethyl                            | 0.1                               | Pears                             | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Pepinos                           | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Pepper hybrids                    | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Plumcots                          | EMRL2009-31                       |
| Carfentrazone-ethyl                            | 0.1                               | Plums                             | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.1                               | Popcorn grain                     | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.1                               | Potato onions                     | (26 November 2009)<br>EMRL2009-31 |
| <u>,                                      </u> |                                   |                                   | (26 November 2009)                |
| Carfentrazone-ethyl                            | 0.1                               | Potatoes                          | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Proso millet                      | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Prune plums                       | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Pumpkins                          | EMRL2009-31                       |
| Carfentrazone-ethyl                            | 0.1                               | Quinces                           | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.1                               | Radicchio                         | (26 November 2009)<br>EMRL2009-31 |
|  |                                   |                                   | (26 November 2009)                |
| Carfentrazone-ethyl                            | 0.1                               | Radish roots                      | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Rape greens                       | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Rapeseeds (canola)                | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Raspberries                       | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Rhubarb                           | EMRL2009-31                       |
| Carfentrazone-ethyl                            | 0.1                               | Rutabaga roots                    | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.1                               | Rye                               | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.8                               | Rye milling fractions             | (26 November 2009)<br>EMRL2009-31 |
|  |                                   |                                   | (26 November 2009)                |
| Carfentrazone-ethyl                            | 0.1                               | Safflower seeds                   | (26 November 2009)                |
| Carfentrazone-ethyl                            | 0.1                               | Salsify roots                     | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Shallots                          | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Skirret roots                     | EMRL2009-31                       |
| Carfentrazone-ethyl                            | 0.25                              | Sorghum                           | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.1                               | Spanish salsify roots             | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.1                               | Spinach                           | (26 November 2009)<br>EMRL2009-31 |
| <u> </u>                                       |                                   | ·                                 | (26 November 2009)                |
| Carfentrazone-ethyl                            | 0.1                               | Strawberries                      | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled blackeyed peas  | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled broad beans     | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled cowpeas         | EMRL2009-31                       |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled English peas    | (26 November 2009)<br>EMRL2009-31 |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled garden peas     | (26 November 2009)<br>EMRL2009-31 |
| <u> </u>                                       |                                   |                                   | (26 November 2009)                |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled green peas      | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled lima beans      | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled peas            | EMRL2009-31<br>(26 November 2009) |
| Carfentrazone-ethyl                            | 0.1                               | Succulent shelled pigeon peas     | EMRL2009-31                       |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                 |  |
|---|-----------------------------------|--|---------------------------------|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established                 |  |
| Carfentrazone-ethyl   | 0.1                               | Succulent shelled southern peas                | EMRL2009-31<br>(26 November 200 |  |
| Carfentrazone-ethyl   | 0.1                               | Sugar beet roots                               | EMRL2009-31                     |  |
| Carfentrazone-ethyl   | 0.1                               | Summer squash                                  | (26 November 200<br>EMRL2009-31 |  |
|   |                                   | ·  | (26 November 20                 |  |
| Carfentrazone-ethyl   | 0.1                               | Sunflower seeds                                | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Sweet cherries                                 | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Sweet corn kernels plus cob with husks removed | EMRL2009-31                     |  |
| Carfentrazone-ethyl   | 0.1                               | Sweet potato roots                             | (26 November 20<br>EMRL2009-31  |  |
| Carfentrazone-ethyl   | 0.1                               | Swiss chard                                    | (26 November 20<br>EMRL2009-31  |  |
|   | 0.1                               |  | (26 November 20<br>EMRL2009-31  |  |
| Carfentrazone-ethyl   |                                   | Tanier corms                                   | (26 November 20                 |  |
| Carfentrazone-ethyl   | 0.1                               | Taro corms                                     | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Tart cherries                                  | EMRL2009-31                     |  |
| Carfentrazone-ethyl   | 0.1                               | Teosinte                                       | (26 November 20)<br>EMRL2009-31 |  |
| Carfentrazone-ethyl   | 0.1                               | Tomatillos                                     | (26 November 20)<br>EMRL2009-31 |  |
|   |                                   |  | (26 November 20                 |  |
| Carfentrazone-ethyl   | 0.1                               | Tomatoes                                       | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Tree onion tops                                | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Triticale                                      | EMRL2009-31                     |  |
| Carfentrazone-ethyl   | 0.8                               | Triticale milling fractions                    | (26 November 20<br>EMRL2009-31  |  |
| Carfentrazone-ethyl   | 0.1                               | True yam tubers                                | (26 November 20<br>EMRL2009-31  |  |
|   |                                   | •  | (26 November 20                 |  |
| Carfentrazone-ethyl   | 0.1                               | Turmeric roots                                 | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Turnip roots                                   | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Turnip-rooted chervil roots                    | EMRL2009-31                     |  |
| Carfentrazone-ethyl   | 0.1                               | Turnip-rooted parsley roots                    | (26 November 20<br>EMRL2009-31  |  |
| Carfentrazone-ethyl   | 0.1                               | Upland cress                                   | (26 November 20<br>EMRL2009-31  |  |
|   | 0.4                               |  | (26 November 20                 |  |
| Carfentrazone-ethyl   | 0.1                               | Vine spinach                                   | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Watermelons                                    | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Welsh onion tops                               | EMRL2009-31                     |  |
| Carfentrazone-ethyl   | 0.1                               | West Indian gherkins                           | (26 November 20<br>EMRL2009-31  |  |
| Carfentrazone-ethyl   | 0.1                               | Wheat  | (26 November 20<br>EMRL2009-31  |  |
|   |                                   |  | (26 November 20                 |  |
| Carfentrazone-ethyl   | 0.8                               | Wheat milling fractions                        | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Wild rice                                      | EMRL2009-31<br>(26 November 20  |  |
| Carfentrazone-ethyl   | 0.1                               | Winter purslane                                | EMRL2009-31                     |  |
| Carfentrazone-ethyl   | 0.1                               | Winter squash                                  | (26 November 20<br>EMRL2009-31  |  |
| Carfentrazone-ethyl   | 0.1                               | Yam bean roots                                 | (26 November 20<br>EMRL2009-31  |  |
|   |                                   |  | (26 November 20                 |  |
| Chlorantraniliprole   | 13                                | Amaranth                                       | EMRL2008-38<br>(17 November 20  |  |
| Chlorantraniliprole   | 1.2                               | Amur River grapes                              | EMRL2008-38<br>(17 November 20  |  |
| Chlorantraniliprole   | 0.3                               | Apples   | EMRL2008-38                     |  |
| Chlorantraniliprole   | 1.0                               | Apricots                                       | (17 November 20<br>EMRL2008-38  |  |
| Chlorantraniliprole   | 13                                | Arugula  | (17 November 20<br>EMRL2008-38  |  |
| ·   |                                   |  | (17 November 20                 |  |
| Chlorantraniliprole   | 0.3                               | Asian pears                                    | EMRL2008-38<br>(17 November 20  |  |
| Chlorantraniliprole   | 0.25                              | Balsam apples                                  | EMRL2008-38<br>(17 November 20  |  |
| Chlorantraniliprole   | 0.25                              | Balsam pears                                   | EMRL2008-38                     |  |
| Chlorantraniliprole   |                                   | Bell peppers                                   | (17 November 20<br>EMRL2008-38  |  |

|                     |                                   | in a distinct table on the MRL webpage               |                                   |
|---------------------|-----------------------------------|--|-----------------------------------|
| Common Name         | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established Via               |
| Chlorantraniliprole | 0.9                               | Blackberries   | EMRL2011-31<br>(16 May 2011)      |
| Chlorantraniliprole | 11                                | Bok choy Chinese cabbages                            | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 4.0                               | Broccoli   | EMRL2008-38                       |
| Chlorantraniliprole | 11                                | Broccoli raab  | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 4.0                               | Brussels sprouts                                     | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 4.0                               | Cabbages   | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 0.25                              | Cantaloupes  | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Cardoon  | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 4.0                               | Cauliflower  | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                |  | (17 November 2008)<br>EMRL2008-38 |
| <u> </u>            |                                   | Celery   | (17 November 2008)                |
| Chlorantraniliprole | 13                                | Celtuce  | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 0.25                              | Chayote fruit  | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 4.0                               | Chinese broccoli                                     | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 13                                | Chinese celery                                       | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 0.25                              | Chinese cucumbers                                    | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 4.0                               | Chinese mustard cabbages                             | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 0.25                              | Chinese waxgourds                                    | EMRL2008-38                       |
| Chlorantraniliprole | 0.25                              | Citron melons  | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 11                                | Collards   | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Corn salad   | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 0.3                               | Crabapples   | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 0.25                              | Cucumbers  | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Dandelion leaves                                     | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Dock   | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 0.25                              | Edible gourds (other than those listed in this item) | (17 November 2008)<br>EMRL2008-38 |
|                     | - 10                              | 5.00   | (17 November 2008                 |
| Chlorantraniliprole | 13                                | Edible leaved chrysanthemum                          | (17 November 2008)                |
| Chlorantraniliprole | 0.7                               | Eggplants  | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 13                                | Endives  | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 0.01                              | Fat of cattle  | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 0.01                              | Fat of goats   | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 0.01                              | Fat of horses  | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 0.01                              | Fat of sheep   | EMRL2008-38                       |
| Chlorantraniliprole | 13                                | Fresh chervil leaves                                 | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Fresh Florence fennel leaves and stalks              | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Fresh parsley leaves                                 | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Garden cress   | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Garden purslane                                      | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 13                                | Garland chrysanthemum                                | (17 November 2008)<br>EMRL2008-38 |
| Chlorantraniliprole | 1.2                               | Gooseberries   | (17 November 2008)<br>EMRL2008-38 |
|                     |                                   |  | (17 November 2008)                |
| Chlorantraniliprole | 1.2                               | Grapes   | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 0.7                               | Groundcherries                                       | EMRL2008-38<br>(17 November 2008) |
| Chlorantraniliprole | 1.2                               | Hardy kiwifruit                                      | EMRL2008-38<br>(17 November 2008) |

|                     |                                   | in a distinct table on the MRL webpage            | 1                               |
|---------------------|-----------------------------------|---|---------------------------------|
| Common Name         | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established                 |
| Chlorantraniliprole | 13                                | Head lettuce                                      | EMRL2008-38                     |
| Chlorantraniliprole | 11                                | Kale  | (17 November 20)<br>EMRL2008-38 |
| Chlorantraniliprole | 4.0                               | Kohlrabi  | (17 November 20)<br>EMRL2008-38 |
| ·                   |                                   |   | (17 November 20                 |
| Chlorantraniliprole | 13                                | Leaf lettuce                                      | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.9                               | Loganberries                                      | EMRL2011-31                     |
| Chlorantraniliprole | 0.3                               | Loquats   | (16 May 2011)<br>EMRL2008-38    |
| Chlorantraniliprole | 0.3                               | Mayhaws   | (17 November 20)<br>EMRL2008-38 |
|                     |                                   | ·   | (17 November 20                 |
| Chlorantraniliprole | 1.2                               | Маурор  | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.01                              | Meat byproducts of cattle                         | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.01                              | Meat byproducts of goats                          | EMRL2008-38                     |
| Chlorantraniliprole | 0.01                              | Meat byproducts of horses                         | (17 November 20)<br>EMRL2008-38 |
|                     | 0.01                              | Meat byproducts of sheep                          | (17 November 20<br>EMRL2008-38  |
| Chlorantraniliprole | 0.01                              | meat byproducts of sneep                          | (17 November 20                 |
| Chlorantraniliprole | 0.01                              | Meat of cattle                                    | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.01                              | Meat of goats                                     | EMRL2008-38                     |
| Chlorantraniliprole | 0.01                              | Meat of horses                                    | (17 November 20<br>EMRL2008-38  |
| Chlorantraniliprole | 0.01                              | Meat of sheep                                     | (17 November 20<br>EMRL2008-38  |
| <u> </u>            |                                   | ·   | (17 November 20                 |
| Chlorantraniliprole | 0.01                              | Milk  | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.25                              | Muskmelons (other than those listed in this item) | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 11                                | Mustard greens                                    | EMRL2008-38                     |
| Chlorantraniliprole | 11                                | Mustard spinach                                   | (17 November 20<br>EMRL2008-38  |
| Chlorantraniliprole | 4.0                               | Napa Chinese cabbages                             | (17 November 20<br>EMRL2008-38  |
| ·                   |                                   |   | (17 November 20                 |
| Chlorantraniliprole | 1.0                               | Nectarines  | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 13                                | New Zealand spinach                               | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.7                               | Non-bell peppers                                  | EMRL2008-38                     |
| Chlorantraniliprole | 13                                | Orach leaves                                      | (17 November 20<br>EMRL2008-38  |
| Chlorantraniliprole | 1.0                               | Peaches   | (17 November 20<br>EMRL2008-38  |
|                     |                                   |   | (17 November 20                 |
| Chlorantraniliprole | 0.3                               | Pears   | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.7                               | Pepinos   | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.7                               | Pepper hybrids                                    | EMRL2008-38                     |
| Chlorantraniliprole | 1.0                               | Plumcots  | (17 November 20<br>EMRL2008-38  |
| Chlorantraniliprole | 1.0                               | Plums   | (17 November 20<br>EMRL2008-38  |
| ·                   |                                   |   | (17 November 20                 |
| Chlorantraniliprole | 0.01                              | Potatoes  | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 1.0                               | Prune plums                                       | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 0.25                              | Pumpkins  | EMRL2008-38                     |
| Chlorantraniliprole | 0.3                               | Quinces   | (17 November 20<br>EMRL2008-38  |
| Chlorantraniliprole | 13                                |   | (17 November 20<br>EMRL2008-38  |
| ·                   |                                   | Radicchio   | (17 November 20                 |
| Chlorantraniliprole | 2.5                               | Raisins   | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 11                                | Rape greens                                       | EMRL2008-38                     |
| Chlorantraniliprole | 0.9                               | Raspberries                                       | (17 November 20<br>EMRL2011-31  |
| Chlorantraniliprole | 13                                | Rhubarb   | (16 May 2011)<br>EMRL2008-38    |
| <u> </u>            |                                   |   | (17 November 20                 |
| Chlorantraniliprole | 1.2                               | Schisandra berries                                | EMRL2008-38<br>(17 November 20  |
| Chlorantraniliprole | 13                                | Spinach   | EMRL2008-38                     |

|                     |                                   | distinct table on the MRL webpage | T                                    |
|---------------------|-----------------------------------|-----------------------------------|--------------------------------------|
| Common Name         | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                      |
| Chlorantraniliprole | 0.25                              | Summer squash                     | EMRL2008-38                          |
| Chlorantraniliprole | 1.0                               | Sweet cherries                    | (17 November 20<br>EMRL2008-38       |
| Chlorantraniliprole | 13                                | Swiss chard                       | (17 November 20<br>EMRL2008-38       |
| <u> </u>            |                                   |                                   | (17 November 20                      |
| Chlorantraniliprole | 1.0                               | Tart cherries                     | EMRL2008-38<br>(17 November 20       |
| Chlorantraniliprole | 0.7                               | Tomatillos                        | EMRL2008-38                          |
| Chlorantraniliprole | 0.7                               | Tomatoes                          | (17 November 20<br>EMRL2008-38       |
| Chlorantraniliprole | 0.3                               | Undelinted cotton seeds           | (17 November 20<br>EMRL2008-38       |
|                     |                                   |                                   | (17 November 20                      |
| Chlorantraniliprole | 13                                | Upland cress                      | EMRL2008-38<br>(17 November 20       |
| Chlorantraniliprole | 13                                | Vine spinach                      | EMRL2008-38<br>(17 November 20       |
| Chlorantraniliprole | 0.25                              | Watermelons                       | EMRL2008-38                          |
| Chlorantraniliprole | 0.25                              | West Indian gherkins              | (17 November 20<br>EMRL2008-38       |
| Chlorantraniliprole | 0.9                               | Wild raspberries                  | (17 November 20<br>EMRL2011-31       |
| ,                   |                                   | ·                                 | (16 May 2011)                        |
| Chlorantraniliprole | 13                                | Winter purslane                   | EMRL2008-38<br>(17 November 20       |
| Chlorantraniliprole | 0.25                              | Winter squash                     | EMRL2008-38<br>(17 November 20       |
| Chlordane           | 0.1                               | Butter                            | Canada Gazette                       |
| Chlordane           | 0.1                               | Cheese                            | Prior to 16 June 2  Canada Gazette   |
| Chlordane           |                                   |                                   | Prior to 16 June 2<br>Canada Gazette |
|                     | 0.1                               | Meat byproducts of cattle         | Prior to 16 June 2                   |
| Chlordane           | 0.1                               | Meat byproducts of goats          | Canada Gazette<br>Prior to 16 June 2 |
| Chlordane           | 0.1                               | Meat byproducts of hogs           | Canada Gazette                       |
| Chlordane           | 0.1                               | Meat byproducts of poultry        | Prior to 16 June 2<br>Canada Gazette |
| Chlordane           | 0.1                               | Meat byproducts of sheep          | Prior to 16 June 2 Canada Gazette    |
| Chlordane           | 0.1                               | Meat of cattle                    | Prior to 16 June 2<br>Canada Gazette |
|                     |                                   |                                   | Prior to 16 June 2                   |
| Chlordane           | 0.1                               | Meat of goats                     | Canada Gazette<br>Prior to 16 June 2 |
| Chlordane           | 0.1                               | Meat of hogs                      | Canada Gazette                       |
| Chlordane           | 0.1                               | Meat of poultry                   | Prior to 16 June 2<br>Canada Gazette |
| Chlordane           | 0.1                               | Meat of sheep                     | Prior to 16 June 2<br>Canada Gazette |
|                     |                                   | ·                                 | Prior to 16 June 2                   |
| Chlordane           | 0.1                               | Milk                              | Canada Gazette<br>Prior to 16 June 2 |
| Chlordane           | 0.1                               | Other dairy products              | Canada Gazette<br>Prior to 16 June 2 |
| Chlorimuron-ethyl   | 0.05                              | Soybeans                          | Canada Gazette                       |
| Chlormequat         | 1.0                               | Wheat                             | Prior to 16 June 2<br>Canada Gazette |
| Chloropicrin        | 0.025                             | Amaranth                          | Prior to 16 June 2<br>EMRL2008-02    |
|                     |                                   |                                   | (9 July 2008)                        |
| Chloropicrin        | 0.025                             | Apples                            | EMRL2008-02<br>(9 July 2008)         |
| Chloropicrin        | 0.025                             | Apricots                          | EMRL2008-02<br>(9 July 2008)         |
| Chloropicrin        | 0.025                             | Arracacha                         | EMRL2008-02                          |
| Chloropicrin        | 0.025                             | Arrowroot                         | (9 July 2008)<br>EMRL2008-02         |
| Chloropicrin        | 0.025                             | Arugula                           | (9 July 2008)<br>EMRL2008-02         |
| ·                   |                                   |                                   | (9 July 2008)                        |
| Chloropicrin        | 0.025                             | Asian pears                       | EMRL2008-02<br>(9 July 2008)         |
| Chloropicrin        | 0.025                             | Asparagus                         | EMRL2008-02                          |
| Chloropicrin        | 0.025                             | Balsam apples                     | (9 July 2008)<br>EMRL2008-02         |
| Chloropicrin        | 0.025                             | Balsam pears                      | (9 July 2008)<br>EMRL2008-02         |
|                     |                                   | <u> </u>                          | (9 July 2008)                        |
| Chloropicrin        | 0.025                             | Bell peppers                      | EMRL2008-02<br>(9 July 2008)         |
| Chloropicrin        | 0.025                             | Black salsify roots               | EMRL2008-02                          |

|              |                                   | distinct table on the MRL webpage |                              |
|--------------|-----------------------------------|-----------------------------------|------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established              |
| Chloropicrin | 0.025                             | Blackberries                      | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Blueberries                       | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Bok choy Chinese cabbages         | (9 July 2008)<br>EMRL2008-02 |
| Chioropichin | 0.025                             | Bok choy Chinese cabbages         | (9 July 2008)                |
| Chloropicrin | 0.025                             | Broccoli                          | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Broccoli raab                     | (9 July 2008)<br>EMRL2008-02 |
| Chlaraniasia | 0.025                             | Brussels sprouts                  | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Brussels sprouts                  | (9 July 2008)                |
| Chloropicrin | 0.025                             | Cabbages                          | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Cantaloupes                       | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Cardoon                           | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Carrot roots                      | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Cassava roots                     | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Cauliflower                       | (9 July 2008)<br>EMRL2008-02 |
| Onioropicini |                                   | Gadiniowei                        | (9 July 2008)                |
| Chloropicrin | 0.025                             | Celeriac roots                    | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Celery                            | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Celtuce                           | (9 July 2008)<br>EMRL2008-02 |
| Chioropichii | 0.025                             | Centice                           | (9 July 2008)                |
| Chloropicrin | 0.025                             | Chayote fruit                     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Chayote roots                     | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Chicory roots                     | (9 July 2008)<br>EMRL2008-02 |
|              |                                   | ·                                 | (9 July 2008)                |
| Chloropicrin | 0.025                             | Chinese artichokes                | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Chinese broccoli                  | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Chinese celery                    | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   | ·                                 | (9 July 2008)                |
| Chloropicrin | 0.025                             | Chinese cucumbers                 | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Chinese mustard cabbages          | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Chinese onions                    | (9 July 2008)<br>EMRL2008-02 |
|              | 0.025                             | Chinasa waxaawada                 | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Chinese waxgourds                 | (9 July 2008)                |
| Chloropicrin | 0.025                             | Chufa                             | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Citron melons                     | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Collards                          | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Corn salad                        | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Crabapples                        | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Cucumbers                         | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Currants                          | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Dandelion leaves                  | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Dock                              | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Dry adzuki beans                  | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Dry beans                         | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Dry blackeyed peas                | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Dry broad beans                   | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Dry bulb onions                   | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Dry catjang seeds                 | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Dry chickpeas                     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Dry field peas                    | EMRL2008-02                  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                              |
|---|-----------------------------------|--|------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established              |
| Chloropicrin  | 0.025                             | Dry guar seeds                                       | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Dry kidney beans                                     | (9 July 2008)<br>EMRL2008-02 |
| Chlorenierie  | 0.005                             | Dry Johloh haana                                     | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Dry lablab beans                                     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Dry lentils  | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Dry lima beans                                       | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   | <u> </u>   | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Dry moth beans                                       | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Dry mung beans                                       | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Dry navy beans                                       | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Dry pigeon peas                                      | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Dry pink beans                                       | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Dry pinto beans                                      | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Dry rice beans                                       | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Dry southern peas                                    | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Dry soybeans   | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>  |                                   |  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Dry tepary beans                                     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Dry urd beans  | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Edible burdock roots                                 | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Edible canna   | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Edible gourds (other than those listed in this item) | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Edible leaved chrysanthemum                          | (9 July 2008)<br>EMRL2008-02 |
|   |                                   | ·  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Edible-podded dwarf peas                             | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Edible-podded jackbeans                              | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Edible-podded moth beans                             | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   | ·  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Edible-podded peas                                   | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Edible-podded pigeon peas                            | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Edible-podded runner beans                           | (9 July 2008)<br>EMRL2008-02 |
|   |                                   | ·  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Edible-podded snap beans                             | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Edible-podded snow peas                              | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Edible-podded soybeans                               | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   | · · · · · · · · · · · · · · · · · · ·                | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Edible-podded sugar snap peas                        | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Edible-podded sword beans                            | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Edible-podded wax beans                              | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrio  | 0.025                             | Edible-podded yardlong beans                         | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin  | 0.025                             | Edible-podded yardiong beans                         | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Eggplants  | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Elderberries   | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin  | 0.025                             | Endives  | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Fresh chervil leaves                                 | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Fresh Florence fennel leaves and stalks              | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Fresh parsley leaves                                 | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin  | 0.025                             | Garden beet roots                                    | EMRL2008-02                  |
| Chloropicrin  | 0.025                             | Garden cress   | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |  | (9 July 2008)                |
| Chloropicrin  | 0.025                             | Garden purslane                                      | EMRL2008-02<br>(9 July 2008) |

|              |                                   | in a distinct table on the MRL webpage            | 1                            |
|--------------|-----------------------------------|---|------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established              |
| Chloropicrin | 0.025                             | Garland chrysanthemum                             | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Garlic  | (9 July 2008)<br>EMRL2008-02 |
| Chloropiorio | 0.005                             | Cinggar yearte                                    | (9 July 2008)                |
| Chloropicrin | 0.025                             | Ginger roots                                      | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Ginseng roots                                     | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Gooseberries                                      | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Grain lupin                                       | (9 July 2008)<br>EMRL2008-02 |
| Chloropichii | 0.025                             | ·   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Great headed garlic                               | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Green onions                                      | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Groundcherries                                    | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Head lettuce                                      | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Horseradish roots                                 | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Huckleberries                                     | (9 July 2008)<br>EMRL2008-02 |
| Chloropiorio | 0.025                             | law sadam awishalsas                              | (9 July 2008)                |
| Chloropicrin | 0.025                             | Jerusalem artichokes                              | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Kale  | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Kohlrabi  | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Leaf lettuce                                      | (9 July 2008)<br>EMRL2008-02 |
| ·            | 0.025                             |   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Leeks   | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Lerens  | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Loganberries                                      | (9 July 2008)<br>EMRL2008-02 |
| Chloropiorio | 0.005                             | Legiste   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Loquats   | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Mayhaws   | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Muskmelons (other than those listed in this item) | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Mustard greens                                    | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Mustard spinach                                   | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Napa Chinese cabbages                             | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Nectarines  | (9 July 2008)<br>EMRL2008-02 |
|              | 0.025                             | New Zealand spinach                               | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | inew Zealanu Spinach                              | (9 July 2008)                |
| Chloropicrin | 0.025                             | Non-bell peppers                                  | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Orach leaves                                      | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Oriental radish roots                             | (9 July 2008)<br>EMRL2008-02 |
|              |                                   |   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Parsnip roots                                     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Peaches   | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Pears   | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Pepinos   | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>     |                                   | <u>'</u>  | (9 July 2008)                |
| Chloropicrin | 0.025                             | Pepper hybrids                                    | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Plumcots  | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Plums   | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Potato onions                                     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Potatoes  | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Prune plums                                       | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Pumpkins  | (9 July 2008)<br>EMRL2008-02 |
| ·            | 0.025                             | <u> </u>  | (9 July 2008)                |
| Chloropicrin | 0.025                             | Quinces   | EMRL2008-02                  |

|              |                                   | distinct table on the MRL webpage | T                            |
|--------------|-----------------------------------|-----------------------------------|------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established              |
| Chloropicrin | 0.025                             | Radicchio                         | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Radish roots                      | (9 July 2008)<br>EMRL2008-02 |
| Chloropiorio | 0.005                             | Dana system                       | (9 July 2008)                |
| Chloropicrin | 0.025                             | Rape greens                       | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Raspberries                       | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Rhubarb                           | (9 July 2008)<br>EMRL2008-02 |
| Oblementaria | 0.005                             | Rutabaga roots                    | (9 July 2008)                |
| Chloropicrin | 0.025                             | Kulabaya 100ts                    | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Salsify roots                     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Shallots                          | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Skirret roots                     | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Spanish salsify roots             | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Spinach                           | EMRL2008-02                  |
| Chloropicrin | 0.01                              | Strawberries                      | (9 July 2008)<br>EMRL2008-02 |
| Onioropicini |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Succulent shelled blackeyed peas  | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Succulent shelled broad beans     | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Succulent shelled English peas    | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Succulent shelled garden peas     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Succulent shelled green peas      | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Succulent shelled lima beans      | (9 July 2008)<br>EMRL2008-02 |
|              |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Succulent shelled peas            | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Succulent shelled pigeon peas     | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Succulent shelled southern peas   | (9 July 2008)<br>EMRL2008-02 |
| Oblemainin   | 0.005                             | Overagle and specify              | (9 July 2008)                |
| Chloropicrin | 0.025                             | Sugar beet roots                  | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Summer squash                     | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Sweet cherries                    | (9 July 2008)<br>EMRL2008-02 |
| Chloropicrin | 0.025                             | Sweet potato roots                | (9 July 2008)<br>EMRL2008-02 |
| Опотория     | 0.023                             | Gweet polato 100ts                | (9 July 2008)                |
| Chloropicrin | 0.025                             | Swiss chard                       | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Tanier corms                      | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Taro corms                        | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Tart cherries                     | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Tomatillos                        | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Tomatoes                          | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Tree onion tops                   | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | True yam tubers                   | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Turmeric roots                    | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   |                                   | (9 July 2008)                |
| Chloropicrin | 0.025                             | Turnip roots                      | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Turnip-rooted chervil roots       | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Turnip-rooted parsley roots       | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Upland cress                      | (9 July 2008)<br>EMRL2008-02 |
| ·            |                                   | ·                                 | (9 July 2008)                |
| Chloropicrin | 0.025                             | Vine spinach                      | EMRL2008-02<br>(9 July 2008) |
| Chloropicrin | 0.025                             | Watermelons                       | EMRL2008-02                  |
| Chloropicrin | 0.025                             | Welsh onion tops                  | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>     |                                   | ·                                 | (9 July 2008)                |
| Chloropicrin | 0.025                             | West Indian gherkins              | EMRL2008-02                  |

|                   |                                   | in a distinct table on the MRL webpage               | I                                     |
|-------------------|-----------------------------------|--|---------------------------------------|
| Common Name       | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                       |
| Chloropicrin      | 0.025                             | Winter purslane                                      | EMRL2008-02<br>(9 July 2008)          |
| Chloropicrin      | 0.025                             | Winter squash  | EMRL2008-02                           |
| Chlaraniaria      | 0.025                             | Vom hoon roots                                       | (9 July 2008)                         |
| Chloropicrin      | 0.025                             | Yam bean roots                                       | EMRL2008-02<br>(9 July 2008)          |
| Chlorothalonil    | 0.1                               | Asparagus  | EMRL2008-02                           |
| Chlorothalonil    | 5.0                               | Balsam apples  | (9 July 2008)<br>EMRL2009-15          |
|                   |                                   |  | (10 June 2009)                        |
| Chlorothalonil    | 5.0                               | Balsam pears   | EMRL2009-15<br>(10 June 2009)         |
| Chlorothalonil    | 5.0                               | Beans  | Canada Gazette                        |
| Chlorothalonil    | 0.6                               | Blueberries  | Prior to 16 June 20<br>Canada Gazette |
|                   |                                   |  | Prior to 16 June 20                   |
| Chlorothalonil    | 5.0                               | Broccoli   | Canada Gazette Prior to 16 June 20    |
| Chlorothalonil    | 5.0                               | Brussels sprouts                                     | Canada Gazette                        |
| Chlorothalonil    | 5.0                               | Cabbages   | Prior to 16 June 20<br>Canada Gazette |
| Chiorothaloriii   | 3.0                               | Cabbages   | Prior to 16 June 20                   |
| Chlorothalonil    | 5.0                               | Cantaloupes  | EMRL2009-15                           |
| Chlorothalonil    | 1.0                               | Carrots  | (10 June 2009)<br>Canada Gazette      |
|                   |                                   | - ""   | Prior to 16 June 20                   |
| Chlorothalonil    | 5.0                               | Cauliflower  | Canada Gazette<br>Prior to 16 June 20 |
| Chlorothalonil    | 15                                | Celery   | Canada Gazette                        |
| Chlorothalonil    | 5.0                               | Chayote fruit  | Prior to 16 June 20<br>EMRL2009-15    |
|                   | 0.0                               | ·  | (10 June 2009)                        |
| Chlorothalonil    | 0.5                               | Cherries   | Canada Gazette Prior to 16 June 20    |
| Chlorothalonil    | 5.0                               | Chinese Cucumbers                                    | EMRL2009-15                           |
| Chlorothalonil    | 5.0                               | Chinese waxgourds                                    | (10 June 2009)<br>EMRL2009-15         |
| Chiorothalomi     | 5.0                               | Crimese waxgourds                                    | (10 June 2009)                        |
| Chlorothalonil    | 5.0                               | Citron melons  | EMRL2009-15                           |
| Chlorothalonil    | 2.0                               | Cranberries  | (10 June 2009)<br>Canada Gazette      |
| 011 11 11         |                                   |  | Prior to 16 June 20                   |
| Chlorothalonil    | 5.0                               | Cucumbers  | Canada Gazette<br>Prior to 16 June 20 |
| Chlorothalonil    | 7.0                               | Dry chickpeas  | EMRL2010-16                           |
| Chlorothalonil    | 5.0                               | Edible gourds (other than those listed in this item) | (21 September 20<br>EMRL2009-15       |
|                   |                                   |  | (10 June 2009)                        |
| Chlorothalonil    | 0.1                               | Lentils  | EMRL2011-13<br>(18 March 2011         |
| Chlorothalonil    | 1.0                               | Mushrooms  | Canada Gazette                        |
| Chlorothalonil    | 5.0                               | Muskmelons (other than those listed in this item)    | Prior to 16 June 20<br>EMRL2009-15    |
| Ciliorottialoriii | 5.0                               | waskinelons (other than those listed in this item)   | (10 June 2009)                        |
| Chlorothalonil    | 5.0                               | Onions   | Canada Gazette                        |
| Chlorothalonil    | 1.0                               | Parsnips   | Prior to 16 June 20<br>Canada Gazette |
|                   |                                   | ·  | Prior to 16 June 20                   |
| Chlorothalonil    | 0.5                               | Peaches/nectarines                                   | Canada Gazette Prior to 16 June 20    |
| Chlorothalonil    | 0.3                               | Peanuts  | Canada Gazette                        |
| Chlorothalonil    | 0.08                              | Potatoes   | Prior to 16 June 20<br>EMRL2010-19    |
|                   |                                   |  | (21 September 20                      |
| Chlorothalonil    | 5.0                               | Pumpkins   | Canada Gazette<br>Prior to 16 June 20 |
| Chlorothalonil    | 5.0                               | Summer squash  | EMRL2009-15                           |
| Chlorothalasii    | 0.00                              | Sweet corn kornele plue ach with husba reconst       | (10 June 2009)                        |
| Chlorothalonil    | 0.02                              | Sweet corn kernels plus cob with husks removed       | EMRL2010-19<br>(21 September 20       |
| Chlorothalonil    | 5.0                               | Tomatoes   | Canada Gazette                        |
| Chlorothalonil    | 5.0                               | Wasabi   | Prior to 16 June 20<br>Canada Gazette |
|                   |                                   |  | Prior to 16 June 20                   |
| Chlorothalonil    | 5.0                               | Watermelons  | EMRL2009-15<br>(10 June 2009)         |
| Chlorothalonil    | 5.0                               | West Indian gherkins                                 | EMRL2009-15                           |
| Chlorothalonil    | 5.0                               | Winter squash  | (10 June 2009)<br>EMRL2009-15         |
| Onioronialoriii   | 5.0                               | vviittei squasii                                     | (10 June 2009)                        |
| Chlorpropham      | 15                                | Potatoes   | Canada Gazette                        |
|                   | i i                               |  | Prior to 16 June 20                   |

|                    |                                   | in a distinct table on the MRL webpage        | T  |
|--------------------|-----------------------------------|---|--|
| Common Name        | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                | MRL Established \                        |
| Chlorpyrifos       | 1.0                               | Citrus fruits                                 | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorpyrifos       | 0.05                              | Cucumbers                                     | EMRL2011-13                              |
| Chlorpyrifos       | 1.0                               | Fat of cattle                                 | (18 March 2011)<br>Canada Gazette I      |
|                    |                                   |   | Prior to 16 June 20                      |
| Chlorpyrifos       | 0.05                              | Field corn                                    | EMRL2011-13<br>(18 March 2011)           |
| Chlorpyrifos       | 0.01                              | Grapes  | Canada Gazette I                         |
| Chlorpyrifos       | 1.0                               | Kidney of cattle                              | Prior to 16 June 20 Canada Gazette I     |
| Chlorpyrifos       | 2.0                               | Kiwifruit                                     | Prior to 16 June 20 Canada Gazette I     |
|                    |                                   |   | Prior to 16 June 20                      |
| Chlorpyrifos       | 0.05                              | Lentils                                       | EMRL2011-13<br>(18 March 2011)           |
| Chlorpyrifos       | 1.0                               | Liver of cattle                               | Canada Gazette I                         |
| Chlorpyrifos       | 1.0                               | Meat byproducts of cattle                     | Prior to 16 June 200<br>Canada Gazette I |
| Chlorpyrifos       | 1.0                               | Mant of course                                | Prior to 16 June 200<br>Canada Gazette I |
| Cniorpyriros       | 1.0                               | Meat of cattle                                | Prior to 16 June 200                     |
| Chlorpyrifos       | 0.05                              | Nectarines                                    | EMRL2011-13<br>(18 March 2011)           |
| Chlorpyrifos       | 0.05                              | Peaches                                       | EMRL2011-13                              |
| Chlorpyrifos       | 1.0                               | Peppers                                       | (18 March 2011)<br>Canada Gazette I      |
|                    |                                   | · · · · · · · · · · · · · · · · · · ·         | Prior to 16 June 200                     |
| Chlorpyrifos       | 0.5                               | Rutabagas                                     | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorpyrifos       | 0.1                               | Sunflower seeds                               | EMRL2011-13<br>(18 March 2011)           |
| Chlorpyrifos       | 0.05                              | Sweet corn kernel plus cob with husks removed | EMRL2011-13                              |
| Chlorpyrifos       | 0.01                              | Tomatoes                                      | (18 March 2011)<br>Canada Gazette I      |
|                    |                                   |   | Prior to 16 June 200                     |
| Chlorsulfuron      | 0.1                               | Barley  | EMRL2011-13<br>(18 March 2011)           |
| Chlorsulfuron      | 0.1                               | Oats  | EMRL2011-13                              |
| Chlorsulfuron      | 0.1                               | Wheat   | (18 March 2011)<br>EMRL2011-13           |
| Chlorthal-dimethyl | 2.0                               | Beans   | (18 March 2011)<br>Canada Gazette II     |
|                    |                                   |   | Prior to 16 June 200                     |
| Chlorthal-dimethyl | 2.0                               | Blackeyed peas                                | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorthal-dimethyl | 1.0                               | Broccoli                                      | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorthal-dimethyl | 1.0                               | Brussels sprouts                              | Canada Gazette I                         |
| Chlorthal-dimethyl | 1.0                               | Cabbages                                      | Prior to 16 June 200<br>Canada Gazette I |
|                    |                                   |   | Prior to 16 June 200                     |
| Chlorthal-dimethyl | 1.0                               | Cantaloupes                                   | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorthal-dimethyl | 1.0                               | Cauliflower                                   | Canada Gazette I                         |
| Chlorthal-dimethyl | 2.0                               | Collards                                      | Prior to 16 June 200<br>Canada Gazette I |
| Chlorthal-dimethyl | 1.0                               | Cucumbers                                     | Prior to 16 June 200<br>Canada Gazette I |
|                    |                                   |   | Prior to 16 June 200                     |
| Chlorthal-dimethyl | 1.0                               | Eggplants                                     | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorthal-dimethyl | 1.0                               | Garlic  | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorthal-dimethyl | 1.0                               | Honeydew melons                               | Canada Gazette I                         |
| Chlorthal-dimethyl | 2.0                               | Kale  | Prior to 16 June 200<br>Canada Gazette I |
|                    |                                   |   | Prior to 16 June 200                     |
| Chlorthal-dimethyl | 2.0                               | Lettuce                                       | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorthal-dimethyl | 5.0                               | Mustard greens                                | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorthal-dimethyl | 1.0                               | Onions  | Canada Gazette I                         |
| Chlorthal-dimethyl | 2.0                               | Peppers                                       | Prior to 16 June 200<br>Canada Gazette I |
|                    |                                   |   | Prior to 16 June 20                      |
| Chlorthal-dimethyl | 2.0                               | Pimentos                                      | Canada Gazette I<br>Prior to 16 June 200 |
| Chlorthal-dimethyl | 2.0                               | Potatoes                                      | Canada Gazette I                         |
| Chlorthal-dimethyl | 2.0                               | Soybeans                                      | Prior to 16 June 200<br>Canada Gazette I |
| Chlorthal-dimethyl | 2.0                               | Strawberries                                  | Prior to 16 June 200<br>Canada Gazette I |
| omoranar-announyi  | 2.0                               | Ollawbellies                                  | Prior to 16 June 200                     |

|                      |                                   | a distinct table on the MRL webpage      |  |
|----------------------|-----------------------------------|--|--|
| Common Name          | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                           | MRL Established V                          |
| Chlorthal-dimethyl   | 1.0                               | Summer squash                            | Canada Gazette II<br>Prior to 16 June 200  |
| Chlorthal-dimethyl   | 2.0                               | Sweet potato roots                       | Canada Gazette II                          |
| Chlorthal-dimethyl   | 1.0                               | Tomatoes                                 | Prior to 16 June 200<br>Canada Gazette II  |
| Chlorthal-dimethyl   | 5.0                               | Turnip tops                              | Prior to 16 June 2006<br>Canada Gazette II |
| Chlorthal-dimethyl   | 2.0                               | Turnips                                  | Prior to 16 June 2006<br>Canada Gazette II |
| Chlorthal-dimethyl   | 1.0                               | Watermelons                              | Prior to 16 June 200<br>Canada Gazette II  |
| Chlorthal-dimethyl   | 1.0                               | Winter squash                            | Prior to 16 June 200<br>Canada Gazette II  |
| Chlorthal-dimethyl   | 2.0                               | Yams                                     | Prior to 16 June 200                       |
| <u> </u>             |                                   |  | Prior to 16 June 200                       |
| Clethodim            | 0.5                               | Beans                                    | Canada Gazette II<br>Prior to 16 June 200  |
| Clethodim            | 0.5                               | Chickpeas                                | Canada Gazette II<br>Prior to 16 June 200  |
| Clethodim            | 3.0                               | Coriander seeds                          | EMRL2009-22<br>(2 September 2009)          |
| Clethodim            | 0.5                               | Dry peas                                 | Canada Gazette II Prior to 16 June 2008    |
| Clethodim            | 0.7                               | Fenugreek seeds                          | EMRL2009-22                                |
| Clethodim            | 0.3                               | Flaxseeds                                | (2 September 2009)<br>Canada Gazette II    |
| Clethodim            | 0.5                               | Lentils                                  | Prior to 16 June 2008<br>Canada Gazette II |
| Clethodim            | 0.4                               | Mustard seeds (condiment type)           | Prior to 16 June 2008<br>EMRL2008-07       |
| Clethodim            | 0.2                               | Onions                                   | (6 August 2008)<br>Canada Gazette II       |
| Clethodim            | 0.05                              | Oriental mustard seeds (oilseed type)    | Prior to 16 June 2008<br>EMRL2008-07       |
|                      |                                   |  | (6 August 2008) Canada Gazette II          |
| Clethodim            | 0.5                               | Potatoes                                 | Prior to 16 June 2008                      |
| Clethodim            | 0.05                              | Rapeseeds (canola)                       | Canada Gazette II Prior to 16 June 2008    |
| Clethodim            | 10                                | Soybeans                                 | Canada Gazette II Prior to 16 June 2008    |
| Clethodim            | 2.0                               | Spinach                                  | EMRL2011-26<br>(12 May 2011)               |
| Clethodim            | 0.2                               | Sunflower seeds (including sunola)       | Canada Gazette II<br>Prior to 16 June 200  |
| Clodinafop-propargyl | 0.1                               | Wheat                                    | EMRL2010-31                                |
| Clofentezine         | 0.5                               | Almonds                                  | (1 October 2010) Canada Gazette II         |
| Clofentezine         | 0.5                               | Apples                                   | Prior to 16 June 2008<br>Canada Gazette II |
| Clofentezine         | 0.05                              | Meat byproducts (except liver) of cattle | Prior to 16 June 2008<br>Canada Gazette II |
| Clofentezine         | 0.05                              | Meat byproducts (except liver) of goats  | Prior to 16 June 2008<br>Canada Gazette II |
| Clofentezine         | 0.05                              | Meat byproducts (except liver) of hogs   | Prior to 16 June 2008<br>Canada Gazette II |
| Clofentezine         | 0.05                              | Meat byproducts (except liver) of horses | Prior to 16 June 200                       |
|                      |                                   | , , , ,                                  | Prior to 16 June 2008                      |
| Clofentezine         | 0.05                              | Meat byproducts (except liver) of sheep  | Canada Gazette II<br>Prior to 16 June 2008 |
| Clofentezine         | 0.05                              | Meat of cattle                           | Canada Gazette II<br>Prior to 16 June 200  |
| Clofentezine         | 0.05                              | Meat of goats                            | Canada Gazette II<br>Prior to 16 June 200  |
| Clofentezine         | 0.05                              | Meat of hogs                             | Canada Gazette II<br>Prior to 16 June 200  |
| Clofentezine         | 0.05                              | Meat of horses                           | Canada Gazette II                          |
| Clofentezine         | 0.05                              | Meat of sheep                            | Prior to 16 June 2008 Canada Gazette II    |
| Clofentezine         | 0.01                              | Milk                                     | Prior to 16 June 2008<br>Canada Gazette II |
| Clofentezine         | 1.0                               | Peaches/nectarines                       | Prior to 16 June 2008<br>Canada Gazette II |
| Clofentezine         | 0.5                               | Pears                                    | Prior to 16 June 2008<br>Canada Gazette II |
| Clomazone            | 0.05                              | Soybeans                                 | Prior to 16 June 2008 Canada Gazette II    |
|                      |                                   | ·  | Prior to 16 June 2008                      |
| Clomazone            | 0.05                              | Sweet potato roots                       | EMRL2008-02<br>(9 July 2008)               |
| Clopyralid           | 2.0                               | Barley                                   | Canada Gazette II<br>Prior to 16 June 200  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |   |
|---|-----------------------------------|---|---|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                            | MRL Established V                         |
| Clopyralid  | 7.0                               | Barley milling fractions, excluding flour | Canada Gazette I                          |
| Clopyralid  | 0.1                               | Blueberries                               | Prior to 16 June 200<br>EMRL2008-02       |
|   | - 10                              | B "                                       | (9 July 2008)                             |
| Clopyralid  | 1.0                               | Broccoli                                  | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 1.0                               | Cabbages                                  | Canada Gazette I                          |
| Clopyralid  | 1.0                               | Cauliflower                               | Prior to 16 June 200<br>Canada Gazette I  |
|   | - 10                              | 01:                                       | Prior to 16 June 200                      |
| Clopyralid  | 1.0                               | Chinese broccoli                          | Canada Gazette I<br>Prior to 16 June 20   |
| Clopyralid  | 1.0                               | Chinese mustard cabbages                  | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 0.05                              | Eggs                                      | Canada Gazette I                          |
| Clopyralid  | 0.05                              | Fat of cattle                             | Prior to 16 June 200<br>Canada Gazette I  |
| Ciopyraiid  | 0.05                              | rat of cattle                             | Prior to 16 June 200                      |
| Clopyralid  | 0.05                              | Fat of goats                              | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 0.05                              | Fat of hogs                               | Canada Gazette I                          |
| Clopyralid  | 0.05                              | Fat of horses                             | Prior to 16 June 200<br>Canada Gazette I  |
|   |                                   |   | Prior to 16 June 200                      |
| Clopyralid  | 0.05                              | Fat of poultry                            | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 0.05                              | Fat of sheep                              | Canada Gazette I                          |
| Clopyralid  | 0.2                               | Flax                                      | Prior to 16 June 200<br>Canada Gazette I  |
|   |                                   |   | Prior to 16 June 200                      |
| Clopyralid  | 0.36                              | Kidney of cattle                          | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 0.36                              | Kidney of goats                           | Canada Gazette I                          |
| Clopyralid  | 0.05                              | Kidney of hogs                            | Prior to 16 June 200<br>Canada Gazette I  |
|   | 0.00                              |   | Prior to 16 June 200                      |
| Clopyralid  | 0.36                              | Kidney of horses                          | Canada Gazette II Prior to 16 June 200    |
| Clopyralid  | 0.2                               | Kidney of poultry                         | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 0.36                              | Kidney of sheep                           | Canada Gazette I                          |
| Clopyralid  | 1.0                               | Kohlrabi                                  | Prior to 16 June 200<br>Canada Gazette II |
|   |                                   |   | Prior to 16 June 200                      |
| Clopyralid  | 0.05                              | Meat byproducts of cattle                 | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 0.05                              | Meat byproducts of goats                  | Canada Gazette I                          |
| Clopyralid  | 0.05                              | Meat byproducts of hogs                   | Prior to 16 June 200<br>Canada Gazette I  |
|   |                                   |   | Prior to 16 June 200                      |
| Clopyralid  | 0.05                              | Meat byproducts of horses                 | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 0.05                              | Meat byproducts of poultry                | Canada Gazette I                          |
| Clopyralid  | 0.05                              | Meat byproducts of sheep                  | Prior to 16 June 200<br>Canada Gazette I  |
| Clopyralid  | 0.05                              | Meat of cattle                            | Prior to 16 June 200<br>Canada Gazette I  |
| .,  |                                   |   | Prior to 16 June 200                      |
| Clopyralid  | 0.05                              | Meat of goats                             | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 0.05                              | Meat of hogs                              | Canada Gazette I                          |
| Clopyralid  | 0.05                              | Meat of horses                            | Prior to 16 June 200<br>Canada Gazette I  |
|   |                                   |   | Prior to 16 June 20                       |
| Clopyralid  | 0.05                              | Meat of poultry                           | Canada Gazette I<br>Prior to 16 June 20   |
| Clopyralid  | 0.05                              | Meat of sheep                             | Canada Gazette I                          |
| Clopyralid  | 0.01                              | Milk                                      | Prior to 16 June 200<br>Canada Gazette I  |
| Clanyralid  | 1.0                               | None Chinese echhoges                     | Prior to 16 June 200                      |
| Clopyralid  | 1.0                               | Napa Chinese cabbages                     | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 7.0                               | Oat milling fractions, excluding flour    | Canada Gazette I<br>Prior to 16 June 200  |
| Clopyralid  | 2.0                               | Oats                                      | Canada Gazette I                          |
| Clopyralid  | 1.0                               | Strawberries                              | Prior to 16 June 200<br>Canada Gazette I  |
|   |                                   |   | Prior to 16 June 20                       |
| Clopyralid  | 2.0                               | Wheat                                     | Canada Gazette I<br>Prior to 16 June 20   |
| Clopyralid  | 7.0                               | Wheat milling fractions, excluding flour  | Canada Gazette I                          |
| Cloquintocet-mexyl  | 0.01                              | Barley                                    | Prior to 16 June 200<br>EMRL2008-02       |
| S.Squillooot IIIGAyi  | 0.01                              | Bandy                                     | (9 July 2008)                             |

|  |                                   | in a distinct table on the MRL webpage               | T                                     |
|--|-----------------------------------|--|---------------------------------------|
| Common Name                                    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                       |
| Cloquintocet-mexyl                             | 0.01                              | Wheat  | EMRL2008-02<br>(9 July 2008)          |
| Cloransulam-methyl                             | 0.01                              | Soybeans   | Canada Gazette                        |
| Clothianidin                                   | 0.01                              | Field corn   | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |  | Prior to 16 June 20                   |
| Clothianidin                                   | 0.01                              | Milk   | Canada Gazette Prior to 16 June 20    |
| Clothianidin                                   | 0.01                              | Popcorn grain  | Canada Gazette                        |
| Clothianidin                                   | 0.01                              | Rapeseeds (canola)                                   | Prior to 16 June 20<br>Canada Gazette |
| Clothianidin                                   | 0.01                              | Sweet corn kernels plus cob with husks removed       | Prior to 16 June 20<br>Canada Gazette |
|  |                                   | ·  | Prior to 16 June 20                   |
| Copper compounds                               | 50                                | Fresh fruits   | Canada Gazette Prior to 16 June 20    |
| Copper compounds                               | 50                                | Fresh vegetables                                     | Canada Gazette<br>Prior to 16 June 20 |
| Coumaphos                                      | 1.0                               | Beeswax  | EMRL2009-18                           |
| Coumaphos                                      | 0.5                               | Fat of cattle  | (26 June 2009)<br>Canada Gazette      |
|  |                                   |  | Prior to 16 June 20                   |
| Coumaphos                                      | 0.5                               | Fat of goats   | Canada Gazette<br>Prior to 16 June 20 |
| Coumaphos                                      | 0.5                               | Fat of hogs  | Canada Gazette<br>Prior to 16 June 20 |
| Coumaphos                                      | 0.5                               | Fat of horses  | Canada Gazette                        |
| Coumaphos                                      | 0.5                               | Fat of poultry                                       | Prior to 16 June 20<br>Canada Gazette |
|  |                                   | . ,  | Prior to 16 June 20                   |
| Coumaphos                                      | 0.5                               | Fat of sheep   | Canada Gazette<br>Prior to 16 June 20 |
| Coumaphos                                      | 0.02                              | Honey  | EMRL2008-18<br>(29 August 2008        |
| Coumaphos                                      | 0.1                               | Honeycomb  | EMRL2008-18                           |
| Coumaphos                                      | 0.5                               | Meat byproducts of cattle                            | (29 August 2008<br>Canada Gazette     |
| Coumaphos                                      | 0.5                               | Meat byproducts of goats                             | Prior to 16 June 20<br>Canada Gazette |
| ·  |                                   |  | Prior to 16 June 20                   |
| Coumaphos                                      | 0.5                               | Meat byproducts of hogs                              | Canada Gazette Prior to 16 June 20    |
| Coumaphos                                      | 0.5                               | Meat byproducts of horses                            | Canada Gazette                        |
| Coumaphos                                      | 0.5                               | Meat byproducts of poultry                           | Prior to 16 June 20<br>Canada Gazette |
| Coumaphos                                      | 0.5                               | Meat byproducts of sheep                             | Prior to 16 June 20<br>Canada Gazette |
|  |                                   | · · · · · · · · · · · · · · · · · · ·                | Prior to 16 June 20<br>Canada Gazette |
| Coumaphos                                      | 0.5                               | Meat of cattle                                       | Prior to 16 June 20                   |
| Coumaphos                                      | 0.5                               | Meat of goats  | Canada Gazette<br>Prior to 16 June 20 |
| Coumaphos                                      | 0.5                               | Meat of hogs   | Canada Gazette                        |
| Coumaphos                                      | 0.5                               | Meat of horses                                       | Prior to 16 June 20<br>Canada Gazette |
| Coumaphos                                      | 0.5                               | Meat of poultry                                      | Prior to 16 June 20<br>Canada Gazette |
| ·  |                                   | · ,  | Prior to 16 June 20                   |
| Coumaphos                                      | 0.5                               | Meat of sheep  | Canada Gazette Prior to 16 June 20    |
| Cyazofamid                                     | 0.1                               | Balsam apples  | EMRL2009-13                           |
| Cyazofamid                                     | 0.1                               | Balsam pears   | (10 June 2009)<br>EMRL2009-13         |
| Cyazofamid                                     | 0.1                               | Cantaloupes  | (10 June 2009)<br>EMRL2009-13         |
| <u>,                                      </u> |                                   | ·  | (10 June 2009)                        |
| Cyazofamid                                     | 0.09                              | Carrot roots   | EMRL2009-32<br>(26 November 200       |
| Cyazofamid                                     | 0.1                               | Chayote fruit  | EMRL2009-13<br>(10 June 2009)         |
| Cyazofamid                                     | 0.1                               | Chinese Cucumbers                                    | EMRL2009-13                           |
| Cyazofamid                                     | 0.1                               | Chinese waxgourds                                    | (10 June 2009)<br>EMRL2009-13         |
| <u>,                                      </u> |                                   |  | (10 June 2009)                        |
| Cyazofamid                                     | 0.1                               | Citron melons  | EMRL2009-13<br>(10 June 2009)         |
| Cyazofamid                                     | 0.1                               | Cucumbers  | EMRL2009-13<br>(10 June 2009)         |
| Cyazofamid                                     | 0.1                               | Edible gourds (other than those listed in this item) | EMRL2009-13                           |
| Cyazofamid                                     | 0.02                              | Fat of cattle  | (10 June 2009)<br>EMRL2011-02         |
|  |                                   |  | (14 March 2011                        |
| Cyazofamid                                     | 0.02                              | Fat of goats   | EMRL2011-02<br>(14 March 2011)        |

|             |                                   | in a distinct table on the MRL webpage            | T  |
|-------------|-----------------------------------|---|--|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established                          |
| Cyazofamid  | 0.02                              | Fat of horses                                     | EMRL2011-02<br>(14 March 2011)           |
| Cyazofamid  | 0.02                              | Fat of sheep                                      | EMRL2011-02                              |
| Cyazofamid  | 1.2                               | Cronos  | (14 March 2011)<br>EMRL2010-32           |
| Cyazolamid  | 1.2                               | Grapes  | (1 October 2010)                         |
| Cyazofamid  | 0.02                              | Meat byproducts of cattle                         | EMRL2011-02                              |
| Cyazofamid  | 0.02                              | Meat byproducts of goats                          | (14 March 2011)<br>EMRL2011-02           |
| Cyazofamid  | 0.02                              | Meat byproducts of horses                         | (14 March 2011)<br>EMRL2011-02           |
| Cyazolamiu  | 0.02                              | weat byproducts of noises                         | (14 March 2011)                          |
| Cyazofamid  | 0.02                              | Meat byproducts of sheep                          | EMRL2011-02<br>(14 March 2011)           |
| Cyazofamid  | 0.02                              | Meat of cattle                                    | EMRL2011-02                              |
| Cyazofamid  | 0.02                              | Meat of goats                                     | (14 March 2011)<br>EMRL2011-02           |
| Cyazolamio  | 0.02                              | Meat of goats                                     | (14 March 2011)                          |
| Cyazofamid  | 0.02                              | Meat of horses                                    | EMRL2011-02                              |
| Cyazofamid  | 0.02                              | Meat of sheep                                     | (14 March 2011)<br>EMRL2011-02           |
| Cusastamid  | 0.00                              | Milk  | (14 March 2011)                          |
| Cyazofamid  | 0.02                              | MIIK  | EMRL2011-02<br>(14 March 2011)           |
| Cyazofamid  | 0.1                               | Muskmelons (other than those listed in this item) | EMRL2009-13                              |
| Cyazofamid  | 0.02                              | Potatoes  | (10 June 2009)<br>EMRL2008-01            |
|             |                                   | 5 1:  | (9 July 2008)                            |
| Cyazofamid  | 0.1                               | Pumpkins  | EMRL2009-13<br>(10 June 2009)            |
| Cyazofamid  | 0.1                               | Summer squash                                     | EMRL2009-13                              |
| Cyazofamid  | 0.2                               | Tomatoes  | (10 June 2009)<br>EMRL2008-01            |
|             |                                   |   | (9 July 2008)                            |
| Cyazofamid  | 0.1                               | Watermelons                                       | EMRL2009-13<br>(10 June 2009)            |
| Cyazofamid  | 0.1                               | West Indian gherkins                              | EMRL2009-13                              |
| Cyazofamid  | 0.1                               | Winter squash                                     | (10 June 2009)<br>EMRL2009-13            |
|             | 0.04                              |   | (10 June 2009)                           |
| Cyfluthrin  | 0.01                              | Eggs  | Canada Gazette I<br>Prior to 16 June 20  |
| Cyfluthrin  | 5.0                               | Fat of cattle                                     | Canada Gazette I                         |
| Cyfluthrin  | 5.0                               | Fat of goats                                      | Prior to 16 June 200<br>Canada Gazette I |
| Cyfluthrin  | 5.0                               | Fat of hogs                                       | Prior to 16 June 200<br>Canada Gazette I |
| Cyndillin   | 3.0                               | i at of nogs                                      | Prior to 16 June 20                      |
| Cyfluthrin  | 5.0                               | Fat of horses                                     | Canada Gazette I<br>Prior to 16 June 20  |
| Cyfluthrin  | 5.0                               | Fat of poultry                                    | Canada Gazette I                         |
| Cyfluthrin  | 5.0                               | Fat of sheep                                      | Prior to 16 June 20 Canada Gazette I     |
| Cyliutiliii | 5.0                               | rat of sneep                                      | Prior to 16 June 20                      |
| Cyfluthrin  | 0.4                               | Meat byproducts of cattle                         | Canada Gazette I<br>Prior to 16 June 20  |
| Cyfluthrin  | 0.4                               | Meat byproducts of goats                          | Canada Gazette I                         |
| Cyfluthrin  | 0.4                               | Meat byproducts of hogs                           | Prior to 16 June 20 Canada Gazette I     |
|             |                                   |   | Prior to 16 June 20                      |
| Cyfluthrin  | 0.4                               | Meat byproducts of horses                         | Canada Gazette I<br>Prior to 16 June 20  |
| Cyfluthrin  | 0.4                               | Meat byproducts of poultry                        | Canada Gazette I                         |
| Cyfluthrin  | 0.4                               | Meat byproducts of sheep                          | Prior to 16 June 20 Canada Gazette I     |
|             |                                   |   | Prior to 16 June 20                      |
| Cyfluthrin  | 0.4                               | Meat of cattle                                    | Canada Gazette I<br>Prior to 16 June 20  |
| Cyfluthrin  | 0.4                               | Meat of goats                                     | Canada Gazette I                         |
| Cyfluthrin  | 0.4                               | Meat of hogs                                      | Prior to 16 June 20 Canada Gazette I     |
|             |                                   | •   | Prior to 16 June 20                      |
| Cyfluthrin  | 0.4                               | Meat of horses                                    | Canada Gazette I<br>Prior to 16 June 20  |
| Cyfluthrin  | 0.4                               | Meat of poultry                                   | Canada Gazette I                         |
| Cyfluthrin  | 0.4                               | Meat of sheep                                     | Prior to 16 June 20<br>Canada Gazette I  |
|             |                                   | <u> </u>  | Prior to 16 June 20                      |
| Cyfluthrin  | 0.5                               | Milk  | Canada Gazette I<br>Prior to 16 June 200 |
| Cyfluthrin  | 15                                | Milk fat (in whole milk)                          | Canada Gazette I                         |
| Cymoxanil   | 4.0                               | Blackberries                                      | Prior to 16 June 200<br>EMRL2009-16      |
| Cymoxamii   | 4.0                               | DIAUKDETTIES                                      | (26 June 2009)                           |

|              |                                   | distinct table on the MRL webpage | T                                     |
|--------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Cymoxanil    | 0.05                              | Fat of cattle                     | Canada Gazette                        |
| Cymoxanil    | 0.05                              | Fat of goats                      | Prior to 16 June 20<br>Canada Gazette |
| Cymoxanil    | 0.05                              | Fat of hogs                       | Prior to 16 June 20<br>Canada Gazette |
| <u> </u>     |                                   |                                   | Prior to 16 June 20                   |
| Cymoxanil    | 0.05                              | Fat of sheep                      | Canada Gazette Prior to 16 June 20    |
| Cymoxanil    | 4.0                               | Loganberries                      | EMRL2009-16                           |
| Cymoxanil    | 0.05                              | Meat byproducts of cattle         | (26 June 2009)<br>Canada Gazette      |
| Cymoxanil    | 0.05                              | Meat byproducts of goats          | Prior to 16 June 20<br>Canada Gazette |
|              |                                   |                                   | Prior to 16 June 20                   |
| Cymoxanil    | 0.05                              | Meat byproducts of hogs           | Canada Gazette Prior to 16 June 20    |
| Cymoxanil    | 0.05                              | Meat byproducts of sheep          | Canada Gazette<br>Prior to 16 June 20 |
| Cymoxanil    | 0.05                              | Meat of cattle                    | Canada Gazette                        |
| Cymoxanil    | 0.05                              | Meat of goats                     | Prior to 16 June 20<br>Canada Gazette |
|              |                                   |                                   | Prior to 16 June 20<br>Canada Gazette |
| Cymoxanil    | 0.05                              | Meat of hogs                      | Prior to 16 June 20                   |
| Cymoxanil    | 0.05                              | Meat of sheep                     | Canada Gazette<br>Prior to 16 June 20 |
| Cymoxanil    | 0.05                              | Milk                              | Canada Gazette                        |
| Cymoxanil    | 0.05                              | Potatoes                          | Prior to 16 June 20<br>Canada Gazette |
| ·            | 4.0                               | Doonhowies                        | Prior to 16 June 20                   |
| Cymoxanil    | 4.0                               | Raspberries                       | EMRL2009-16<br>(26 June 2009)         |
| Cymoxanil    | 4.0                               | Wild raspberries                  | EMRL2009-16<br>(26 June 2009)         |
| Cypermethrin | 1.0                               | Apples                            | Canada Gazette                        |
| Cypermethrin | 0.5                               | Beans                             | Prior to 16 June 20<br>Canada Gazette |
| Cypermethrin | 0.5                               | Broccoli                          | Prior to 16 June 20<br>Canada Gazette |
|              |                                   |                                   | Prior to 16 June 20                   |
| Cypermethrin | 0.5                               | Brussels sprouts                  | Canada Gazette Prior to 16 June 20    |
| Cypermethrin | 0.5                               | Cabbages                          | Canada Gazette Prior to 16 June 20    |
| Cypermethrin | 0.5                               | Cauliflower                       | Canada Gazette                        |
| Cypermethrin | 1.0                               | Celery                            | Prior to 16 June 20<br>Canada Gazette |
| Cypermethrin | 1.0                               | Citrus fruits                     | Prior to 16 June 20<br>Canada Gazette |
|              |                                   |                                   | Prior to 16 June 20                   |
| Cypermethrin | 0.1                               | Dry bulb onions                   | EMRL2011-13<br>(18 March 2011)        |
| Cypermethrin | 0.5                               | Grapes                            | Canada Gazette<br>Prior to 16 June 20 |
| Cypermethrin | 0.2                               | Peaches/nectarines                | Canada Gazette                        |
| Cypermethrin | 0.5                               | Pears                             | Prior to 16 June 20<br>Canada Gazette |
|              | 0.2                               |                                   | Prior to 16 June 20<br>Canada Gazette |
| Cypermethrin |                                   | Strawberries                      | Prior to 16 June 20                   |
| Cypermethrin | 0.3                               | Tomatoes                          | Canada Gazette<br>Prior to 16 June 20 |
| Cyprodinil   | 0.02                              | Almonds                           | Canada Gazette                        |
| Cyprodinil   | 2.0                               | Grapes                            | Prior to 16 June 20<br>Canada Gazette |
| Cyprodinil   | 9.0                               | Mustard greens                    | Prior to 16 June 20<br>EMRL2008-02    |
|              |                                   | -                                 | (9 July 2008)                         |
| Cyprodinil   | 0.1                               | Pome fruit                        | Canada Gazette<br>Prior to 16 June 20 |
| Cyprodinil   | 3.0                               | Raisins                           | Canada Gazette<br>Prior to 16 June 20 |
| Cyprodinil   | 2.0                               | Stone fruit                       | Canada Gazette                        |
| Cyprodinil   | 12                                | Watercress                        | Prior to 16 June 20<br>EMRL2008-02    |
| Cyprodinil   | 30                                | Amaranth                          | (9 July 2008)<br>EMRL2008-26          |
| ••           |                                   |                                   | (14 November 200                      |
| Cyprodinil   | 30                                | Arugula                           | EMRL2008-26<br>(14 November 200       |
| Cyprodinil   | 6.2                               | Blackberries                      | EMRL2008-02                           |
| Cyprodinil   | 2.0                               | Blueberries                       | (9 July 2008)<br>EMRL2008-02          |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                              |                               |
|---|-----------------------------------|------------------------------|-------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity               | MRL Established               |
| Cyprodinil  | 1.0                               | Cabbages                     | EMRL2008-03                   |
| Cyprodinil  | 0.75                              | Carrot roots                 | (9 July 2008)<br>EMRL2008-0   |
| Commodinil  | 20                                | Corrected                    | (9 July 2008)                 |
| Cyprodinil  | 30                                | Corn salad                   | EMRL2008-2<br>(14 November 20 |
| Cyprodinil  | 2.0                               | Currants                     | EMRL2008-0                    |
| Cyprodinil  | 30                                | Dandelion leaves             | (9 July 2008)<br>EMRL2008-2   |
| Cyprodinil  | 30                                | Dock                         | (14 November 20<br>EMRL2008-2 |
|   |                                   |                              | (14 November 20               |
| Cyprodinil  | 0.6                               | Dry adzuki beans             | EMRL2008-2<br>(14 November 20 |
| Cyprodinil  | 0.6                               | Dry beans                    | EMRL2008-2                    |
| Cyprodinil  | 0.6                               | Dry blackeyed peas           | (14 November 2<br>EMRL2008-2  |
| Cyprodinil  | 0.6                               | Dry broad beans              | (14 November 2)<br>EMRL2008-2 |
| Сургоанні   | 0.6                               | •                            | (14 November 2                |
| Cyprodinil  | 0.6                               | Dry bulb onions              | EMRL2008-0<br>(9 July 2008)   |
| Cyprodinil  | 0.6                               | Dry catjang seeds            | EMRL2008-2                    |
| Cyprodinil  | 0.6                               | Dry chickpeas                | (14 November 2<br>EMRL2008-2  |
|   |                                   |                              | (14 November 20               |
| Cyprodinil  | 0.6                               | Dry guar seeds               | EMRL2008-2<br>(14 November 20 |
| Cyprodinil  | 0.6                               | Dry kidney beans             | EMRL2008-2                    |
| Cyprodinil  | 0.6                               | Dry lablab beans             | (14 November 2<br>EMRL2008-2  |
| Cyprodinil  | 0.6                               | Dry lentils                  | (14 November 2<br>EMRL2008-2  |
|   |                                   | <u> </u>                     | (14 November 2                |
| Cyprodinil  | 0.6                               | Dry lima beans               | EMRL2008-2<br>(14 November 2  |
| Cyprodinil  | 0.6                               | Dry moth beans               | EMRL2008-2                    |
| Cyprodinil  | 0.6                               | Dry mung beans               | (14 November 2<br>EMRL2008-2  |
| Cyprodinil  | 0.6                               | Dry navy beans               | (14 November 2<br>EMRL2008-2  |
| Сургоанн  | 0.6                               | • •                          | (14 November 2                |
| Cyprodinil  | 0.6                               | Dry pink beans               | EMRL2008-2<br>(14 November 2  |
| Cyprodinil  | 0.6                               | Dry pinto beans              | EMRL2008-2                    |
| Cyprodinil  | 0.6                               | Dry rice beans               | (14 November 20<br>EMRL2008-2 |
|   | 0.6                               |                              | (14 November 2<br>EMRL2008-2  |
| Cyprodinil  | 0.6                               | Dry tepary beans             | (14 November 2                |
| Cyprodinil  | 0.6                               | Dry urd beans                | EMRL2008-2<br>(14 November 2  |
| Cyprodinil  | 30                                | Edible leaved chrysanthemum  | EMRL2008-2                    |
| Cyprodinil  | 0.6                               | Edible-podded jackbeans      | (14 November 2<br>EMRL2008-2  |
|   |                                   |                              | (14 November 2                |
| Cyprodinil  | 0.6                               | Edible-podded moth beans     | EMRL2008-2<br>(14 November 2  |
| Cyprodinil  | 0.6                               | Edible-podded runner beans   | EMRL2008-2                    |
| Cyprodinil  | 0.6                               | Edible-podded snap beans     | (14 November 2)<br>EMRL2008-2 |
| Cyprodinil  | 0.6                               | Edible-podded sword beans    | (14 November 2<br>EMRL2008-2  |
|   |                                   | ·                            | (14 November 2                |
| Cyprodinil  | 0.6                               | Edible-podded wax beans      | EMRL2008-2<br>(14 November 2  |
| Cyprodinil  | 0.6                               | Edible-podded yardlong beans | EMRL2008-2                    |
| Cyprodinil  | 2.0                               | Elderberries                 | (14 November 2<br>EMRL2008-0  |
| Cyprodinil  | 30                                | Endives                      | (9 July 2008)<br>EMRL2008-2   |
|   |                                   |                              | (14 November 2                |
| Cyprodinil  | 30                                | Fresh chervil leaves         | EMRL2008-2<br>(14 November 2  |
| Cyprodinil  | 30                                | Fresh parsley leaves         | EMRL2008-2                    |
| Cyprodinil  | 30                                | Garden cress                 | (14 November 2<br>EMRL2008-2  |
|   |                                   |                              | (14 November 2                |
| Cyprodinil  | 30                                | Garden purslane              | EMRL2008-2<br>(14 November 2  |
| Cyprodinil  | 30                                | Garland chrysanthemum        | EMRL2008-2<br>(14 November 20 |
| Cyprodinil  | 2.0                               | Gooseberries                 | EMRL2008-0                    |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Established |                                   |   |                                      |
|---|-----------------------------------|---|--------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                          | MRL Established                      |
| Cyprodinil  | 0.6                               | Grain lupin                             | EMRL2008-26                          |
| Cyprodinil  | 4.0                               | Green onions                            | (14 November 20<br>EMRL2008-02       |
|   |                                   |   | (9 July 2008)                        |
| Cyprodinil  | 30                                | Head lettuce                            | EMRL2008-26                          |
| Cyprodinil  | 2.0                               | Huckleberries                           | (14 November 20<br>EMRL2008-02       |
|   |                                   |   | (9 July 2008)                        |
| Cyprodinil  | 30                                | Leaf lettuce                            | EMRL2008-26<br>(14 November 20       |
| Cyprodinil  | 2.0                               | Lingonberries                           | EMRL2008-02                          |
|   |                                   |   | (9 July 2008)                        |
| Cyprodinil  | 6.2                               | Loganberries                            | EMRL2008-02<br>(9 July 2008)         |
| Cyprodinil  | 30                                | Orach leaves                            | EMRL2008-26                          |
| Curandinil  | 0.05                              | Pistachios                              | (14 November 20<br>EMRL2008-02       |
| Cyprodinil  | 0.05                              | Pistachios                              | (9 July 2008)                        |
| Cyprodinil  | 30                                | Radicchio                               | EMRL2008-26                          |
| Cyprodinil  | 6.2                               | Panharrian                              | (14 November 20<br>EMRL2008-02       |
| Cyprodinil  | 0.2                               | Raspberries                             | (9 July 2008)                        |
| Cyprodinil  | 2.0                               | Salal berries                           | EMRL2008-02                          |
| Cyprodinil  | 2.0                               | Saskatoon berries (juneberries)         | (9 July 2008)<br>EMRL2008-02         |
|   | 2.0                               | Gaskatoon beines (Junebeines)           | (9 July 2008)                        |
| Cyprodinil  | 3.5                               | Strawberries                            | EMRL2008-02                          |
| Cyprodinil  | 0.6                               | Succulent shelled blackeyed peas        | (9 July 2008)<br>EMRL2008-26         |
| Оургоаны  | 0.0                               | Succulent shelled blackeyed peas        | (14 November 20                      |
| Cyprodinil  | 0.6                               | Succulent shelled broad beans           | EMRL2008-26                          |
| Cyprodinil  | 0.6                               | Succulent shelled lima beans            | (14 November 20<br>EMRL2008-20       |
| бургоанн  | 0.0                               | Gassaicht shoilea iinia beans           | (14 November 20                      |
| Cyprodinil  | 9.0                               | Turnip tops                             | EMRL2008-02                          |
| Cyprodinil  | 30                                | Upland cress                            | (9 July 2008)<br>EMRL2008-26         |
|   |                                   | ·                                       | (14 November 20                      |
| Cyprodinil  | 30                                | Winter purslane                         | EMRL2008-26<br>(14 November 20       |
| Cyromazine  | 10                                | Amaranth                                | EMRL2009-06                          |
|   |                                   |   | (8 May 2009)                         |
| Cyromazine  | 10                                | Arugula                                 | EMRL2009-06<br>(8 May 2009)          |
| Cyromazine  | 35                                | Bok choy Chinese cabbages               | EMRL2009-06                          |
| Curamanina  | 25                                | Droppeli rook                           | (8 May 2009)                         |
| Cyromazine  | 35                                | Broccoli raab                           | EMRL2009-06<br>(8 May 2009)          |
| Cyromazine  | 10                                | Cardoon                                 | EMRL2009-06                          |
| Cyromozino  | 10                                | Colony                                  | (8 May 2009)                         |
| Cyromazine  | 10                                | Celery                                  | Canada Gazette<br>Prior to 16 June 2 |
| Cyromazine  | 10                                | Celtuce                                 | EMRL2009-06                          |
| Cyromazine  | 10                                | Chinese celery                          | (8 May 2009)<br>EMRL2009-06          |
| Gyromazine  | 10                                | Griniese Celety                         | (8 May 2009)                         |
| Cyromazine  | 35                                | Collards                                | EMRL2009-06                          |
| Cyromazine  | 10                                | Corn salad                              | (8 May 2009)<br>EMRL2009-06          |
|   | 10                                | Com salad                               | (8 May 2009)                         |
| Cyromazine  | 1.0                               | Cucumbers                               | Canada Gazette                       |
| Cyromazine  | 10                                | Dandelion leaves                        | Prior to 16 June 2<br>EMRL2009-06    |
|   |                                   |   | (8 May 2009)                         |
| Cyromazine  | 10                                | Dock                                    | EMRL2009-06                          |
| Cyromazine  | 0.3                               | Dry bulb onions                         | (8 May 2009)<br>Canada Gazette       |
|   |                                   |   | Prior to 16 June 2                   |
| Cyromazine  | 10                                | Edible leaved chrysanthemum             | EMRL2009-06                          |
| Cyromazine  | 10                                | Endives                                 | (8 May 2009)<br>EMRL2009-06          |
|   |                                   |   | (8 May 2009)                         |
| Cyromazine  | 10                                | Fresh chervil leaves                    | EMRL2009-06                          |
| Cyromazine  | 10                                | Fresh Florence fennel leaves and stalks | (8 May 2009)<br>EMRL2009-06          |
|   |                                   |   | (8 May 2009)                         |
| Cyromazine  | 10                                | Fresh parsley leaves                    | EMRL2009-06                          |
| Cyromazine  | 10                                | Garden cress                            | (8 May 2009)<br>EMRL2009-06          |
|   |                                   |   | (8 May 2009)                         |
| Cyromazine  | 10                                | Garden purslane                         | EMRL2009-06<br>(8 May 2009)          |
|   |                                   |   |                                      |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                            |  |
|--|-----------------------------------|----------------------------|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity             | MRL Established Via                        |
| Cyromazine   | 3.0                               | Green onions               | Canada Gazette II Prior to 16 June 2008    |
| Cyromazine   | 10                                | Head lettuce               | EMRL2009-06<br>(8 May 2009)                |
| Cyromazine   | 35                                | Kale                       | EMRL2009-06                                |
| Cyromazine   | 10                                | Leaf Lettuce               | (8 May 2009)<br>Canada Gazette II          |
| Cyromazine   | 1.0                               | Melons                     | Prior to 16 June 2008<br>Canada Gazette II |
| Cyromazine   | 8.0                               | Mushrooms                  | Prior to 16 June 2008<br>Canada Gazette II |
| Cyromazine   | 35                                | Mustard greens             | Prior to 16 June 2008<br>EMRL2009-06       |
| Cyromazine   | 35                                | Mustard spinach            | (8 May 2009)<br>EMRL2009-06                |
| Cyromazine   | 10                                | New Zealand spinach        | (8 May 2009)<br>EMRL2009-06                |
|  | 10                                | Orach leaves               | (8 May 2009)<br>EMRL2009-06                |
| Cyromazine   |                                   |                            | (8 May 2009)                               |
| Cyromazine   | 3.0                               | Peppers                    | Canada Gazette II<br>Prior to 16 June 2008 |
| Cyromazine   | 0.8                               | Potatoes                   | EMRL2008-30<br>(14 November 2008)          |
| Cyromazine   | 10                                | Radicchio                  | EMRL2009-06<br>(8 May 2009)                |
| Cyromazine   | 35                                | Rape greens                | EMRL2009-06<br>(8 May 2009)                |
| Cyromazine   | 10                                | Rhubarb                    | EMRL2009-06                                |
| Cyromazine   | 10                                | Spinach                    | (8 May 2009)<br>Canada Gazette II          |
| Cyromazine   | 10                                | Swiss chard                | Prior to 16 June 2008<br>EMRL2009-06       |
| Cyromazine   | 1.0                               | Tomatoes                   | (8 May 2009)<br>Canada Gazette II          |
| Cyromazine   | 10                                | Upland cress               | Prior to 16 June 2008<br>EMRL2009-06       |
| Cyromazine   | 10                                | Vine spinach               | (8 May 2009)<br>EMRL2009-06                |
| <u> </u>   | 10                                | ·                          | (8 May 2009)                               |
| Cyromazine   | -                                 | Winter purslane            | EMRL2009-06<br>(8 May 2009)                |
| Daminozide   | 0.02                              | All food crops             | Canada Gazette II<br>Prior to 16 June 2008 |
| DDT  | 1.0                               | Butter                     | Canada Gazette II Prior to 16 June 2008    |
| DDT  | 1.0                               | Cheese                     | Canada Gazette II Prior to 16 June 2008    |
| DDT  | 0.5                               | Eggs                       | Canada Gazette II<br>Prior to 16 June 2008 |
| DDT  | 1.0                               | Fat of cattle              | Canada Gazette II                          |
| DDT  | 1.0                               | Fat of hogs                | Prior to 16 June 2008 Canada Gazette II    |
| DDT  | 1.0                               | Fat of poultry             | Prior to 16 June 2008<br>Canada Gazette II |
| DDT  | 1.0                               | Fat of sheep               | Prior to 16 June 2008<br>Canada Gazette II |
| DDT  | 5.0                               | Fish                       | Prior to 16 June 2008<br>Canada Gazette II |
| DDT  | 0.5                               | Fresh vegetables           | Prior to 16 June 2008<br>Canada Gazette II |
| DDT  | 1.0                               | Meat byproducts of cattle  | Prior to 16 June 2008 Canada Gazette II    |
| DDT  |                                   |                            | Prior to 16 June 2008                      |
|  | 1.0                               | Meat byproducts of hogs    | Canada Gazette II Prior to 16 June 2008    |
| DDT  | 1.0                               | Meat byproducts of poultry | Canada Gazette II<br>Prior to 16 June 2008 |
| DDT  | 1.0                               | Meat byproducts of sheep   | Canada Gazette II<br>Prior to 16 June 2008 |
| DDT  | 1.0                               | Meat of cattle             | Canada Gazette II<br>Prior to 16 June 2008 |
| DDT  | 1.0                               | Meat of hogs               | Canada Gazette II<br>Prior to 16 June 2008 |
| DDT  | 1.0                               | Meat of poultry            | Canada Gazette II Prior to 16 June 2008    |
| DDT  | 1.0                               | Meat of sheep              | Canada Gazette II                          |
| DDT  | 1.0                               | Milk                       | Prior to 16 June 2008 Canada Gazette II    |
| DDT  | 1.0                               | Other dairy products       | Prior to 16 June 2008<br>Canada Gazette II |
| Deltamethrin   | 1.0                               | Olives                     | Prior to 16 June 2008<br>EMRL2010-35       |

|             |                                   | stinct table on the MRL webpage |  |
|-------------|-----------------------------------|---------------------------------|--|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established Vi                         |
| Desmedipham | 0.05                              | Sugar beet roots                | EMRL2009-27<br>(26 November 2009)          |
| Diazinon    | 0.75                              | Apples                          | Canada Gazette II                          |
| Diazinon    | 0.75                              | Apricots                        | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.5                               | Beans                           | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.75                              | Beets                           | Prior to 16 June 2008<br>Canada Gazette II |
|             |                                   |                                 | Prior to 16 June 2008                      |
| Diazinon    | 0.75                              | Broccoli                        | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.5                               | Brussels sprouts                | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.75                              | Cabbages                        | Canada Gazette II Prior to 16 June 2008    |
| Diazinon    | 0.25                              | Cantaloupes                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.75                              | Carrots                         | Canada Gazette II                          |
| Diazinon    | 0.75                              | Cauliflower                     | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.75                              | Celery                          | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.75                              | Cherries                        | Prior to 16 June 2008<br>Canada Gazette II |
|             |                                   |                                 | Prior to 16 June 2008                      |
| Diazinon    | 0.7                               | Citrus fruits                   | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.25                              | Collards                        | Canada Gazette II Prior to 16 June 2008    |
| Diazinon    | 0.25                              | Cranberries                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.5                               | Cucumbers                       | Canada Gazette II                          |
| Diazinon    | 0.75                              | Endives                         | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.25                              | Figs                            | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.75                              | Grapes                          | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.25                              | Hops                            | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.75                              | Kale                            | Prior to 16 June 2008 Canada Gazette II    |
|             |                                   |                                 | Prior to 16 June 2008                      |
| Diazinon    | 0.75                              | Kohlrabi                        | Canada Gazette II Prior to 16 June 2008    |
| Diazinon    | 0.75                              | Lettuce                         | Canada Gazette II Prior to 16 June 2008    |
| Diazinon    | 0.25                              | Lima beans                      | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.25                              | Muskmelons                      | Canada Gazette II                          |
| Diazinon    | 0.75                              | Onions                          | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.25                              | Parsley                         | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.25                              | Parsnips                        | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.7                               | Peaches/nectarines              | Prior to 16 June 2008 Canada Gazette II    |
|             |                                   |                                 | Prior to 16 June 2008                      |
| Diazinon    | 0.75                              | Pears                           | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.75                              | Peppers                         | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.75                              | Plums                           | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.25                              | Radishes                        | Canada Gazette II                          |
| Diazinon    | 0.75                              | Salsify                         | Prior to 16 June 2008 Canada Gazette II    |
| Diazinon    | 0.75                              | Spinach                         | Prior to 16 June 2008<br>Canada Gazette II |
| Diazinon    | 0.75                              | Strawberries                    | Prior to 16 June 2008 Canada Gazette II    |
| Diazinon    | 0.25                              | Summer squash                   | Prior to 16 June 2008 Canada Gazette II    |
|             |                                   | ·                               | Prior to 16 June 2008                      |
| Diazinon    | 0.25                              | Swiss chard                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.75                              | Tomatoes                        | Canada Gazette II<br>Prior to 16 June 2008 |
| Diazinon    | 0.75                              | Turnip tops                     | Canada Gazette II Prior to 16 June 2008    |
| Diazinon    | 0.5                               | Turnips                         | Canada Gazette II                          |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Established Via |                                   |   |  |  |
|--|-----------------------------------|---|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Residue Limit   |  |  |
| Diazinon   | 0.75                              | Wasabi  | Canada Gazette II                          |  |
| Diazinon   | 0.25                              | Watermelons   | Prior to 16 June 2008<br>Canada Gazette II |  |
| Diaminan   | 0.25                              | Winter equesh   | Prior to 16 June 2008                      |  |
| Diazinon   | 0.25                              | Winter squash   | Canada Gazette II Prior to 16 June 2008    |  |
| Dicamba  | 0.1                               | Field corn  | EMRL2011-13                                |  |
| Dicamba  | 0.04                              | Sweet corn kernel plus cob with husks removed               | (18 March 2011)<br>EMRL2011-13             |  |
|  |                                   | ·   | (18 March 2011)                            |  |
| Dichlobenil  | 0.1                               | Cranberries   | EMRL2011-13<br>(18 March 2011)             |  |
| Dichlobenil  | 0.1                               | Raspberries   | EMRL2011-13                                |  |
| Dichloran  | 10                                | Apricots  | (18 March 2011)<br>Canada Gazette II       |  |
|  |                                   | ·   | Prior to 16 June 200                       |  |
| Dichloran  | 10                                | Blackberries  | Canada Gazette II Prior to 16 June 2008    |  |
| Dichloran  | 5.0                               | Carrots   | Canada Gazette II                          |  |
| Dichloran  | 10                                | Celery  | Prior to 16 June 2008<br>Canada Gazette II |  |
|  |                                   | ·   | Prior to 16 June 2008                      |  |
| Dichloran  | 0.5                               | Cucumbers   | Canada Gazette II Prior to 16 June 2008    |  |
| Dichloran  | 0.5                               | Garlic  | Canada Gazette II                          |  |
| Dichloran  | 10                                | Grapes  | Prior to 16 June 2008<br>Canada Gazette II |  |
| Dictiloran   | 10                                | Grapes  | Prior to 16 June 200                       |  |
| Dichloran  | 10                                | Lettuce   | Canada Gazette II<br>Prior to 16 June 200  |  |
| Dichloran  | 5.0                               | Onions  | Canada Gazette II                          |  |
| Dichloran  | 15                                | Peaches/nectarines  | Prior to 16 June 2006<br>Canada Gazette II |  |
| Dichioran  | 15                                | Peaches/nectannes   | Prior to 16 June 200                       |  |
| Dichloran  | 5.0                               | Plums   | Canada Gazette II                          |  |
| Dichloran  | 10                                | Raspberries   | Prior to 16 June 2006<br>Canada Gazette II |  |
| Dichloran  | 5.0                               | Rhubarb   | Prior to 16 June 2006<br>Canada Gazette II |  |
| Dichioran  | 5.0                               | Kilubarb  | Prior to 16 June 200                       |  |
| Dichloran  | 20                                | Snap beans  | Canada Gazette II                          |  |
| Dichloran  | 10                                | Strawberries  | Prior to 16 June 2006<br>Canada Gazette II |  |
| Dichloran  | 15                                | Sweet cherries  | Prior to 16 June 2006<br>Canada Gazette II |  |
| Dichioran  | 15                                | Sweet Chemes  | Prior to 16 June 200                       |  |
| Dichloran  | 5.0                               | Sweet potato roots  | Canada Gazette II                          |  |
| Dichloran  | 5.0                               | Tomatoes  | Prior to 16 June 200<br>Canada Gazette II  |  |
| Dishlamas  | 0.00                              | Fat of callle   | Prior to 16 June 200                       |  |
| Dichlorvos   | 0.02                              | Fat of cattle   | EMRL2011-13<br>(18 March 2011)             |  |
| Dichlorvos   | 0.1                               | Fat of hogs   | EMRL2011-13                                |  |
| Dichlorvos   | 0.02                              | Fat of horses   | (18 March 2011)<br>EMRL2011-13             |  |
|  |                                   |   | (18 March 2011)                            |  |
| Dichlorvos   | 0.05                              | Fat of poultry  | EMRL2011-13<br>(18 March 2011)             |  |
| Dichlorvos   | 0.02                              | Meat byproducts of cattle                                   | EMRL2011-13                                |  |
| Dichlorvos   | 0.1                               | Meat byproducts of hogs                                     | (18 March 2011)<br>EMRL2011-13             |  |
|  |                                   |   | (18 March 2011)                            |  |
| Dichlorvos   | 0.02                              | Meat byproducts of horses                                   | EMRL2011-13<br>(18 March 2011)             |  |
| Dichlorvos   | 0.05                              | Meat byproducts of poultry                                  | EMRL2011-13                                |  |
| Dichlorvos   | 0.02                              | Meat of cattle  | (18 March 2011)<br>EMRL2011-13             |  |
|  |                                   |   | (18 March 2011)                            |  |
| Dichlorvos   | 0.1                               | Meat of hogs  | EMRL2011-13<br>(18 March 2011)             |  |
| Dichlorvos   | 0.02                              | Meat of horses  | EMRL2011-13                                |  |
| Dichlorvos   | 0.05                              | Meat of poultry   | (18 March 2011)<br>EMRL2011-13             |  |
|  |                                   |   | (18 March 2011)                            |  |
| Dichlorvos   | 0.02                              | Milk  | EMRL2011-13<br>(18 March 2011)             |  |
| Dichlorvos   | 2.0                               | Non-perishable packaged foods of high fat content (over 6%) | Canada Gazette II                          |  |
| Dichlorvos   | 0.5                               | Non-perishable packaged foods of low fat content (under 6%) | Prior to 16 June 2008<br>Canada Gazette II |  |
|  |                                   |   | Prior to 16 June 2008                      |  |
| Dichlorvos   | 0.25                              | Tomatoes  | Canada Gazette II<br>Prior to 16 June 200  |  |
| Diclofop-methyl  | 0.1                               | Barley  | EMRL2011-13                                |  |

|                 |                                   | distinct table on the MRL webpage |                                       |
|-----------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name     | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Diclofop-methyl | 0.1                               | Triticale                         | EMRL2011-13<br>(18 March 2011         |
| Diclofop-methyl | 0.1                               | Wheat                             | EMRL2011-13                           |
| Dicofol         | 3.0                               | Almonds                           | (18 March 2011<br>Canada Gazette      |
| Dicofol         | 3.0                               | Apples                            | Prior to 16 June 20<br>Canada Gazette |
|                 |                                   | Appies                            | Prior to 16 June 20                   |
| Dicofol         | 3.0                               | Apricots                          | Canada Gazette Prior to 16 June 20    |
| Dicofol         | 3.0                               | Beans                             | Canada Gazette                        |
| Dicofol         | 3.0                               | Blackberries                      | Prior to 16 June 26<br>Canada Gazette |
| Dicofol         | 3.0                               | Boysenberries                     | Prior to 16 June 20<br>Canada Gazette |
|                 | 0.1                               | Butter                            | Prior to 16 June 20<br>Canada Gazette |
| Dicofol         |                                   |                                   | Prior to 16 June 20                   |
| Dicofol         | 3.0                               | Cantaloupes                       | Canada Gazette Prior to 16 June 20    |
| Dicofol         | 0.1                               | Cheese                            | Canada Gazette                        |
| Dicofol         | 3.0                               | Cherries                          | Prior to 16 June 20<br>Canada Gazette |
| Dicofol         | 3.0                               | Chestnuts                         | Prior to 16 June 20<br>Canada Gazette |
|                 |                                   |                                   | Prior to 16 June 20                   |
| Dicofol         | 5.0                               | Citrus fruits                     | Canada Gazette<br>Prior to 16 June 20 |
| Dicofol         | 3.0                               | Cucumbers                         | Canada Gazette<br>Prior to 16 June 20 |
| Dicofol         | 3.0                               | Dewberries                        | Canada Gazette                        |
| Dicofol         | 3.0                               | Eggplants                         | Prior to 16 June 20<br>Canada Gazette |
| Dicofol         | 3.0                               | Figs                              | Prior to 16 June 20<br>Canada Gazette |
|                 |                                   |                                   | Prior to 16 June 20                   |
| Dicofol         | 3.0                               | Filberts                          | Canada Gazette Prior to 16 June 20    |
| Dicofol         | 3.0                               | Grapes                            | Canada Gazette Prior to 16 June 20    |
| Dicofol         | 3.0                               | Hickory nuts                      | Canada Gazette                        |
| Dicofol         | 3.0                               | Honeydew melons                   | Prior to 16 June 20<br>Canada Gazette |
| Dicofol         | 3.0                               | Loganberries                      | Prior to 16 June 20<br>Canada Gazette |
|                 |                                   |                                   | Prior to 16 June 20                   |
| Dicofol         | 0.1                               | Meat byproducts of cattle         | Canada Gazette Prior to 16 June 20    |
| Dicofol         | 0.1                               | Meat byproducts of goats          | Canada Gazette Prior to 16 June 20    |
| Dicofol         | 0.1                               | Meat byproducts of hogs           | Canada Gazette                        |
| Dicofol         | 0.1                               | Meat byproducts of poultry        | Prior to 16 June 20<br>Canada Gazette |
| Dicofol         | 0.1                               | Meat byproducts of sheep          | Prior to 16 June 20<br>Canada Gazette |
|                 |                                   |                                   | Prior to 16 June 20                   |
| Dicofol         | 0.1                               | Meat of cattle                    | Canada Gazette Prior to 16 June 20    |
| Dicofol         | 0.1                               | Meat of goats                     | Canada Gazette Prior to 16 June 20    |
| Dicofol         | 0.1                               | Meat of hogs                      | Canada Gazette                        |
| Dicofol         | 0.1                               | Meat of poultry                   | Prior to 16 June 20<br>Canada Gazette |
| Dicofol         | 0.1                               | Meat of sheep                     | Prior to 16 June 20<br>Canada Gazette |
|                 |                                   | ·                                 | Prior to 16 June 20                   |
| Dicofol         | 0.1                               | Milk                              | Canada Gazette<br>Prior to 16 June 20 |
| Dicofol         | 3.0                               | Muskmelons                        | Canada Gazette<br>Prior to 16 June 20 |
| Dicofol         | 0.1                               | Other dairy products              | Canada Gazette                        |
| Dicofol         | 3.0                               | Peaches/nectarines                | Prior to 16 June 20<br>Canada Gazette |
| Dicofol         | 3.0                               | Pears                             | Prior to 16 June 20<br>Canada Gazette |
|                 |                                   |                                   | Prior to 16 June 20                   |
| Dicofol         | 3.0                               | Peas                              | Canada Gazette<br>Prior to 16 June 20 |
| Dicofol         | 3.0                               | Pecans                            | Canada Gazette<br>Prior to 16 June 20 |
| Dicofol         | 3.0                               | Peppers                           | Canada Gazette                        |
| Dicofol         | 3.0                               | Pimentos                          | Prior to 16 June 20<br>Canada Gazette |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                      |   |
|--|-----------------------------------|----------------------|---|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity       | MRL Established V                         |
| Dicofol  | 3.0                               | Plums                | Canada Gazette II Prior to 16 June 200    |
| Dicofol  | 3.0                               | Pumpkins             | Canada Gazette II                         |
| Dicofol  | 3.0                               | Quinces              | Prior to 16 June 200<br>Canada Gazette II |
| Dicoloi  | 3.0                               | Quinces              | Prior to 16 June 200                      |
| Dicofol  | 3.0                               | Raspberries          | Canada Gazette II                         |
| Dicofol  | 3.0                               | Soybeans             | Prior to 16 June 200<br>Canada Gazette II |
| Dicofol  | 3.0                               | Strawberries         | Prior to 16 June 200<br>Canada Gazette II |
| Dicoloi  | 3.0                               | Strawberries         | Prior to 16 June 200                      |
| Dicofol  | 3.0                               | Summer squash        | Canada Gazette II Prior to 16 June 200    |
| Dicofol  | 3.0                               | Tomatoes             | Canada Gazette II                         |
| Dicofol  | 3.0                               | Walnuts              | Prior to 16 June 200<br>Canada Gazette II |
| Dicoloi  | 3.0                               | wamus                | Prior to 16 June 200                      |
| Dicofol  | 3.0                               | Watermelons          | Canada Gazette II                         |
| Dicofol  | 3.0                               | Winter squash        | Prior to 16 June 200<br>Canada Gazette II |
| Dialdria   |                                   | •                    | Prior to 16 June 200                      |
| Dieldrin<br>see Aldrin   |                                   |                      | Canada Gazette II<br>Prior to 16 June 200 |
| Difenoconazole   | 0.6                               | African eggplants    | EMRL2011-19                               |
| Difenoconazole   | 1.0                               | Apples               | (10 May 2011)<br>EMRL2011-19              |
|  |                                   |                      | (10 May 2011)                             |
| Difenoconazole   | 0.01                              | Arracacha            | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.01                              | Arrowroot            | EMRL2011-19                               |
| Difenoconazole   | 1.0                               | Asian pears          | (10 May 2011)<br>EMRL2011-19              |
|  |                                   | ·                    | (10 May 2011)                             |
| Difenoconazole   | 1.0                               | Azaroles             | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.2                               | Bananas              | EMRL2011-19                               |
| Difenoconazole   | 0.01                              | Barley               | (10 May 2011)<br>Canada Gazette II        |
| 5.7  |                                   | ·                    | Prior to 16 June 200                      |
| Difenoconazole   | 0.6                               | Bell peppers         | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.01                              | Buckwheat            | EMRL2008-02                               |
| Difenoconazole   | 0.6                               | Bush tomatoes        | (9 July 2008)<br>EMRL2011-19              |
| Difenegananda  | 0.04                              | Consolination        | (10 May 2011)                             |
| Difenoconazole   | 0.01                              | Cassava roots        | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.01                              | Chayote roots        | EMRL2011-19                               |
| Difenoconazole   | 0.01                              | Chinese artichokes   | (10 May 2011)<br>EMRL2011-19              |
| Diference  |                                   | Ohiosaa suinaa       | (10 May 2011)                             |
| Difenoconazole   | 1.0                               | Chinese quinces      | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.01                              | Chufa                | EMRL2011-19                               |
| Difenoconazole   | 0.6                               | Coconas              | (10 May 2011)<br>EMRL2011-19              |
| Difenegananda  | 1.0                               | Crahannia            | (10 May 2011)                             |
| Difenoconazole   | 1.0                               | Crabapples           | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.6                               | Currant tomatoes     | EMRL2011-19                               |
| Difenoconazole   | 0.01                              | Edible canna         | (10 May 2011)<br>EMRL2011-19              |
|  |                                   |                      | (10 May 2011)                             |
| Difenoconazole   | 0.6                               | Eggplants            | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.05                              | Eggs                 | Canada Gazette II<br>Prior to 16 June 200 |
| Difenoconazole   | 0.01                              | Field corn           | Canada Gazette II                         |
| Difonocenazala   | 0.6                               | Gardon hughlaharrias | Prior to 16 June 200                      |
| Difenoconazole   | 0.6                               | Garden huckleberries | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.01                              | Ginger roots         | EMRL2011-19                               |
| Difenoconazole   | 0.6                               | Goji berries         | (10 May 2011)<br>EMRL2011-19              |
|  |                                   |                      | (10 May 2011)                             |
| Difenoconazole   | 0.1                               | Grapes               | EMRL2011-19<br>(10 May 2011)              |
| Difenoconazole   | 0.6                               | Groundcherries       | EMRL2011-19                               |
| Difenoconazole   | 1.0                               | Japanese quinces     | (10 May 2011)<br>EMRL2011-19              |
|  |                                   |                      | (10 May 2011)                             |
| Difenoconazole   | 0.01                              | Jerusalem artichokes | EMRL2011-19<br>(10 May 2011)              |

|                |                                   | in a distinct table on the MRL webpage         | T  |
|----------------|-----------------------------------|--|--|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established                          |
| Difenoconazole | 0.01                              | Lerens   | EMRL2011-19<br>(10 May 2011)             |
| Difenoconazole | 1.0                               | Loquats  | EMRL2011-19                              |
| Difenoconazole | 0.6                               | Martynias                                      | (10 May 2011)<br>EMRL2011-19             |
|                |                                   | ·  | (10 May 2011)                            |
| Difenoconazole | 1.0                               | Mayhaws  | EMRL2011-19<br>(10 May 2011)             |
| Difenoconazole | 0.05                              | Meat byproducts of cattle                      | Canada Gazette I                         |
| Difenoconazole | 0.05                              | Meat byproducts of goats                       | Prior to 16 June 20<br>Canada Gazette I  |
| Difenoconazole | 0.05                              | Meat byproducts of hogs                        | Prior to 16 June 20 Canada Gazette I     |
|                |                                   |  | Prior to 16 June 200                     |
| Difenoconazole | 0.05                              | Meat byproducts of poultry                     | Canada Gazette I<br>Prior to 16 June 200 |
| Difenoconazole | 0.05                              | Meat byproducts of sheep                       | Canada Gazette I<br>Prior to 16 June 20  |
| Difenoconazole | 0.05                              | Meat of cattle                                 | Canada Gazette I                         |
| Difenoconazole | 0.05                              | Meat of goats                                  | Prior to 16 June 200<br>Canada Gazette I |
|                |                                   | •  | Prior to 16 June 200                     |
| Difenoconazole | 0.05                              | Meat of hogs                                   | Canada Gazette I<br>Prior to 16 June 200 |
| Difenoconazole | 0.05                              | Meat of poultry                                | Canada Gazette I<br>Prior to 16 June 20  |
| Difenoconazole | 0.05                              | Meat of sheep                                  | Canada Gazette I                         |
| Difenoconazole | 1.0                               | Medlars  | Prior to 16 June 200<br>EMRL2011-19      |
|                |                                   |  | (10 May 2011)                            |
| Difenoconazole | 0.01                              | Milk   | Canada Gazette I<br>Prior to 16 June 200 |
| Difenoconazole | 0.05                              | Mustard seeds                                  | Canada Gazette I                         |
| Difenoconazole | 0.6                               | Naranjillas                                    | Prior to 16 June 200<br>EMRL2011-19      |
| Difenoconazole | 0.6                               | Non-bell peppers                               | (10 May 2011)<br>EMRL2011-19             |
| Diference      | 0.04                              |  | (10 May 2011)                            |
| Difenoconazole | 0.01                              | Oats   | EMRL2008-02<br>(9 July 2008)             |
| Difenoconazole | 0.6                               | Okras  | EMRL2011-19<br>(10 May 2011)             |
| Difenoconazole | 2.5                               | Olives   | EMRL2011-19                              |
| Difenoconazole | 0.3                               | Papayas  | (10 May 2011)<br>EMRL2011-19             |
| Difenoconazole | 0.6                               | Pea eggplants                                  | (10 May 2011)<br>EMRL2011-19             |
|                | 0.6                               |  | (10 May 2011)                            |
| Difenoconazole | 0.01                              | Pearl millet                                   | EMRL2008-02<br>(9 July 2008)             |
| Difenoconazole | 1.0                               | Pears  | EMRL2011-19                              |
| Difenoconazole | 0.6                               | Pepinos  | (10 May 2011)<br>EMRL2011-19             |
| Difenoconazole | 0.01                              | Popcorn grain                                  | (10 May 2011)<br>EMRL2008-02             |
|                |                                   | · ·  | (9 July 2008)                            |
| Difenoconazole | 0.01                              | Potatoes                                       | EMRL2011-19<br>(10 May 2011)             |
| Difenoconazole | 0.01                              | Proso millet                                   | EMRL2008-02                              |
| Difenoconazole | 1.0                               | Quinces  | (9 July 2008)<br>EMRL2011-19             |
| Difenoconazole | 0.03                              | Rapeseeds (canola)                             | (10 May 2011)<br>Canada Gazette I        |
|                |                                   |  | Prior to 16 June 200                     |
| Difenoconazole | 0.01                              | Rice   | EMRL2008-02<br>(9 July 2008)             |
| Difenoconazole | 0.6                               | Roselles                                       | EMRL2011-19<br>(10 May 2011)             |
| Difenoconazole | 0.01                              | Rye  | EMRL2008-02                              |
| Difenoconazole | 0.6                               | Scarlet eggplants                              | (9 July 2008)<br>EMRL2011-19             |
|                |                                   |  | (10 May 2011)                            |
| Difenoconazole | 0.01                              | Sorghum  | EMRL2008-02<br>(9 July 2008)             |
| Difenoconazole | 0.3                               | Sugar beet roots                               | EMRL2011-19<br>(10 May 2011)             |
| Difenoconazole | 0.6                               | Sunberries                                     | EMRL2011-19                              |
| Difenoconazole | 0.01                              | Sweet corn kernels plus cob with husks removed | (10 May 2011)<br>Canada Gazette I        |
|                |                                   | ·  | Prior to 16 June 200                     |
| Difenoconazole | 0.01                              | Sweet potato roots                             | EMRL2011-19<br>(10 May 2011)             |
| Difenoconazole | 0.01                              | Tanier corms                                   | EMRL2011-19                              |

|                |                                   | stinct table on the MRL webpage | 1                                   |
|----------------|-----------------------------------|---------------------------------|-------------------------------------|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established \                   |
| Difenoconazole | 0.01                              | Taro corms                      | EMRL2011-19                         |
| Difenoconazole | 1.0                               | Tejocotes                       | (10 May 2011)<br>EMRL2011-19        |
| Difenoconazole | 0.01                              | Teosinte                        | (10 May 2011)<br>EMRL2008-02        |
|                |                                   |                                 | (9 July 2008)                       |
| Difenoconazole | 0.6                               | Tomatillos                      | EMRL2011-19<br>(10 May 2011)        |
| Difenoconazole | 0.6                               | Tomatoes                        | EMRL2011-19                         |
| Difenoconazole | 0.6                               | Tree tomatoes                   | (10 May 2011)<br>EMRL2011-19        |
| Difenesements  | 0.04                              | Triticale                       | (10 May 2011)<br>EMRL2008-02        |
| Difenoconazole | 0.01                              | Thicale                         | (9 July 2008)                       |
| Difenoconazole | 0.01                              | True yam tubers                 | EMRL2011-19<br>(10 May 2011)        |
| Difenoconazole | 0.01                              | Turmeric roots                  | EMRL2011-19                         |
| Difenoconazole | 0.1                               | Wheat                           | (10 May 2011)<br>Canada Gazette I   |
| 5:/            |                                   |                                 | Prior to 16 June 200                |
| Difenoconazole | 0.01                              | Wild rice                       | EMRL2008-02<br>(9 July 2008)        |
| Difenoconazole | 0.01                              | Yam bean roots                  | EMRL2011-19                         |
| Difenzoquat    | 0.05                              | Barley                          | (10 May 2011)<br>EMRL2011-13        |
| Difenzoquat    | 0.05                              | Triticale                       | (18 March 2011)<br>EMRL2011-13      |
| ·              |                                   |                                 | (18 March 2011)                     |
| Difenzoquat    | 0.05                              | Wheat                           | EMRL2011-13<br>(18 March 2011)      |
| Diflufenzopyr  | 0.05                              | Corn                            | Canada Gazette I                    |
| Dimethenamid   | 0.01                              | Cabbages                        | Prior to 16 June 200<br>EMRL2008-37 |
| Dimethenemid   | 0.00                              |                                 | (17 November 2008                   |
| Dimethenamid   | 0.02                              | Dry adzuki beans                | EMRL2009-04<br>(8 May 2009)         |
| Dimethenamid   | 0.02                              | Dry beans                       | EMRL2009-04<br>(8 May 2009)         |
| Dimethenamid   | 0.02                              | Dry blackeyed peas              | EMRL2009-04                         |
| Dimethenamid   | 0.02                              | Dry broad beans                 | (8 May 2009)<br>EMRL2009-04         |
| Dimethenemid   | 0.01                              | •                               | (8 May 2009)<br>Canada Gazette I    |
| Dimethenamid   | 0.01                              | Dry bulb onions                 | Prior to 16 June 200                |
| Dimethenamid   | 0.02                              | Dry catjang seeds               | EMRL2009-04<br>(8 May 2009)         |
| Dimethenamid   | 0.02                              | Dry chickpeas                   | EMRL2009-04                         |
| Dimethenamid   | 0.02                              | Dry guar seeds                  | (8 May 2009)<br>EMRL2009-04         |
|                |                                   |                                 | (8 May 2009)                        |
| Dimethenamid   | 0.02                              | Dry kidney beans                | EMRL2008-02<br>(9 July 2008)        |
| Dimethenamid   | 0.02                              | Dry lablab beans                | EMRL2009-04<br>(8 May 2009)         |
| Dimethenamid   | 0.02                              | Dry lentils                     | EMRL2009-04                         |
| Dimethenamid   | 0.02                              | Dry lima beans                  | (8 May 2009)<br>EMRL2009-04         |
|                |                                   | •                               | (8 May 2009)                        |
| Dimethenamid   | 0.02                              | Dry moth beans                  | EMRL2009-04<br>(8 May 2009)         |
| Dimethenamid   | 0.02                              | Dry mung beans                  | EMRL2009-04                         |
| Dimethenamid   | 0.02                              | Dry navy beans                  | (8 May 2009)<br>EMRL2009-04         |
| Dimethenamid   | 0.02                              | Dry otebo beans                 | (8 May 2009)<br>EMRL2008-02         |
|                |                                   |                                 | (9 July 2008)                       |
| Dimethenamid   | 0.02                              | Dry pink beans                  | EMRL2009-04<br>(8 May 2009)         |
| Dimethenamid   | 0.02                              | Dry pinto beans                 | EMRL2009-04                         |
| Dimethenamid   | 0.02                              | Dry rice beans                  | (8 May 2009)<br>EMRL2009-04         |
| Dimethenamid   | 0.02                              | Dry southern peas               | (8 May 2009)<br>EMRL2009-04         |
|                |                                   |                                 | (8 May 2009)                        |
| Dimethenamid   | 0.02                              | Dry soybeans                    | EMRL2008-02<br>(9 July 2008)        |
| Dimethenamid   | 0.02                              | Dry tepary beans                | EMRL2009-04                         |
| Dimethenamid   | 0.02                              | Dry urd beans                   | (8 May 2009)<br>EMRL2009-04         |
| Dimethenamid   | 0.02                              | Field corn                      | (8 May 2009)<br>EMRL2008-02         |
|                |                                   |                                 | (9 July 2008)                       |
| Dimethenamid   | 0.02                              | Grain lupin                     | EMRL2009-04                         |

|               |                                   | in a distinct table on the MRL webpage         | T                                     |
|---------------|-----------------------------------|--|---------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established                       |
| Dimethenamid  | 0.01                              | Peanuts  | EMRL2009-19<br>(26 June 2009)         |
| Dimethenamid  | 0.02                              | Sweet corn kernels plus cob with husks removed | EMRL2008-02                           |
| Dimethenamid  | 0.02                              | White beans                                    | (9 July 2008)<br>EMRL2008-02          |
|               |                                   |  | (9 July 2008)                         |
| Dimethoate    | 2.0                               | Apples   | Canada Gazette Prior to 16 June 20    |
| Dimethoate    | 1.0                               | Beans  | Canada Gazette                        |
| Dimethoate    | 2.0                               | Beet tops                                      | Prior to 16 June 20<br>Canada Gazette |
| Dimethoate    | 1.0                               | Blueberries                                    | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |  | Prior to 16 June 20                   |
| Dimethoate    | 2.0                               | Broccoli                                       | Canada Gazette<br>Prior to 16 June 20 |
| Dimethoate    | 2.0                               | Cabbages                                       | Canada Gazette<br>Prior to 16 June 20 |
| Dimethoate    | 2.0                               | Cauliflower                                    | Canada Gazette                        |
| Dimethoate    | 1.0                               | Celery   | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |  | Prior to 16 June 20                   |
| Dimethoate    | 2.0                               | Cherries                                       | Canada Gazette<br>Prior to 16 June 20 |
| Dimethoate    | 1.5                               | Citrus fruits                                  | Canada Gazette<br>Prior to 16 June 20 |
| Dimethoate    | 2.0                               | Kale   | Canada Gazette                        |
| Dimethoate    | 2.0                               | Lettuce  | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |  | Prior to 16 June 20                   |
| Dimethoate    | 2.0                               | Pears  | Canada Gazette Prior to 16 June 20    |
| Dimethoate    | 0.5                               | Peas   | Canada Gazette<br>Prior to 16 June 20 |
| Dimethoate    | 0.5                               | Peppers  | Canada Gazette                        |
| Dimethoate    | 2.0                               | Spinach  | Prior to 16 June 20<br>Canada Gazette |
|               | 10                                |  | Prior to 16 June 20                   |
| Dimethoate    | 1.0                               | Strawberries                                   | Canada Gazette Prior to 16 June 20    |
| Dimethoate    | 0.1                               | Sunflower seeds                                | EMRL2011-13<br>(18 March 2011)        |
| Dimethoate    | 2.0                               | Swiss chard                                    | Canada Gazette                        |
| Dimethoate    | 0.5                               | Tomatoes                                       | Prior to 16 June 20<br>Canada Gazette |
|               | 2.0                               |  | Prior to 16 June 20<br>Canada Gazette |
| Dimethoate    | 2.0                               | Turnip tops                                    | Prior to 16 June 20                   |
| Dimethomorph  | 0.01                              | Potatoes                                       | Canada Gazette<br>Prior to 16 June 20 |
| Dinocap       | 0.1                               | Apples   | EMRL2011-13                           |
| Dinocap       | 0.1                               | Grapes   | (18 March 2011<br>EMRL2011-13         |
| Diphenamid    | 1.0                               | Strawberries                                   | (18 March 2011)<br>Canada Gazette     |
| ·             |                                   |  | Prior to 16 June 20                   |
| Diphenylamine | 5.0                               | Apples   | Canada Gazette<br>Prior to 16 June 20 |
| Diquat        | 0.02                              | Apples   | EMRL2008-02                           |
| Diquat        | 0.02                              | Apricots                                       | (9 July 2008)<br>EMRL2008-02          |
| Diquat        | 0.02                              | Asian pears                                    | (9 July 2008)<br>EMRL2008-02          |
| ·             |                                   | <u> </u>                                       | (9 July 2008)                         |
| Diquat        | 0.02                              | Barley   | EMRL2008-02<br>(9 July 2008)          |
| Diquat        | 0.02                              | Bok choy Chinese cabbages                      | EMRL2008-02<br>(9 July 2008)          |
| Diquat        | 0.02                              | Broccoli                                       | EMRL2008-02                           |
| Diquat        | 0.02                              | Broccoli raab                                  | (9 July 2008)<br>EMRL2008-02          |
| ·             |                                   |  | (9 July 2008)                         |
| Diquat        | 0.02                              | Brussels sprouts                               | EMRL2008-02<br>(9 July 2008)          |
| Diquat        | 0.02                              | Cabbages                                       | EMRL2008-02                           |
| Diquat        | 0.02                              | Carrot roots                                   | (9 July 2008)<br>EMRL2008-02          |
| Diquat        | 0.02                              | Cauliflower                                    | (9 July 2008)<br>EMRL2008-02          |
|               |                                   |  | (9 July 2008)                         |
| Diquat        | 0.02                              | Chinese broccoli                               | EMRL2008-02<br>(9 July 2008)          |
| Diquat        | 0.02                              | Chinese mustard cabbages                       | EMRL2008-02                           |

|             |                                   | istinct table on the MRL webpage |  |
|-------------|-----------------------------------|----------------------------------|--|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                   | MRL Established \                        |
| Diquat      | 0.02                              | Collards                         | EMRL2008-02                              |
| Diquat      | 0.02                              | Crabapples                       | (9 July 2008)<br>EMRL2008-02             |
|             |                                   |                                  | (9 July 2008)                            |
| Diquat      | 0.02                              | Cucumbers                        | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.2                               | Dry adzuki beans                 | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry beans                        | (9 July 2008)<br>EMRL2008-02             |
| Diquat      | 0.2                               | Dry beans                        | (9 July 2008)                            |
| Diquat      | 0.2                               | Dry blackeyed peas               | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry broad beans                  | (9 July 2008)<br>EMRL2008-02             |
|             |                                   |                                  | (9 July 2008)                            |
| Diquat      | 0.02                              | Dry bulb onions                  | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.2                               | Dry catjang seeds                | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry chickpeas                    | (9 July 2008)<br>EMRL2008-02             |
| Diquat      | 0.2                               | Бту спіскреаз                    | (9 July 2008)                            |
| Diquat      | 0.2                               | Dry field peas                   | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry guar seeds                   | (9 July 2008)<br>EMRL2008-02             |
| Diam-4      | 0.2                               | Doublidge                        | (9 July 2008)                            |
| Diquat      | 0.2                               | Dry kidney beans                 | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.2                               | Dry lablab beans                 | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry lima beans                   | (9 July 2008)<br>EMRL2008-02             |
| ·           |                                   |                                  | (9 July 2008)                            |
| Diquat      | 0.2                               | Dry moth beans                   | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.2                               | Dry mung beans                   | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry navy beans                   | (9 July 2008)<br>EMRL2008-02             |
| Diquat      | 0.2                               | Dry flavy bearis                 | (9 July 2008)                            |
| Diquat      | 0.2                               | Dry pigeon peas                  | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry pink beans                   | (9 July 2008)<br>EMRL2008-02             |
| Disust      | 0.2                               | Dr. siste beene                  | (9 July 2008)                            |
| Diquat      | 0.2                               | Dry pinto beans                  | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.2                               | Dry rice beans                   | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry southern peas                | (9 July 2008)<br>EMRL2008-02             |
| · .         | 0.05                              |                                  | (9 July 2008)                            |
| Diquat      | 0.05                              | Dry soybeans                     | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.2                               | Dry tepary beans                 | EMRL2008-02                              |
| Diquat      | 0.2                               | Dry urd beans                    | (9 July 2008)<br>EMRL2008-02             |
|             |                                   |                                  | (9 July 2008)                            |
| Diquat      | 0.05                              | Eggs                             | Canada Gazette I<br>Prior to 16 June 200 |
| Diquat      | 0.02                              | Field corn                       | EMRL2008-02                              |
| Diquat      | 0.5                               | Flax                             | (9 July 2008)<br>Canada Gazette I        |
| Diquat      | 0.5                               | i lax                            | Prior to 16 June 200                     |
| Diquat      | 0.02                              | Garden beet roots                | EMRL2008-02                              |
| Diquat      | 0.2                               | Grain Iupin                      | (9 July 2008)<br>EMRL2008-02             |
| Disust      | 0.00                              | Grapes                           | (9 July 2008)                            |
| Diquat      | 0.02                              | Grapes                           | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.02                              | Green onions                     | EMRL2008-02                              |
| Diquat      | 0.02                              | Kale                             | (9 July 2008)<br>EMRL2008-02             |
| ·           |                                   |                                  | (9 July 2008)                            |
| Diquat      | 0.02                              | Kohlrabi                         | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.2                               | Lentils                          | Canada Gazette I                         |
| Diquat      | 0.02                              | Loquats                          | Prior to 16 June 200<br>EMRL2008-02      |
| ·           |                                   | ·                                | (9 July 2008)                            |
| Diquat      | 0.02                              | Mayhaws                          | EMRL2008-02                              |
| Diquat      | 0.05                              | Meat                             | (9 July 2008)<br>Canada Gazette I        |
| ·           |                                   |                                  | Prior to 16 June 200                     |
| Diquat      | 0.05                              | Meat byproducts                  | Canada Gazette I<br>Prior to 16 June 200 |
| Diquat      | 0.05                              | Meat byproducts of poultry       | Canada Gazette I                         |
|             | 1 1                               |                                  | Prior to 16 June 200                     |

|             |                                   | in a distinct table on the MRL webpage         | T  |
|-------------|-----------------------------------|--|--|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established \                        |
| Diquat      | 0.05                              | Milk   | Canada Gazette I                         |
| Diquat      | 0.02                              | Mustard greens                                 | Prior to 16 June 200<br>EMRL2008-02      |
| ·           |                                   |  | (9 July 2008)                            |
| Diquat      | 1.0                               | Mustard seeds                                  | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.02                              | Mustard spinach                                | EMRL2008-02                              |
| Diquat      | 0.02                              | Napa Chinese cabbages                          | (9 July 2008)<br>EMRL2008-02             |
| ·           |                                   |  | (9 July 2008)                            |
| Diquat      | 0.02                              | Nectarines                                     | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.02                              | Oats   | EMRL2008-02                              |
| Diquat      | 0.02                              | Peaches  | (9 July 2008)<br>EMRL2008-02             |
| Diquot      | 0.02                              | Pears  | (9 July 2008)<br>EMRL2008-02             |
| Diquat      | 0.02                              | Pears  | (9 July 2008)                            |
| Diquat      | 0.02                              | Plumcots                                       | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.02                              | Plums  | EMRL2008-02                              |
| Diquat      | 0.1                               | Potatoes                                       | (9 July 2008)<br>EMRL2008-02             |
| ·           |                                   |  | (9 July 2008)                            |
| Diquat      | 0.02                              | Prune plums                                    | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.02                              | Quinces  | EMRL2008-02                              |
| Diquat      | 0.02                              | Rape greens                                    | (9 July 2008)<br>EMRL2008-02             |
| ·           |                                   |  | (9 July 2008)                            |
| Diquat      | 1.0                               | Rapeseeds (canola)                             | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.02                              | Rye  | EMRL2008-02                              |
| Diquat      | 0.5                               | Solin  | (9 July 2008)<br>Canada Gazette I        |
| Diquat      | 0.05                              | Sunflower seeds                                | Prior to 16 June 200<br>EMRL2008-02      |
| ·           |                                   |  | (9 July 2008)                            |
| Diquat      | 0.02                              | Sweet cherries                                 | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.02                              | Sweet corn kernels plus cob with husks removed | EMRL2008-02                              |
| Diquat      | 0.02                              | Tart cherries                                  | (9 July 2008)<br>EMRL2008-02             |
| Diquat      | 0.02                              | Triticale                                      | (9 July 2008)<br>EMRL2008-02             |
| <u> </u>    |                                   |  | (9 July 2008)                            |
| Diquat      | 0.02                              | Turnip roots                                   | EMRL2008-02<br>(9 July 2008)             |
| Diquat      | 0.02                              | Wheat  | EMRL2008-02                              |
| Disulfoton  | 0.5                               | Beans  | (9 July 2008)<br>Canada Gazette I        |
|             |                                   |  | Prior to 16 June 200                     |
| Disulfoton  | 0.5                               | Broccoli                                       | Canada Gazette I<br>Prior to 16 June 200 |
| Disulfoton  | 0.5                               | Brussels sprouts                               | Canada Gazette I                         |
| Disulfoton  | 0.5                               | Cabbages                                       | Prior to 16 June 200<br>Canada Gazette I |
| Disulfoton  | 0.5                               | Cauliflower                                    | Prior to 16 June 20<br>Canada Gazette I  |
|             |                                   |  | Prior to 16 June 200                     |
| Disulfoton  | 0.5                               | Lettuce  | Canada Gazette I<br>Prior to 16 June 200 |
| Disulfoton  | 0.5                               | Peas   | Canada Gazette I                         |
| Disulfoton  | 0.2                               | Potatoes                                       | Prior to 16 June 200<br>Canada Gazette I |
| Disulfator  | 0.5                               | Chinach  | Prior to 16 June 200                     |
| Disulfoton  | 0.5                               | Spinach  | Canada Gazette I<br>Prior to 16 June 200 |
| Disulfoton  | 0.5                               | Tomatoes                                       | Canada Gazette I<br>Prior to 16 June 200 |
| Diuron      | 7.0                               | Asparagus                                      | Canada Gazette I                         |
| Diuron      | 1.0                               | Citrus fruits                                  | Prior to 16 June 200<br>Canada Gazette I |
|             |                                   |  | Prior to 16 June 200                     |
| Diuron      | 1.0                               | Corn   | Canada Gazette I<br>Prior to 16 June 20  |
| Diuron      | 1.0                               | Grapes   | Canada Gazette I                         |
| Diuron      | 1.0                               | Pineapples                                     | Prior to 16 June 200<br>Canada Gazette I |
|             |                                   |  | Prior to 16 June 200                     |
| Diuron      | 1.0                               | Potatoes                                       | Canada Gazette I<br>Prior to 16 June 200 |
| Diuron      | 1.0                               | Wheat  | Canada Gazette I                         |

| Maximum Residue Limit (ppm)  5.0  2.0  5.0  5.0  2.0  1.0  1.0  2.0  2.0  1.0  2.0  2 | Apples Cherries Pears Strawberries Apples Apricots Artichokes Beans Broccoli Brussels sprouts Butter            | Prior to 16 June 20 Canada Gazette  |
|---|---|--|
| 2.0<br>5.0<br>5.0<br>2.0<br>2.0<br>1.0<br>1.0<br>2.0<br>2.0<br>0.1                    | Cherries Pears Strawberries Apples Apricots Artichokes Beans Broccoli Brussels sprouts                          | Prior to 16 June 20 Canada Gazette   |
| 5.0<br>5.0<br>2.0<br>2.0<br>1.0<br>1.0<br>2.0<br>2.0<br>2.0                           | Pears Strawberries Apples Apricots Artichokes Beans Broccoli Brussels sprouts                                   | Canada Gazette Prior to 16 June 20   |
| 5.0<br>2.0<br>2.0<br>1.0<br>1.0<br>2.0<br>2.0<br>0.1                                  | Strawberries  Apples  Apricots  Artichokes  Beans  Broccoli  Brussels sprouts                                   | Canada Gazette Prior to 16 June 20 Canada Gazette   |
| 5.0<br>2.0<br>2.0<br>1.0<br>1.0<br>2.0<br>2.0<br>0.1                                  | Strawberries  Apples  Apricots  Artichokes  Beans  Broccoli  Brussels sprouts                                   | Prior to 16 June 20 Canada Gazette  |
| 2.0<br>2.0<br>1.0<br>1.0<br>2.0<br>2.0<br>0.1   | Apples Apricots Artichokes Beans Broccoli Brussels sprouts  | Prior to 16 June 20 Canada Gazette  |
| 2.0<br>1.0<br>1.0<br>2.0<br>2.0<br>0.1  | Apricots Artichokes Beans Broccoli Brussels sprouts   | Canada Gazette Prior to 16 June 20 Canada Gazette  |
| 1.0<br>1.0<br>2.0<br>2.0<br>0.1   | Artichokes  Beans  Broccoli  Brussels sprouts   | Canada Gazette Prior to 16 June 20 Canada Gazette  |
| 1.0<br>1.0<br>2.0<br>2.0<br>0.1   | Artichokes  Beans  Broccoli  Brussels sprouts   | Prior to 16 June 20 Canada Gazette   |
| 1.0<br>2.0<br>2.0<br>0.1  | Beans  Broccoli  Brussels sprouts   | Prior to 16 June 20 Canada Gazette Prior to 16 June 20 Canada Gazette Prior to 16 June 20 Canada Gazette   |
| 2.0<br>2.0<br>0.1   | Broccoli<br>Brussels sprouts  | Canada Gazette Prior to 16 June 20 Canada Gazette Prior to 16 June 20 Canada Gazette   |
| 2.0   | Brussels sprouts  | Canada Gazette Prior to 16 June 20 Canada Gazette  |
| 0.1   | ·   | Canada Gazette   |
| 0.1   | ·   |  |
|   | Butter  | 1 1101 10 10 30116 20  |
| 2.0   |   | Canada Gazette   |
| l l   | Cabbages  | Prior to 16 June 20<br>Canada Gazette  |
| 1.0   | Cauliflower   | Prior to 16 June 20<br>Canada Gazette  |
| 1.0   | Caulillower   | Prior to 16 June 20  |
| 1.0   | Celery  | Canada Gazette<br>Prior to 16 June 20  |
| 0.1   | Cheese  | Canada Gazette   |
| 2.0   | Charrias  | Prior to 16 June 20<br>Canada Gazette  |
|   |   | Prior to 16 June 20  |
| 1.0   | Cucumbers   | Canada Gazette Prior to 16 June 20   |
| 1.0   | Eggplants   | Canada Gazette   |
| 1.0   | Grapes  | Prior to 16 June 20<br>Canada Gazette  |
|   | ·   | Prior to 16 June 20  |
| 2.0   | Lettuce   | Canada Gazette Prior to 16 June 20   |
| 0.1   | Meat byproducts of cattle   | Canada Gazette   |
| 0.1   | Meat byproducts of goats  | Prior to 16 June 20<br>Canada Gazette  |
| 0.1   | Most hyproducts of hoge   | Prior to 16 June 20<br>Canada Gazette  |
| 0.1   | Meat byproducts of flogs  | Prior to 16 June 20  |
| 0.1   | Meat byproducts of poultry  | Canada Gazette Prior to 16 June 20   |
| 0.1   | Meat byproducts of sheep  | Canada Gazette   |
| 0.1   | Meat of cattle  | Prior to 16 June 20<br>Canada Gazette  |
|   |   | Prior to 16 June 20  |
| 0.1   | Meat of goats   | Canada Gazette Prior to 16 June 20   |
| 0.1   | Meat of hogs  | Canada Gazette   |
| 0.1   | Meat of poultry   | Prior to 16 June 20<br>Canada Gazette  |
| 0.4   | Most of shoop   | Prior to 16 June 20  |
| 0.1   | Meat of sneep   | Canada Gazette Prior to 16 June 20   |
| 1.0   | Melons  | Canada Gazette   |
| 0.1   | Milk  | Prior to 16 June 20<br>Canada Gazette  |
| 0.1   | Other dainy products  | Prior to 16 June 20<br>Canada Gazette  |
| 0.1   |   | Prior to 16 June 20  |
| 2.0   | Peaches/nectarines  | Canada Gazette<br>Prior to 16 June 20  |
| 2.0   | Pears   | Canada Gazette   |
| 0.5   | Peas  | Prior to 16 June 20<br>Canada Gazette  |
|   |   | Prior to 16 June 20  |
| 1.0   | Peppers   | Canada Gazette Prior to 16 June 20   |
| 2.0   | Plums   | Canada Gazette   |
| 1.0   | Pumpkins  | Prior to 16 June 20<br>Canada Gazette  |
|   | ·   | Prior to 16 June 20  |
| 2.0   | Spinach   | Canada Gazette Prior to 16 June 20   |
| 1.0   | Squash  | Canada Gazette   |
| 10  | Strawherries  | Prior to 16 June 20<br>Canada Gazette  |
|   | 0.1 2.0 1.0 1.0 1.0 2.0 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 1.0 0.1 2.0 2.0 1.0 2.0 2.0 1.0 2.0 1.0 2.0 2.0 1.0 2.0 | 0.1         Cheese           2.0         Cherries           1.0         Eggplants           1.0         Fapes           2.0         Lettuce           0.1         Meat byproducts of cattle           0.1         Meat byproducts of poats           0.1         Meat byproducts of hogs           0.1         Meat byproducts of poultry           0.1         Meat of cattle           0.1         Meat of goats           0.1         Meat of poultry           0.1         Meat of sheep           1.0         Melons           0.1         Milk           0.1         Other dairy products           2.0         Pears           0.5         Peas           1.0         Peppers           2.0         Plums           1.0         Pumpkins           2.0         Spinach           1.0         Squash |

|               | residue definitions for all chemicals are available in a distinct table on the MRL webpage |   |  |  |
|---------------|--|---|--|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm)  | Food Commodity                                | MRL Established Vi                         |  |
| Endosulfan    | 1.0  | Tomatoes                                      | Canada Gazette II Prior to 16 June 2008    |  |
| Endosulfan    | 1.0  | Watercress                                    | Canada Gazette II Prior to 16 June 2008    |  |
| Endothall     | 0.1  | Potatoes                                      | EMRL2011-13                                |  |
| Endrin        | 0.02   | Butter  | (18 March 2011)<br>Canada Gazette II       |  |
| Endrin        | 0.02   | Cheese  | Prior to 16 June 2008<br>Canada Gazette II |  |
| Endrin        | 0.02   | Milk  | Prior to 16 June 2008<br>Canada Gazette II |  |
| Endrin        | 0.02   | Other dairy products                          | Prior to 16 June 2008 Canada Gazette II    |  |
| EPTC          | 0.1  | Dry beans                                     | Prior to 16 June 2008<br>EMRL2011-13       |  |
| EPTC          | 0.1  | Dry broad beans                               | (18 March 2011)<br>EMRL2011-13             |  |
|               |  | ·   | (18 March 2011)                            |  |
| EPTC          | 0.1  | Dry catjang seeds                             | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Dry chickpeas                                 | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Dry guar seeds                                | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Dry kidney beans                              | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Dry lablab beans                              | EMRL2011-13                                |  |
| EPTC          | 0.1  | Dry lentils                                   | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Dry moth beans                                | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Dry mung beans                                | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Dry navy beans                                | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Dry pink beans                                | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          |  |   | (18 March 2011)<br>EMRL2011-13             |  |
|               | 0.1  | Dry pinto beans                               | (18 March 2011)                            |  |
| EPTC          | 0.1  | Dry rice beans                                | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Dry southern peas                             | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Dry tepary beans                              | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Dry urd beans                                 | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Edible-podded jackbeans                       | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Edible-podded moth beans                      | EMRL2011-13                                |  |
| EPTC          | 0.1  | Edible-podded runner beans                    | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Edible-podded snap beans                      | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Edible-podded sword beans                     | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Edible-podded wax beans                       | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Edible-podded yardlong beans                  | (18 March 2011)<br>EMRL2011-13             |  |
|               |  |   | (18 March 2011)                            |  |
| EPTC          | 0.1  | Field corn                                    | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Flaxseeds                                     | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Potatoes                                      | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Rutabaga roots                                | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Sugar beet roots                              | EMRL2011-13<br>(18 March 2011)             |  |
| EPTC          | 0.1  | Sunflower seeds                               | EMRL2011-13                                |  |
| EPTC          | 0.1  | Sweet corn kernel plus cob with husks removed | (18 March 2011)<br>EMRL2011-13             |  |
| EPTC          | 0.1  | Turnip roots                                  | (18 March 2011)<br>EMRL2011-13             |  |
| Ethalfluralin | 0.05   | Dried dillweed leaves                         | (18 March 2011)<br>EMRL2011-13             |  |
| Ethalfluralin | 0.05   | Dry broadbeans                                | (18 March 2011)<br>EMRL2011-13             |  |
| Ethalfluralin | 0.05   | Dry field peas                                | (18 March 2011)<br>EMRL2011-13             |  |
| _uidiididiii  | 0.00   | Dry noid podo                                 | (18 March 2011)                            |  |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |   |  |
|--|-----------------------------------|---|---|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                            | MRL Established V                         |  |
| Ethalfluralin  | 0.05                              | Dry kidney beans                          | EMRL2011-13                               |  |
| Ethalfluralin  | 0.05                              | Dry lentils                               | (18 March 2011)<br>EMRL2011-13            |  |
| Ethalfluralin  | 0.05                              | Dry navy beans                            | (18 March 2011)<br>EMRL2011-13            |  |
|  |                                   | <u> </u>                                  | (18 March 2011)                           |  |
| Ethalfluralin  | 0.05                              | Dry soybeans                              | EMRL2011-13<br>(18 March 2011)            |  |
| Ethalfluralin  | 0.05                              | Fresh dillweed leaves                     | EMRL2011-13                               |  |
| Ethalfluralin  | 0.05                              | Mustard seeds (condiment type)            | (18 March 2011)<br>EMRL2011-13            |  |
| Ethalfluralin  | 0.05                              | Rapeseeds (canola)                        | (18 March 2011)<br>EMRL2011-13            |  |
|  | 0.05                              | Rapeseeus (canola)                        | (18 March 2011)                           |  |
| Ethalfluralin  | 0.05                              | Safflower seeds                           | EMRL2011-13<br>(18 March 2011)            |  |
| Ethalfluralin  | 0.05                              | Sunflower seeds                           | EMRL2011-13                               |  |
| Ethametsulfuron-methyl   | 0.05                              | Mustard seeds (condiment type)            | (18 March 2011)<br>EMRL2008-09            |  |
|  |                                   |   | (8 August 2008)                           |  |
| Ethametsulfuron-methyl   | 0.02                              | Oriental mustard seeds (oilseed type)     | EMRL2008-09<br>(8 August 2008)            |  |
| Ethametsulfuron-methyl   | 0.02                              | Rapeseeds (canola)                        | EMRL2008-02                               |  |
| Ethametsulfuron-methyl   | 0.02                              | Sunflower seeds                           | (9 July 2008)<br>EMRL2008-02              |  |
| Ethephon   | 3.0                               | Apples                                    | (9 July 2008)<br>Canada Gazette I         |  |
|  |                                   |   | Prior to 16 June 200                      |  |
| Ethephon   | 0.5                               | Barley                                    | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethephon   | 2.0                               | Barley milling fractions, excluding flour | Canada Gazette I                          |  |
| Ethephon   | 20                                | Blackberries                              | Prior to 16 June 200<br>Canada Gazette II |  |
| -<br>-<br>   | 10                                | Dhuckawies                                | Prior to 16 June 200                      |  |
| Ethephon   | 10                                | Blueberries                               | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethephon   | 0.5                               | Cantaloupes                               | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethephon   | 1.0                               | Citrus fruits                             | Canada Gazette II                         |  |
| Ethephon   | 2.0                               | Cranberries                               | Prior to 16 June 200<br>Canada Gazette II |  |
|  | 2.0                               | Fire                                      | Prior to 16 June 200                      |  |
| Ethephon   | 3.0                               | Figs                                      | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethephon   | 1.0                               | Grapes                                    | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethephon   | 3.0                               | Peppers                                   | Canada Gazette II                         |  |
| Ethephon   | 0.5                               | Pineapples                                | Prior to 16 June 200<br>Canada Gazette II |  |
|  |                                   |   | Prior to 16 June 200                      |  |
| Ethephon   | 5.0                               | Raisins                                   | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethephon   | 8.0                               | Sweet cherries                            | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethephon   | 2.0                               | Tart cherries                             | Canada Gazette II                         |  |
| Ethephon   | 2.0                               | Tomatoes                                  | Prior to 16 June 200<br>Canada Gazette II |  |
|  |                                   |   | Prior to 16 June 200                      |  |
| Ethephon   | 0.5                               | Wheat                                     | Canada Gazette I<br>Prior to 16 June 200  |  |
| Ethephon   | 2.0                               | Wheat milling fractions, excluding flour  | Canada Gazette I                          |  |
| Ethoxyquin   | 3.0                               | Pears                                     | Prior to 16 June 200<br>Canada Gazette I  |  |
| Ethylenebis-dithiocarbamate  | 7.0                               | Apples                                    | Prior to 16 June 200<br>Canada Gazette II |  |
| fungicides   |                                   |   | Prior to 16 June 200                      |  |
| Ethylenebis-dithiocarbamate fungicides   | 7.0                               | Broccoli                                  | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethylenebis-dithiocarbamate  | 7.0                               | Brussels sprouts                          | Canada Gazette II                         |  |
| fungicides<br>Ethylenebis-dithiocarbamate  | 7.0                               | Cabbages                                  | Prior to 16 June 200<br>Canada Gazette II |  |
| fungicides   |                                   | <u> </u>                                  | Prior to 16 June 200                      |  |
| Ethylenebis-dithiocarbamate fungicides   | 7.0                               | Cauliflower                               | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethylenebis-dithiocarbamate  | 5.0                               | Celery                                    | Canada Gazette I                          |  |
| fungicides<br>Ethylenebis-dithiocarbamate  | 4.0                               | Cucumbers                                 | Prior to 16 June 200<br>Canada Gazette I  |  |
| fungicides<br>Ethylenebis-dithiocarbamate  | 0.5                               | Dry bulb onions                           | Prior to 16 June 200<br>Canada Gazette II |  |
| fungicides   |                                   | ·   | Prior to 16 June 200                      |  |
| Ethylenebis-dithiocarbamate fungicides   | 7.0                               | Eggplants                                 | Canada Gazette II<br>Prior to 16 June 200 |  |
| Ethylenebis-dithiocarbamate  | 7.0                               | Endives                                   | Canada Gazette II                         |  |

|   |                                   | istinct table on the MRL webpage |   |
|---|-----------------------------------|----------------------------------|---|
| Common Name                               | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                   | MRL Established                         |
| Ethylenebis-dithiocarbamate fungicides    | 7.0                               | Grapes                           | Canada Gazette Prior to 16 June 20      |
| Ethylenebis-dithiocarbamate               | 7.0                               | Green onions                     | Canada Gazette                          |
| fungicides                                |                                   |                                  | Prior to 16 June 20                     |
| Ethylenebis-dithiocarbamate fungicides    | 6.0                               | Lentils                          | Canada Gazette Prior to 16 June 20      |
| Ethylenebis-dithiocarbamate               | 7.0                               | Lettuce                          | Canada Gazette                          |
| fungicides Ethylenebis-dithiocarbamate    | 7.0                               | Mushrooms                        | Prior to 16 June 20<br>Canada Gazette   |
| fungicides                                | 7.0                               | Musilioonis                      | Prior to 16 June 20                     |
| Ethylenebis-dithiocarbamate               | 7.0                               | Pears                            | Canada Gazette                          |
| fungicides<br>Ethylenebis-dithiocarbamate | 7.0                               | Peppers                          | Prior to 16 June 20<br>Canada Gazette   |
| fungicides                                | 1.0                               | ···                              | Prior to 16 June 20                     |
| Ethylenebis-dithiocarbamate fungicides    | 4.0                               | Tomatoes                         | Canada Gazette I<br>Prior to 16 June 20 |
| Etoxazole                                 | 0.01                              | Almonds                          | EMRL2010-11                             |
| Etoxazole                                 | 0.2                               | Apples                           | (15 September 201<br>EMRL2010-11        |
| Etoxazoio                                 | 0.2                               | Д                                | (15 September 201                       |
| Etoxazole                                 | 0.2                               | Asian pears                      | EMRL2010-11                             |
| Etoxazole                                 | 0.01                              | Beechnuts                        | (15 September 201<br>EMRL2010-11        |
| Etoxazole                                 | 0.01                              | Disability of the state          | (15 September 201<br>EMRL2010-11        |
| Etoxazole                                 | 0.01                              | Black walnuts                    | (15 September 201                       |
| Etoxazole                                 | 0.01                              | Brazil nuts                      | EMRL2010-11                             |
| Etoxazole                                 | 0.01                              | Butternuts                       | (15 September 201<br>EMRL2010-11        |
|   |                                   |                                  | (15 September 201                       |
| Etoxazole                                 | 0.01                              | Cashew nuts                      | EMRL2010-11<br>(15 September 201        |
| Etoxazole                                 | 0.01                              | Chestnuts                        | EMRL2010-11                             |
| Etoxazole                                 | 0.01                              | Chinquapins                      | (15 September 201<br>EMRL2010-11        |
|   |                                   |                                  | (15 September 201                       |
| Etoxazole                                 | 0.2                               | Crabapples                       | EMRL2010-11<br>(15 September 201        |
| Etoxazole                                 | 0.01                              | English walnuts                  | EMRL2010-11                             |
| Etoxazole                                 | 0.01                              | Filberts                         | (15 September 201<br>EMRL2010-11        |
|   | 0.01                              |                                  | (15 September 201                       |
| Etoxazole                                 | 0.5                               | Grapes                           | EMRL2010-11<br>(15 September 201        |
| Etoxazole                                 | 0.01                              | Hickory nuts                     | EMRL2010-11                             |
| Etoxazole                                 | 0.2                               | Loguete                          | (15 September 201<br>EMRL2010-11        |
| Etoxazole                                 | 0.2                               | Loquats                          | (15 September 201                       |
| Etoxazole                                 | 0.01                              | Macadamia nuts                   | EMRL2010-11                             |
| Etoxazole                                 | 0.2                               | Mayhaws                          | (15 September 201<br>EMRL2010-11        |
|   |                                   |                                  | (15 September 201                       |
| Etoxazole                                 | 0.2                               | Pears                            | EMRL2010-11<br>(15 September 201        |
| Etoxazole                                 | 0.01                              | Pecans                           | EMRL2010-11                             |
| Etoxazole                                 | 0.01                              | Pistachios                       | (15 September 201<br>EMRL2010-11        |
|   |                                   |                                  | (15 September 201                       |
| Etoxazole                                 | 0.2                               | Quinces                          | EMRL2010-11<br>(15 September 201        |
| Etoxazole                                 | 1.5                               | Raisins                          | EMRL2010-11                             |
| Etoxazole                                 | 0.5                               | Strawberries                     | (15 September 201<br>EMRL2010-11        |
|   |                                   |                                  | (15 September 201                       |
| Etoxazole                                 | 0.05                              | Undelinted cotton seeds          | EMRL2010-11<br>(15 September 201        |
| Famoxadone                                | 10                                | Blackberries                     | EMRL2009-05                             |
| Famoxadone                                | 0.02                              | Fat of cattle                    | (8 May 2009)<br>Canada Gazette I        |
| i amozadone                               |                                   |                                  | Prior to 16 June 20                     |
| Famoxadone                                | 0.02                              | Fat of goats                     | Canada Gazette I<br>Prior to 16 June 20 |
| Famoxadone                                | 0.02                              | Fat of horses                    | Canada Gazette I                        |
| Famovadana                                | 0.02                              | Ent of chann                     | Prior to 16 June 20                     |
| Famoxadone                                | 0.02                              | Fat of sheep                     | Canada Gazette I<br>Prior to 16 June 20 |
| Famoxadone                                | 0.05                              | Liver of cattle                  | Canada Gazette I                        |
| Famoxadone                                | 0.05                              | Liver of goats                   | Prior to 16 June 20 Canada Gazette I    |
|   |                                   | <u> </u>                         | Prior to 16 June 20                     |
| Famoxadone                                | 0.05                              | Liver of horses                  | Canada Gazette I<br>Prior to 16 June 20 |
| Famoxadone                                | 0.05                              | Liver of sheep                   | Canada Gazette I                        |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |   |
|---|-----------------------------------|--|---|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established V                         |
| Famoxadone  | 10                                | Loganberries   | EMRL2009-05<br>(8 May 2009)               |
| Famoxadone  | 0.06                              | Milk fat   | Canada Gazette II                         |
| Fomovodono  | 0.03                              | Detators   | Prior to 16 June 200                      |
| Famoxadone  | 0.02                              | Potatoes   | Canada Gazette II<br>Prior to 16 June 200 |
| Famoxadone  | 10                                | Raspberries  | EMRL2009-05                               |
| Famoxadone  | 1.0                               | Tomatoes   | (8 May 2009)<br>Canada Gazette II         |
|   |                                   |  | Prior to 16 June 200                      |
| Famoxadone  | 10                                | Wild raspberries                                     | EMRL2009-05<br>(8 May 2009)               |
| Fenamidone  | 0.15                              | Balsam apples  | EMRL2008-02                               |
| Fenamidone  | 0.15                              | Balsam pears   | (9 July 2008)<br>EMRL2008-02              |
|   |                                   | ·  | (9 July 2008)                             |
| Fenamidone  | 1.5                               | Beltsville bunching onions                           | EMRL2009-12<br>(10 June 2009)             |
| Fenamidone  | 0.15                              | Cantaloupes  | EMRL2008-02                               |
| Fenamidone  | 0.15                              | Chayote fruit  | (9 July 2008)<br>EMRL2008-02              |
| i enamidone   | 0.13                              |  | (9 July 2008)                             |
| Fenamidone  | 0.15                              | Chinese Cucumbers                                    | EMRL2008-02                               |
| Fenamidone  | 1.5                               | Chinese onions                                       | (9 July 2008)<br>EMRL2009-12              |
|   |                                   |  | (10 June 2009)                            |
| Fenamidone  | 0.15                              | Chinese waxgourds                                    | EMRL2008-02<br>(9 July 2008)              |
| Fenamidone  | 0.15                              | Citron melons  | EMRL2008-02                               |
| Fenamidone  | 0.15                              | Cucumbers  | (9 July 2008)<br>EMRL2008-02              |
|   | 0.10                              |  | (9 July 2008)                             |
| Fenamidone  | 0.2                               | Daylilies  | EMRL2009-12<br>(10 June 2009)             |
| Fenamidone  | 0.2                               | Dry bulb onions                                      | EMRL2008-02                               |
| Fenamidone  | 0.15                              | Edible gourde (other than those listed in this item) | (9 July 2008)<br>EMRL2008-02              |
| renamidone  | 0.15                              | Edible gourds (other than those listed in this item) | (9 July 2008)                             |
| Fenamidone  | 1.5                               | Elegans hosta  | EMRL2009-12                               |
| Fenamidone  | 1.5                               | Fresh Chinese chive leaves                           | (10 June 2009)<br>EMRL2009-12             |
|   |                                   |  | (10 June 2009)                            |
| Fenamidone  | 1.5                               | Fresh chive leaves                                   | EMRL2009-12<br>(10 June 2009)             |
| Fenamidone  | 1.5                               | Fresh onions   | EMRL2009-12                               |
| Fenamidone  | 0.2                               | Fritillaria bulbs                                    | (10 June 2009)<br>EMRL2009-12             |
|   |                                   |  | (10 June 2009)                            |
| Fenamidone  | 1.5                               | Fritillaria leaves                                   | EMRL2009-12<br>(10 June 2009)             |
| Fenamidone  | 0.2                               | Garlic   | EMRL2009-12                               |
| Fenamidone  | 1.0                               | Grapes   | (10 June 2009)<br>EMRL2008-02             |
| renamidone  | 1.0                               | Grapes   | (9 July 2008)                             |
| Fenamidone  | 0.2                               | Great headed garlic                                  | EMRL2009-12                               |
| Fenamidone  | 1.5                               | Green onions   | (10 June 2009)<br>EMRL2008-02             |
| Fenamidone  | 45                                | Llood lettuce  | (9 July 2008)<br>EMRL2008-02              |
| renamidone  | 15                                | Head lettuce   | (9 July 2008)                             |
| Fenamidone  | 1.5                               | Kurrats  | EMRL2009-12                               |
| Fenamidone  | 1.5                               | Lady's leeks   | (10 June 2009)<br>EMRL2009-12             |
|   |                                   |  | (10 June 2009)                            |
| Fenamidone  | 20                                | Leaf lettuce   | EMRL2008-02<br>(9 July 2008)              |
| Fenamidone  | 1.5                               | Leeks  | EMRL2009-12                               |
| Fenamidone  | 0.2                               | Lilies   | (10 June 2009)<br>EMRL2009-12             |
|   |                                   |  | (10 June 2009)                            |
| Fenamidone  | 1.5                               | Macrostem onions                                     | EMRL2009-12<br>(10 June 2009)             |
| Fenamidone  | 0.15                              | Muskmelons (other than those listed in this item)    | EMRL2008-02                               |
| Eonomidono  | 0.3                               | Poort coiona   | (9 July 2008)                             |
| Fenamidone  | 0.2                               | Pearl onions   | EMRL2009-12<br>(10 June 2009)             |
| Fenamidone  | 0.2                               | Potato onions  | EMRL2009-12                               |
| Fenamidone  | 0.02                              | Potatoes   | (10 June 2009)<br>Canada Gazette II       |
|   |                                   |  | Prior to 16 June 200                      |
| Fenamidone  | 0.15                              | Pumpkins   | EMRL2008-02<br>(9 July 2008)              |
| Fenamidone  | 0.2                               | Serpent garlic                                       | EMRL2009-12                               |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                             |                                       |
|--|-----------------------------------|-----------------------------|---------------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity              | MRL Established V                     |
| Fenamidone   | 0.2                               | Shallot bulbs               | EMRL2009-12                           |
| Fenamidone   | 1.5                               | Shallot leaves              | (10 June 2009)<br>EMRL2009-12         |
| Fenamidone   | 0.15                              | Summer squash               | (10 June 2009)<br>EMRL2008-02         |
| renamidone   | 0.15                              | Summer squasn               | (9 July 2008)                         |
| Fenamidone   | 2.2                               | Tomato paste                | EMRL2008-02                           |
| Fenamidone   | 2.0                               | Tomato purée                | (9 July 2008)<br>EMRL2008-02          |
| Fenamidone   | 1.0                               | Tomatoes                    | (9 July 2008)<br>EMRL2008-02          |
|  | 1.0                               |                             | (9 July 2008)                         |
| Fenamidone   | 1.5                               | Tree onion tops             | EMRL2009-12<br>(10 June 2009)         |
| Fenamidone   | 0.15                              | Watermelons                 | EMRL2008-02                           |
| Fenamidone   | 1.5                               | Welsh onion tops            | (9 July 2008)<br>EMRL2009-12          |
|  | -                                 | •                           | (10 June 2009)                        |
| Fenamidone   | 0.15                              | West Indian gherkins        | EMRL2008-02<br>(9 July 2008)          |
| Fenamidone   | 1.5                               | Wild leeks                  | EMRL2009-12                           |
| Fenamidone   | 0.15                              | Winter squash               | (10 June 2009)<br>EMRL2008-02         |
|  |                                   | ·                           | (9 July 2008)                         |
| Fenbuconazole  | 0.05                              | Almonds                     | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 0.4                               | Apples                      | EMRL2010-30                           |
| Fenbuconazole  | 0.3                               | Apricots                    | (1 October 2010)<br>Canada Gazette II |
| Fenbuconazole  | 0.3                               | Aronia berries              | Prior to 16 June 200<br>EMRL2010-30   |
| renbuconazole  | 0.3                               | Afolia bernes               | (1 October 2010)                      |
| Fenbuconazole  | 1.0                               | Australian desert limes     | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 1.0                               | Australian finger limes     | EMRL2010-30                           |
| Fenbuconazole  | 1.0                               | Australian round limes      | (1 October 2010)<br>EMRL2010-30       |
|  |                                   | D                           | (1 October 2010)                      |
| Fenbuconazole  | 1.0                               | Brown River finger limes    | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 0.3                               | Buffalo currants            | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 1.0                               | Calamondins                 | (1 October 2010)<br>EMRL2010-30       |
| Fenbuconazole  | 0.3                               | Chilean guavas              | (1 October 2010)<br>EMRL2010-30       |
|  |                                   |                             | (1 October 2010)                      |
| Fenbuconazole  | 1.0                               | Citrus citrons              | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 1.0                               | Citrus hybrids              | EMRL2010-30                           |
| Fenbuconazole  | 40                                | Citrus oil                  | (1 October 2010)<br>EMRL2010-30       |
| Fanhuananala   | 0.5                               | Crashawiaa                  | (1 October 2010)<br>EMRL2010-30       |
| Fenbuconazole  | 0.5                               | Cranberries                 | (1 October 2010)                      |
| Fenbuconazole  | 0.3                               | Currants                    | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 0.5                               | Dried prune plums           | Canada Gazette II                     |
| Fenbuconazole  | 0.3                               | Elderberries                | Prior to 16 June 200<br>EMRL2010-30   |
|  |                                   |                             | (1 October 2010)                      |
| Fenbuconazole  | 0.3                               | European barberries         | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 0.3                               | Gooseberries                | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 1.0                               | Grapefruits                 | (1 October 2010)<br>EMRL2010-30       |
| Fenbuconazole  | 0.3                               | Highbush blueberries        | (1 October 2010)<br>EMRL2010-30       |
|  |                                   |                             | (1 October 2010)                      |
| Fenbuconazole  | 0.3                               | Highbush cranberries        | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 0.3                               | Honeysuckle                 | EMRL2010-30                           |
| Fenbuconazole  | 0.3                               | Huckleberries               | (1 October 2010)<br>EMRL2010-30       |
|  |                                   |                             | (1 October 2010)                      |
| Fenbuconazole  | 1.0                               | Japanese summer grapefruits | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 0.3                               | Jostaberries                | EMRL2010-30<br>(1 October 2010)       |
| Fenbuconazole  | 1.0                               | Kumquats                    | EMRL2010-30                           |
| Fenbuconazole  | 1.0                               | Lemons                      | (1 October 2010)<br>EMRL2010-30       |
|  |                                   |                             | (1 October 2010)                      |
| Fenbuconazole  | 1.0                               | Limes                       | EMRL2010-30                           |

|                  |                                   | distinct table on the MRL webpage |  |
|------------------|-----------------------------------|-----------------------------------|--|
| Common Name      | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established \                        |
| Fenbuconazole    | 0.3                               | Lingonberries                     | EMRL2010-30                              |
| Fenbuconazole    | 0.3                               | Lowbush blueberries               | (1 October 2010)<br>EMRL2010-30          |
| Fenbuconazole    | 1.0                               | Mediterranean mandarins           | (1 October 2010)<br>EMRL2010-30          |
| renduconazole    | 1.0                               | wediterranean mandarins           | (1 October 2010)                         |
| Fenbuconazole    | 1.0                               | Mount White limes                 | EMRL2010-30                              |
| Fenbuconazole    | 0.3                               | Native currants                   | (1 October 2010)<br>EMRL2010-30          |
| Fenbuconazole    | 1.0                               | New Guinea wild limes             | (1 October 2010)<br>EMRL2010-30          |
| i elibucoliazole | 1.0                               | New Guillea wild liftles          | (1 October 2010)                         |
| Fenbuconazole    | 1.0                               | Oranges                           | EMRL2010-30<br>(1 October 2010)          |
| Fenbuconazole    | 0.5                               | Peaches/nectarines                | Canada Gazette I                         |
| Fenbuconazole    | 0.1                               | Peanuts                           | Prior to 16 June 200<br>EMRL2010-30      |
|                  |                                   |                                   | (1 October 2010)                         |
| Fenbuconazole    | 0.1                               | Plums                             | Canada Gazette I<br>Prior to 16 June 200 |
| Fenbuconazole    | 0.1                               | Prune plums                       | Canada Gazette I                         |
| Fenbuconazole    | 1.0                               | Pummelos                          | Prior to 16 June 200<br>EMRL2010-30      |
| Control          | 4.0                               | Duncall Divariance                | (1 October 2010)                         |
| Fenbuconazole    | 1.0                               | Russell River limes               | EMRL2010-30<br>(1 October 2010)          |
| Fenbuconazole    | 0.3                               | Salal berries                     | EMRL2010-30<br>(1 Octobor 2010)          |
| Fenbuconazole    | 0.3                               | Saskatoon berries (juneberries)   | (1 October 2010)<br>EMRL2010-30          |
| Fenbuconazole    | 1.0                               | Satsuma mandarins                 | (1 October 2010)<br>EMRL2010-30          |
|                  | 1.0                               |                                   | (1 October 2010)                         |
| Fenbuconazole    | 0.3                               | Sea buckthorn                     | EMRL2010-30<br>(1 October 2010)          |
| Fenbuconazole    | 0.8                               | Sweet cherries                    | Canada Gazette I                         |
| Fenbuconazole    | 1.0                               | Sweet limes                       | Prior to 16 June 200<br>EMRL2010-30      |
| Fashusanasala    | 1.0                               | Tookibana aranga                  | (1 October 2010)                         |
| Fenbuconazole    | 1.0                               | Tachibana oranges                 | EMRL2010-30<br>(1 October 2010)          |
| Fenbuconazole    | 1.0                               | Tahiti limes                      | EMRL2010-30<br>(1 October 2010)          |
| Fenbuconazole    | 1.0                               | Tangelos                          | EMRL2010-30                              |
| Fenbuconazole    | 1.0                               | Tangerines                        | (1 October 2010)<br>EMRL2010-30          |
|                  | ·                                 |                                   | (1 October 2010)                         |
| Fenbuconazole    | 1.0                               | Tangors                           | EMRL2010-30<br>(1 October 2010)          |
| Fenbuconazole    | 0.8                               | Tart cherries                     | Canada Gazette I                         |
| Fenbuconazole    | 1.0                               | Trifoliate oranges                | Prior to 16 June 200<br>EMRL2010-30      |
| Fenbuconazole    | 1.0                               | Llain fusite                      | (1 October 2010)                         |
| renduconazole    | 1.0                               | Uniq fruits                       | EMRL2010-30<br>(1 October 2010)          |
| Fenbutatin oxide | 3.0                               | Apples                            | Canada Gazette I<br>Prior to 16 June 200 |
| Fenbutatin oxide | 2.0                               | Citrus fruits                     | Canada Gazette I                         |
| Fenbutatin oxide | 0.5                               | Cucumbers                         | Prior to 16 June 200<br>Canada Gazette I |
|                  |                                   |                                   | Prior to 16 June 200                     |
| Fenbutatin oxide | 3.0                               | Pears                             | Canada Gazette I<br>Prior to 16 June 20  |
| Fenbutatin oxide | 0.5                               | Tomatoes                          | Canada Gazette I                         |
| Fenhexamid       | 0.02                              | Almonds                           | Prior to 16 June 200<br>Canada Gazette I |
| Fenhexamid       | 6.0                               | Anrianto                          | Prior to 16 June 200<br>Canada Gazette I |
| rennexamiu       | 6.0                               | Apricots                          | Prior to 16 June 200                     |
| Fenhexamid       | 20                                | Blackberries                      | Canada Gazette I<br>Prior to 16 June 200 |
| Fenhexamid       | 4.0                               | Blueberries                       | EMRL2008-01                              |
| Fenhexamid       | 6.0                               | Cherries                          | (9 July 2008)<br>Canada Gazette I        |
|                  |                                   |                                   | Prior to 16 June 200                     |
| Fenhexamid       | 4.0                               | Currants                          | EMRL2008-01<br>(9 July 2008)             |
| Fenhexamid       | 4.0                               | Elderberries                      | EMRL2008-01                              |
| Fenhexamid       | 0.3                               | Ginseng roots                     | (9 July 2008)<br>EMRL2008-02             |
| Fenhexamid       | 4.0                               | Gooseberries                      | (9 July 2008)<br>EMRL2008-01             |
| i ennexaniiu     | 4.0                               | Goosebernes                       | (9 July 2008)                            |
| Fenhexamid       | 4.0                               | Grapes                            | Canada Gazette I                         |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Established |                        |                    |   |
|--|------------------------|--------------------|---|
| Common Name  | Residue Limit<br>(ppm) | Pood commonty      | WINE Established V                        |
| Fenhexamid   | 23                     | Head lettuce       | EMRL2008-01<br>(9 July 2008)              |
| Fenhexamid   | 4.0                    | Huckleberries      | EMRL2008-01                               |
| Fenhexamid   | 23                     | Leaf lettuce       | (9 July 2008)<br>EMRL2008-01              |
| Fenhexamid   | 20                     | Loganberries       | (9 July 2008)<br>Canada Gazette II        |
| Fenhexamid   | 6.0                    | Peaches/nectarines | Prior to 16 June 200<br>Canada Gazette II |
|  |                        |                    | Prior to 16 June 200                      |
| Fenhexamid   | 0.5                    | Plums              | Canada Gazette II<br>Prior to 16 June 200 |
| Fenhexamid   | 6.0                    | Raisins            | Canada Gazette II<br>Prior to 16 June 200 |
| Fenhexamid   | 20                     | Raspberries        | Canada Gazette II<br>Prior to 16 June 200 |
| Fenhexamid   | 3.0                    | Strawberries       | Canada Gazette II<br>Prior to 16 June 200 |
| Fenhexamid   | 1.0                    | Tomatoes           | EMRL2008-01                               |
| Fenoxaprop-ethyl   | 0.05                   | Barley             | (9 July 2008)<br>EMRL2011-13              |
| Fenoxaprop-ethyl   | 0.05                   | Dry soybeans       | (18 March 2011)<br>EMRL2011-13            |
| Fenoxaprop-ethyl   | 0.02                   | Milk               | (18 March 2011)<br>Canada Gazette II      |
| Fenoxaprop-ethyl   | 0.05                   | Wheat              | Prior to 16 June 200<br>EMRL2011-13       |
| ,  |                        |                    | (18 March 2011)                           |
| Ferbam   | 7.0                    | Apples             | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Apricots           | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Asparagus          | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Beans              | Canada Gazette II                         |
| Ferbam   | 7.0                    | Beets              | Prior to 16 June 200<br>Canada Gazette II |
| Ferbam   | 7.0                    | Blackberries       | Prior to 16 June 200<br>Canada Gazette II |
| Ferbam   | 7.0                    | Blackeyed peas     | Prior to 16 June 200<br>Canada Gazette II |
| Ferbam   | 7.0                    | Blueberries        | Prior to 16 June 200<br>Canada Gazette II |
| Ferbam   | 7.0                    | Broccoli           | Prior to 16 June 200 Canada Gazette II    |
|  |                        |                    | Prior to 16 June 200                      |
| Ferbam   | 7.0                    | Brussels sprouts   | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Cabbages           | Canada Gazette II Prior to 16 June 200    |
| Ferbam   | 7.0                    | Carrots            | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Cauliflower        | Canada Gazette II Prior to 16 June 200    |
| Ferbam   | 7.0                    | Celery             | Canada Gazette II                         |
| Ferbam   | 7.0                    | Cherries           | Prior to 16 June 200 Canada Gazette II    |
| Ferbam   | 7.0                    | Collards           | Prior to 16 June 200<br>Canada Gazette II |
| Ferbam   | 7.0                    | Corn               | Prior to 16 June 200<br>Canada Gazette II |
|  |                        |                    | Prior to 16 June 200                      |
| Ferbam   | 7.0                    | Cranberries        | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Cucumbers          | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Currants           | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Dates              | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Eggplants          | Canada Gazette II                         |
| Ferbam   | 7.0                    | Fresh prunes       | Prior to 16 June 200 Canada Gazette II    |
| Ferbam   | 7.0                    | Gooseberries       | Prior to 16 June 200<br>Canada Gazette II |
| Ferbam   | 7.0                    | Grapes             | Prior to 16 June 200<br>Canada Gazette II |
|  | 7.0                    | ·                  | Prior to 16 June 200 Canada Gazette II    |
| Ferbam   |                        | Guavas             | Prior to 16 June 200                      |
| Ferbam   | 7.0                    | Huckleberries      | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                    | Kale               | Canada Gazette II<br>Prior to 16 June 200 |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                           |   |
|--|-----------------------------------|---------------------------|---|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity            | MRL Established V                         |
| Ferbam   | 7.0                               | Kohlrabi                  | Canada Gazette II Prior to 16 June 200    |
| Ferbam   | 7.0                               | Lettuce                   | Canada Gazette II                         |
| Corbons.   | 7.0                               | Laganhawiaa               | Prior to 16 June 200                      |
| Ferbam   | 7.0                               | Loganberries              | Canada Gazette II Prior to 16 June 200    |
| Ferbam   | 7.0                               | Mangoes                   | Canada Gazette II                         |
| Ferbam   | 7.0                               | Melons                    | Prior to 16 June 200<br>Canada Gazette II |
| Forthorn   | 7.0                               | Mustard groups            | Prior to 16 June 200                      |
| Ferbam   | 7.0                               | Mustard greens            | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                               | Onions                    | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                               | Papayas                   | Canada Gazette II                         |
| Ferbam   | 7.0                               | Peaches/nectarines        | Prior to 16 June 200<br>Canada Gazette II |
|  |                                   |                           | Prior to 16 June 200                      |
| Ferbam   | 7.0                               | Peanuts                   | Canada Gazette II Prior to 16 June 200    |
| Ferbam   | 7.0                               | Pears                     | Canada Gazette II                         |
| Ferbam   | 7.0                               | Peas                      | Prior to 16 June 200<br>Canada Gazette II |
|  |                                   |                           | Prior to 16 June 200                      |
| Ferbam   | 7.0                               | Peppers                   | Canada Gazette II Prior to 16 June 200    |
| Ferbam   | 7.0                               | Plums                     | Canada Gazette II                         |
| Ferbam   | 7.0                               | Pumpkins                  | Prior to 16 June 200<br>Canada Gazette II |
|  |                                   | <u> </u>                  | Prior to 16 June 200                      |
| Ferbam   | 7.0                               | Quinces                   | Canada Gazette II Prior to 16 June 200    |
| Ferbam   | 7.0                               | Radishes                  | Canada Gazette II                         |
| Ferbam   | 7.0                               | Raspberries               | Prior to 16 June 200<br>Canada Gazette II |
| Ferbam   | 7.0                               | Rutabagas                 | Prior to 16 June 200<br>Canada Gazette II |
| i eibaili  |                                   | Kulabayas                 | Prior to 16 June 200                      |
| Ferbam   | 7.0                               | Spinach                   | Canada Gazette II Prior to 16 June 200    |
| Ferbam   | 7.0                               | Squash                    | Canada Gazette II                         |
| Ferbam   | 7.0                               | Strawberries              | Prior to 16 June 200<br>Canada Gazette II |
| F. d   | 7.0                               | Ourse on Onwest           | Prior to 16 June 200                      |
| Ferbam   | 7.0                               | Summer Squash             | Canada Gazette II<br>Prior to 16 June 200 |
| Ferbam   | 7.0                               | Tomatoes                  | Canada Gazette II                         |
| Ferbam   | 7.0                               | Turnips                   | Prior to 16 June 200<br>Canada Gazette II |
| Florasulam   | 0.01                              | Rarlov                    | Prior to 16 June 200<br>Canada Gazette II |
|  |                                   | Barley                    | Prior to 16 June 200                      |
| Florasulam   | 0.01                              | Oats                      | Canada Gazette II<br>Prior to 16 June 200 |
| Florasulam   | 0.01                              | Wheat                     | Canada Gazette II                         |
| Fluazifop-butyl  | 0.05                              | Apricots                  | Prior to 16 June 200<br>EMRL2011-13       |
|  |                                   |                           | (18 March 2011)                           |
| Fluazifop-butyl  | 0.1                               | Blueberries               | Canada Gazette II<br>Prior to 16 June 200 |
| Fluazifop-butyl  | 0.05                              | Eggs                      | Canada Gazette II                         |
| Fluazifop-butyl  | 0.05                              | Fat of cattle             | Prior to 16 June 200<br>Canada Gazette II |
| Fluazifop-butyl  | 0.05                              | Fat of goats              | Prior to 16 June 200<br>Canada Gazette II |
|  |                                   |                           | Prior to 16 June 200                      |
| Fluazifop-butyl  | 0.05                              | Fat of hogs               | Canada Gazette II Prior to 16 June 200    |
| Fluazifop-butyl  | 0.05                              | Fat of horses             | Canada Gazette II                         |
| Fluazifop-butyl  | 0.05                              | Fat of poultry            | Prior to 16 June 200<br>Canada Gazette II |
|  |                                   | · · ·                     | Prior to 16 June 200                      |
| Fluazifop-butyl  | 0.05                              | Fat of sheep              | Canada Gazette II<br>Prior to 16 June 200 |
| Fluazifop-butyl  | 0.2                               | Flax                      | Canada Gazette II                         |
| Fluazifop-butyl  | 0.03                              | Grapes                    | Prior to 16 June 200<br>EMRL2008-02       |
| Fluazifop-butyl  | 0.05                              | Meat byproducts of cattle | (9 July 2008)<br>Canada Gazette II        |
|  |                                   |                           | Prior to 16 June 200                      |
| Fluazifop-butyl  | 0.05                              | Meat byproducts of goats  | Canada Gazette II Prior to 16 June 200    |
| Fluazifop-butyl  | 0.05                              | Meat byproducts of hogs   | Canada Gazette II                         |

|                 |                                   | distinct table on the MRL webpage |  |
|-----------------|-----------------------------------|-----------------------------------|--|
| Common Name     | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established \                        |
| Fluazifop-butyl | 0.05                              | Meat byproducts of horses         | Canada Gazette I                         |
| Fluazifop-butyl | 0.05                              | Meat byproducts of poultry        | Prior to 16 June 20 Canada Gazette I     |
| Fluazifop-butyl | 0.05                              | Meat byproducts of sheep          | Prior to 16 June 20 Canada Gazette I     |
|                 |                                   |                                   | Prior to 16 June 20                      |
| Fluazifop-butyl | 0.05                              | Meat of cattle                    | Canada Gazette I<br>Prior to 16 June 20  |
| Fluazifop-butyl | 0.05                              | Meat of goats                     | Canada Gazette I                         |
| Fluazifop-butyl | 0.05                              | Meat of hogs                      | Prior to 16 June 20 Canada Gazette I     |
| Fluazifop-butyl | 0.05                              | Meat of horses                    | Prior to 16 June 20<br>Canada Gazette I  |
|                 | 0.05                              |                                   | Prior to 16 June 200                     |
| Fluazifop-butyl | 0.05                              | Meat of poultry                   | Canada Gazette I<br>Prior to 16 June 20  |
| Fluazifop-butyl | 0.05                              | Meat of sheep                     | Canada Gazette I                         |
| Fluazifop-butyl | 0.01                              | Milk                              | Prior to 16 June 20 Canada Gazette I     |
| , ,             |                                   |                                   | Prior to 16 June 200                     |
| Fluazifop-butyl | 0.3                               | Mustard                           | Canada Gazette I<br>Prior to 16 June 200 |
| Fluazifop-butyl | 0.05                              | Nectarines                        | EMRL2011-13                              |
| Fluazifop-butyl | 0.05                              | Peaches                           | (18 March 2011)<br>EMRL2011-13           |
| Fluazifop-butyl | 0.05                              | Plumcots                          | (18 March 2011)<br>EMRL2011-13           |
|                 |                                   |                                   | (18 March 2011)                          |
| Fluazifop-butyl | 0.05                              | Plums                             | EMRL2011-13<br>(18 March 2011)           |
| Fluazifop-butyl | 0.05                              | Prune plums                       | EMRL2011-13                              |
| Fluazifop-butyl | 0.2                               | Solin                             | (18 March 2011)<br>Canada Gazette I      |
| Fluazifop-butyl | 1.0                               | Soybeans                          | Prior to 16 June 200<br>Canada Gazette I |
|                 |                                   |                                   | Prior to 16 June 200                     |
| Fluazifop-butyl | 1.0                               | Strawberries                      | Canada Gazette I<br>Prior to 16 June 200 |
| Fluazifop-butyl | 0.05                              | Sweet cherries                    | EMRL2011-13                              |
| Fluazifop-butyl | 0.05                              | Tart cherries                     | (18 March 2011)<br>EMRL2011-13           |
| Fluazinam       | 7.0                               | Aronia berries                    | (18 March 2011)<br>EMRL2010-09           |
|                 |                                   |                                   | (26 July 2010)                           |
| Fluazinam       | 0.01                              | Bok choy Chinese cabbages         | EMRL2010-09<br>(26 July 2010)            |
| Fluazinam       | 0.01                              | Broccoli                          | EMRL2010-09                              |
| Fluazinam       | 0.01                              | Broccoli raab                     | (26 July 2010)<br>EMRL2010-09            |
| Fluesiaem       | 0.04                              | Druggele appoints                 | (26 July 2010)<br>EMRL2010-09            |
| Fluazinam       | 0.01                              | Brussels sprouts                  | (26 July 2010)                           |
| Fluazinam       | 7.0                               | Buffalo currants                  | EMRL2010-09<br>(26 July 2010)            |
| Fluazinam       | 0.01                              | Cabbages                          | EMRL2010-09                              |
| Fluazinam       | 0.01                              | Cauliflower                       | (26 July 2010)<br>EMRL2010-09            |
|                 |                                   |                                   | (26 July 2010)                           |
| Fluazinam       | 7.0                               | Chilean guavas                    | EMRL2010-09<br>(26 July 2010)            |
| Fluazinam       | 0.01                              | Chinese broccoli                  | EMRL2010-09<br>(26 July 2010)            |
| Fluazinam       | 0.01                              | Chinese mustard cabbages          | EMRL2010-09                              |
| Fluazinam       | 0.01                              | Collards                          | (26 July 2010)<br>EMRL2010-09            |
|                 |                                   |                                   | (26 July 2010)                           |
| Fluazinam       | 7.0                               | Currants                          | EMRL2010-09<br>(26 July 2010)            |
| Fluazinam       | 0.02                              | Dry adzuki beans                  | EMRL2011-09<br>(16 March 2011)           |
| Fluazinam       | 0.02                              | Dry beans                         | EMRL2011-09                              |
| Fluazinam       | 0.02                              | Dry blackeyed peas                | (16 March 2011)<br>EMRL2011-09           |
|                 |                                   |                                   | (16 March 2011)                          |
| Fluazinam       | 0.02                              | Dry broad beans                   | EMRL2011-09<br>(16 March 2011)           |
| Fluazinam       | 0.02                              | Dry catjang seeds                 | EMRL2011-09                              |
| Fluazinam       | 0.02                              | Dry chickpea seeds                | (16 March 2011)<br>EMRL2011-09           |
| Fluazinam       | 0.02                              | Dry cowpea seeds                  | (16 March 2011)<br>EMRL2011-09           |
|                 | 0.02                              |                                   | (16 March 2011)                          |
| Fluazinam       | 0.02                              | Dry guar seeds                    | EMRL2011-09                              |

|             |                                   | distinct table on the MRL webpage |                                  |
|-------------|-----------------------------------|-----------------------------------|----------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                  |
| Fluazinam   | 0.02                              | Dry kidney beans                  | EMRL2011-09<br>(16 March 2011)   |
| Fluazinam   | 0.02                              | Dry lablab beans                  | EMRL2011-09                      |
| Fluazinam   | 0.02                              | Dry lima beans                    | (16 March 2011)<br>EMRL2011-09   |
|             |                                   | <u> </u>                          | (16 March 2011)                  |
| Fluazinam   | 0.02                              | Dry moth beans                    | EMRL2011-09<br>(16 March 2011)   |
| Fluazinam   | 0.02                              | Dry mung beans                    | EMRL2011-09                      |
| Fluazinam   | 0.02                              | Dry navy beans                    | (16 March 2011)<br>EMRL2011-09   |
| Fluazinam   | 0.02                              | Dry pink beans                    | (16 March 2011)<br>EMRL2011-09   |
| Fluazinam   | 0.02                              | Dry pinto beans                   | (16 March 2011)<br>EMRL2011-09   |
|             |                                   |                                   | (16 March 2011)                  |
| Fluazinam   | 0.02                              | Dry rice beans                    | EMRL2011-09<br>(16 March 2011)   |
| Fluazinam   | 0.02                              | Dry southern peas                 | EMRL2011-09                      |
| Fluazinam   | 0.02                              | Dry tepary beans                  | (16 March 2011)<br>EMRL2011-09   |
| Fluazinam   | 0.02                              | Dry urd beans                     | (16 March 2011)<br>EMRL2011-09   |
|             |                                   | ·                                 | (16 March 2011)                  |
| Fluazinam   | 0.1                               | Edible-podded jackbeans           | EMRL2010-22<br>(24 September 201 |
| Fluazinam   | 0.1                               | Edible-podded moth beans          | EMRL2010-22                      |
| Fluazinam   | 0.1                               | Edible-podded runner beans        | (24 September 201<br>EMRL2010-22 |
| Fluazinam   | 0.1                               | Edible-podded snap beans          | (24 September 201<br>EMRL2010-22 |
|             |                                   |                                   | (24 September 201                |
| Fluazinam   | 0.1                               | Edible-podded soybeans            | EMRL2010-22<br>(24 September 201 |
| Fluazinam   | 0.1                               | Edible-podded sword beans         | EMRL2010-22<br>(24 September 201 |
| Fluazinam   | 0.1                               | Edible-podded wax beans           | EMRL2010-22                      |
| Fluazinam   | 0.1                               | Edible-podded yardlong beans      | (24 September 201<br>EMRL2010-22 |
| Fluazinam   | 7.0                               | Elderberries                      | (24 September 201<br>EMRL2010-09 |
|             |                                   |                                   | (26 July 2010)                   |
| Fluazinam   | 7.0                               | European barberries               | EMRL2010-09<br>(26 July 2010)    |
| Fluazinam   | 7.0                               | Gooseberries                      | EMRL2010-09                      |
| Fluazinam   | 0.02                              | Grain Iupin                       | (26 July 2010)<br>EMRL2011-09    |
| Fluazinam   | 7.0                               | Highbush blueberries              | (16 March 2011)<br>EMRL2010-09   |
|             |                                   | <u> </u>                          | (26 July 2010)                   |
| Fluazinam   | 7.0                               | Highbush cranberries              | EMRL2010-09<br>(26 July 2010)    |
| Fluazinam   | 7.0                               | Honeysuckle                       | EMRL2010-09<br>(26 July 2010)    |
| Fluazinam   | 7.0                               | Huckleberries                     | EMRL2010-09                      |
| Fluazinam   | 7.0                               | Jostaberries                      | (26 July 2010)<br>EMRL2010-09    |
|             | 0.04                              | Kala                              | (26 July 2010)                   |
| Fluazinam   | 0.01                              | Kale                              | EMRL2010-09<br>(26 July 2010)    |
| Fluazinam   | 0.01                              | Kohlrabi                          | EMRL2010-09<br>(26 July 2010)    |
| Fluazinam   | 7.0                               | Lingonberries                     | EMRL2010-09                      |
| Fluazinam   | 7.0                               | Lowbush blueberries               | (26 July 2010)<br>EMRL2010-09    |
| Fluazinam   | 0.01                              | Mustard greens                    | (26 July 2010)<br>EMRL2010-09    |
|             |                                   | •                                 | (26 July 2010)                   |
| Fluazinam   | 0.01                              | Mustard spinach                   | EMRL2010-09<br>(26 July 2010)    |
| Fluazinam   | 0.01                              | Napa Chinese cabbages             | EMRL2010-09                      |
| Fluazinam   | 7.0                               | Native currants                   | (26 July 2010)<br>EMRL2010-09    |
| Fluazinam   | 0.02                              | Potatoes                          | (26 July 2010)<br>EMRL2009-07    |
|             |                                   |                                   | (5 June 2009)                    |
| Fluazinam   | 0.01                              | Rape greens                       | EMRL2010-09<br>(26 July 2010)    |
| Fluazinam   | 7.0                               | Salal berries                     | EMRL2010-09<br>(26 July 2010)    |
| Fluazinam   | 7.0                               | Saskatoon berries (juneberries)   | EMRL2010-09                      |
| Fluazinam   | 7.0                               | Sea buckthorn                     | (26 July 2010)<br>EMRL2010-09    |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |   |
|--|-----------------------------------|--|---|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                           | MRL Established Vi                            |
| Fluazuron  | 7.0                               | Fat of cattle                            | Canada Gazette II                             |
| Fluazuron  | 0.5                               | Meat byproducts of cattle                | Prior to 16 June 2008 Canada Gazette II       |
| Flucarbazone-sodium  | 0.01                              | Eggs                                     | Prior to 16 June 2008<br>EMRL2009-11          |
| Flucarbazone-sodium  | 0.05                              | Liver of cattle                          | (5 June 2009)<br>EMRL2009-11                  |
| Flucarbazone-sodium  | 0.05                              | Liver of goats                           | (5 June 2009)<br>EMRL2009-11                  |
| Flucarbazone-sodium  | 0.05                              | Liver of hogs                            | (5 June 2009)<br>EMRL2009-11                  |
| Flucarbazone-sodium  | 0.05                              | Liver of horses                          | (5 June 2009)<br>EMRL2009-11                  |
|  | 0.05                              |  | (5 June 2009)<br>EMRL2009-11                  |
| Flucarbazone-sodium  |                                   | Liver of sheep                           | (5 June 2009)                                 |
| Flucarbazone-sodium  | 0.01                              | Meat byproducts (except liver) of cattle | EMRL2009-11<br>(5 June 2009)                  |
| Flucarbazone-sodium  | 0.01                              | Meat byproducts (except liver) of goats  | EMRL2009-11<br>(5 June 2009)                  |
| Flucarbazone-sodium  | 0.01                              | Meat byproducts (except liver) of hogs   | EMRL2009-11<br>(5 June 2009)                  |
| Flucarbazone-sodium  | 0.01                              | Meat byproducts (except liver) of horses | (5 June 2009)<br>EMRL2009-11<br>(5 June 2009) |
| Flucarbazone-sodium  | 0.01                              | Meat byproducts (except liver) of sheep  | ÈMRL2009-11                                   |
| Flucarbazone-sodium  | 0.01                              | Meat byproducts of poultry               | (5 June 2009)<br>EMRL2009-11                  |
| Flucarbazone-sodium  | 0.01                              | Meat of cattle                           | (5 June 2009)<br>EMRL2009-11                  |
| Flucarbazone-sodium  | 0.01                              | Meat of goats                            | (5 June 2009)<br>EMRL2009-11                  |
| Flucarbazone-sodium  | 0.01                              |  | (5 June 2009)<br>EMRL2009-11                  |
|  |                                   | Meat of hogs                             | (5 June 2009)                                 |
| Flucarbazone-sodium  | 0.01                              | Meat of horses                           | EMRL2009-11<br>(5 June 2009)                  |
| Flucarbazone-sodium  | 0.01                              | Meat of poultry                          | EMRL2009-11<br>(5 June 2009)                  |
| Flucarbazone-sodium  | 0.01                              | Meat of sheep                            | EMRL2009-11<br>(5 June 2009)                  |
| Flucarbazone-sodium  | 0.0025                            | Milk                                     | EMRL2009-11<br>(5 June 2009)                  |
| Flucarbazone-sodium  | 0.01                              | Wheat                                    | Canada Gazette II Prior to 16 June 2008       |
| Flucythrinate  | 0.1                               | Milk                                     | Canada Gazette II                             |
| Fludioxonil  | 0.02                              | Allspice                                 | Prior to 16 June 2008<br>EMRL2008-02          |
| Fludioxonil  | 30                                | Amaranth                                 | (9 July 2008)<br>EMRL2008-22                  |
| Fludioxonil  | 0.02                              | Angelica                                 | (3 September 2008)<br>EMRL2008-02             |
| Fludioxonil  | 0.02                              | Anise hyssop leaves                      | (9 July 2008)<br>EMRL2008-02                  |
| Fludioxonil  | 0.02                              | Anise seeds                              | (9 July 2008)<br>EMRL2008-02                  |
|  |                                   |  | (9 July 2008)                                 |
| Fludioxonil  | 0.02                              | Anise star                               | EMRL2008-02<br>(9 July 2008)                  |
| Fludioxonil  | 0.02                              | Annatto seeds                            | EMRL2008-02<br>(9 July 2008)                  |
| Fludioxonil  | 5.0                               | Apples                                   | EMRL2008-12<br>(6 August 2008)                |
| Fludioxonil  | 5.0                               | Apricots                                 | EMRL2008-12<br>(6 August 2008)                |
| Fludioxonil  | 0.02                              | Arracacha                                | EMRL2008-02                                   |
| Fludioxonil  | 0.02                              | Arrowroot                                | (9 July 2008)<br>EMRL2008-02                  |
| Fludioxonil  | 30                                | Arugula                                  | (9 July 2008)<br>EMRL2008-22                  |
| Fludioxonil  | 5.0                               | Asian pears                              | (3 September 2008)<br>EMRL2008-12             |
| Fludioxonil  | 0.01                              | Balsam apples                            | (6 August 2008)<br>EMRL2008-02                |
| Fludioxonil  | 0.01                              | Balsam pears                             | (9 July 2008)<br>EMRL2008-02                  |
|  |                                   | ·  | (9 July 2008)                                 |
| Fludioxonil  | 0.02                              | Barley                                   | EMRL2008-02<br>(9 July 2008)                  |
| Fludioxonil  | 0.01                              | Bell peppers                             | EMRL2008-02<br>(9 July 2008)                  |
| Fludioxonil  | 0.02                              | Black caraway seeds                      | EMRL2008-02<br>(9 July 2008)                  |
| Fludioxonil  | 0.02                              | Black pepper                             | EMRL2008-02<br>(9 July 2008)                  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                           |                              |
|---|-----------------------------------|---------------------------|------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity            | MRL Established              |
| Fludioxonil   | 0.02                              | Black salsify roots       | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Black salsify tops        | (9 July 2008)<br>EMRL2008-02 |
| Elizaberra di   | 4.0                               | Disable and a             | (9 July 2008)                |
| Fludioxonil   | 4.2                               | Blackberries              | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 2.0                               | Blueberries               | EMRL2008-02                  |
| Fludioxonil   | 0.01                              | Bok choy Chinese cabbages | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Fludioxonil   | 0.01                              | Broccoli                  | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.01                              | Broccoli raab             | EMRL2008-02                  |
| Fludiavasil   | 0.04                              | Divince le coverite       | (9 July 2008)                |
| Fludioxonil   | 0.01                              | Brussels sprouts          | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.02                              | Buckwheat                 | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Burnet leaves             | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Fludioxonil   | 2.0                               | Cabbages                  | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 10                                | Calamondins               | EMRL2008-15                  |
| Fludioxonil   | 0.00                              | Composile                 | (29 August 2008              |
| Fludioxonii   | 0.02                              | Camomile                  | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.01                              | Cantaloupes               | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Caper buds                | (9 July 2008)<br>EMRL2008-02 |
|   |                                   | <u> </u>                  | (9 July 2008)                |
| Fludioxonil   | 0.02                              | Caraway seeds             | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.02                              | Cardamom amomum seeds     | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Cardamom seeds            | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Fludioxonil   | 0.01                              | Cardoon                   | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.75                              | Carrot roots              | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Cassava leaves            | (9 July 2008)                |
| Fludioxofili  | 0.02                              | Cassava leaves            | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.02                              | Cassava roots             | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Cassia                    | (9 July 2008)<br>EMRL2008-02 |
| Elizaberra di   | 0.00                              | Ontri                     | (9 July 2008)                |
| Fludioxonil   | 0.02                              | Catnip                    | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.01                              | Cauliflower               | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Celeriac roots            | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Fludioxonil   | 0.02                              | Celeriac tops             | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.01                              | Celery                    | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Celery seeds              | (9 July 2008)<br>EMRL2008-02 |
|   |                                   | <u> </u>                  | (9 July 2008)                |
| Fludioxonil   | 0.01                              | Celtuce                   | EMRL2008-02                  |
| Fludioxonil   | 0.01                              | Chayote fruit             | (9 July 2008)<br>EMRL2008-02 |
| Eludiossasil  | 0.02                              | Chayata vasta             | (9 July 2008)                |
| Fludioxonil   | 0.02                              | Chayote roots             | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.02                              | Chicory roots             | EMRL2008-02                  |
| Fludioxonil   | 0.02                              | Chicory tops              | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Fludioxonil   | 0.02                              | Chinese artichokes        | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.01                              | Chinese broccoli          | EMRL2008-02                  |
| Fludioxonil   | 0.01                              | Chinese celery            | (9 July 2008)<br>EMRL2008-02 |
| i iuuloxofili   | 0.01                              | Crimiese celery           | (9 July 2008)                |
| Fludioxonil   | 0.02                              | Chinese chives            | EMRL2008-02                  |
| Fludioxonil   | 0.01                              | Chinese cucumbers         | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Fludioxonil   | 0.01                              | Chinese mustard cabbages  | EMRL2008-02<br>(9 July 2008) |
| Fludioxonil   | 0.02                              | Chinese onions            | EMRL2008-02                  |
| Elization con 11  | 0.04                              | Chicago wayana da         | (9 July 2008)                |
| Fludioxonil   | 0.01                              | Chinese waxgourds         | EMRL2008-02                  |

|                 |                                   | distinct table on the MRL webpage | T                                |
|-----------------|-----------------------------------|-----------------------------------|----------------------------------|
| Common Name     | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established \                |
| Fludioxonil     | 0.02                              | Chive leaves                      | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.02                              | Chufa                             | EMRL2008-02                      |
| Fludiavanil     | 0.00                              | Cinnaman                          | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Cinnamon                          | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.01                              | Citron melons                     | EMRL2008-02                      |
| Fludioxonil     | 10                                | Citrus citrons                    | (9 July 2008)<br>EMRL2008-15     |
|                 |                                   |                                   | (29 August 2008)                 |
| Fludioxonil     | 10                                | Citrus hybrids                    | EMRL2008-15<br>(29 August 2008)  |
| Fludioxonil     | 500                               | Citrus oil                        | EMRL2008-15                      |
| Electron 20     | 0.00                              | Olavia                            | (29 August 2008)                 |
| Fludioxonil     | 0.02                              | Cloves                            | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.01                              | Collards                          | EMRL2008-02                      |
| Fludioxonil     | 0.02                              | Common fennel seeds               | (9 July 2008)<br>EMRL2008-02     |
| ridaloxoriii    | 0.02                              | Common termer seeds               | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Coriander seeds                   | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 30                                | Corn salad                        | (9 July 2008)<br>EMRL2008-22     |
| Fl. 30 9        | 5.0                               | Onchangle                         | (3 September 2008                |
| Fludioxonil     | 5.0                               | Crabapples                        | EMRL2008-12<br>(6 August 2008)   |
| Fludioxonil     | 0.01                              | Cucumbers                         | EMRL2008-02                      |
| Fludioxonil     | 0.02                              | Culantro seeds                    | (9 July 2008)<br>EMRL2008-02     |
| Tiddioxofiii    | 0.02                              | Gulantro Seeds                    | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Cumin                             | EMRL2008-02                      |
| Fludioxonil     | 2.0                               | Currants                          | (9 July 2008)<br>EMRL2008-02     |
| Florition - 1   | 00                                | Decideling Income                 | (9 July 2008)                    |
| Fludioxonil     | 30                                | Dandelion leaves                  | EMRL2008-22<br>(3 September 2008 |
| Fludioxonil     | 0.02                              | Dill seeds                        | EMRL2008-02                      |
| Fludioxonil     | 30                                | Dock                              | (9 July 2008)<br>EMRL2008-22     |
| F. 1            | 0.00                              | 5: 11.1                           | (3 September 2008                |
| Fludioxonil     | 0.02                              | Dried balm leaves                 | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.02                              | Dried basil leaves                | EMRL2008-02                      |
| Fludioxonil     | 0.02                              | Dried borage leaves               | (9 July 2008)<br>EMRL2008-02     |
|                 |                                   |                                   | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Dried chervil leaves              | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.02                              | Dried clary leaves                | EMRL2008-02                      |
| Fludioxonil     | 0.02                              | Dried coriander leaves            | (9 July 2008)<br>EMRL2008-02     |
| Tiddioxofili    | 0.02                              | Diled Contained leaves            | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Dried costmary leaves             | EMRL2008-02                      |
| Fludioxonil     | 0.02                              | Dried curry leaves                | (9 July 2008)<br>EMRL2008-02     |
| Election of the | 0.00                              | Defeat dillege at Leaves          | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Dried dillweed leaves             | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.02                              | Dried hyssop tops                 | EMRL2008-02                      |
| Fludioxonil     | 0.02                              | Dried lemongrass leaves           | (9 July 2008)<br>EMRL2008-02     |
|                 |                                   |                                   | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Dried parsley leaves              | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.02                              | Dried rosemary leaves             | EMRL2008-02                      |
| Fludioxonil     | 0.02                              | Dried rue leaves                  | (9 July 2008)<br>EMRL2008-02     |
|                 |                                   |                                   | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Dried sage leaves                 | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.02                              | Dried summer savory leaves        | EMRL2008-02                      |
|                 |                                   |                                   | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Dried sweet bay leaves            | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil     | 0.02                              | Dried tansy leaves                | EMRL2008-02                      |
| Fludioxonil     | 0.02                              | Dried tarragon leaves             | (9 July 2008)<br>EMRL2008-02     |
|                 |                                   |                                   | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Dried thyme leaves                | EMRL2008-02<br>(9.July 2008)     |
| Fludioxonil     | 0.02                              | Dried winter savory leaves        | (9 July 2008)<br>EMRL2008-02     |
| FI. 20          | 0.00                              | Delad vilatarana                  | (9 July 2008)                    |
| Fludioxonil     | 0.02                              | Dried wintergreen leaves          | EMRL2008-02                      |

|             |                                   | in a distinct table on the MRL webpage               | T                                  |
|-------------|-----------------------------------|--|------------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                    |
| Fludioxonil | 0.02                              | Dried woodruff leaves                                | EMRL2008-02<br>(9 July 2008)       |
| Fludioxonil | 0.02                              | Dried wormwood leaves                                | EMRL2008-02                        |
| Fludioxonil | 0.4                               | Dry adzuki beans                                     | (9 July 2008)<br>EMRL2008-22       |
|             |                                   | ·  | (3 September 200                   |
| Fludioxonil | 0.4                               | Dry beans  | EMRL2008-22<br>(3 September 200    |
| Fludioxonil | 0.4                               | Dry blackeyed peas                                   | EMRL2008-22                        |
| Fludioxonil | 0.4                               | Dry broad beans                                      | (3 September 200<br>EMRL2008-22    |
| Fludioxonil | 0.2                               |  | (3 September 200<br>Canada Gazette |
|             | 0.2                               | Dry bulb onions                                      | Prior to 16 June 20                |
| Fludioxonil | 0.4                               | Dry catjang seeds                                    | EMRL2008-22<br>(3 September 200    |
| Fludioxonil | 0.4                               | Dry chickpeas  | EMRL2008-22                        |
| Fludioxonil | 0.01                              | Dry field peas                                       | (3 September 200<br>EMRL2008-02    |
|             |                                   |  | (9 July 2008)                      |
| Fludioxonil | 0.4                               | Dry guar seeds                                       | EMRL2008-22<br>(3 September 200    |
| Fludioxonil | 0.4                               | Dry kidney beans                                     | EMRL2008-22<br>(3 September 200    |
| Fludioxonil | 0.4                               | Dry lablab beans                                     | EMRL2008-22                        |
| Fludioxonil | 0.4                               | Dry lentils  | (3 September 200<br>EMRL2008-22    |
|             |                                   | <u> </u>   | (3 September 200                   |
| Fludioxonil | 0.4                               | Dry lima beans                                       | EMRL2008-22<br>(3 September 200    |
| Fludioxonil | 0.4                               | Dry moth beans                                       | EMRL2008-22                        |
| Fludioxonil | 0.4                               | Dry mung beans                                       | (3 September 200<br>EMRL2008-22    |
| Fludioxonil | 0.4                               | Dry navy boans                                       | (3 September 200<br>EMRL2008-22    |
|             |                                   | Dry navy beans                                       | (3 September 200                   |
| Fludioxonil | 0.01                              | Dry pigeon peas                                      | EMRL2008-02<br>(9 July 2008)       |
| Fludioxonil | 0.4                               | Dry pink beans                                       | EMRL2008-22                        |
| Fludioxonil | 0.4                               | Dry pinto beans                                      | (3 September 200<br>EMRL2008-22    |
| Fludioxonil | 0.4                               | Dry rice beans                                       | (3 September 200<br>EMRL2008-22    |
|             |                                   | ·  | (3 September 200                   |
| Fludioxonil | 0.01                              | Dry southern peas                                    | EMRL2008-02<br>(9 July 2008)       |
| Fludioxonil | 0.01                              | Dry soybeans   | EMRL2008-02                        |
| Fludioxonil | 0.4                               | Dry tepary beans                                     | (9 July 2008)<br>EMRL2008-22       |
| Fludioxonil | 0.4                               | Dry urd beans  | (3 September 200<br>EMRL 2008-22   |
|             | 0.4                               | ·  | (3 September 200                   |
| Fludioxonil | 0.02                              | Edible burdock roots                                 | EMRL2008-02<br>(9 July 2008)       |
| Fludioxonil | 0.02                              | Edible burdock tops                                  | EMRL2008-02                        |
| Fludioxonil | 0.02                              | Edible canna   | (9 July 2008)<br>EMRL2008-02       |
| Fludioxonil | 0.01                              |  | (9 July 2008)<br>EMRL2008-02       |
|             |                                   | Edible gourds (other than those listed in this item) | (9 July 2008)                      |
| Fludioxonil | 30                                | Edible leaved chrysanthemum                          | EMRL2008-22<br>(3 September 200    |
| Fludioxonil | 0.01                              | Edible-podded dwarf peas                             | EMRL2008-02                        |
| Fludioxonil | 0.4                               | Edible-podded jackbeans                              | (9 July 2008)<br>EMRL2008-22       |
|             |                                   | , ,  | (3 September 200                   |
| Fludioxonil | 0.4                               | Edible-podded moth beans                             | EMRL2008-22<br>(3 September 200    |
| Fludioxonil | 0.01                              | Edible-podded peas                                   | EMRL2008-02<br>(9 July 2008)       |
| Fludioxonil | 0.01                              | Edible-podded pigeon peas                            | EMRL2008-02                        |
| Fludioxonil | 0.4                               | Edible-podded runner beans                           | (9 July 2008)<br>EMRL2008-22       |
|             |                                   | · · · · · · · · · · · · · · · · · · ·                | (3 September 200                   |
| Fludioxonil | 0.4                               | Edible-podded snap beans                             | EMRL2008-22<br>(3 September 200    |
| Fludioxonil | 0.01                              | Edible-podded snow peas                              | EMRL2008-02                        |
| Fludioxonil | 0.01                              | Edible-podded soybeans                               | (9 July 2008)<br>EMRL2008-02       |
| Fludioxonil | 0.01                              | Edible-podded sugar snap peas                        | (9 July 2008)<br>EMRL2008-02       |
|             |                                   |  | (9 July 2008)                      |
| Fludioxonil | 0.4                               | Edible-podded sword beans                            | EMRL2008-22                        |

|               |                                   | a distinct table on the MRL webpage     | 1  |
|---------------|-----------------------------------|---|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                          | MRL Established Vi                         |
| Fludioxonil   | 0.4                               | Edible-podded wax beans                 | EMRL2008-22                                |
| Fludioxonil   | 0.4                               | Edible-podded yardlong beans            | (3 September 2008)<br>EMRL2008-22          |
| Fludioxonil   | 0.01                              | Eggplants                               | (3 September 2008)<br>EMRL2008-02          |
| Fludioxonii   | 0.01                              | Eggplants                               | (9 July 2008)                              |
| Fludioxonil   | 0.05                              | Eggs                                    | EMRL2008-02                                |
| Fludioxonil   | 2.0                               | Elderberries                            | (9 July 2008)<br>EMRL2008-02               |
| Fludioxonil   | 30                                | Endives                                 | (9 July 2008)<br>EMRL2008-22               |
| Fludioxofili  | 30                                | Entitives                               | (3 September 2008)                         |
| Fludioxonil   | 0.05                              | Fat of cattle                           | Canada Gazette II<br>Prior to 16 June 200  |
| Fludioxonil   | 0.05                              | Fat of goats                            | Canada Gazette II                          |
| Fludioxonil   | 0.05                              | Fat of hogs                             | Prior to 16 June 2009<br>Canada Gazette II |
| i iddioxoriii | 0.03                              | i at of nogs                            | Prior to 16 June 2008                      |
| Fludioxonil   | 0.05                              | Fat of horses                           | Canada Gazette II Prior to 16 June 2008    |
| Fludioxonil   | 0.05                              | Fat of poultry                          | EMRL2008-02                                |
| Fludioxonil   | 0.05                              | Fat of sheep                            | (9 July 2008)<br>Canada Gazette II         |
|               |                                   | ·                                       | Prior to 16 June 2008                      |
| Fludioxonil   | 0.02                              | Fenugreek seeds                         | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 0.02                              | Field corn                              | EMRL2008-02                                |
| Fludioxonil   | 0.05                              | Flaxseeds                               | (9 July 2008)<br>EMRL2008-02               |
| Fludioxofili  | 0.05                              | FlaxSeeus                               | (9 July 2008)                              |
| Fludioxonil   | 0.02                              | Florence fennel seeds                   | EMRL2008-02                                |
| Fludioxonil   | 0.02                              | Fresh balm leaves                       | (9 July 2008)<br>EMRL2008-02               |
| Fludioxonil   | 0.02                              | Fresh basil leaves                      | (9 July 2008)<br>EMRL2008-02               |
| Fludioxofili  | 0.02                              | Fiesti Dasii leaves                     | (9 July 2008)                              |
| Fludioxonil   | 0.02                              | Fresh borage leaves                     | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 30                                | Fresh chervil leaves                    | EMRL2008-22                                |
| Fludioxonil   | 0.02                              | Fresh clary leaves                      | (3 September 2008)<br>EMRL2008-02          |
| i iddioxoriii | 0.02                              | r restrictary leaves                    | (9 July 2008)                              |
| Fludioxonil   | 0.02                              | Fresh coriander leaves                  | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 0.02                              | Fresh costmary leaves                   | EMRL2008-02                                |
| Fludioxonil   | 0.02                              | Fresh culantro leaves                   | (9 July 2008)<br>EMRL2008-02               |
|               |                                   |   | (9 July 2008)                              |
| Fludioxonil   | 0.02                              | Fresh curry leaves                      | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 0.02                              | Fresh dillweed leaves                   | EMRL2008-02                                |
| Fludioxonil   | 0.01                              | Fresh Florence fennel leaves and stalks | (9 July 2008)<br>EMRL2008-02               |
|               |                                   |   | (9 July 2008)                              |
| Fludioxonil   | 0.02                              | Fresh hyssop tops                       | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 0.02                              | Fresh lemongrass leaves                 | EMRL2008-02                                |
| Fludioxonil   | 30                                | Fresh parsley leaves                    | (9 July 2008)<br>EMRL2008-22               |
|               |                                   | · ·                                     | (3 September 2008)                         |
| Fludioxonil   | 0.02                              | Fresh rosemary leaves                   | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 0.02                              | Fresh rue leaves                        | EMRL2008-02                                |
| Fludioxonil   | 0.02                              | Fresh sage leaves                       | (9 July 2008)<br>EMRL2008-02               |
|               |                                   |   | (9 July 2008)                              |
| Fludioxonil   | 0.02                              | Fresh summer savory leaves              | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 0.02                              | Fresh sweet bay leaves                  | EMRL2008-02                                |
| Fludioxonil   | 0.02                              | Fresh tansy leaves                      | (9 July 2008)<br>EMRL2008-02               |
|               |                                   | ·                                       | (9 July 2008)                              |
| Fludioxonil   | 0.02                              | Fresh tarragon leaves                   | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 0.02                              | Fresh thyme leaves                      | EMRL2008-02                                |
| Fludioxonil   | 0.02                              | Fresh winter savory leaves              | (9 July 2008)<br>EMRL2008-02               |
|               |                                   | <u> </u>                                | (9 July 2008)                              |
| Fludioxonil   | 0.02                              | Fresh wintergreen leaves                | EMRL2008-02<br>(9 July 2008)               |
| Fludioxonil   | 0.02                              | Fresh woodruff leaves                   | EMRL2008-02                                |
| Fludioxonil   | 0.02                              | Fresh wormwood leaves                   | (9 July 2008)<br>EMRL2008-02               |
| i iddioxoriii | 0.02                              | i iosii wulliwuuu idaves                | (9 July 2008)                              |

|              |                                   | istinct table on the MRL webpage |                                       |
|--------------|-----------------------------------|----------------------------------|---------------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                   | MRL Established                       |
| Fludioxonil  | 0.02                              | Garden beet roots                | EMRL2008-02                           |
| Fludioxonil  | 0.02                              | Garden beet tops                 | (9 July 2008)<br>EMRL2008-02          |
| Fludiavasil  | 20                                | Condon areas                     | (9 July 2008)                         |
| Fludioxonil  | 30                                | Garden cress                     | EMRL2008-22<br>(3 September 200       |
| Fludioxonil  | 30                                | Garden purslane                  | EMRL2008-22                           |
| Fludioxonil  | 30                                | Garland chrysanthemum            | (3 September 200<br>EMRL2008-22       |
| Fludiavasil  | 0.00                              | Garlic                           | (3 September 200                      |
| Fludioxonil  | 0.02                              | Gariic                           | EMRL2008-02<br>(9 July 2008)          |
| Fludioxonil  | 0.02                              | Ginger roots                     | EMRL2008-02<br>(9 July 2008)          |
| Fludioxonil  | 0.02                              | Ginseng roots                    | EMRL2008-02                           |
| Fludioxonil  | 2.0                               | Gooseberries                     | (9 July 2008)<br>EMRL2008-02          |
| Fludioxonii  | 2.0                               | Goosebernes                      | (9 July 2008)                         |
| Fludioxonil  | 0.4                               | Grain lupin                      | EMRL2008-22                           |
| Fludioxonil  | 0.02                              | Grains of paradise               | (3 September 200<br>EMRL2008-02       |
| Fludioxonil  | 10                                | Cronofruito                      | (9 July 2008)<br>EMRL2008-15          |
| Fludioxonii  | 10                                | Grapefruits                      | (29 August 2008                       |
| Fludioxonil  | 1.0                               | Grapes                           | Canada Gazette<br>Prior to 16 June 20 |
| Fludioxonil  | 0.02                              | Great headed garlic              | EMRL2008-02                           |
| Fludioxonil  | 7.0                               | Green onions                     | (9 July 2008)<br>Canada Gazette       |
| Fludioxonii  | 7.0                               | Green onions                     | Prior to 16 June 20                   |
| Fludioxonil  | 0.01                              | Groundcherries                   | EMRL2008-02                           |
| Fludioxonil  | 30                                | Head lettuce                     | (9 July 2008)<br>EMRL2008-22          |
| Fludioxonil  | 0.02                              | Horehound leaves                 | (3 September 200<br>EMRL2008-02       |
| Fludioxonii  | 0.02                              | Horeriourid leaves               | (9 July 2008)                         |
| Fludioxonil  | 0.02                              | Horseradish roots                | EMRL2008-02<br>(9 July 2008)          |
| Fludioxonil  | 2.0                               | Huckleberries                    | EMRL2008-02                           |
| Fludioxonil  | 0.02                              | Jerusalem artichokes             | (9 July 2008)<br>EMRL2008-02          |
| Tiddioxoniii | 0.02                              | Jerusalem atticitores            | (9 July 2008)                         |
| Fludioxonil  | 0.02                              | Juniper berries                  | EMRL2008-02<br>(9 July 2008)          |
| Fludioxonil  | 0.01                              | Kale                             | EMRL2008-02                           |
| Fludioxonil  | 0.05                              | Kidney of cattle                 | (9 July 2008)<br>Canada Gazette       |
| Tiddioxoffii | 0.03                              |                                  | Prior to 16 June 20                   |
| Fludioxonil  | 0.05                              | Kidney of goats                  | Canada Gazette Prior to 16 June 20    |
| Fludioxonil  | 0.05                              | Kidney of hogs                   | Canada Gazette                        |
| Fludioxonil  | 0.05                              | Kidney of horses                 | Prior to 16 June 20<br>Canada Gazette |
|              |                                   | •                                | Prior to 16 June 20                   |
| Fludioxonil  | 0.05                              | Kidney of poultry                | EMRL2008-02<br>(9 July 2008)          |
| Fludioxonil  | 0.05                              | Kidney of sheep                  | Canada Gazette                        |
| Fludioxonil  | 20                                | Kiwifruit                        | Prior to 16 June 20<br>EMRL2008-15    |
|              |                                   |                                  | (29 August 2008                       |
| Fludioxonil  | 0.01                              | Kohlrabi                         | EMRL2008-02<br>(9 July 2008)          |
| Fludioxonil  | 10                                | Kumquats                         | EMRL2008-15                           |
| Fludioxonil  | 0.02                              | Lavender                         | (29 August 2008<br>EMRL2008-02        |
|              |                                   |                                  | (9 July 2008)                         |
| Fludioxonil  | 30                                | Leaf lettuce                     | EMRL2008-22<br>(3 September 200       |
| Fludioxonil  | 0.02                              | Leeks                            | EMRL2008-02                           |
| Fludioxonil  | 10                                | Lemons                           | (9 July 2008)<br>EMRL2008-15          |
|              |                                   |                                  | (29 August 2008                       |
| Fludioxonil  | 0.02                              | Lerens                           | EMRL2008-02<br>(9 July 2008)          |
| Fludioxonil  | 10                                | Limes                            | EMRL2008-15                           |
| Fludioxonil  | 2.0                               | Lingonberries                    | (29 August 2008<br>EMRL2008-02        |
|              |                                   |                                  | (9 July 2008)                         |
| Fludioxonil  | 0.05                              | Liver of cattle                  | Canada Gazette Prior to 16 June 20    |
| Fludioxonil  | 0.05                              | Liver of goats                   | Canada Gazette                        |
|              | 1                                 |                                  | Prior to 16 June 20                   |

|              |                                   | in a distinct table on the MRL webpage            | T   |
|--------------|-----------------------------------|---|---|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established V                         |
| Fludioxonil  | 0.05                              | Liver of horses                                   | Canada Gazette I                          |
| Fludioxonil  | 0.05                              | Liver of poultry                                  | Prior to 16 June 200<br>EMRL2008-02       |
|              | 0.05                              | · ·   | (9 July 2008)                             |
| Fludioxonil  | 0.05                              | Liver of sheep                                    | Canada Gazette II<br>Prior to 16 June 200 |
| Fludioxonil  | 4.2                               | Loganberries                                      | EMRL2008-02                               |
| Fludioxonil  | 5.0                               | Loquats   | (9 July 2008)<br>EMRL2008-12              |
|              |                                   | ·   | (6 August 2008)                           |
| Fludioxonil  | 0.02                              | Lovage leaves                                     | EMRL2008-02<br>(9 July 2008)              |
| Fludioxonil  | 0.02                              | Lovage seeds                                      | EMRL2008-02                               |
| Fludioxonil  | 0.02                              | Mace  | (9 July 2008)<br>EMRL2008-02              |
| Fludioxonil  | 0.02                              | Mariaram  | (9 July 2008)<br>EMRL2008-02              |
| Fludioxofili | 0.02                              | Marjoram  | (9 July 2008)                             |
| Fludioxonil  | 5.0                               | Mayhaws   | EMRL2008-12<br>(6 August 2008)            |
| Fludioxonil  | 0.01                              | Meat of cattle                                    | Canada Gazette II                         |
| Fludioxonil  | 0.01                              | Meat of goats                                     | Prior to 16 June 200<br>Canada Gazette II |
|              |                                   |   | Prior to 16 June 200                      |
| Fludioxonil  | 0.01                              | Meat of hogs                                      | Canada Gazette II<br>Prior to 16 June 200 |
| Fludioxonil  | 0.01                              | Meat of horses                                    | Canada Gazette II                         |
| Fludioxonil  | 0.01                              | Meat of poultry                                   | Prior to 16 June 200<br>EMRL2008-02       |
|              |                                   |   | (9 July 2008)                             |
| Fludioxonil  | 0.01                              | Meat of sheep                                     | Canada Gazette II<br>Prior to 16 June 200 |
| Fludioxonil  | 0.01                              | Milk  | Canada Gazette II                         |
| Fludioxonil  | 0.01                              | Muskmelons (other than those listed in this item) | Prior to 16 June 200<br>EMRL2008-02       |
| Fludioxonil  | 8.0                               | Mustard greens                                    | (9 July 2008)<br>EMRL2008-02              |
|              |                                   |   | (9 July 2008)                             |
| Fludioxonil  | 0.02                              | Mustard seeds                                     | EMRL2008-02<br>(9 July 2008)              |
| Fludioxonil  | 0.01                              | Mustard spinach                                   | EMRL2008-02                               |
| Fludioxonil  | 0.01                              | Napa Chinese cabbages                             | (9 July 2008)<br>EMRL2008-02              |
| Fludioxonil  | 0.02                              | Nasturtium  | (9 July 2008)<br>EMRL2008-02              |
| Fludioxofili | 0.02                              | Nasturtium  | (9 July 2008)                             |
| Fludioxonil  | 5.0                               | Nectarines  | EMRL2008-12<br>(6 August 2008)            |
| Fludioxonil  | 0.01                              | New Zealand spinach                               | EMRL2008-02                               |
| Fludioxonil  | 0.01                              | Non-bell peppers                                  | (9 July 2008)<br>EMRL2008-02              |
|              |                                   |   | (9 July 2008)                             |
| Fludioxonil  | 0.02                              | Nutmeg  | EMRL2008-02<br>(9 July 2008)              |
| Fludioxonil  | 0.02                              | Oats  | EMRL2008-02                               |
| Fludioxonil  | 30                                | Orach leaves                                      | (9 July 2008)<br>EMRL2008-22              |
| Election of  | 40                                | 0   | (3 September 2008                         |
| Fludioxonil  | 10                                | Oranges   | EMRL2008-15<br>(29 August 2008)           |
| Fludioxonil  | 0.02                              | Oriental radish roots                             | EMRL2008-02                               |
| Fludioxonil  | 0.02                              | Oriental radish tops                              | (9 July 2008)<br>EMRL2008-02              |
| Fludioxonil  | 0.02                              | Parsnip roots                                     | (9 July 2008)<br>EMRL2008-02              |
|              |                                   | ·   | (9 July 2008)                             |
| Fludioxonil  | 5.0                               | Peaches   | EMRL2008-12<br>(6 August 2008)            |
| Fludioxonil  | 0.01                              | Peanuts   | EMRL2008-02                               |
| Fludioxonil  | 0.02                              | Pearl millet                                      | (9 July 2008)<br>EMRL2008-02              |
|              |                                   |   | (9 July 2008)                             |
| Fludioxonil  | 5.0                               | Pears   | EMRL2008-12<br>(6 August 2008)            |
| Fludioxonil  | 0.02                              | Pennyroyal leaves                                 | EMRL2008-02                               |
| Fludioxonil  | 0.01                              | Pepinos   | (9 July 2008)<br>EMRL2008-02              |
| Fludioxonil  | 0.01                              | Pepper hybrids                                    | (9 July 2008)<br>EMRL2008-02              |
|              |                                   |   | (9 July 2008)                             |
| Fludioxonil  | 0.08                              | Pistachios  | EMRL2008-02<br>(9 July 2008)              |
| Fludioxonil  | 5.0                               | Plumcots  | EMRL2008-12                               |

|              |                                   | a distinct table on the MRL webpage | 1  |
|--------------|-----------------------------------|-------------------------------------|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                      | MRL Established \                        |
| Fludioxonil  | 5.0                               | Plums                               | EMRL2008-12                              |
| Fludioxonil  | 1.7                               | Pomegranite                         | (6 August 2008)<br>EMRL2008-15           |
| Fludioxonil  | 0.02                              | Popcorn grain                       | (29 August 2008)<br>EMRL2008-02          |
| Fludioxonii  | 0.02                              | Popcom grain                        | (9 July 2008)                            |
| Fludioxonil  | 0.02                              | Poppy seeds                         | EMRL2008-02                              |
| Fludioxonil  | 0.02                              | Potato onions                       | (9 July 2008)<br>EMRL2008-02             |
| Fludioxonil  | 0.02                              | Potatoes                            | (9 July 2008)<br>Canada Gazette I        |
| Fludioxoffii | 0.02                              | rotatoes                            | Prior to 16 June 20                      |
| Fludioxonil  | 0.02                              | Proso millet                        | EMRL2008-02<br>(9 July 2008)             |
| Fludioxonil  | 5.0                               | Prune plums                         | EMRL2008-12                              |
| Fludioxonil  | 10                                | Pummelos                            | (6 August 2008)<br>EMRL2008-15           |
|              |                                   |                                     | (29 August 2008)                         |
| Fludioxonil  | 0.01                              | Pumpkins                            | EMRL2008-02<br>(9 July 2008)             |
| Fludioxonil  | 5.0                               | Quinces                             | EMRL2008-12                              |
| Fludioxonil  | 30                                | Radicchio                           | (6 August 2008)<br>EMRL2008-22           |
|              | 30                                |                                     | (3 September 2008                        |
| Fludioxonil  | 0.02                              | Radish roots                        | EMRL2008-02<br>(9 July 2008)             |
| Fludioxonil  | 0.02                              | Radish tops                         | EMRL2008-02                              |
| Fludioxonil  | 0.01                              | Rape greens                         | (9 July 2008)<br>EMRL2008-02             |
|              |                                   |                                     | (9 July 2008)                            |
| Fludioxonil  | 0.01                              | Rapeseeds (canola)                  | Canada Gazette I<br>Prior to 16 June 200 |
| Fludioxonil  | 4.2                               | Raspberries                         | EMRL2008-02                              |
| Fludioxonil  | 0.01                              | Rhubarb                             | (9 July 2008)<br>EMRL2008-02             |
|              |                                   | Div                                 | (9 July 2008)                            |
| Fludioxonil  | 0.02                              | Rice                                | EMRL2008-02<br>(9 July 2008)             |
| Fludioxonil  | 0.02                              | Rutabaga roots                      | EMRL2008-02                              |
| Fludioxonil  | 0.02                              | Rutabaga tops                       | (9 July 2008)<br>EMRL2008-02             |
| Fludioxonil  | 0.02                              | Puo                                 | (9 July 2008)                            |
| Fludioxofili | 0.02                              | Rye                                 | EMRL2008-02<br>(9 July 2008)             |
| Fludioxonil  | 0.01                              | Safflower seeds                     | EMRL2011-13<br>(18 March 2011)           |
| Fludioxonil  | 0.02                              | Saffron                             | EMRL2008-02                              |
| Fludioxonil  | 2.0                               | Salal berries                       | (9 July 2008)<br>EMRL2008-02             |
|              |                                   |                                     | (9 July 2008)                            |
| Fludioxonil  | 0.02                              | Salsify roots                       | EMRL2008-02<br>(9 July 2008)             |
| Fludioxonil  | 2.0                               | Saskatoon berries (juneberries)     | EMRL2008-02                              |
| Fludioxonil  | 10                                | Satsuma mandarins                   | (9 July 2008)<br>EMRL2008-15             |
|              |                                   |                                     | (29 August 2008)                         |
| Fludioxonil  | 0.02                              | Shallots                            | EMRL2008-02<br>(9 July 2008)             |
| Fludioxonil  | 0.02                              | Skirret roots                       | EMRL2008-02                              |
| Fludioxonil  | 0.02                              | Sorghum                             | (9 July 2008)<br>EMRL2008-02             |
| Fludiavasil  | 0.00                              | Spanish salsify roots               | (9 July 2008)<br>EMRL2008-02             |
| Fludioxonil  | 0.02                              | Spanish saisily roots               | (9 July 2008)                            |
| Fludioxonil  | 0.01                              | Spinach                             | EMRL2008-02                              |
| Fludioxonil  | 2.0                               | Strawberries                        | (9 July 2008)<br>Canada Gazette I        |
| Fludioxonil  | 0.4                               | Succulent shelled blackeyed peas    | Prior to 16 June 200<br>EMRL2008-22      |
|              |                                   |                                     | (3 September 2008                        |
| Fludioxonil  | 0.4                               | Succulent shelled broad beans       | EMRL2008-22<br>(3 September 2008         |
| Fludioxonil  | 0.01                              | Succulent shelled English peas      | EMRL2008-02                              |
| Fludioxonil  | 0.01                              | Succulent shelled garden peas       | (9 July 2008)<br>EMRL2008-02             |
|              |                                   |                                     | (9 July 2008)                            |
| Fludioxonil  | 0.01                              | Succulent shelled green peas        | EMRL2008-02<br>(9 July 2008)             |
| Fludioxonil  | 0.4                               | Succulent shelled lima beans        | EMRL2008-22                              |
| Fludioxonil  | 0.01                              | Succulent shelled peas              | (3 September 2008<br>EMRL2008-02         |
|              |                                   |                                     | (9 July 2008)                            |
| Fludioxonil  | 0.01                              | Succulent shelled pigeon peas       | EMRL2008-02<br>(9 July 2008)             |

|              |                                   | in a distinct table on the MRL webpage         | T                                |
|--------------|-----------------------------------|--|----------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established V                |
| Fludioxonil  | 0.01                              | Succulent shelled southern peas                | EMRL2008-02                      |
| Fludioxonil  | 0.02                              | Sugar beet roots                               | (9 July 2008)<br>EMRL2008-02     |
|              |                                   |  | (9 July 2008)                    |
| Fludioxonil  | 0.01                              | Summer squash                                  | EMRL2008-02                      |
| Fludioxonil  | 0.01                              | Sunflower seeds                                | (9 July 2008)<br>EMRL2011-13     |
|              |                                   | 0 11 1   | (18 March 2011)                  |
| Fludioxonil  | 5.0                               | Sweet cherries                                 | EMRL2008-12<br>(6 August 2008)   |
| Fludioxonil  | 0.02                              | Sweet corn kernels plus cob with husks removed | EMRL2008-02                      |
| Fludioxonil  | 0.02                              | Sweet potato roots                             | (9 July 2008)<br>EMRL2008-02     |
|              |                                   | ·  | (9 July 2008)                    |
| Fludioxonil  | 0.01                              | Swiss chard                                    | EMRL2008-02                      |
| Fludioxonil  | 10                                | Tangerines                                     | (9 July 2008)<br>EMRL2008-15     |
|              |                                   |  | (29 August 2008)                 |
| Fludioxonil  | 0.02                              | Tanier corms                                   | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil  | 0.02                              | Tanier leaves                                  | EMRL2008-02                      |
| Fludioxonil  | 0.02                              | Taro corms                                     | (9 July 2008)<br>EMRL2008-02     |
| Fludioxonii  | 0.02                              | Taro corms                                     | (9 July 2008)                    |
| Fludioxonil  | 0.02                              | Taro leaves                                    | EMRL2008-02                      |
| Fludioxonil  | 5.0                               | Tart cherries                                  | (9 July 2008)<br>EMRL2008-12     |
| Tiddloxofiii | 3.0                               | rait chemics                                   | (6 August 2008)                  |
| Fludioxonil  | 0.02                              | Teosinte                                       | EMRL2008-02                      |
| Fludioxonil  | 0.01                              | Tomatillos                                     | (9 July 2008)<br>EMRL2008-02     |
|              |                                   |  | (9 July 2008)                    |
| Fludioxonil  | 0.01                              | Tomatoes                                       | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil  | 0.02                              | Tree onion tops                                | EMRL2008-02                      |
| Fludioxonil  | 0.02                              | Triticale                                      | (9 July 2008)                    |
| Fludioxofili | 0.02                              | micale   | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil  | 8.0                               | True yam tubers                                | EMRL2008-15                      |
| Fludioxonil  | 0.02                              | Turmeric roots                                 | (29 August 2008)<br>EMRL2008-02  |
| Tiddloxofiii | 0.02                              | Tulliono Toolo                                 | (9 July 2008)                    |
| Fludioxonil  | 0.02                              | Turnip roots                                   | EMRL2008-02                      |
| Fludioxonil  | 8.0                               | Turnip tops                                    | (9 July 2008)<br>EMRL2008-02     |
| Electron at  | 0.00                              | Tomain marked shared marks                     | (9 July 2008)                    |
| Fludioxonil  | 0.02                              | Turnip-rooted chervil roots                    | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil  | 0.02                              | Turnip-rooted chervil tops                     | EMRL2008-02                      |
| Fludioxonil  | 0.02                              | Turnip-rooted parsley roots                    | (9 July 2008)<br>EMRL2008-02     |
| Tiddloxoffii | 0.02                              | Turnip rooted paroley roote                    | (9 July 2008)                    |
| Fludioxonil  | 30                                | Upland cress                                   | EMRL2008-22<br>(3 September 2008 |
| Fludioxonil  | 0.02                              | Vanilla  | EMRL2008-02                      |
|              |                                   |  | (9 July 2008)                    |
| Fludioxonil  | 0.01                              | Vine spinach                                   | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil  | 5.0                               | Watercress                                     | EMRL2008-02                      |
| Eludiovonil  | 0.01                              | Watermalene                                    | (9 July 2008)                    |
| Fludioxonil  | 0.01                              | Watermelons                                    | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil  | 0.02                              | Welsh onion tops                               | EMRL2008-02                      |
| Fludioxonil  | 0.01                              | West Indian gherkins                           | (9 July 2008)<br>EMRL2008-02     |
|              |                                   | <u> </u>                                       | (9 July 2008)                    |
| Fludioxonil  | 0.02                              | Wheat  | EMRL2008-02                      |
| Fludioxonil  | 0.02                              | White pepper                                   | (9 July 2008)<br>EMRL2008-02     |
|              |                                   |  | (9 July 2008)                    |
| Fludioxonil  | 0.02                              | Wild rice                                      | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil  | 30                                | Winter purslane                                | EMRL2008-22                      |
| Fludiovanil  | 0.01                              | Winter squash                                  | (3 September 2008                |
| Fludioxonil  | 0.01                              | Winter squash                                  | EMRL2008-02<br>(9 July 2008)     |
| Fludioxonil  | 0.02                              | Yam bean roots                                 | EMRL2008-02                      |
| Flufenacet   | 0.1                               | Dry soybeans                                   | (9 July 2008)<br>EMRL2008-02     |
| diolidost    | 0.1                               | Diy ooyboullo                                  | (9 July 2008)                    |
| Flufenacet   | 0.05                              | Eggs   | EMRL2008-02                      |
| Flufenacet   | 0.05                              | Field corn                                     | (9 July 2008)<br>EMRL2008-02     |
|              | 3.00                              |  |                                  |

|                |                                   | in a distinct table on the MRL webpage         | T: -                           |
|----------------|-----------------------------------|--|--------------------------------|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established \              |
| Flufenacet     | 0.05                              | Meat byproducts of cattle                      | EMRL2008-02                    |
| Flufenacet     | 0.05                              | Meat byproducts of goats                       | (9 July 2008)<br>EMRL2008-02   |
|                |                                   |  | (9 July 2008)                  |
| Flufenacet     | 0.05                              | Meat byproducts of hogs                        | EMRL2008-02<br>(9 July 2008)   |
| Flufenacet     | 0.05                              | Meat byproducts of horses                      | EMRL2008-02                    |
| Flufenacet     | 0.05                              | Meat byproducts of poultry                     | (9 July 2008)<br>EMRL2008-02   |
| riulellacet    | 0.05                              | Meat byproducts or pountry                     | (9 July 2008)                  |
| Flufenacet     | 0.05                              | Meat byproducts of sheep                       | EMRL2008-02                    |
| Flufenacet     | 0.05                              | Meat of cattle                                 | (9 July 2008)<br>EMRL2008-02   |
| Flufanasat     | 0.05                              | Most of goods                                  | (9 July 2008)                  |
| Flufenacet     | 0.05                              | Meat of goats                                  | EMRL2008-02<br>(9 July 2008)   |
| Flufenacet     | 0.05                              | Meat of hogs                                   | EMRL2008-02                    |
| Flufenacet     | 0.05                              | Meat of horses                                 | (9 July 2008)<br>EMRL2008-02   |
|                |                                   |  | (9 July 2008)                  |
| Flufenacet     | 0.05                              | Meat of poultry                                | EMRL2008-02<br>(9 July 2008)   |
| Flufenacet     | 0.05                              | Meat of sheep                                  | EMRL2008-02                    |
| Flufenacet     | 0.01                              | Milk   | (9 July 2008)<br>EMRL2008-02   |
| riulellacet    | 0.01                              | IVIIIK   | (9 July 2008)                  |
| Flufenacet     | 0.05                              | Sweet corn kernels plus cob with husks removed | EMRL2011-33                    |
| Flufenacet     | 0.6                               | Wheat  | (16 May 2011)<br>EMRL2011-33   |
| FI (           |                                   | Na   | (16 May 2011)                  |
| Flufenacet     | 0.8                               | Wheat bran                                     | EMRL2011-33<br>(16 May 2011)   |
| Flumetsulam    | 0.05                              | Dry soybeans                                   | EMRL2011-13                    |
| Flumetsulam    | 0.05                              | Field corn                                     | (18 March 2011)<br>EMRL2011-13 |
|                |                                   |  | (18 March 2011)                |
| Flumioxazin    | 0.02                              | Amur River grapes                              | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin    | 0.02                              | Apples   | EMRL2011-11                    |
| Flumioxazin    | 0.02                              | Apricots                                       | (18 March 2011)<br>EMRL2011-11 |
|                |                                   |  | (18 March 2011)                |
| Flumioxazin    | 0.02                              | Aronia berries                                 | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin    | 0.02                              | Arracacha                                      | EMRL2011-11                    |
| Flumioxazin    | 0.02                              | Arrowroot                                      | (18 March 2011)<br>EMRL2011-11 |
|                |                                   |  | (18 March 2011)                |
| Flumioxazin    | 0.02                              | Asian pears                                    | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin    | 0.02                              | Asparagus                                      | EMRL2011-11                    |
| Flumioxazin    | 0.07                              | Bearberries                                    | (18 March 2011)<br>EMRL2011-11 |
| FIUITIIOXAZIII | 0.07                              | Dearbernes                                     | (18 March 2011)                |
| Flumioxazin    | 0.07                              | Bilberries                                     | EMRL2011-11                    |
| Flumioxazin    | 0.02                              | Buffalo currants                               | (18 March 2011)<br>EMRL2011-11 |
| Flueriavania   | 0.02                              | Consolio vesto                                 | (18 March 2011)                |
| Flumioxazin    | 0.02                              | Cassava roots                                  | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin    | 0.02                              | Chayote roots                                  | EMRL2011-11                    |
| Flumioxazin    | 0.02                              | Chilean guavas                                 | (18 March 2011)<br>EMRL2011-11 |
|                |                                   |  | (18 March 2011)                |
| Flumioxazin    | 0.02                              | Chinese artichokes                             | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin    | 0.02                              | Chinese onions                                 | EMRL2011-11                    |
| Flumioxazin    | 0.02                              | Chufa  | (18 March 2011)<br>EMRL2011-11 |
|                |                                   |  | (18 March 2011)                |
| Flumioxazin    | 0.07                              | Cloudberries                                   | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin    | 0.02                              | Crabapples                                     | EMRL2011-11                    |
| Flumiovazin    | 0.07                              | Cranhorrios                                    | (18 March 2011)                |
| Flumioxazin    | 0.07                              | Cranberries                                    | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin    | 0.02                              | Currants (red and black)                       | EMRL2011-11                    |
| Flumioxazin    | 0.02                              | Daylilies                                      | (18 March 2011)<br>EMRL2011-11 |
|                |                                   |  | (18 March 2011)                |
| Flumioxazin    | 0.02                              | Dry bulb onions                                | EMRL2011-11<br>(18 March 2011) |
|                | 0.02                              | Dry soybeans                                   | EMRL2011-11                    |

|               |                                   | distinct table on the MRL webpage |                                |
|---------------|-----------------------------------|-----------------------------------|--------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established \              |
| Flumioxazin   | 0.02                              | Edible canna                      | EMRL2011-11                    |
| Flumioxazin   | 0.02                              | Elderberries                      | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | European barberry                 | (18 March 2011)<br>EMRL2011-11 |
|               |                                   |                                   | (18 March 2011)                |
| Flumioxazin   | 0.02                              | Fritillaria bulbs                 | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Garlic                            | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Ginger roots                      | EMRL2011-11                    |
| Flumioxazin   | 0.02                              | Gooseberries                      | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Gooseberries                      | (18 March 2011)<br>EMRL2011-11 |
|               |                                   |                                   | (18 March 2011)                |
| Flumioxazin   | 0.02                              | Grapes                            | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Great headed garlic               | EMRL2011-11<br>(18 Moreh 2011) |
| Flumioxazin   | 0.02                              | Hardy kiwifruit                   | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Highbush blueberries              | (18 March 2011)<br>EMRL2011-11 |
| Elizationalis |                                   | •                                 | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Highbush cranberries              | (18 March 2011)                |
| Flumioxazin   | 0.02                              | Honeysuckle                       | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Huckleberries                     | EMRL2011-11                    |
| Flumioxazin   | 0.02                              | Jerusalem artichokes              | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Jostaberries                      | (18 March 2011)<br>EMRL2011-11 |
|               |                                   |                                   | (18 March 2011)                |
| Flumioxazin   | 0.02                              | Lerens                            | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Lilies                            | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.07                              | Lingonberries                     | EMRL2011-11                    |
| Flumioxazin   | 0.02                              | Lingonberries                     | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Loquats                           | (18 March 2011)<br>EMRL2011-11 |
|               |                                   | •                                 | (18 March 2011)                |
| Flumioxazin   | 0.07                              | Lowbush blueberries               | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Mayhaws                           | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Маурор                            | EMRL2011-11                    |
| Flumioxazin   | 0.07                              | Muntries                          | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Native currants                   | (18 March 2011)<br>EMRL2011-11 |
|               |                                   |                                   | (18 March 2011)                |
| Flumioxazin   | 0.02                              | Nectarines                        | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.07                              | Partridgeberries                  | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Peaches                           | EMRL2011-11                    |
| Flumioxazin   | 0.02                              | Pearl onions                      | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Pears                             | (18 March 2011)<br>EMRL2011-11 |
|               |                                   |                                   | (18 March 2011)                |
| Flumioxazin   | 0.02                              | Plumcots                          | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Plums                             | EMRL2011-11                    |
| Flumioxazin   | 0.02                              | Potato onions                     | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Potatoes                          | (18 March 2011)<br>EMRL2011-11 |
|               |                                   |                                   | (18 March 2011)                |
| Flumioxazin   | 0.02                              | Prune plums                       | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Quinces                           | EMRL2011-11<br>(18 March 2011) |
| Flumioxazin   | 0.02                              | Salal berries                     | EMRL2011-11                    |
| Flumioxazin   | 0.02                              | Saskatoon berries (juneberries)   | (18 March 2011)<br>EMRL2011-11 |
| Flumioxazin   | 0.02                              | Schisandra berries                | (18 March 2011)<br>EMRL2011-11 |
|               |                                   |                                   | (18 March 2011)                |
| Flumioxazin   | 0.02                              | Sea buckthorn                     | EMRL2011-11<br>(18 March 2011) |

|             |                                   | istinct table on the MRL webpage      | MDI E 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 |
|-------------|-----------------------------------|---------------------------------------|---|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                        | MRL Established Vi                          |
| Flumioxazin | 0.02                              | Serpent garlic                        | EMRL2011-11<br>(18 March 2011)              |
| Flumioxazin | 0.02                              | Shallot bulbs                         | EMRL2011-11<br>(18 March 2011)              |
| Flumioxazin | 0.07                              | Strawberries                          | EMRL2011-11                                 |
| Flumioxazin | 0.02                              | Sweet cherries                        | (18 March 2011)<br>EMRL2011-11              |
| Flumioxazin | 0.02                              | Sweet potato roots                    | (18 March 2011)<br>EMRL2011-11              |
| Flumioxazin | 0.02                              | Tanier corms                          | (18 March 2011)<br>EMRL2011-11              |
| Flumioxazin | 0.02                              | Taro corms                            | (18 March 2011)<br>EMRL2011-11              |
| Flumioxazin | 0.02                              | Tart cherries                         | (18 March 2011)<br>EMRL2011-11              |
| Flumioxazin | 0.02                              | True yam tubers                       | (18 March 2011)<br>EMRL2011-11              |
| Flumioxazin | 0.02                              | Turmeric roots                        | (18 March 2011)<br>EMRL2011-11              |
|             |                                   |                                       | (18 March 2011)                             |
| Flumioxazin | 0.02                              | Yam bean roots                        | EMRL2011-11<br>(18 March 2011)              |
| Flusilazole | 0.2                               | Apples                                | Canada Gazette II<br>Prior to 16 June 2008  |
| Flusilazole | 0.1                               | Bananas                               | Canada Gazette II Prior to 16 June 2008     |
| Flusilazole | 0.5                               | Grapes                                | Canada Gazette II<br>Prior to 16 June 2008  |
| Flusilazole | 0.01                              | Meat byproducts of cattle             | Canada Gazette II<br>Prior to 16 June 2008  |
| Flusilazole | 0.01                              | Meat of cattle                        | Canada Gazette II                           |
| Flusilazole | 0.01                              | Milk                                  | Prior to 16 June 2008<br>Canada Gazette II  |
| Flusilazole | 1.0                               | Raisins                               | Prior to 16 June 2008<br>Canada Gazette II  |
| Folpet      | 25                                | Apples                                | Prior to 16 June 2008<br>Canada Gazette II  |
| Folpet      | 25                                | Avocados                              | Prior to 16 June 2008<br>Canada Gazette II  |
| Folpet      | 25                                | Blackberries                          | Prior to 16 June 2008<br>Canada Gazette II  |
| Folpet      | 25                                | Blueberries                           | Prior to 16 June 2008                       |
| Folpet      | 25                                | Boysenberries                         | Prior to 16 June 2008 Canada Gazette II     |
| <u> </u>    | 30                                | Celery                                | Prior to 16 June 2008 Canada Gazette II     |
| Folpet      |                                   | , , , , , , , , , , , , , , , , , , , | Prior to 16 June 2008                       |
| Folpet      | 25                                | Cherries                              | Canada Gazette II<br>Prior to 16 June 2008  |
| Folpet      | 15                                | Citrus fruits                         | Canada Gazette II Prior to 16 June 2008     |
| Folpet      | 25                                | Crabapples                            | Canada Gazette II<br>Prior to 16 June 200   |
| Folpet      | 25                                | Cranberries                           | Canada Gazette II<br>Prior to 16 June 2008  |
| Folpet      | 15                                | Cucumbers                             | Canada Gazette II Prior to 16 June 2008     |
| Folpet      | 25                                | Currants                              | Canada Gazette II Prior to 16 June 200      |
| Folpet      | 25                                | Dewberries                            | Canada Gazette II                           |
| Folpet      | 15                                | Garlic                                | Prior to 16 June 2008 Canada Gazette II     |
| Folpet      | 25                                | Gooseberries                          | Prior to 16 June 200<br>Canada Gazette II   |
| Folpet      | 25                                | Grapes                                | Prior to 16 June 2008<br>Canada Gazette II  |
| Folpet      | 25                                | Huckleberries                         | Prior to 16 June 2008<br>Canada Gazette II  |
| Folpet      | 25                                | Leeks                                 | Prior to 16 June 2008<br>Canada Gazette II  |
| Folpet      | 25                                | Lettuce                               | Prior to 16 June 2008 Canada Gazette II     |
| Folpet      | 25                                | Loganberries                          | Prior to 16 June 2008 Canada Gazette II     |
| <u> </u>    |                                   |                                       | Prior to 16 June 2008                       |
| Folpet      | 15                                | Melons                                | Canada Gazette II Prior to 16 June 2008     |
| Folpet      | 25                                | Onions                                | Canada Gazette II<br>Prior to 16 June 2008  |
| Folpet      | 15                                | Pumpkins                              | Canada Gazette II<br>Prior to 16 June 2008  |
| Folpet      | 25                                | Raspberries                           | Canada Gazette II<br>Prior to 16 June 2008  |

|                           |                                   | distinct table on the MRL webpage | AND FIRST T                           |
|---------------------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name               | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Folpet                    | 15                                | Squash                            | Canada Gazette Prior to 16 June 20    |
| Folpet                    | 25                                | Strawberries                      | Canada Gazette                        |
| Folpet                    | 25                                | Tomatoes                          | Prior to 16 June 20<br>Canada Gazette |
|                           |                                   |                                   | Prior to 16 June 20                   |
| Fomesafen                 | 0.05                              | Dry beans                         | Canada Gazette Prior to 16 June 20    |
| Fomesafen                 | 0.05                              | Lima beans                        | Canada Gazette                        |
| Fomesafen                 | 0.05                              | Snap beans                        | Prior to 16 June 20<br>Canada Gazette |
| Fomesafen                 | 0.05                              | Soybeans                          | Prior to 16 June 20<br>Canada Gazette |
|                           | 0.05                              | •                                 | Prior to 16 June 20                   |
| Foramsulfuron             | 0.01                              | Field corn                        | Canada Gazette Prior to 16 June 20    |
| Formetanate hydrochloride | 3.0                               | Apples                            | Canada Gazette                        |
| Formetanate hydrochloride | 4.0                               | Citrus fruits                     | Prior to 16 June 20<br>Canada Gazette |
| Formatanata hydrochlarida | 3.0                               | Peaches/nectarines                | Prior to 16 June 20<br>Canada Gazette |
| Formetanate hydrochloride | 3.0                               |                                   | Prior to 16 June 20                   |
| Formetanate hydrochloride | 3.0                               | Pears                             | Canada Gazette<br>Prior to 16 June 20 |
| Formetanate hydrochloride | 0.5                               | Plums                             | Canada Gazette                        |
| Fosetyl-aluminum          | 1.0                               | Apples                            | Prior to 16 June 20<br>Canada Gazette |
| <u> </u>                  |                                   |                                   | Prior to 16 June 20                   |
| Fosetyl-aluminum          | 40                                | Aronia berries                    | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum          | 9.0                               | Australian desert limes           | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum          | 9.0                               | Australian finger limes           | EMRL2009-22                           |
| Fosetyl-aluminum          | 9.0                               | Australian round limes            | (2 September 200<br>EMRL2009-22       |
| <u> </u>                  |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum          | 10                                | Avocados                          | Canada Gazette Prior to 16 June 20    |
| Fosetyl-aluminum          | 0.05                              | Blackberries                      | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum          | 60                                | Bok choy Chinese cabbages         | Canada Gazette                        |
| Fosetyl-aluminum          | 60                                | Broccoli                          | Prior to 16 June 20<br>Canada Gazette |
| ·                         | 0.0                               | Daniel Divertion of lines         | Prior to 16 June 20                   |
| Fosetyl-aluminum          | 9.0                               | Brown River finger limes          | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum          | 40                                | Buffalo currants                  | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum          | 60                                | Cabbages                          | Canada Gazette                        |
| Fosetyl-aluminum          | 9.0                               | Calamondins                       | Prior to 16 June 20<br>EMRL2009-22    |
|                           | 15                                | Cantaloupes                       | (2 September 200                      |
| Fosetyl-aluminum          | 15                                | Cantaloupes                       | Canada Gazette Prior to 16 June 20    |
| Fosetyl-aluminum          | 60                                | Cauliflower                       | Canada Gazette Prior to 16 June 20    |
| Fosetyl-aluminum          | 100                               | Celery                            | Canada Gazette                        |
| Fosetyl-aluminum          | 40                                | Chilean guavas                    | Prior to 16 June 20<br>EMRL2009-22    |
| Fosetyl-aluminum          | 60                                | Chinese broccoli                  | (2 September 200<br>Canada Gazette    |
|                           |                                   |                                   | Prior to 16 June 20                   |
| Fosetyl-aluminum          | 9.0                               | Citrus citrons                    | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum          | 9.0                               | Citrus hybrids                    | EMRL2009-22                           |
| Fosetyl-aluminum          | 15                                | Cucumbers                         | (2 September 200<br>Canada Gazette    |
| Fosetyl-aluminum          | 40                                | Currants                          | Prior to 16 June 20<br>EMRL2009-22    |
| ·                         |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum          | 0.5                               | Dry bulb onions                   | Canada Gazette Prior to 16 June 20    |
| Fosetyl-aluminum          | 40                                | Elderberries                      | EMRL2009-22                           |
| Fosetyl-aluminum          | 40                                | European barberries               | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum          | 0.05                              | Fat of cattle                     | (2 September 200<br>EMRL2009-22       |
| <u> </u>                  |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum          | 0.05                              | Fat of goats                      | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum          | 0.05                              | Fat of hogs                       | EMRL2009-22                           |
| Fosetyl-aluminum          | 0.05                              | Fat of horses                     | (2 September 200<br>EMRL2009-22       |

|                  |                                   | distinct table on the MRL webpage |                                       |
|------------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name      | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Fosetyl-aluminum | 0.05                              | Fat of sheep                      | EMRL2009-22                           |
| Fosetyl-aluminum | 0.05                              | Ginseng roots                     | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 40                                | Gooseberries                      | (2 September 2009<br>EMRL2009-22      |
|                  |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum | 9.0                               | Grapefruits                       | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 10                                | Green onions                      | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 40                                | Highbush blueberries              | EMRL2009-22                           |
| Fosetyl-aluminum | 40                                | Highbush cranberries              | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 40                                | Honeysuckle                       | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 40                                | Huckleberries                     | (2 September 200<br>EMRL2009-22       |
|                  |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum | 9.0                               | Japanese summer grapefruits       | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 40                                | Jostaberries                      | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 9.0                               | Kumquats                          | EMRL2009-22                           |
| Fosetyl-aluminum | 9.0                               | Lemons                            | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 100                               | Lettuce                           | (2 September 200<br>Canada Gazette    |
|                  |                                   |                                   | Prior to 16 June 20                   |
| Fosetyl-aluminum | 9.0                               | Limes                             | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 40                                | Lingonberries                     | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 0.05                              | Loganberries                      | EMRL2009-22                           |
| Fosetyl-aluminum | 40                                | Lowbush blueberries               | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 0.05                              | Meat byproducts of cattle         | (2 September 200<br>EMRL2009-22       |
|                  |                                   |                                   | (2 September 2009                     |
| Fosetyl-aluminum | 0.05                              | Meat byproducts of goats          | EMRL2009-22<br>(2 September 2009      |
| Fosetyl-aluminum | 0.05                              | Meat byproducts of hogs           | EMRL2009-22<br>(2 September 2009)     |
| Fosetyl-aluminum | 0.05                              | Meat byproducts of horses         | EMRL2009-22<br>(2 September 2009      |
| Fosetyl-aluminum | 0.05                              | Meat byproducts of sheep          | EMRL2009-22                           |
| Fosetyl-aluminum | 0.05                              | Meat of cattle                    | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 0.05                              | Meat of goats                     | (2 September 200<br>EMRL2009-22       |
| ·                |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum | 0.05                              | Meat of hogs                      | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 0.05                              | Meat of horses                    | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 0.05                              | Meat of sheep                     | EMRL2009-22                           |
| Fosetyl-aluminum | 9.0                               | Mediterranean mandarins           | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 0.02                              | Milk                              | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum |                                   |                                   | (2 September 200                      |
|                  | 9.0                               | Mount White limes                 | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 60                                | Mustard greens                    | Canada Gazette<br>Prior to 16 June 20 |
| Fosetyl-aluminum | 40                                | Native currants                   | EMRL2009-22                           |
| Fosetyl-aluminum | 9.0                               | New Guinea wild limes             | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 9.0                               | Oranges                           | (2 September 200<br>EMRL2009-22       |
| Fosetyl-aluminum | 9.0                               | Pummelos                          | (2 September 200<br>EMRL2009-22       |
|                  |                                   |                                   | (2 September 2009                     |
| Fosetyl-aluminum | 0.05                              | Raspberries                       | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 9.0                               | Russell River limes               | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum | 15                                | Rutabaga roots                    | EMRL2010-20                           |
| Fosetyl-aluminum | 40                                | Salal berries                     | (24 September 201<br>EMRL2009-22      |
| Fosetyl-aluminum | 40                                | Saskatoon berries (juneberries)   | (2 September 200)<br>EMRL2009-22      |
|                  |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum | 9.0                               | Satsuma mandarins                 | EMRL2009-22                           |

|                       |                                   | distinct table on the MRL webpage |                                       |
|-----------------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name           | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Fosetyl-aluminum      | 40                                | Sea buckthorn                     | EMRL2009-22                           |
| Fosetyl-aluminum      | 100                               | Spinach                           | (2 September 200<br>Canada Gazette    |
|                       |                                   | ·                                 | Prior to 16 June 20                   |
| Fosetyl-aluminum      | 15                                | Squash                            | Canada Gazette Prior to 16 June 20    |
| Fosetyl-aluminum      | 75                                | Strawberries                      | Canada Gazette                        |
| Fosetyl-aluminum      | 0.3                               | Succulent shelled English peas    | Prior to 16 June 20<br>EMRL2009-22    |
|                       |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum      | 0.3                               | Succulent shelled garden peas     | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum      | 0.3                               | Succulent shelled green peas      | EMRL2009-22                           |
| Fosetyl-aluminum      | 0.3                               | Succulent shelled peas            | (2 September 200<br>EMRL2009-22       |
|                       |                                   | <u> </u>                          | (2 September 200                      |
| Fosetyl-aluminum      | 0.3                               | Succulent shelled pigeon peas     | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum      | 9.0                               | Sweet limes                       | EMRL2009-22                           |
| Fosetyl-aluminum      | 9.0                               | Tachibana oranges                 | (2 September 200<br>EMRL2009-22       |
| Fosetyi-aluminum      | 9.0                               | racilibaria oranges               | (2 September 200                      |
| Fosetyl-aluminum      | 9.0                               | Tahiti limes                      | EMRL2009-22                           |
| Fosetyl-aluminum      | 9.0                               | Tangelos                          | (2 September 200<br>EMRL2009-22       |
|                       |                                   | <u> </u>                          | (2 September 200                      |
| Fosetyl-aluminum      | 9.0                               | Tangerines                        | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum      | 9.0                               | Tangors                           | EMRL2009-22                           |
| Fosetyl-aluminum      | 3.0                               | Tomatoes                          | (2 September 200<br>Canada Gazette    |
|                       |                                   |                                   | Prior to 16 June 20                   |
| Fosetyl-aluminum      | 9.0                               | Trifoliate oranges                | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum      | 15                                | Turnip roots                      | EMRL2009-22                           |
| Fosetyl-aluminum      | 40                                | Turnip tops                       | (2 September 200<br>EMRL2009-22       |
|                       |                                   |                                   | (2 September 200                      |
| Fosetyl-aluminum      | 9.0                               | Uniq fruits                       | EMRL2009-22<br>(2 September 200       |
| Fosetyl-aluminum      | 0.05                              | Wild raspberries                  | EMRL2009-22                           |
| Glufosinate-ammonium  | 0.05                              | Apples                            | (2 September 200<br>EMRL2011-13       |
|                       |                                   |                                   | (18 March 2011                        |
| Glufosinate-ammonium  | 0.2                               | Corn                              | Canada Gazette Prior to 16 June 20    |
| Glufosinate-ammonium  | 3.0                               | Dry peas                          | Canada Gazette                        |
| Glufosinate-ammonium  | 0.5                               | Dry white beans                   | Prior to 16 June 20<br>Canada Gazette |
|                       |                                   | Dry Willie Bearle                 | Prior to 16 June 20                   |
| Glufosinate-ammonium  | 0.1                               | Eggs                              | Canada Gazette Prior to 16 June 20    |
| Glufosinate-ammonium  | 0.1                               | Fat of cattle                     | Canada Gazette                        |
| Glufosinate-ammonium  | 0.1                               | Fat of goats                      | Prior to 16 June 20<br>Canada Gazette |
|                       |                                   |                                   | Prior to 16 June 20                   |
| Glufosinate-ammonium  | 0.1                               | Fat of hogs                       | Canada Gazette Prior to 16 June 20    |
| Glufosinate-ammonium  | 0.1                               | Fat of poultry                    | Canada Gazette                        |
| Glufosinate-ammonium  | 0.1                               | Fat of sheep                      | Prior to 16 June 20<br>Canada Gazette |
|                       |                                   | ·                                 | Prior to 16 June 20                   |
| Glufosinate-ammonium  | 0.05                              | Grapes                            | EMRL2011-13<br>(18 March 2011         |
| Glufosinate-ammonium  | 1.0                               | Kidney of cattle                  | Canada Gazette                        |
| Glufosinate-ammonium  | 1.0                               | Kidney of goats                   | Prior to 16 June 20<br>Canada Gazette |
| GidiOsiiiate-aminomum | 1.0                               |                                   | Prior to 16 June 20                   |
| Glufosinate-ammonium  | 1.0                               | Kidney of hogs                    | Canada Gazette<br>Prior to 16 June 20 |
| Glufosinate-ammonium  | 1.0                               | Kidney of poultry                 | Canada Gazette                        |
| Glufosinata ammanium  | 1.0                               | Kidnov of oboca                   | Prior to 16 June 20                   |
| Glufosinate-ammonium  | 1.0                               | Kidney of sheep                   | Canada Gazette<br>Prior to 16 June 20 |
| Glufosinate-ammonium  | 6.0                               | Lentils                           | Canada Gazette                        |
| Glufosinate-ammonium  | 1.0                               | Liver of cattle                   | Prior to 16 June 20<br>Canada Gazette |
|                       |                                   |                                   | Prior to 16 June 20                   |
| Glufosinate-ammonium  | 1.0                               | Liver of goats                    | Canada Gazette Prior to 16 June 20    |
| Glufosinate-ammonium  | 1.0                               | Liver of hogs                     | Canada Gazette                        |
|                       |                                   | Liver of poultry                  | Prior to 16 June 20<br>Canada Gazette |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |  |
|--|-----------------------------------|---|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                            | MRL Established Vi                         |
| Glufosinate-ammonium   | 1.0                               | Liver of sheep                            | Canada Gazette II Prior to 16 June 2008    |
| Glufosinate-ammonium   | 0.1                               | Meat byproducts of cattle                 | Canada Gazette II Prior to 16 June 2008    |
| Glufosinate-ammonium   | 0.1                               | Meat byproducts of goats                  | Canada Gazette II                          |
| Glufosinate-ammonium   | 0.1                               | Meat byproducts of hogs                   | Prior to 16 June 2006<br>Canada Gazette II |
| Glufosinate-ammonium   | 0.1                               | Meat byproducts of poultry                | Prior to 16 June 2008<br>Canada Gazette II |
| Glufosinate-ammonium   | 0.1                               | Meat byproducts of sheep                  | Prior to 16 June 200<br>Canada Gazette II  |
| Glufosinate-ammonium   | 0.1                               | Meat of cattle                            | Prior to 16 June 2006<br>Canada Gazette II |
| Glufosinate-ammonium   | 0.1                               |   | Prior to 16 June 2000                      |
|  |                                   | Meat of goats                             | Prior to 16 June 200                       |
| Glufosinate-ammonium   | 0.1                               | Meat of hogs                              | Canada Gazette II<br>Prior to 16 June 200  |
| Glufosinate-ammonium   | 0.1                               | Meat of poultry                           | Canada Gazette II Prior to 16 June 2008    |
| Glufosinate-ammonium   | 0.1                               | Meat of sheep                             | Canada Gazette II<br>Prior to 16 June 2008 |
| Glufosinate-ammonium   | 0.04                              | Milk                                      | Canada Gazette II Prior to 16 June 2008    |
| Glufosinate-ammonium   | 0.4                               | Potatoes                                  | Canada Gazette II                          |
| Glufosinate-ammonium   | 3.0                               | Rapeseeds (canola)                        | Prior to 16 June 2008<br>Canada Gazette II |
| Glufosinate-ammonium   | 1.0                               | Rice                                      | Prior to 16 June 2008<br>Canada Gazette II |
| Glufosinate-ammonium   | 2.0                               | Soybeans                                  | Prior to 16 June 2008<br>Canada Gazette II |
| Glufosinate-ammonium   | 3.5                               | Undelinted cotton seeds                   | Prior to 16 June 2008 Canada Gazette II    |
|  |                                   |   | Prior to 16 June 2008                      |
| Glufosinate-ammonium   | 0.2                               | Wheat                                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Glyphosate   | 0.5                               | Asparagus                                 | Canada Gazette II Prior to 16 June 2008    |
| Glyphosate   | 10                                | Barley                                    | Canada Gazette II Prior to 16 June 2008    |
| Glyphosate   | 15                                | Barley milling fractions, excluding flour | Canada Gazette II<br>Prior to 16 June 2008 |
| Glyphosate   | 4.0                               | Beans                                     | Canada Gazette II Prior to 16 June 2008    |
| Glyphosate   | 3.0                               | Field corn                                | EMRL2011-38                                |
| Glyphosate   | 3.0                               | Flax                                      | (18 May 2011)<br>Canada Gazette II         |
| Glyphosate   | 2.0                               | Kidney of cattle                          | Prior to 16 June 2008<br>Canada Gazette II |
| Glyphosate   | 2.0                               | Kidney of goats                           | Prior to 16 June 2008<br>Canada Gazette II |
| Glyphosate   | 2.0                               | Kidney of hogs                            | Prior to 16 June 2008<br>Canada Gazette II |
| Glyphosate   | 2.0                               | Kidney of poultry                         | Prior to 16 June 200                       |
| ••   |                                   | , , , ,                                   | Prior to 16 June 2008                      |
| Glyphosate   | 2.0                               | Kidney of sheep                           | Canada Gazette II<br>Prior to 16 June 200  |
| Glyphosate   | 4.0                               | Lentils                                   | Canada Gazette II Prior to 16 June 200     |
| Glyphosate   | 0.2                               | Liver of cattle                           | Canada Gazette II<br>Prior to 16 June 200  |
| Glyphosate   | 0.2                               | Liver of goats                            | Canada Gazette II<br>Prior to 16 June 200  |
| Glyphosate   | 0.2                               | Liver of hogs                             | Canada Gazette II                          |
| Glyphosate   | 0.2                               | Liver of poultry                          | Prior to 16 June 200                       |
| Glyphosate   | 0.2                               | Liver of sheep                            | Prior to 16 June 2008<br>Canada Gazette II |
| Glyphosate   | 35                                | Oat milling fractions, excluding flour    | Prior to 16 June 2008<br>Canada Gazette II |
| Glyphosate   | 15                                | Oats                                      | Prior to 16 June 2008<br>Canada Gazette II |
| Glyphosate   | 5.0                               |   | Prior to 16 June 2008                      |
|  |                                   | Peas                                      | Canada Gazette II<br>Prior to 16 June 2008 |
| Glyphosate   | 3.0                               | Popcorn grain                             | Canada Gazette II<br>Prior to 16 June 2008 |
| Glyphosate   | 10                                | Rapeseeds (canola)                        | Canada Gazette II<br>Prior to 16 June 2008 |
| Glyphosate   | 20                                | Soybeans                                  | Canada Gazette II<br>Prior to 16 June 2008 |
| Glyphosate   | 10                                | Sugar beets                               | Canada Gazette II                          |

|                       |                                   | in a distinct table on the MRL webpage        | T                                       |
|-----------------------|-----------------------------------|---|---|
| Common Name           | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                | MRL Established \                       |
| Glyphosate            | 3.0                               | Sweet corn kernel plus cob with husks removed | Canada Gazette I<br>Prior to 16 June 20 |
| Glyphosate            | 5.0                               | Wheat   | Canada Gazette I                        |
| Chunhanata            | 45                                | Wheat willing freeting evel ding flour        | Prior to 16 June 20                     |
| Glyphosate            | 15                                | Wheat milling fractions, excluding flour      | Canada Gazette I<br>Prior to 16 June 20 |
| Heptachlor            | 0.1                               | Butter  | Canada Gazette I                        |
| Heptachlor            | 0.1                               | Cheese  | Prior to 16 June 20<br>Canada Gazette I |
|                       |                                   |   | Prior to 16 June 20                     |
| Heptachlor            | 0.2                               | Fat of cattle                                 | Canada Gazette I<br>Prior to 16 June 20 |
| Heptachlor            | 0.2                               | Fat of goats                                  | Canada Gazette I                        |
| Heptachlor            | 0.2                               | Fat of hogs                                   | Prior to 16 June 20<br>Canada Gazette I |
|                       |                                   |   | Prior to 16 June 20                     |
| Heptachlor            | 0.2                               | Fat of poultry                                | Canada Gazette I<br>Prior to 16 June 20 |
| Heptachlor            | 0.2                               | Fat of sheep                                  | Canada Gazette I                        |
| Heptachlor            | 0.2                               | Meat byproducts of cattle                     | Prior to 16 June 20 Canada Gazette I    |
| <u> </u>              |                                   |   | Prior to 16 June 20                     |
| Heptachlor            | 0.2                               | Meat byproducts of goats                      | Canada Gazette I<br>Prior to 16 June 20 |
| Heptachlor            | 0.2                               | Meat byproducts of hogs                       | Canada Gazette I                        |
| Heptachlor            | 0.2                               | Meat byproducts of poultry                    | Prior to 16 June 20 Canada Gazette I    |
| Першенног             | 0.2                               | Weat byproducts or pountry                    | Prior to 16 June 20                     |
| Heptachlor            | 0.2                               | Meat byproducts of sheep                      | Canada Gazette I<br>Prior to 16 June 20 |
| Heptachlor            | 0.2                               | Meat of cattle                                | Canada Gazette I                        |
| Heptachlor            | 0.2                               | Meat of goats                                 | Prior to 16 June 20 Canada Gazette I    |
| Пертастію             | 0.2                               | ivieat or goals                               | Prior to 16 June 20                     |
| Heptachlor            | 0.2                               | Meat of hogs                                  | Canada Gazette I<br>Prior to 16 June 20 |
| Heptachlor            | 0.2                               | Meat of poultry                               | Canada Gazette I                        |
| Heptachlor            | 0.2                               | Meat of sheep                                 | Prior to 16 June 20 Canada Gazette I    |
| Пертастног            | 0.2                               | · · · · · · · · · · · · · · · · · · ·         | Prior to 16 June 20                     |
| Heptachlor            | 0.1                               | Milk  | Canada Gazette I<br>Prior to 16 June 20 |
| Heptachlor            | 0.1                               | Other dairy products                          | Canada Gazette I                        |
| Hydrogen cyanide      | 25                                | Almonds                                       | Prior to 16 June 20 Canada Gazette I    |
|                       | 20                                |   | Prior to 16 June 20                     |
| Hydrogen cyanide      | 25                                | Barley  | Canada Gazette I<br>Prior to 16 June 20 |
| Hydrogen cyanide      | 25                                | Cashew nuts                                   | Canada Gazette I                        |
| Hydrogon cyanido      | 25                                | Cocoa beans                                   | Prior to 16 June 20                     |
| Hydrogen cyanide      | 23                                | Cocoa Dearis                                  | Prior to 16 June 20                     |
| Hydrogen cyanide      | 25                                | Corn  | Canada Gazette I<br>Prior to 16 June 20 |
| Hydrogen cyanide      | 25                                | Kidney beans                                  | Canada Gazette I                        |
| Hydrogen cyanide      | 25                                | Lima beans                                    | Prior to 16 June 20 Canada Gazette I    |
|                       |                                   |   | Prior to 16 June 20                     |
| Hydrogen cyanide      | 25                                | Navy beans                                    | Canada Gazette I<br>Prior to 16 June 20 |
| Hydrogen cyanide      | 25                                | Peanuts                                       | Canada Gazette I                        |
| Hydrogen cyanide      | 25                                | Pecans  | Prior to 16 June 20 Canada Gazette I    |
| , , ,                 |                                   |   | Prior to 16 June 20                     |
| Hydrogen cyanide      | 25                                | Rice  | Canada Gazette I<br>Prior to 16 June 20 |
| Hydrogen cyanide      | 25                                | Rye   | Canada Gazette I                        |
| Hydrogen cyanide      | 25                                | Walnuts                                       | Prior to 16 June 20 Canada Gazette I    |
|                       |                                   |   | Prior to 16 June 20                     |
| Hydrogen cyanide      | 25                                | Wheat   | Canada Gazette I<br>Prior to 16 June 20 |
| Imazalil              | 5.0                               | Citrus fruits                                 | Canada Gazette I                        |
| Imazamothahonz mothul | 0.1                               | Rarlov  | Prior to 16 June 20                     |
| Imazamethabenz-methyl | 0.1                               | Barley  | EMRL2011-13<br>(18 March 2011)          |
| Imazamethabenz-methyl | 0.1                               | Sunflower seeds                               | EMRL2011-13                             |
| Imazamethabenz-methyl | 0.1                               | Wheat   | (18 March 2011)<br>EMRL2011-13          |
|                       |                                   |   | (18 March 2011)                         |
| Imazamox              | 0.01                              | Eggs  | Canada Gazette I<br>Prior to 16 June 20 |
| Imazamox              | 0.05                              | Fenugreek seeds                               | EMRL2008-24                             |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                             |                            |                                       |
|---|-----------------------------|----------------------------|---------------------------------------|
| Common Name   | Maximum Residue Limit (ppm) | Food Commodity             | MRL Established                       |
| Imazamox  | 0.25                        | Lentils                    | EMRL2010-13                           |
| Imazamox  | 0.01                        | Meat byproducts of cattle  | (15 September 20<br>Canada Gazette    |
| Imanamay  | 0.04                        | Most humandusts of goots   | Prior to 16 June 20                   |
| Imazamox  | 0.01                        | Meat byproducts of goats   | Canada Gazette Prior to 16 June 20    |
| Imazamox  | 0.01                        | Meat byproducts of horses  | Canada Gazette                        |
| Imazamox  | 0.01                        | Meat byproducts of poultry | Prior to 16 June 20<br>Canada Gazette |
| Imazamox  | 0.04                        |                            | Prior to 16 June 20                   |
| imazamox  | 0.01                        | Meat byproducts of sheep   | Canada Gazette Prior to 16 June 20    |
| Imazamox  | 0.01                        | Meat of cattle             | Canada Gazette<br>Prior to 16 June 20 |
| Imazamox  | 0.01                        | Meat of goats              | Canada Gazette                        |
| Imazamox  | 0.01                        | Meat of horses             | Prior to 16 June 20<br>Canada Gazette |
|   |                             |                            | Prior to 16 June 20                   |
| Imazamox  | 0.01                        | Meat of poultry            | Canada Gazette Prior to 16 June 20    |
| Imazamox  | 0.01                        | Meat of sheep              | Canada Gazette                        |
| Imazamox  | 0.01                        | Milk                       | Prior to 16 June 20<br>Canada Gazette |
|   |                             |                            | Prior to 16 June 20                   |
| Imazamox  | 0.05                        | Peas                       | Canada Gazette Prior to 16 June 20    |
| Imazamox  | 0.05                        | Rapeseeds (canola)         | Canada Gazette                        |
| Imazamox  | 0.1                         | Soybeans                   | Prior to 16 June 20<br>Canada Gazette |
| Imamamay  | 0.05                        | Curtinuer                  | Prior to 16 June 20                   |
| Imazamox  | 0.05                        | Sunflower seeds            | EMRL2008-41<br>(19 November 200       |
| Imazamox  | 0.05                        | Wheat                      | Canada Gazette<br>Prior to 16 June 20 |
| Imazethapyr   | 0.1                         | Dry adzuki beans           | EMRL2010-36                           |
| Imazethapyr   | 0.1                         | Dry black beans            | (12 October 2010<br>EMRL2010-36       |
|   |                             |                            | (12 October 2010                      |
| Imazethapyr   | 0.1                         | Dry cranberry beans        | EMRL2010-36<br>(12 October 2010       |
| Imazethapyr   | 0.1                         | Dry Dutch brown beans      | EMRL2010-36                           |
| Imazethapyr   | 0.05                        | Dry lentils                | (12 October 2010<br>EMRL2010-36       |
| Imazethapyr   | 0.1                         | Dry pink beans             | (12 October 2010<br>EMRL2010-36       |
| шагешаруі   | 0.1                         | Dry pink beans             | (12 October 2010                      |
| Imazethapyr   | 0.1                         | Dry red beans              | EMRL2010-36<br>(12 October 2010       |
| Imazethapyr   | 0.1                         | Dry white beans            | EMRL2010-36                           |
| Imazethapyr   | 0.1                         | Dry yelloweyed beans       | (12 October 2010<br>EMRL2010-36       |
|   |                             |                            | (12 October 2010                      |
| Imazethapyr   | 0.05                        | Fenugreek seeds            | EMRL2008-25<br>(14 November 200       |
| Imazethapyr   | 0.05                        | Field corn                 | EMRL2010-36                           |
| Imazethapyr   | 0.1                         | Kidney beans               | (12 October 2010<br>Canada Gazette    |
|   |                             | ·                          | Prior to 16 June 20                   |
| Imazethapyr   | 0.1                         | Lima beans                 | Canada Gazette Prior to 16 June 20    |
| Imazethapyr   | 0.1                         | Navy beans                 | Canada Gazette<br>Prior to 16 June 20 |
| Imazethapyr   | 0.1                         | Peas                       | EMRL2008-01                           |
| Imazethapyr   | 0.1                         | Pinto beans                | (9 July 2008)<br>Canada Gazette       |
|   |                             |                            | Prior to 16 June 20                   |
| Imazethapyr   | 0.05                        | Rapeseeds (canola)         | EMRL2008-27<br>(14 November 200       |
| Imazethapyr   | 0.1                         | Runner beans               | Canada Gazette                        |
| Imazethapyr   | 0.1                         | Snap beans                 | Prior to 16 June 20<br>Canada Gazette |
|   |                             | ·                          | Prior to 16 June 20                   |
| Imazethapyr   | 0.1                         | Soybeans                   | Canada Gazette Prior to 16 June 20    |
| Imazethapyr   | 0.1                         | Tepary beans               | Canada Gazette                        |
| Imazethapyr   | 0.1                         | Wax beans                  | Prior to 16 June 20<br>Canada Gazette |
| Imidacloprid  | 0.5                         | Apples                     | Prior to 16 June 20<br>Canada Gazette |
|   |                             |                            | Prior to 16 June 20                   |
| Imidacloprid  | 0.5                         | Balsam apples              | EMRL2008-02<br>(9 July 2008)          |
| Imidacloprid  | 0.5                         | Balsam pears               | (9 July 2008)<br>EMRL2008-02          |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Established Via |                                   |  |  |
|--|-----------------------------------|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established Vi                         |
| Imidacloprid   | 2.5                               | Blackberries   | EMRL2008-23<br>(3 September 2008)          |
| Imidacloprid   | 1.0                               | Blueberries  | Canada Gazette II                          |
| Imidacloprid   | 3.5                               | Brassica crops                                       | Prior to 16 June 2008<br>Canada Gazette II |
| Imidacloprid   | 0.5                               | Cantaloupes  | Prior to 16 June 2008<br>EMRL2008-02       |
| Imidacloprid   | 0.5                               | Chayote fruit  | (9 July 2008)<br>EMRL2008-02               |
| Imidacloprid   | 0.5                               | Chinese cucumbers                                    | (9 July 2008)<br>EMRL2008-02               |
|  |                                   |  | (9 July 2008)                              |
| Imidacloprid   | 0.5                               | Chinese waxgourds                                    | EMRL2008-02<br>(9 July 2008)               |
| Imidacloprid   | 0.5                               | Citron melons  | EMRL2008-02<br>(9 July 2008)               |
| Imidacloprid   | 1.0                               | Citrus fruits  | Canada Gazette II<br>Prior to 16 June 2008 |
| Imidacloprid   | 0.5                               | Cucumbers  | Canada Gazette II<br>Prior to 16 June 2008 |
| Imidacloprid   | 0.5                               | Edible gourds (other than those listed in this item) | EMRL2008-02                                |
| Imidacloprid   | 0.08                              | Eggplants  | (9 July 2008)<br>Canada Gazette II         |
| Imidacloprid   | 0.05                              | Field corn   | Prior to 16 June 2008<br>Canada Gazette II |
| Imidacloprid   | 0.05                              | Ginseng roots  | Prior to 16 June 2008<br>EMRL2009-14       |
|  |                                   |  | (10 June 2009)                             |
| Imidacloprid   | 1.5                               | Grapes   | Canada Gazette II<br>Prior to 16 June 200  |
| Imidacloprid   | 3.5                               | Lettuce  | Canada Gazette II Prior to 16 June 2008    |
| Imidacloprid   | 2.5                               | Loganberries   | EMRL2008-23<br>(3 September 2008)          |
| Imidacloprid   | 0.2                               | Mangoes  | Canada Gazette II Prior to 16 June 2008    |
| Imidacloprid   | 0.5                               | Muskmelons (other than those listed in this item)    | EMRL2008-02                                |
| Imidacloprid   | 0.05                              | Mustard seeds  | (9 July 2008)<br>Canada Gazette II         |
| Imidacloprid   | 1.1                               | Nectarines   | Prior to 16 June 2008<br>EMRL2009-14       |
| Imidacloprid   | 1.1                               | Peaches  | (10 June 2009)<br>EMRL2009-14              |
| Imidacloprid   | 0.6                               | Pears  | (10 June 2009)<br>Canada Gazette II        |
|  | 0.05                              | Pecans   | Prior to 16 June 2008 Canada Gazette II    |
| Imidacloprid   |                                   |  | Prior to 16 June 2008                      |
| Imidacloprid   | 1.0                               | Peppers  | Canada Gazette II<br>Prior to 16 June 200  |
| Imidacloprid   | 0.3                               | Potatoes   | Canada Gazette II Prior to 16 June 2008    |
| Imidacloprid   | 0.5                               | Pumpkins   | EMRL2008-02<br>(9 July 2008)               |
| Imidacloprid   | 0.05                              | Rapeseeds (canola)                                   | Canada Gazette II                          |
| Imidacloprid   | 2.5                               | Raspberries  | Prior to 16 June 2008<br>EMRL2008-23       |
| Imidacloprid   | 0.1                               | Saskatoon berries (juneberries)                      | (3 September 2008)<br>EMRL2009-09          |
| Imidacloprid   | 0.5                               | Summer squash  | (5 June 2009)<br>EMRL2008-02               |
| Imidacloprid   | 3.0                               | Sweet cherries                                       | (9 July 2008)<br>Canada Gazette II         |
| Imidacloprid   | 0.05                              | Sweet corn kernels plus cob with husks removed       | Prior to 16 June 200                       |
|  |                                   | <u> </u>   | Prior to 16 June 2008                      |
| Imidacloprid   | 0.3                               | Sweet potato roots                                   | EMRL2009-14<br>(10 June 2009)              |
| Imidacloprid   | 3.0                               | Tart cherries  | Canada Gazette II<br>Prior to 16 June 2008 |
| Imidacloprid   | 6.0                               | Tomato paste   | Canada Gazette II<br>Prior to 16 June 2008 |
| Imidacloprid   | 3.0                               | Tomato purée   | Canada Gazette II                          |
| Imidacloprid   | 1.0                               | Tomatoes   | Prior to 16 June 2008 Canada Gazette II    |
| Imidacloprid   | 0.05                              | Undelinted cotton seeds                              | Prior to 16 June 2006<br>Canada Gazette II |
| Imidacloprid   | 0.5                               | Watermelons  | Prior to 16 June 2008<br>EMRL2008-02       |
| Imidacloprid   | 0.5                               | West Indian gherkins                                 | (9 July 2008)<br>EMRL2008-02               |
|  |                                   |  | (9 July 2008)                              |
| Imidacloprid   | 2.5                               | Wild raspberries                                     | EMRL2008-23<br>(3 September 2008)          |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Establish |                                   |                            |                                       |
|--|-----------------------------------|----------------------------|---------------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity             | MRL Established                       |
| Imidacloprid   | 0.5                               | Winter squash              | EMRL2008-02<br>(9 July 2008)          |
| odosulfuron-methyl-sodium  | 0.025                             | Field corn                 | Canada Gazette                        |
| Iprodione  | 3.0                               | Apricots                   | Prior to 16 June 20<br>Canada Gazette |
| Iprodione  | 0.3                               | Beans                      | Prior to 16 June 20<br>Canada Gazette |
| <u> </u>   |                                   |                            | Prior to 16 June 20                   |
| Iprodione  | 5.0                               | Carrots                    | Canada Gazette<br>Prior to 16 June 20 |
| Iprodione  | 5.0                               | Cherries                   | Canada Gazette<br>Prior to 16 June 20 |
| Iprodione  | 0.5                               | Cucumbers                  | Canada Gazette                        |
| Iprodione  | 10                                | Grapes                     | Prior to 16 June 20<br>Canada Gazette |
| Iprodione  | 0.5                               | Kiwifruit (edible portion) | Prior to 16 June 20<br>Canada Gazette |
| Iprodione  | 13                                | Leeks                      | Prior to 16 June 20<br>EMRL2009-22    |
| <u> </u>   |                                   |                            | (2 September 200                      |
| Iprodione  | 15                                | Lettuce                    | Canada Gazette Prior to 16 June 20    |
| Iprodione  | 10                                | Peaches/nectarines         | Canada Gazette<br>Prior to 16 June 20 |
| Iprodione  | 2.0                               | Plums                      | Canada Gazette                        |
| Iprodione  | 2.0                               | Prunes                     | Prior to 16 June 20<br>Canada Gazette |
| Iprodione  | 60                                | Raisins                    | Prior to 16 June 20<br>Canada Gazette |
| ·  |                                   |                            | Prior to 16 June 20                   |
| Iprodione  | 1.0                               | Rapeseeds (canola)         | Canada Gazette Prior to 16 June 20    |
| Iprodione  | 10                                | Raspberries                | Canada Gazette<br>Prior to 16 June 20 |
| Iprodione  | 5.0                               | Strawberries               | Canada Gazette                        |
| Iprodione  | 0.5                               | Tomatoes                   | Prior to 16 June 20<br>Canada Gazette |
| Iprodione  | 5.0                               | Wine                       | Prior to 16 June 20<br>Canada Gazette |
| <u> </u>   |                                   |                            | Prior to 16 June 20                   |
| Iprovalicarb   | 2.0                               | Grapes                     | Canada Gazette Prior to 16 June 20    |
| Isoxadifen-ethyl   | 0.08                              | Field corn                 | Canada Gazette Prior to 16 June 20    |
| Isoxaflutole   | 0.01                              | Eggs                       | Canada Gazette<br>Prior to 16 June 20 |
| Isoxaflutole   | 0.02                              | Field corn                 | EMRL2010-21                           |
| Isoxaflutole   | 0.5                               | Liver of cattle            | (24 September 20<br>Canada Gazette    |
| Isoxaflutole   | 0.3                               | Liver of poultry           | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |                            | Prior to 16 June 20                   |
| Isoxaflutole   | 0.1                               | Meat byproducts of cattle  | Canada Gazette Prior to 16 June 20    |
| Isoxaflutole   | 0.1                               | Meat byproducts of hogs    | Canada Gazette<br>Prior to 16 June 20 |
| Isoxaflutole   | 0.1                               | Meat byproducts of horses  | Canada Gazette                        |
| Isoxaflutole   | 0.1                               | Meat byproducts of poultry | Prior to 16 June 20<br>Canada Gazette |
| Isoxaflutole   | 0.1                               | Meat byproducts of sheep   | Prior to 16 June 20<br>Canada Gazette |
| Isoxaflutole   | 0.2                               | Meat of cattle             | Prior to 16 June 20 Canada Gazette    |
|  |                                   |                            | Prior to 16 June 20                   |
| Isoxaflutole   | 0.2                               | Meat of hogs               | Canada Gazette<br>Prior to 16 June 20 |
| Isoxaflutole   | 0.2                               | Meat of horses             | Canada Gazette<br>Prior to 16 June 20 |
| Isoxaflutole   | 0.2                               | Meat of poultry            | Canada Gazette                        |
| Isoxaflutole   | 0.2                               | Meat of sheep              | Prior to 16 June 20<br>Canada Gazette |
| Isoxaflutole   | 0.02                              | Milk                       | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |                            | Prior to 16 June 20                   |
| Kresoxim-methyl  | 0.15                              | Apple juice                | Canada Gazette<br>Prior to 16 June 20 |
| Kresoxim-methyl  | 0.5                               | Apples                     | Canada Gazette<br>Prior to 16 June 20 |
| Kresoxim-methyl  | 0.5                               | Asian pears                | Canada Gazette                        |
| Kresoxim-methyl  | 0.5                               | Crabapples                 | Prior to 16 June 20<br>Canada Gazette |
| -  |                                   | Grapes                     | Prior to 16 June 20<br>Canada Gazette |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |  |
|---|-----------------------------------|---|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity  | MRL Established \                                      |
| Kresoxim-methyl   | 0.5                               | Loquats   | Canada Gazette I<br>Prior to 16 June 20                |
| Kresoxim-methyl   | 0.5                               | Mayhaws   | Canada Gazette I                                       |
| Managaine menthed   | 0.03                              | Most hymnodyste of settle   | Prior to 16 June 20<br>Canada Gazette I                |
| Kresoxim-methyl   | 0.03                              | Meat byproducts of cattle   | Prior to 16 June 20                                    |
| Kresoxim-methyl   | 0.03                              | Meat byproducts of goats  | Canada Gazette I<br>Prior to 16 June 20                |
| Kresoxim-methyl   | 0.03                              | Meat byproducts of hogs   | Canada Gazette I                                       |
| Kresoxim-methyl   | 0.03                              | Meat byproducts of horses   | Prior to 16 June 20 Canada Gazette I                   |
|   | 0.05                              |   | Prior to 16 June 20                                    |
| Kresoxim-methyl   | 0.03                              | Meat byproducts of sheep  | Canada Gazette I<br>Prior to 16 June 20                |
| Kresoxim-methyl   | 0.03                              | Meat of cattle  | Canada Gazette I                                       |
| Kresoxim-methyl   | 0.03                              | Meat of goats   | Prior to 16 June 20<br>Canada Gazette I                |
|   |                                   | •   | Prior to 16 June 20                                    |
| Kresoxim-methyl   | 0.03                              | Meat of hogs  | Canada Gazette I<br>Prior to 16 June 200               |
| Kresoxim-methyl   | 0.03                              | Meat of horses  | Canada Gazette I                                       |
| Kresoxim-methyl   | 0.03                              | Meat of sheep   | Prior to 16 June 200<br>Canada Gazette I               |
| Managed as a third  | 0.004                             | Milk  | Prior to 16 June 200<br>Canada Gazette I               |
| Kresoxim-methyl   | 0.004                             | IVIIIK  | Prior to 16 June 200                                   |
| Kresoxim-methyl   | 0.15                              | Pear juice  | Canada Gazette I<br>Prior to 16 June 200               |
| Kresoxim-methyl   | 0.5                               | Pears   | Canada Gazette I                                       |
| Kresoxim-methyl   | 0.15                              | Pecans  | Prior to 16 June 20<br>Canada Gazette I                |
|   |                                   |   | Prior to 16 June 20                                    |
| Kresoxim-methyl   | 0.5                               | Quinces   | Canada Gazette I<br>Prior to 16 June 200               |
| Kresoxim-methyl   | 1.5                               | Raisins   | Canada Gazette I                                       |
| Lambda-cyhalothrin  | 0.01                              | All food commodities (other than those already covered by a higher MRL as a result of use on growing crops) in food handling establishments where food products are held, | Prior to 16 June 200<br>EMRL2011-13<br>(18 March 2011) |
| Lambda-cyhalothrin  | 0.07                              | processed or prepared Apples  | EMRL2008-02  |
| Lambda aybalathrin  | 0.2                               | Apricate  | (9 July 2008)<br>EMRL2009-28                           |
| Lambda-cyhalothrin  | 0.2                               | Apricots  | (26 November 2009                                      |
| Lambda-cyhalothrin  | 0.02                              | Asparagus   | EMRL2009-22<br>(2 September 2009                       |
| Lambda-cyhalothrin  | 0.01                              | Barley  | EMRL2008-02  |
| Lambda-cyhalothrin  | 0.4                               | Broccoli  | (9 July 2008)<br>Canada Gazette I                      |
|   |                                   |   | Prior to 16 June 20                                    |
| Lambda-cyhalothrin  | 0.01                              | Brussels sprouts  | EMRL2008-02<br>(9 July 2008)                           |
| Lambda-cyhalothrin  | 0.4                               | Cabbages  | Canada Gazette I                                       |
| Lambda-cyhalothrin  | 0.5                               | Canola oil  | Prior to 16 June 20<br>EMRL2008-02                     |
|   |                                   |   | (9 July 2008)  |
| Lambda-cyhalothrin  | 0.01                              | Cauliflower   | EMRL2008-02<br>(9 July 2008)                           |
| Lambda-cyhalothrin  | 0.1                               | Chinese onions  | EMRL2008-02  |
| Lambda-cyhalothrin  | 0.15                              | Corn flour  | (9 July 2008)<br>Canada Gazette I                      |
| Lambda-cyhalothrin  | 0.02                              | Dry adzuki beans  | Prior to 16 June 200<br>EMRL2008-02                    |
|   |                                   | •   | (9 July 2008)  |
| Lambda-cyhalothrin  | 0.02                              | Dry beans   | EMRL2008-02<br>(9 July 2008)                           |
| Lambda-cyhalothrin  | 0.02                              | Dry blackeyed peas  | EMRL2008-02  |
| Lambda-cyhalothrin  | 0.02                              | Dry broad beans   | (9 July 2008)<br>EMRL2008-02                           |
|   |                                   | ,   | (9 July 2008)  |
| Lambda-cyhalothrin  | 0.1                               | Dry bulb onions   | EMRL2008-02<br>(9 July 2008)                           |
| Lambda-cyhalothrin  | 0.02                              | Dry catjang seeds   | EMRL2008-02  |
| Lambda-cyhalothrin  | 0.02                              | Dry chickpeas   | (9 July 2008)<br>EMRL2008-02                           |
|   |                                   |   | (9 July 2008)  |
| Lambda-cyhalothrin  | 0.02                              | Dry field peas  | EMRL2008-02<br>(9 July 2008)                           |
| Lambda-cyhalothrin  | 0.02                              | Dry guar seeds  | EMRL2008-02  |
| Lambda-cyhalothrin  | 0.02                              | Dry kidney beans  | (9 July 2008)<br>EMRL2008-02                           |
| Lambda-cyhalothrin  | 0.02                              | Dry lablab beans  | (9 July 2008)<br>EMRL2008-02                           |
| ∟ambua-cynai0lillil   | 0.02                              | ום אום אום אום אום אום אום אום אום אום א  | (9 July 2008)  |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                                       |                                |
|--|-----------------------------------|---------------------------------------|--------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                        | MRL Established                |
| Lambda-cyhalothrin   | 0.02                              | Dry lentils                           | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.02                              | Dry lima beans                        | (9 July 2008)<br>EMRL2008-02   |
|  |                                   | ·                                     | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.02                              | Dry moth beans                        | EMRL2008-02<br>(9 July 2008)   |
| Lambda-cyhalothrin   | 0.02                              | Dry mung beans                        | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.02                              | Dry navy beans                        | (9 July 2008)<br>EMRL2008-02   |
|  |                                   |                                       | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.02                              | Dry pigeon peas                       | EMRL2008-02<br>(9 July 2008)   |
| Lambda-cyhalothrin   | 0.02                              | Dry pink beans                        | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.02                              | Dry pinto beans                       | (9 July 2008)<br>EMRL2008-02   |
|  |                                   |                                       | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.02                              | Dry rice beans                        | EMRL2008-02<br>(9 July 2008)   |
| Lambda-cyhalothrin   | 0.02                              | Dry southern peas                     | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.02                              | Dry soybeans                          | (9 July 2008)<br>EMRL2008-02   |
|  |                                   |                                       | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.02                              | Dry tepary beans                      | EMRL2008-02<br>(9 July 2008)   |
| Lambda-cyhalothrin   | 0.02                              | Dry urd beans                         | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded dwarf peas              | (9 July 2008)<br>EMRL2008-02   |
| Lambua-cyriaiotiiiii   |                                   | · · · · · · · · · · · · · · · · · · · | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded dwarf peas              | EMRL2011-14<br>(24 March 2011  |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded jackbeans               | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded jackbeans               | (9 July 2008)<br>EMRL2011-14   |
|  |                                   |                                       | (24 March 2011                 |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded moth beans              | EMRL2008-02<br>(9 July 2008)   |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded moth beans              | EMRL2011-14                    |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded peas                    | (24 March 2011<br>EMRL2008-02  |
| ·  |                                   |                                       | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded peas                    | EMRL2011-14<br>(24 March 2011  |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded pigeon peas             | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded pigeon peas             | (9 July 2008)<br>EMRL2011-14   |
|  |                                   |                                       | (24 March 2011                 |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded runner beans            | EMRL2008-02<br>(9 July 2008)   |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded runner beans            | EMRL2011-14                    |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded snap beans              | (24 March 2011<br>EMRL2008-02  |
| ·  |                                   |                                       | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded snap beans              | EMRL2011-14<br>(24 March 2011  |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded snow peas               | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded snow peas               | (9 July 2008)<br>EMRL2011-14   |
|  |                                   | ·                                     | (24 March 2011                 |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded soybeans                | EMRL2008-02<br>(9 July 2008)   |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded soybeans                | EMRL2011-14                    |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded sugar snap peas         | (24 March 2011<br>EMRL2008-02  |
|  |                                   |                                       | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded sugar snap peas         | EMRL2011-14<br>(24 March 2011  |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded sword beans             | EMRL2008-02                    |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded sword beans             | (9 July 2008)<br>EMRL2011-14   |
|  |                                   | ·                                     | (24 March 2011                 |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded wax beans               | EMRL2008-02<br>(9 July 2008)   |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded wax beans               | EMRL2011-14                    |
| Lambda-cyhalothrin   | 0.02                              | Edible-podded yardlong beans          | (24 March 2011<br>EMRL2008-02  |
| ·  |                                   |                                       | (9 July 2008)                  |
| Lambda-cyhalothrin   | 0.2                               | Edible-podded yardlong beans          | EMRL2011-14<br>(24 March 2011  |
| Lambda-cyhalothrin   | 0.01                              | Eggs                                  | EMRL2010-33                    |
| Lambda-cyhalothrin   | 5.0                               | Fat of cattle                         | (1 October 2010<br>EMRL2010-33 |
|  |                                   |                                       | (1 October 2010                |
| Lambda-cyhalothrin   | 5.0                               | Fat of goats                          | EMRL2010-33                    |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage   |                                   |                                  |                                       |
|--|-----------------------------------|----------------------------------|---------------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                   | MRL Established                       |
| Lambda-cyhalothrin   | 0.5                               | Fat of hogs                      | EMRL2010-33                           |
| Lambda-cyhalothrin   | 5.0                               | Fat of horses                    | (1 October 2010<br>EMRL2010-33        |
| <u> </u>   |                                   |                                  | (1 October 2010                       |
| Lambda-cyhalothrin   | 0.01                              | Fat of poultry                   | EMRL2010-33<br>(1 October 2010        |
| Lambda-cyhalothrin   | 5.0                               | Fat of sheep                     | EMRL2010-33                           |
| Lambda-cyhalothrin   | 0.05                              | Field corn                       | (1 October 2010<br>EMRL2010-33        |
|  |                                   |                                  | (1 October 2010                       |
| Lambda-cyhalothrin   | 0.1                               | Garlic                           | EMRL2008-02<br>(9 July 2008)          |
| Lambda-cyhalothrin   | 0.02                              | Grain Iupin                      | EMRL2008-02                           |
| Lambda-cyhalothrin   | 0.1                               | Great headed garlic              | (9 July 2008)<br>EMRL2008-02          |
|  | 0.4                               |                                  | (9 July 2008)                         |
| Lambda-cyhalothrin   | 0.1                               | Green onions                     | EMRL2008-02<br>(9 July 2008)          |
| Lambda-cyhalothrin   | 2.0                               | Head lettuce                     | Canada Gazette                        |
| Lambda-cyhalothrin   | 2.0                               | Leaf lettuce                     | Prior to 16 June 20<br>EMRL2009-29    |
| The section of the se | 0.45                              | Laste                            | (26 November 200                      |
| Lambda-cyhalothrin   | 0.15                              | Leeks                            | Canada Gazette<br>Prior to 16 June 20 |
| Lambda-cyhalothrin   | 0.2                               | Meat byproducts of cattle        | EMRL2008-01                           |
| Lambda-cyhalothrin   | 0.2                               | Meat byproducts of goats         | (9 July 2008)<br>EMRL2008-01          |
| The section of the se | 0.04                              | Marthuman destands and have      | (9 July 2008)                         |
| Lambda-cyhalothrin   | 0.01                              | Meat byproducts of hogs          | EMRL2010-33<br>(1 October 2010        |
| Lambda-cyhalothrin   | 0.2                               | Meat byproducts of horses        | EMRL2008-01                           |
| Lambda-cyhalothrin   | 0.01                              | Meat byproducts of poultry       | (9 July 2008)<br>EMRL2010-33          |
| Lambala aubalathuis  | 0.2                               |                                  | (1 October 2010                       |
| Lambda-cyhalothrin   | 0.2                               | Meat byproducts of sheep         | EMRL2008-01<br>(9 July 2008)          |
| Lambda-cyhalothrin   | 0.2                               | Meat of cattle                   | Canada Gazette Prior to 16 June 20    |
| Lambda-cyhalothrin   | 0.2                               | Meat of goats                    | Canada Gazette                        |
| Lambda-cyhalothrin   | 0.01                              | Meat of hogs                     | Prior to 16 June 20<br>EMRL2010-33    |
| Lambua-cynaiotiiiii  |                                   |                                  | (1 October 2010                       |
| Lambda-cyhalothrin   | 0.2                               | Meat of horses                   | Canada Gazette<br>Prior to 16 June 20 |
| Lambda-cyhalothrin   | 0.01                              | Meat of poultry                  | EMRL2010-33                           |
| Lambda-cyhalothrin   | 0.2                               | Meat of sheep                    | (1 October 2010<br>Canada Gazette     |
|  |                                   | ·                                | Prior to 16 June 20                   |
| Lambda-cyhalothrin   | 0.5                               | Milk                             | EMRL2010-33<br>(1 October 2010        |
| Lambda-cyhalothrin   | 12                                | Milk fat                         | EMRL2010-33                           |
| Lambda-cyhalothrin   | 0.01                              | Mustard seeds                    | (1 October 2010<br>EMRL2008-02        |
| <u> </u>   |                                   |                                  | (9 July 2008)                         |
| Lambda-cyhalothrin   | 0.2                               | Nectarines                       | EMRL2009-28<br>(26 November 200       |
| Lambda-cyhalothrin   | 0.05                              | Oats                             | EMRL2011-13                           |
| Lambda-cyhalothrin   | 0.2                               | Peaches                          | (18 March 2011<br>EMRL2009-28         |
|  |                                   |                                  | (26 November 200                      |
| Lambda-cyhalothrin   | 0.01                              | Pears                            | EMRL2008-02<br>(9 July 2008)          |
| Lambda-cyhalothrin   | 0.2                               | Plumcots                         | EMRL2009-28                           |
| Lambda-cyhalothrin   | 0.2                               | Plums                            | (26 November 200<br>EMRL2009-28       |
| <u> </u>   |                                   |                                  | (26 November 200                      |
| Lambda-cyhalothrin   | 0.05                              | Popcorn grain                    | EMRL2010-33<br>(1 October 2010        |
| Lambda-cyhalothrin   | 0.1                               | Potato onions                    | EMRL2008-02                           |
| Lambda-cyhalothrin   | 0.01                              | Potatoes                         | (9 July 2008)<br>EMRL2008-02          |
| Lambda, aubalath sin   | 0.2                               | Drugo alume                      | (9 July 2008)                         |
| Lambda-cyhalothrin   | 0.2                               | Prune plums                      | EMRL2009-28<br>(26 November 200       |
| Lambda-cyhalothrin   | 0.3                               | Rapeseeds (canola)               | EMRL2008-02                           |
| Lambda-cyhalothrin   | 0.1                               | Shallots                         | (9 July 2008)<br>EMRL2008-02          |
|  | 0.04                              |                                  | (9 July 2008)                         |
| Lambda-cyhalothrin   | 0.01                              | Strawberries                     | EMRL2008-02<br>(9 July 2008)          |
| Lambda-cyhalothrin   | 0.02                              | Succulent shelled blackeyed peas | EMRL2008-02<br>(9 July 2008)          |
|  |                                   |                                  |                                       |

| e residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |  |
|--|-----------------------------------|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established Via                        |
| Lambda-cyhalothrin   | 0.02                              | Succulent shelled English peas                 | EMRL2008-02<br>(9 July 2008)               |
| Lambda-cyhalothrin   | 0.02                              | Succulent shelled garden peas                  | EMRL2008-02                                |
| Lambda-cyhalothrin   | 0.02                              | Succulent shelled green peas                   | (9 July 2008)<br>EMRL2008-02               |
| Lambda-cyhalothrin   | 0.02                              | Succulent shelled lima beans                   | (9 July 2008)<br>EMRL2008-02               |
| Lambda-cyhalothrin   | 0.02                              | Succulent shelled peas                         | (9 July 2008)<br>EMRL2008-02               |
| •  |                                   | ·  | (9 July 2008)                              |
| Lambda-cyhalothrin   | 0.02                              | Succulent shelled pigeon peas                  | EMRL2008-02<br>(9 July 2008)               |
| Lambda-cyhalothrin   | 0.02                              | Succulent shelled southern peas                | EMRL2008-02<br>(9 July 2008)               |
| Lambda-cyhalothrin   | 0.3                               | Sunflower oil                                  | Canada Gazette II Prior to 16 June 2008    |
| Lambda-cyhalothrin   | 0.2                               | Sunflower seeds                                | Canada Gazette II<br>Prior to 16 June 2008 |
| Lambda-cyhalothrin   | 0.2                               | Sweet cherries                                 | EMRL2009-28                                |
| Lambda-cyhalothrin   | 0.05                              | Sweet corn kernels plus cob with husks removed | (26 November 2009)<br>EMRL2010-33          |
| Lambda-cyhalothrin   | 0.01                              | Sweet potato roots                             | (1 October 2010)<br>EMRL2008-20            |
| Lambda-cyhalothrin   | 0.2                               | Tart cherries                                  | (3 September 2008)<br>EMRL2009-28          |
| <u> </u>   |                                   |  | (26 November 2009)<br>Canada Gazette II    |
| Lambda-cyhalothrin   | 0.1                               | Tomatoes                                       | Prior to 16 June 2008                      |
| Lambda-cyhalothrin   | 0.1                               | Tree onion tops                                | EMRL2008-02<br>(9 July 2008)               |
| Lambda-cyhalothrin   | 0.1                               | Welsh onion tops                               | EMRL2008-02<br>(9 July 2008)               |
| Lambda-cyhalothrin   | 0.03                              | Wheat  | EMRL2008-02                                |
| Malathion  | 2.0                               | Apples   | (9 July 2008)<br>Canada Gazette II         |
| Malathion  | 8.0                               | Apricots                                       | Prior to 16 June 2008 Canada Gazette II    |
| Malathion  | 6.0                               | Asparagus                                      | Prior to 16 June 2008<br>Canada Gazette II |
| Malathion  | 8.0                               | Avocados                                       | Prior to 16 June 2008 Canada Gazette II    |
|  |                                   |  | Prior to 16 June 2008                      |
| Malathion  | 2.0                               | Beans  | Canada Gazette II Prior to 16 June 2008    |
| Malathion  | 0.5                               | Beets  | Canada Gazette II Prior to 16 June 2008    |
| Malathion  | 8.0                               | Blackberries                                   | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 8.0                               | Blueberries                                    | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 8.0                               | Boysenberries                                  | Canada Gazette II                          |
| Malathion  | 0.5                               | Broccoli                                       | Prior to 16 June 2008<br>Canada Gazette II |
| Malathion  | 6.0                               | Brussels sprouts                               | Prior to 16 June 2008<br>Canada Gazette II |
| Malathion  | 6.0                               | Cabbages                                       | Prior to 16 June 2008<br>Canada Gazette II |
|  |                                   |  | Prior to 16 June 2008                      |
| Malathion  | 0.5                               | Carrots  | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 0.5                               | Cauliflower                                    | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 1.0                               | Celery   | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 6.0                               | Cherries                                       | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 0.5                               | Collards                                       | Canada Gazette II                          |
| Malathion  | 8.0                               | Cranberries                                    | Prior to 16 June 2008<br>Canada Gazette II |
| Malathion  | 3.0                               | Cucumbers                                      | Prior to 16 June 2008<br>Canada Gazette II |
| Malathion  | 8.0                               | Currants                                       | Prior to 16 June 2008<br>Canada Gazette II |
|  |                                   |  | Prior to 16 June 2008                      |
| Malathion  | 6.0                               | Dandelions                                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 8.0                               | Dewberries                                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 0.5                               | Dry bulb onions                                | Canada Gazette II<br>Prior to 16 June 2008 |
| Malathion  | 0.5                               | Eggplants                                      | Canada Gazette II                          |
| Malathion  | 6.0                               | Endives  | Prior to 16 June 2008 Canada Gazette II    |

|               |                                   | distinct table on the MRL webpage |                                       |
|---------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Malathion     | 0.5                               | Garlic                            | Canada Gazette                        |
| Malathion     | 8.0                               | Gooseberries                      | Prior to 16 June 20<br>Canada Gazette |
| Malathian     | 0.0                               | Cronos                            | Prior to 16 June 20                   |
| Malathion     | 8.0                               | Grapes                            | Canada Gazette Prior to 16 June 20    |
| Malathion     | 3.0                               | Green onions                      | Canada Gazette                        |
| Malathion     | 0.5                               | Horseradish                       | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Malathion     | 6.0                               | Kale                              | Canada Gazette Prior to 16 June 20    |
| Malathion     | 0.5                               | Kohlrabi                          | Canada Gazette                        |
| Malathion     | 3.0                               | Leeks                             | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Malathion     | 3.0                               | Lentils                           | Canada Gazette Prior to 16 June 20    |
| Malathion     | 6.0                               | Lettuce                           | Canada Gazette                        |
| Malathion     | 8.0                               | Loganberries                      | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Malathion     | 8.0                               | Melons                            | Canada Gazette Prior to 16 June 20    |
| Malathion     | 8.0                               | Mushrooms                         | Canada Gazette                        |
| Malathion     | 3.0                               | Okras                             | Prior to 16 June 20<br>Canada Gazette |
| Malathon      | 3.0                               | Onias                             | Prior to 16 June 20                   |
| Malathion     | 8.0                               | Papayas                           | Canada Gazette Prior to 16 June 20    |
| Malathion     | 6.0                               | Parsley                           | Canada Gazette                        |
| Malathion     | 0.5                               | Parsnips                          | Prior to 16 June 20<br>Canada Gazette |
| Iviaiatiiioii | 0.3                               | r aisiiips                        | Prior to 16 June 20                   |
| Malathion     | 6.0                               | Peaches/nectarines                | Canada Gazette Prior to 16 June 20    |
| Malathion     | 2.0                               | Pears                             | Canada Gazette                        |
| Malathion     | 0.5                               | Peas                              | Prior to 16 June 20<br>Canada Gazette |
|               | 0.3                               | r eas                             | Prior to 16 June 20                   |
| Malathion     | 8.0                               | Pecans                            | Canada Gazette Prior to 16 June 20    |
| Malathion     | 8.0                               | Peppermint                        | Canada Gazette                        |
| Malathion     | 0.5                               | Peppers                           | Prior to 16 June 20<br>Canada Gazette |
| Malatillon    | 0.3                               |                                   | Prior to 16 June 20                   |
| Malathion     | 8.0                               | Pineapples                        | Canada Gazette Prior to 16 June 20    |
| Malathion     | 8.0                               | Plums                             | Canada Gazette                        |
| Molethian     | 0.5                               | Detetore                          | Prior to 16 June 20<br>Canada Gazette |
| Malathion     | 0.5                               | Potatoes                          | Prior to 16 June 20                   |
| Malathion     | 3.0                               | Pumpkins                          | Canada Gazette                        |
| Malathion     | 0.5                               | Radishes                          | Prior to 16 June 20<br>Canada Gazette |
| Molethian     | 8.0                               | Paining                           | Prior to 16 June 20<br>Canada Gazette |
| Malathion     | 0.0                               | Raisins                           | Prior to 16 June 20                   |
| Malathion     | 8.0                               | Raspberries                       | Canada Gazette                        |
| Malathion     | 8.0                               | Raw cereals                       | Prior to 16 June 26<br>Canada Gazette |
| Malathion     | 3.0                               | Salsify                           | Prior to 16 June 20<br>Canada Gazette |
|               |                                   | ·                                 | Prior to 16 June 20                   |
| Malathion     | 3.0                               | Shallots                          | Canada Gazette Prior to 16 June 20    |
| Malathion     | 8.0                               | Spearmint                         | Canada Gazette                        |
| Malathion     | 6.0                               | Spinach                           | Prior to 16 June 20<br>Canada Gazette |
|               |                                   | Оршасн                            | Prior to 16 June 20                   |
| Malathion     | 3.0                               | Squash                            | Canada Gazette<br>Prior to 16 June 20 |
| Malathion     | 8.0                               | Strawberries                      | Canada Gazette                        |
| Malathion     | 0.5                               | Swiss chard                       | Prior to 16 June 20<br>Canada Gazette |
| ivialati IIOT | 0.5                               | Swiss Cliaid                      | Prior to 16 June 20                   |
| Malathion     | 3.0                               | Tomatoes                          | Canada Gazette                        |
| Malathion     | 0.5                               | Turnips (rutabagas)               | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Malathion     | 6.0                               | Watercress                        | Canada Gazette<br>Prior to 16 June 20 |
| Malathion     | 2.0                               | Whole meal and flour from rye     | Canada Gazette                        |

|                   |                                   | distinct table on the MRL webpage |   |
|-------------------|-----------------------------------|-----------------------------------|---|
| Common Name       | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established \                       |
| Malathion         | 2.0                               | Whole meal and flour from wheat   | Canada Gazette I<br>Prior to 16 June 20 |
| Maleic hydrazide  | 30                                | Beets                             | Canada Gazette I                        |
| Moloio budrozido  | 30                                | Correte                           | Prior to 16 June 20 Canada Gazette I    |
| Maleic hydrazide  | 30                                | Carrots                           | Prior to 16 June 20                     |
| Maleic hydrazide  | 15                                | Onions                            | Canada Gazette I                        |
| Maleic hydrazide  | 50                                | Potatoes                          | Prior to 16 June 20<br>Canada Gazette I |
| Malata budaantala | 30                                | Dutchouse                         | Prior to 16 June 20                     |
| Maleic hydrazide  | 30                                | Rutabagas                         | Canada Gazette I<br>Prior to 16 June 20 |
| Mandipropamid     | 20                                | Amaranth                          | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 0.01                              | Arracacha                         | EMRL2010-01                             |
| Mandipropamid     | 0.01                              | Arrowroot                         | (1 April 2010)<br>EMRL2010-01           |
|                   |                                   |                                   | (1 April 2010)                          |
| Mandipropamid     | 20                                | Arugula                           | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 0.6                               | Balsam apples                     | EMRL2010-01                             |
| Mandipropamid     | 0.6                               | Balsam pears                      | (1 April 2010)<br>EMRL2010-01           |
| Mandipropamid     | 0.0                               | ·                                 | (1 April 2010)                          |
| Mandipropamid     | 1.0                               | Bell peppers                      | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 4.0                               | Beltsville bunching onions        | EMRL2010-01                             |
| Mandipropamid     | 25                                | Bok choy Chinese cabbages         | (1 April 2010)<br>EMRL2010-01           |
| wandipropamid     | 25                                | Box citoy offinese cabbages       | (1 April 2010)                          |
| Mandipropamid     | 3.0                               | Broccoli                          | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 25                                | Broccoli raab                     | EMRL2010-01                             |
| Mandipropamid     | 3.0                               | Brussels sprouts                  | (1 April 2010)<br>EMRL2010-01           |
|                   |                                   | ·                                 | (1 April 2010)                          |
| Mandipropamid     | 3.0                               | Cabbages                          | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 0.6                               | Cantaloupes                       | EMRL2010-01                             |
| Mandipropamid     | 20                                | Cardoon                           | (1 April 2010)<br>EMRL2010-01           |
| Manualina and a   | 0.04                              | Occasion meta                     | (1 April 2010)                          |
| Mandipropamid     | 0.01                              | Cassava roots                     | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 3.0                               | Cauliflower                       | EMRL2010-01                             |
| Mandipropamid     | 20                                | Celery                            | (1 April 2010)<br>EMRL2010-01           |
| Mandipropamid     | 20                                | Celtuce                           | (1 April 2010)<br>EMRL2010-01           |
| Mandipropamid     | 20                                | Centice                           | (1 April 2010)                          |
| Mandipropamid     | 0.6                               | Chayote fruit                     | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 0.01                              | Chayote roots                     | EMRL2010-01                             |
| Mandipropamid     | 0.01                              | Chinese artichokes                | (1 April 2010)<br>EMRL2010-01           |
|                   |                                   |                                   | (1 April 2010)                          |
| Mandipropamid     | 3.0                               | Chinese broccoli                  | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 20                                | Chinese celery                    | EMRL2010-01                             |
| Mandipropamid     | 0.6                               | Chinese cucumbers                 | (1 April 2010)<br>EMRL2010-01           |
|                   |                                   |                                   | (1 April 2010)                          |
| Mandipropamid     | 3.0                               | Chinese mustard cabbages          | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 0.05                              | Chinese onions                    | EMRL2010-01                             |
| Mandipropamid     | 0.6                               | Chinese waxgourds                 | (1 April 2010)<br>EMRL2010-01           |
| Mandipropamid     |                                   | Chufa                             | (1 April 2010)                          |
|                   | 0.01                              | Chufa                             | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 0.6                               | Citron melons                     | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 25                                | Collards                          | EMRL2010-01                             |
| Mandipropamid     | 20                                | Corn salad                        | (1 April 2010)<br>EMRL2010-01           |
|                   |                                   |                                   | (1 April 2010)                          |
| Mandipropamid     | 0.6                               | Cucumbers                         | EMRL2010-01<br>(1 April 2010)           |
| Mandipropamid     | 20                                | Dandelion leaves                  | EMRL2010-01                             |
| Mandipropamid     | 0.05                              | Daylilies                         | (1 April 2010)<br>EMRL2010-01           |
|                   |                                   |                                   | (1 April 2010)                          |
| Mandipropamid     | 20                                | Dock                              | EMRL2010-01                             |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                               |
|---|-----------------------------------|--|-------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established \             |
| Mandipropamid   | 0.05                              | Dry bulb onions                                      | EMRL2010-01                   |
| Mandipropamid   | 0.01                              | Edible canna   | (1 April 2010)<br>EMRL2010-01 |
|   |                                   |  | (1 April 2010)                |
| Mandipropamid   | 0.6                               | Edible gourds (other than those listed in this item) | EMRL2010-01                   |
| Mandipropamid   | 20                                | Edible leaved chrysanthemum                          | (1 April 2010)<br>EMRL2010-01 |
| Manualinana analia  | 1.0                               | Frankska   | (1 April 2010)                |
| Mandipropamid   | 1.0                               | Eggplants  | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 4.0                               | Elegans hosta  | EMRL2010-01                   |
| Mandipropamid   | 20                                | Endives  | (1 April 2010)<br>EMRL2010-01 |
| Manapropama   | 20                                | Endived  | (1 April 2010)                |
| Mandipropamid   | 20                                | Fresh chervil leaves                                 | EMRL2010-01                   |
| Mandipropamid   | 4.0                               | Fresh Chinese chive leaves                           | (1 April 2010)<br>EMRL2010-01 |
|   |                                   |  | (1 April 2010)                |
| Mandipropamid   | 4.0                               | Fresh chive leaves                                   | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 20                                | Fresh Florence fennel leaves and stalks              | EMRL2010-01                   |
| Mandingananid   | 4.0                               | Fresh spings   | (1 April 2010)<br>EMRL2010-01 |
| Mandipropamid   | 4.0                               | Fresh onions   | (1 April 2010)                |
| Mandipropamid   | 20                                | Fresh parsley leaves                                 | EMRL2010-01                   |
| Mandipropamid   | 0.05                              | Fritillaria bulbs                                    | (1 April 2010)<br>EMRL2010-01 |
| Mandipropamid   | 0.03                              | i ittiialia buibs                                    | (1 April 2010)                |
| Mandipropamid   | 4.0                               | Fritillaria leaves                                   | EMRL2010-01                   |
| Mandipropamid   | 20                                | Garden cress   | (1 April 2010)<br>EMRL2010-01 |
|   |                                   |  | (1 April 2010)                |
| Mandipropamid   | 20                                | Garden purslane                                      | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 20                                | Garland chrysanthemum                                | EMRL2010-01                   |
|   | 0.05                              | 2.1  | (1 April 2010)                |
| Mandipropamid   | 0.05                              | Garlic   | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 0.01                              | Ginger roots   | EMRL2010-01                   |
| Mandipropamid   | 1.4                               | Grapes   | (1 April 2010)<br>EMRL2010-01 |
| Wandipropamia   | 1.4                               | Отарез   | (1 April 2010)                |
| Mandipropamid   | 0.05                              | Great headed garlic                                  | EMRL2010-01                   |
| Mandipropamid   | 4.0                               | Green onions   | (1 April 2010)<br>EMRL2010-01 |
|   |                                   |  | (1 April 2010)                |
| Mandipropamid   | 1.0                               | Groundcherries                                       | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 20                                | Head lettuce   | EMRL2010-01                   |
| Manualinana analia  | 0.04                              | In a contract of the last                            | (1 April 2010)<br>EMRL2010-01 |
| Mandipropamid   | 0.01                              | Jerusalem artichokes                                 | (1 April 2010)                |
| Mandipropamid   | 25                                | Kale   | EMRL2010-01                   |
| Mandipropamid   | 3.0                               | Kohlrabi   | (1 April 2010)<br>EMRL2010-01 |
| Wandipropamia   | 3.0                               | Normani  | (1 April 2010)                |
| Mandipropamid   | 4.0                               | Kurrats  | EMRL2010-01                   |
| Mandipropamid   | 4.0                               | Lady's leeks   | (1 April 2010)<br>EMRL2010-01 |
|   |                                   | ·  | (1 April 2010)                |
| Mandipropamid   | 20                                | Leaf lettuce   | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 4.0                               | Leeks  | EMRL2010-01                   |
| Mondingeneral   | 0.04                              | Lorenz   | (1 April 2010)                |
| Mandipropamid   | 0.01                              | Lerens   | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 0.05                              | Lilies   | EMRL2010-01                   |
| Mandipropamid   | 4.0                               | Macrostem onions                                     | (1 April 2010)<br>EMRL2010-01 |
|   | 7.0                               |  | (1 April 2010)                |
| Mandipropamid   | 0.6                               | Muskmelons (other than those listed in this item)    | EMRL2010-01                   |
| Mandipropamid   | 25                                | Mustard greens                                       | (1 April 2010)<br>EMRL2010-01 |
|   |                                   |  | (1 April 2010)                |
| Mandipropamid   | 25                                | Mustard spinach                                      | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 3.0                               | Napa Chinese cabbages                                | (1 April 2010)<br>EMRL2010-01 |
|   |                                   | · · · · · · · · · · · · · · · · · · ·                | (1 April 2010)                |
| Mandipropamid   | 20                                | New Zealand spinach                                  | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid   | 1.0                               | Non-bell peppers                                     | EMRL2010-01                   |
| Manualton 11  | 4.2                               | Oli  | (1 April 2010)                |
| Mandipropamid   | 1.0                               | Okras  | EMRL2010-01                   |

|                     |                                   | stinct table on the MRL webpage |                               |
|---------------------|-----------------------------------|---------------------------------|-------------------------------|
| Common Name         | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established \             |
| Mandipropamid       | 20                                | Orach leaves                    | EMRL2010-01                   |
| Mandipropamid       | 0.05                              | Pearl onions                    | (1 April 2010)<br>EMRL2010-01 |
| Mandinananid        | 10                                | Daninas                         | (1 April 2010)                |
| Mandipropamid       | 1.0                               | Pepinos                         | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 1.0                               | Pepper hybrids                  | EMRL2010-01                   |
| Mandipropamid       | 0.05                              | Potato onions                   | (1 April 2010)<br>EMRL2010-01 |
| <u> </u>            |                                   |                                 | (1 April 2010)                |
| Mandipropamid       | 0.01                              | Potatoes                        | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 0.6                               | Pumpkins                        | EMRL2010-01                   |
| Mandipropamid       | 20                                | Radicchio                       | (1 April 2010)<br>EMRL2010-01 |
|                     |                                   | 5                               | (1 April 2010)                |
| Mandipropamid       | 3.0                               | Raisins                         | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 25                                | Rape greens                     | EMRL2010-01                   |
| Mandipropamid       | 20                                | Rhubarb                         | (1 April 2010)<br>EMRL2010-01 |
| Manuficananid       | 0.05                              | Operand madia                   | (1 April 2010)                |
| Mandipropamid       | 0.05                              | Serpent garlic                  | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 0.05                              | Shallot bulbs                   | EMRL2010-01                   |
| Mandipropamid       | 4.0                               | Shallot leaves                  | (1 April 2010)<br>EMRL2010-01 |
| Mandipropamid       | 20                                | Chinash                         | (1 April 2010)                |
| iviandipropamid     | 20                                | Spinach                         | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 0.6                               | Summer squash                   | EMRL2010-01                   |
| Mandipropamid       | 0.01                              | Sweet potato roots              | (1 April 2010)<br>EMRL2010-01 |
| Mandipropamid       | 20                                | Swiss chard                     | (1 April 2010)<br>EMRL2010-01 |
| Mandipropamid       | 20                                | Swiss Claru                     | (1 April 2010)                |
| Mandipropamid       | 0.01                              | Tanier corms                    | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 0.01                              | Taro corms                      | EMRL2010-01                   |
| Mandipropamid       | 1.0                               | Tomatillos                      | (1 April 2010)<br>EMRL2010-01 |
| <u> </u>            |                                   |                                 | (1 April 2010)                |
| Mandipropamid       | 1.0                               | Tomatoes                        | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 4.0                               | Tree onion tops                 | EMRL2010-01                   |
| Mandipropamid       | 0.01                              | True yam tubers                 | (1 April 2010)<br>EMRL2010-01 |
|                     |                                   | ·                               | (1 April 2010)                |
| Mandipropamid       | 0.01                              | Turmeric roots                  | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 20                                | Upland cress                    | EMRL2010-01                   |
| Mandipropamid       | 20                                | Vine spinach                    | (1 April 2010)<br>EMRL2010-01 |
| Mandinananid        | 0.0                               | •                               | (1 April 2010)                |
| Mandipropamid       | 0.6                               | Watermelons                     | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 4.0                               | Welsh onion tops                | EMRL2010-01                   |
| Mandipropamid       | 0.6                               | West Indian gherkins            | (1 April 2010)<br>EMRL2010-01 |
| Mandipropamid       | 4.0                               | Wild leeks                      | (1 April 2010)<br>EMRL2010-01 |
|                     | 4.0                               | Wild IGERS                      | (1 April 2010)                |
| Mandipropamid       | 20                                | Winter purslane                 | EMRL2010-01<br>(1 April 2010) |
| Mandipropamid       | 0.6                               | Winter squash                   | EMRL2010-01                   |
| Mandipropamid       | 0.01                              | Yam bean roots                  | (1 April 2010)<br>EMRL2010-01 |
|                     |                                   |                                 | (1 April 2010)                |
| Mesosulfuron-methyl | 0.01                              | Eggs                            | EMRL2011-26<br>(12 May 2011)  |
| Mesosulfuron-methyl | 0.01                              | Fat of cattle                   | EMRL2011-26                   |
| Mesosulfuron-methyl | 0.01                              | Fat of goats                    | (12 May 2011)<br>EMRL2011-26  |
| ·                   |                                   | -                               | (12 May 2011)                 |
| Mesosulfuron-methyl | 0.01                              | Fat of hogs                     | EMRL2011-26<br>(12 May 2011)  |
| Mesosulfuron-methyl | 0.01                              | Fat of horses                   | EMRL2011-26                   |
| Mesosulfuron-methyl | 0.01                              | Fat of poultry                  | (12 May 2011)<br>EMRL2011-26  |
| ·                   |                                   |                                 | (12 May 2011)                 |
| Mesosulfuron-methyl | 0.01                              | Fat of sheep                    | EMRL2011-26<br>(12 May 2011)  |
| Mesosulfuron-methyl | 0.01                              | Meat byproducts of cattle       | EMRL2011-26                   |

|  |                                   | in a distinct table on the MRL webpage         | 1  |
|--|-----------------------------------|--|--|
| Common Name                                    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established \                        |
| Mesosulfuron-methyl                            | 0.01                              | Meat byproducts of goats                       | EMRL2011-26                              |
| Mesosulfuron-methyl                            | 0.01                              | Meat byproducts of hogs                        | (12 May 2011)<br>EMRL2011-26             |
| Mesosulfuron-methyl                            | 0.01                              | Meat byproducts of horses                      | (12 May 2011)<br>EMRL2011-26             |
|  |                                   | ••   | (12 May 2011)                            |
| Mesosulfuron-methyl                            | 0.01                              | Meat byproducts of poultry                     | EMRL2011-26<br>(12 May 2011)             |
| Mesosulfuron-methyl                            | 0.01                              | Meat byproducts of sheep                       | EMRL2011-26                              |
| Mesosulfuron-methyl                            | 0.01                              | Meat of cattle                                 | (12 May 2011)<br>EMRL2011-26             |
| Mesosulfuron-methyl                            | 0.01                              | Most of goots                                  | (12 May 2011)<br>EMRL2011-26             |
| wesosuliuloli-methyl                           | 0.01                              | Meat of goats                                  | (12 May 2011)                            |
| Mesosulfuron-methyl                            | 0.01                              | Meat of hogs                                   | EMRL2011-26<br>(12 May 2011)             |
| Mesosulfuron-methyl                            | 0.01                              | Meat of horses                                 | EMRL2011-26                              |
| Mesosulfuron-methyl                            | 0.01                              | Meat of poultry                                | (12 May 2011)<br>EMRL2011-26             |
|  |                                   |  | (12 May 2011)                            |
| Mesosulfuron-methyl                            | 0.01                              | Meat of sheep                                  | EMRL2011-26<br>(12 May 2011)             |
| Mesosulfuron-methyl                            | 0.01                              | Milk   | EMRL2011-26<br>(12 May 2011)             |
| Mesosulfuron-methyl                            | 0.03                              | Wheat  | (12 May 2011)<br>EMRL2011-26             |
| Mesosulfuron-methyl                            | 0.1                               | Wheat germ                                     | (12 May 2011)<br>EMRL2011-26             |
|  |                                   |  | (12 May 2011)                            |
| Mesotrione                                     | 0.01                              | Cranberries                                    | EMRL2009-17<br>(26 June 2009)            |
| Mesotrione                                     | 0.01                              | Eggs   | Canada Gazette I                         |
| Mesotrione                                     | 0.01                              | Field corn                                     | Prior to 16 June 200<br>Canada Gazette I |
| Mesotrione                                     | 0.01                              | Meat byproducts of cattle                      | Prior to 16 June 200<br>Canada Gazette I |
|  |                                   |  | Prior to 16 June 200                     |
| Mesotrione                                     | 0.01                              | Meat byproducts of goats                       | Canada Gazette I<br>Prior to 16 June 200 |
| Mesotrione                                     | 0.01                              | Meat byproducts of hogs                        | Canada Gazette I                         |
| Mesotrione                                     | 0.01                              | Meat byproducts of horses                      | Prior to 16 June 200<br>Canada Gazette I |
| Mesotrione                                     | 0.01                              | Meat byproducts of poultry                     | Prior to 16 June 200<br>Canada Gazette I |
|  |                                   |  | Prior to 16 June 200                     |
| Mesotrione                                     | 0.01                              | Meat byproducts of sheep                       | Canada Gazette I<br>Prior to 16 June 200 |
| Mesotrione                                     | 0.01                              | Meat of cattle                                 | Canada Gazette I                         |
| Mesotrione                                     | 0.01                              | Meat of goats                                  | Prior to 16 June 200<br>Canada Gazette I |
| Magatriana                                     | 0.04                              | Most of horse                                  | Prior to 16 June 200                     |
| Mesotrione                                     | 0.01                              | Meat of hogs                                   | Prior to 16 June 200                     |
| Mesotrione                                     | 0.01                              | Meat of horses                                 | Canada Gazette I<br>Prior to 16 June 200 |
| Mesotrione                                     | 0.01                              | Meat of poultry                                | Canada Gazette I                         |
| Mesotrione                                     | 0.01                              | Meat of sheep                                  | Prior to 16 June 200<br>Canada Gazette I |
|  |                                   | ·  | Prior to 16 June 200                     |
| Mesotrione                                     | 0.01                              | Milk   | Canada Gazette I<br>Prior to 16 June 200 |
| Mesotrione                                     | 0.01                              | Sweet corn kernels plus cob with husks removed | Canada Gazette I<br>Prior to 16 June 200 |
| Metalaxyl                                      | 0.5                               | Almonds  | Canada Gazette I                         |
| Metalaxyl                                      | 5.0                               | Amaranth                                       | Prior to 16 June 200<br>EMRL2008-33      |
| <u>,                                      </u> |                                   |  | (17 November 200                         |
| Metalaxyl                                      | 0.1                               | Apples   | EMRL2008-02<br>(9 July 2008)             |
| Metalaxyl                                      | 1.0                               | Apricots                                       | Canada Gazette I<br>Prior to 16 June 200 |
| Metalaxyl                                      | 5.0                               | Arugula  | EMRL2008-33                              |
| Metalaxyl                                      | 7.0                               | Asparagus                                      | (17 November 200)<br>Canada Gazette I    |
| <u>,                                      </u> |                                   |  | Prior to 16 June 200                     |
| Metalaxyl                                      | 4.0                               | Avocados                                       | Canada Gazette I<br>Prior to 16 June 20  |
| Metalaxyl                                      | 1.0                               | Balsam apples                                  | EMRL2008-21                              |
| Metalaxyl                                      | 1.0                               | Balsam pears                                   | (3 September 2008<br>EMRL2008-21         |
| Metalaxyl                                      | 0.05                              | Barley   | (3 September 2008<br>Canada Gazette I    |
| <u>,                                      </u> |                                   | Dailey   | Prior to 16 June 200                     |
| Metalaxyl                                      | 0.2                               | Beans  | Canada Gazette I<br>Prior to 16 June 200 |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |  |
|---|-----------------------------------|--|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                          |
| Metalaxyl   | 0.5                               | Black salsify roots                                  | EMRL2009-10<br>(5 June 2009)             |
| Metalaxyl   | 2.0                               | Blueberries  | Canada Gazette I                         |
| Metalaxyl   | 2.0                               | Broccoli   | Prior to 16 June 20 Canada Gazette I     |
| Metalaxyi   | 2.0                               | Broccoil   | Prior to 16 June 20                      |
| Metalaxyl   | 0.05                              | Buckwheat  | EMRL2008-02                              |
| Metalaxyl   | 2.0                               | Cabbages   | (9 July 2008)<br>Canada Gazette I        |
| Metalaxyl   | 1.0                               | Cantaloupes  | Prior to 16 June 20 Canada Gazette I     |
| ivietalaxyi   |                                   | Cantaloupes  | Prior to 16 June 20                      |
| Metalaxyl   | 0.5                               | Carrots  | Canada Gazette I<br>Prior to 16 June 20  |
| Metalaxyl   | 2.0                               | Cauliflower  | Canada Gazette I                         |
| Metalaxyl   | 0.5                               | Celeriac roots                                       | Prior to 16 June 20<br>EMRL2009-10       |
| •   |                                   |  | (5 June 2009)                            |
| Metalaxyl   | 1.0                               | Chayote fruit  | EMRL2008-21<br>(3 September 2008         |
| Metalaxyl   | 1.0                               | Cherries   | Canada Gazette I                         |
| Metalaxyl   | 0.5                               | Chicory roots  | Prior to 16 June 20<br>EMRL2009-10       |
| <u>,                                      </u>  |                                   | ·  | (5 June 2009)                            |
| Metalaxyl   | 1.0                               | Chinese cucumbers                                    | EMRL2008-21<br>(3 September 2008         |
| Metalaxyl   | 1.0                               | Chinese waxgourds                                    | EMRL2008-21                              |
| Metalaxyl   | 1.0                               | Citron melons  | (3 September 2008<br>EMRL2008-21         |
| Metalaxyl   | 5.0                               | Citrus fruits  | (3 September 2008<br>Canada Gazette I    |
|   | 3.0                               |  | Prior to 16 June 20                      |
| Metalaxyl   | 5.0                               | Corn salad   | EMRL2008-33<br>(17 November 2008)        |
| Metalaxyl   | 1.0                               | Cucumbers  | Canada Gazette I                         |
| Metalaxyl   | 5.0                               | Dandelion leaves                                     | Prior to 16 June 200<br>EMRL2008-33      |
| Metalaxyl   | 5.0                               | Dock   | (17 November 200)<br>EMRL2008-33         |
| ivietalaxyi   | 5.0                               | Dock   | (17 November 200                         |
| Metalaxyl   | 3.0                               | Dry bulb onions                                      | Canada Gazette I<br>Prior to 16 June 200 |
| Metalaxyl   | 0.05                              | Dry chickpeas  | EMRL2008-02                              |
| Metalaxyl   | 0.05                              | Dry lentils  | (9 July 2008)<br>EMRL2008-02             |
|   | 0.5                               | ·  | (9 July 2008)                            |
| Metalaxyl   | 0.5                               | Edible burdock roots                                 | EMRL2009-10<br>(5 June 2009)             |
| Metalaxyl   | 1.0                               | Edible gourds (other than those listed in this item) | EMRL2008-21                              |
| Metalaxyl   | 5.0                               | Edible leaved chrysanthemum                          | (3 September 2008<br>EMRL2008-33         |
| Metalaxyl   | 0.05                              | Eggs   | (17 November 2008<br>EMRL2008-02         |
| <u>,                                      </u>  |                                   |  | (9 July 2008)                            |
| Metalaxyl   | 5.0                               | Endives  | Canada Gazette I<br>Prior to 16 June 200 |
| Metalaxyl   | 0.05                              | Fat of cattle  | EMRL2008-02                              |
| Metalaxyl   | 0.05                              | Fat of goats   | (9 July 2008)<br>EMRL2008-02             |
| Matalaud  | 0.05                              | Fat of hogs  | (9 July 2008)<br>EMRL2008-02             |
| Metalaxyl   | 0.05                              | Fat of nogs  | (9 July 2008)                            |
| Metalaxyl   | 0.05                              | Fat of horses  | EMRL2008-02<br>(9 July 2008)             |
| Metalaxyl   | 0.05                              | Fat of poultry                                       | EMRL2008-02                              |
| Metalaxyl   | 0.05                              | Fat of sheep   | (9 July 2008)<br>EMRL2008-02             |
| <u>,                                      </u>  |                                   | ·  | (9 July 2008)                            |
| Metalaxyl   | 0.05                              | Field corn   | EMRL2008-02<br>(9 July 2008)             |
| Metalaxyl   | 5.0                               | Fresh chervil leaves                                 | EMRL2008-33                              |
| Metalaxyl   | 5.0                               | Fresh parsley leaves                                 | (17 November 200)<br>EMRL2008-33         |
| Metalaxyl   | 0.5                               | Garden beet roots                                    | (17 November 200<br>EMRL2009-10          |
| <u>,                                      </u>  |                                   |  | (5 June 2009)                            |
| Metalaxyl   | 5.0                               | Garden cress   | EMRL2008-33<br>(17 November 200          |
| Metalaxyl   | 5.0                               | Garden purslane                                      | EMRL2008-33                              |
| Metalaxyl   | 5.0                               | Garland chrysanthemum                                | (17 November 200<br>EMRL2008-33          |
|   |                                   | ·  | (17 November 200                         |
| Metalaxyl   | 0.5                               | Ginseng roots  | EMRL2009-10                              |

|  |                                   | in a distinct table on the MRL webpage               |   |
|--|-----------------------------------|--|---|
| Common Name                                    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established V                         |
| Metalaxyl                                      | 1.0                               | Grapes   | Canada Gazette II                         |
| Metalaxyl                                      | 10                                | Green onions   | Prior to 16 June 200<br>Canada Gazette II |
|  |                                   |  | Prior to 16 June 200                      |
| Metalaxyl                                      | 5.0                               | Head lettuce   | Canada Gazette II<br>Prior to 16 June 200 |
| Metalaxyl                                      | 8.0                               | Hops (dried)   | EMRL2008-02                               |
| Matalavad                                      | 0.5                               | Horseradish roots                                    | (9 July 2008)<br>EMRL2009-10              |
| Metalaxyl                                      | 0.5                               | Horseradistritoots                                   | (5 June 2009)                             |
| Metalaxyl                                      | 0.85                              | Kidney of cattle                                     | EMRL2008-16                               |
| Metalaxyl                                      | 0.85                              | Kidney of goats                                      | (29 August 2008)<br>EMRL2008-16           |
|  |                                   |  | (29 August 2008)                          |
| Metalaxyl                                      | 0.85                              | Kidney of hogs                                       | EMRL2008-16<br>(29 August 2008)           |
| Metalaxyl                                      | 0.85                              | Kidney of horses                                     | EMRL2008-16                               |
| Matalavad                                      | 0.7                               | Kidney of poultry                                    | (29 August 2008)<br>EMRL2008-02           |
| Metalaxyl                                      | 0.7                               | Kidney of poultry                                    | (9 July 2008)                             |
| Metalaxyl                                      | 0.85                              | Kidney of sheep                                      | EMRL2008-16                               |
| Metalaxyl                                      | 5.0                               | Leaf lettuce   | (29 August 2008)<br>Canada Gazette II     |
| Wetalaxyr                                      | 0.0                               | Edd lottado  | Prior to 16 June 200                      |
| Metalaxyl                                      | 0.3                               | Liver of cattle                                      | EMRL2008-02                               |
| Metalaxyl                                      | 0.3                               | Liver of goats                                       | (9 July 2008)<br>EMRL2008-02              |
|  |                                   | -  | (9 July 2008)                             |
| Metalaxyl                                      | 0.3                               | Liver of hogs  | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl                                      | 0.3                               | Liver of horses                                      | EMRL2008-02                               |
| Metalaxyl                                      | 0.3                               | Liver of poultry                                     | (9 July 2008)<br>EMRL2008-02              |
| Wetalaxyi                                      | 0.5                               | Liver or pounty                                      | (9 July 2008)                             |
| Metalaxyl                                      | 0.3                               | Liver of sheep                                       | EMRL2008-02                               |
| Metalaxyl                                      | 0.05                              | Meat byproducts (except kidney and liver) of cattle  | (9 July 2008)<br>EMRL2008-02              |
| Mataland                                       | 0.05                              | Markhaman da     | (9 July 2008)                             |
| Metalaxyl                                      | 0.05                              | Meat byproducts (except kidney and liver) of goats   | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl                                      | 0.05                              | Meat byproducts (except kidney and liver) of hogs    | EMRL2008-02                               |
| Metalaxyl                                      | 0.05                              | Meat byproducts (except kidney and liver) of horses  | (9 July 2008)<br>EMRL2008-02              |
| <u>,                                      </u> |                                   |  | (9 July 2008)                             |
| Metalaxyl                                      | 0.05                              | Meat byproducts (except kidney and liver) of poultry | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl                                      | 0.05                              | Meat byproducts (except kidney and liver) of sheep   | EMRL2008-02                               |
| Motoloval                                      | 0.05                              | Meat of cattle                                       | (9 July 2008)<br>EMRL2008-02              |
| Metalaxyl                                      | 0.05                              | ivieat of Cattle                                     | (9 July 2008)                             |
| Metalaxyl                                      | 0.05                              | Meat of goats  | EMRL2008-02                               |
| Metalaxyl                                      | 0.05                              | Meat of hogs   | (9 July 2008)<br>EMRL2008-02              |
| <u>,                                      </u> |                                   |  | (9 July 2008)                             |
| Metalaxyl                                      | 0.05                              | Meat of horses                                       | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl                                      | 0.05                              | Meat of poultry                                      | EMRL2008-02                               |
| Metalaxyl                                      | 0.05                              | Meat of sheep  | (9 July 2008)<br>EMRL2008-02              |
| ivietalaxyi                                    | 0.05                              | Meat of Sheep  | (9 July 2008)                             |
| Metalaxyl                                      | 0.01                              | Milk   | EMRL2008-02                               |
| Metalaxyl                                      | 1.0                               | Muskmelons (other than those listed in this item)    | (9 July 2008)<br>EMRL2008-21              |
| <u>,                                      </u> |                                   |  | (3 September 2008                         |
| Metalaxyl                                      | 0.1                               | Mustard seeds  | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl                                      | 0.05                              | Oats   | EMRL2008-02                               |
| Metalaxyl                                      | 5.0                               | Orach leaves   | (9 July 2008)<br>EMRL2008-33              |
| iviotalaxyi                                    | 5.0                               | Oracli Idaves  | (17 November 2008                         |
| Metalaxyl                                      | 0.5                               | Oriental radish roots                                | EMRL2009-10                               |
| Metalaxyl                                      | 0.5                               | Parsnip roots  | (5 June 2009)<br>EMRL2009-10              |
| <u>,                                      </u> |                                   | ·  | (5 June 2009)                             |
| Metalaxyl                                      | 1.0                               | Peaches/nectarines                                   | Canada Gazette II<br>Prior to 16 June 200 |
| Metalaxyl                                      | 0.2                               | Peanuts  | Canada Gazette II                         |
| Motoleyad                                      | 0.05                              | Doorl willed   | Prior to 16 June 200                      |
| Metalaxyl                                      | 0.05                              | Pearl millet   | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl                                      | 0.2                               | Peas   | Canada Gazette II                         |
| Metalaxyl                                      | 1.0                               | Peppers  | Prior to 16 June 200<br>Canada Gazette II |
| iviolalaryl                                    | 1.0                               | і оррого   | Prior to 16 June 200                      |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |   |
|---|-----------------------------------|--|---|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established V                         |
| Metalaxyl   | 1.0                               | Plums  | Canada Gazette II                         |
| Metalaxyl   | 0.05                              | Popcorn grain                                  | Prior to 16 June 200<br>EMRL2008-02       |
| <u>,                                      </u>  |                                   | · ·  | (9 July 2008)                             |
| Metalaxyl   | 0.5                               | Potatoes                                       | Canada Gazette II<br>Prior to 16 June 200 |
| Metalaxyl   | 0.05                              | Proso millet                                   | EMRL2008-02                               |
| Metalaxyl   | 1.0                               | Pumpkins                                       | (9 July 2008)<br>EMRL2008-21              |
| <u>,                                      </u>  |                                   | ·  | (3 September 2008                         |
| Metalaxyl   | 5.0                               | Radicchio                                      | EMRL2008-33<br>(17 November 2008)         |
| Metalaxyl   | 0.5                               | Radish roots                                   | Canada Gazette I<br>Prior to 16 June 200  |
| Metalaxyl   | 15                                | Radish tops                                    | EMRL2011-20                               |
| Matalavid   | 2.0                               | Raisins  | (10 May 2011)<br>Canada Gazette I         |
| Metalaxyl   | 2.0                               | Raisilis                                       | Prior to 16 June 200                      |
| Metalaxyl   | 0.1                               | Rapeseeds (canola)                             | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl   | 0.2                               | Raspberries                                    | Canada Gazette I                          |
| Metalaxyl   | 0.05                              | Rice   | Prior to 16 June 200<br>EMRL2008-02       |
|   |                                   |  | (9 July 2008)                             |
| Metalaxyl   | 0.5                               | Rutabaga roots                                 | EMRL2009-10<br>(5 June 2009)              |
| Metalaxyl   | 0.05                              | Rye  | EMRL2008-02                               |
| Metalaxyl   | 0.5                               | Salsify roots                                  | (9 July 2008)<br>EMRL2009-10              |
| <u> </u>  |                                   | ·  | (5 June 2009)                             |
| Metalaxyl   | 0.5                               | Skirret roots                                  | EMRL2009-10<br>(5 June 2009)              |
| Metalaxyl   | 0.05                              | Sorghum  | EMRL2008-02                               |
| Metalaxyl   | 1.0                               | Soybeans                                       | (9 July 2008)<br>Canada Gazette I         |
| <u>,                                      </u>  | 0.5                               |  | Prior to 16 June 200<br>EMRL2009-10       |
| Metalaxyl   | 0.5                               | Spanish salsify roots                          | (5 June 2009)                             |
| Metalaxyl   | 10                                | Spinach  | Canada Gazette I<br>Prior to 16 June 200  |
| Metalaxyl   | 0.4                               | Strawberries                                   | Canada Gazette I                          |
| Metalaxyl   | 1.0                               | Sugar beets                                    | Prior to 16 June 200<br>Canada Gazette I  |
| <u>,                                      </u>  |                                   |  | Prior to 16 June 200                      |
| Metalaxyl   | 1.0                               | Summer squash                                  | EMRL2008-21<br>(3 September 2008          |
| Metalaxyl   | 0.1                               | Sunflower seeds                                | EMRL2008-02                               |
| Metalaxyl   | 0.05                              | Sweet corn kernels plus cob with husks removed | (9 July 2008)<br>EMRL2008-02              |
| Matalavid   | 0.05                              | Toppinto                                       | (9 July 2008)                             |
| Metalaxyl   | 0.05                              | Teosinte                                       | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl   | 1.0                               | Tomatoes                                       | Canada Gazette I<br>Prior to 16 June 200  |
| Metalaxyl   | 0.05                              | Triticale                                      | EMRL2008-02                               |
| Metalaxyl   | 0.5                               | Turnip roots                                   | (9 July 2008)<br>EMRL2009-10              |
| <u>,                                      </u>  |                                   | <u> </u>                                       | (5 June 2009)                             |
| Metalaxyl   | 0.5                               | Turnip-rooted chervil roots                    | EMRL2009-10<br>(5 June 2009)              |
| Metalaxyl   | 0.5                               | Turnip-rooted parsley roots                    | EMRL2009-10                               |
| Metalaxyl   | 5.0                               | Upland cress                                   | (5 June 2009)<br>EMRL2008-33              |
| Metalaxyl   | 0.5                               | Walnuts  | (17 November 200)<br>Canada Gazette I     |
| ,   |                                   |  | Prior to 16 June 200                      |
| Metalaxyl   | 1.0                               | Watermelons                                    | Canada Gazette I<br>Prior to 16 June 200  |
| Metalaxyl   | 1.0                               | West Indian gherkins                           | EMRL2008-21                               |
| Metalaxyl   | 0.2                               | Wheat  | (3 September 2008<br>Canada Gazette I     |
| <u>,                                      </u>  |                                   |  | Prior to 16 June 200                      |
| Metalaxyl   | 0.05                              | Wild rice                                      | EMRL2008-02<br>(9 July 2008)              |
| Metalaxyl   | 5.0                               | Winter purslane                                | EMRL2008-33                               |
| Metalaxyl   | 1.0                               | Winter squash                                  | (17 November 200<br>EMRL2008-21           |
|   |                                   | ·  | (3 September 2008                         |
| Methamidophos   | 0.3                               | Beans  | Canada Gazette II<br>Prior to 16 June 200 |
| Methamidophos   | 1.0                               | Broccoli                                       | Canada Gazette I                          |
|   |                                   |  | Prior to 16 June 200                      |

|  |                                   | in a distinct table on the MRL webpage        |  |
|--|-----------------------------------|---|--|
| Common Name                                    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                | MRL Established \                        |
| Methamidophos                                  | 0.5                               | Cabbages                                      | Canada Gazette I                         |
| Methamidophos                                  | 0.5                               | Cauliflower                                   | Prior to 16 June 20<br>Canada Gazette I  |
| Mathanaidanhaa                                 | 0.5                               | Coloni  | Prior to 16 June 20<br>Canada Gazette I  |
| Methamidophos                                  | 0.5                               | Celery  | Prior to 16 June 20                      |
| Methamidophos                                  | 0.5                               | Cucumbers                                     | Canada Gazette I<br>Prior to 16 June 20  |
| Methamidophos                                  | 0.5                               | Eggplants                                     | Canada Gazette I                         |
| Methamidophos                                  | 1.0                               | Lettuce                                       | Prior to 16 June 20 Canada Gazette I     |
| Methamidophos                                  | 1.0                               | Lendee  | Prior to 16 June 20                      |
| Methamidophos                                  | 1.0                               | Peppers                                       | Canada Gazette I<br>Prior to 16 June 20  |
| Methamidophos                                  | 0.1                               | Potatoes                                      | EMRL2011-13                              |
| Methamidophos                                  | 0.5                               | Tomatoes                                      | (18 March 2011)<br>Canada Gazette I      |
|  | 0.5                               |   | Prior to 16 June 20                      |
| Methidathion                                   | 0.5                               | Apples  | Canada Gazette I<br>Prior to 16 June 20  |
| Methidathion                                   | 0.2                               | Cherries                                      | Canada Gazette I                         |
| Methidathion                                   | 2.0                               | Citrus fruits                                 | Prior to 16 June 20 Canada Gazette I     |
| Marchial-delan                                 | 0.2                               | 0   | Prior to 16 June 20 Canada Gazette I     |
| Methidathion                                   | 0.2                               | Grapes  | Prior to 16 June 20                      |
| Methidathion                                   | 0.2                               | Peaches/nectarines                            | Canada Gazette I<br>Prior to 16 June 20  |
| Methidathion                                   | 0.5                               | Pears   | Canada Gazette I                         |
| Methidathion                                   | 0.2                               | Plums   | Prior to 16 June 20 Canada Gazette I     |
|  |                                   |   | Prior to 16 June 20                      |
| Methomyl                                       | 0.5                               | Apples  | Canada Gazette I<br>Prior to 16 June 20  |
| Methomyl                                       | 6.0                               | Blueberries                                   | Canada Gazette I                         |
| Methomyl                                       | 5.0                               | Cabbages                                      | Prior to 16 June 200<br>Canada Gazette I |
| <u>,                                      </u> | 0.5                               |   | Prior to 16 June 20                      |
| Methomyl                                       | 0.5                               | Celery  | Canada Gazette I<br>Prior to 16 June 20  |
| Methomyl                                       | 1.0                               | Citrus fruits                                 | Canada Gazette I                         |
| Methomyl                                       | 4.0                               | Grapes  | Prior to 16 June 20 Canada Gazette I     |
| Methomyl                                       | 2.0                               | Lettuce                                       | Prior to 16 June 20 Canada Gazette I     |
|  |                                   |   | Prior to 16 June 20                      |
| Methomyl                                       | 1.0                               | Strawberries                                  | Canada Gazette I<br>Prior to 16 June 20  |
| Methomyl                                       | 0.1                               | Sweet corn kernel plus cob with husks removed | EMRL2011-13                              |
| Methoxyfenozide                                | 1.5                               | Apples  | (18 March 2011)<br>Canada Gazette I      |
|  |                                   |   | Prior to 16 June 20                      |
| Methoxyfenozide                                | 1.5                               | Asian pears                                   | Canada Gazette I<br>Prior to 16 June 20  |
| Methoxyfenozide                                | 1.5                               | Crabapples                                    | Canada Gazette I                         |
| Methoxyfenozide                                | 0.1                               | Fat of cattle                                 | Prior to 16 June 20 Canada Gazette I     |
| Methoxyfenozide                                | 0.1                               | Fat of goats                                  | Prior to 16 June 20<br>Canada Gazette I  |
|  | 0.1                               |   | Prior to 16 June 20                      |
| Methoxyfenozide                                | 0.1                               | Fat of hogs                                   | Canada Gazette I<br>Prior to 16 June 20  |
| Methoxyfenozide                                | 0.1                               | Fat of horses                                 | Canada Gazette I                         |
| Methoxyfenozide                                | 0.1                               | Fat of sheep                                  | Prior to 16 June 20 Canada Gazette I     |
|  |                                   | ·   | Prior to 16 June 20                      |
| Methoxyfenozide                                | 0.1                               | Kidney of cattle                              | Canada Gazette I<br>Prior to 16 June 20  |
| Methoxyfenozide                                | 0.1                               | Kidney of goats                               | Canada Gazette I                         |
| Methoxyfenozide                                | 0.1                               | Kidney of hogs                                | Prior to 16 June 20 Canada Gazette I     |
|  |                                   | , ,   | Prior to 16 June 20                      |
| Methoxyfenozide                                | 0.1                               | Kidney of horses                              | Canada Gazette I<br>Prior to 16 June 20  |
| Methoxyfenozide                                | 0.1                               | Kidney of sheep                               | Canada Gazette I                         |
| Methoxyfenozide                                | 0.1                               | Liver of cattle                               | Prior to 16 June 20<br>Canada Gazette I  |
| Methoxyfenozide                                | 0.1                               | Liver of goats                                | Prior to 16 June 20<br>Canada Gazette I  |
| <u> </u>                                       |                                   |   | Prior to 16 June 20                      |
| Methoxyfenozide                                | 0.1                               | Liver of hogs                                 | Canada Gazette I<br>Prior to 16 June 20  |
| Methoxyfenozide                                | 0.1                               | Liver of horses                               | Canada Gazette I                         |

|  | emicals are available in a distinct table on the MRL webpage |                           |  |
|--|--|---------------------------|--|
| Common Name                                    | Maximum<br>Residue Limit<br>(ppm)                            | Food Commodity            | MRL Established Vi                         |
| Methoxyfenozide                                | 0.1  | Liver of sheep            | Canada Gazette II Prior to 16 June 2008    |
| Methoxyfenozide                                | 1.5  | Loquats                   | Canada Gazette II Prior to 16 June 2008    |
| Methoxyfenozide                                | 1.5  | Mayhaws                   | Canada Gazette II                          |
| Methoxyfenozide                                | 0.1  | Meat byproducts of cattle | Prior to 16 June 2008<br>Canada Gazette II |
| Methoxyfenozide                                | 0.1  | Meat byproducts of goats  | Prior to 16 June 2008<br>Canada Gazette II |
| Methoxyfenozide                                | 0.1  | Meat byproducts of hogs   | Prior to 16 June 2006<br>Canada Gazette II |
| Methoxyfenozide                                | 0.1  | Meat byproducts of horses | Prior to 16 June 2008<br>Canada Gazette II |
| Methoxyfenozide                                | 0.1  | Meat byproducts of sheep  | Prior to 16 June 2008<br>Canada Gazette II |
| Methoxyfenozide                                | 0.1  | Meat of cattle            | Prior to 16 June 2008<br>Canada Gazette II |
| Methoxyfenozide                                | 0.1  | Meat of goats             | Prior to 16 June 2008 Canada Gazette II    |
| <u>,                                      </u> |  |                           | Prior to 16 June 2008                      |
| Methoxyfenozide                                | 0.1  | Meat of hogs              | Prior to 16 June 2008                      |
| Methoxyfenozide                                | 0.1  | Meat of horses            | Canada Gazette II<br>Prior to 16 June 2008 |
| Methoxyfenozide                                | 0.1  | Meat of sheep             | Canada Gazette II Prior to 16 June 2008    |
| Methoxyfenozide                                | 1.5  | Pears                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Methoxyfenozide                                | 1.5  | Quinces                   | Canada Gazette II<br>Prior to 16 June 2008 |
| Metribuzin                                     | 0.5  | Potatoes                  | Canada Gazette II Prior to 16 June 2008    |
| Metsulfuron-methyl                             | 0.1  | Barley                    | EMRL2011-13                                |
| Metsulfuron-methyl                             | 0.1  | Fat of cattle             | (18 March 2011)<br>Canada Gazette II       |
| Metsulfuron-methyl                             | 0.1  | Fat of goats              | Prior to 16 June 2008<br>Canada Gazette II |
| Metsulfuron-methyl                             | 0.1  | Fat of hogs               | Prior to 16 June 2008<br>Canada Gazette II |
| Metsulfuron-methyl                             | 0.5  | Kidney of cattle          | Prior to 16 June 2008<br>Canada Gazette II |
| Metsulfuron-methyl                             | 0.5  | Kidney of goats           | Prior to 16 June 2008<br>Canada Gazette II |
| Metsulfuron-methyl                             | 0.5  | Kidney of hogs            | Prior to 16 June 2008<br>Canada Gazette II |
| Metsulfuron-methyl                             | 0.1  | Meat byproducts of cattle | Prior to 16 June 2008<br>Canada Gazette II |
| Metsulfuron-methyl                             | 0.1  | Meat byproducts of goats  | Prior to 16 June 2008 Canada Gazette II    |
|  |  |                           | Prior to 16 June 2008                      |
| Metsulfuron-methyl                             | 0.1  | Meat byproducts of nogs   | Prior to 16 June 2008                      |
| Metsulfuron-methyl                             | 0.1  | Meat of cattle            | Canada Gazette II<br>Prior to 16 June 2008 |
| Metsulfuron-methyl                             | 0.1  | Meat of goats             | Canada Gazette II Prior to 16 June 2008    |
| Metsulfuron-methyl                             | 0.1  | Meat of hogs              | Canada Gazette II Prior to 16 June 2008    |
| Metsulfuron-methyl                             | 0.05   | Milk                      | Canada Gazette II Prior to 16 June 2008    |
| Metsulfuron-methyl                             | 0.1  | Wheat                     | EMRL2011-13<br>(18 March 2011)             |
| Mevinphos                                      | 0.25   | Apples                    | Canada Gazette II Prior to 16 June 2008    |
| Mevinphos                                      | 0.25   | Asparagus                 | Canada Gazette II                          |
| Mevinphos                                      | 0.25   | Broccoli                  | Prior to 16 June 2008 Canada Gazette II    |
| Mevinphos                                      | 0.25   | Brussels sprouts          | Prior to 16 June 2008<br>Canada Gazette II |
| Mevinphos                                      | 0.25   | Cabbages                  | Prior to 16 June 2008<br>Canada Gazette II |
| Mevinphos                                      | 0.25   | Cauliflower               | Prior to 16 June 2008<br>Canada Gazette II |
| Mevinphos                                      | 0.25   | Celery                    | Prior to 16 June 2008<br>Canada Gazette II |
| Mevinphos                                      | 0.2  | Citrus fruits             | Prior to 16 June 2008 Canada Gazette II    |
| ·  |  |                           | Prior to 16 June 2008 Canada Gazette II    |
| Mevinphos                                      | 0.25   | Collards                  | Prior to 16 June 2008                      |
| Mevinphos                                      | 0.25   | Green onions              | Canada Gazette II<br>Prior to 16 June 2008 |
| Mevinphos                                      | 0.25   | Kale                      | Canada Gazette II<br>Prior to 16 June 2008 |

| e residue definitions for all o |                                   | in a distinct table on the MRL webpage               |  |
|---------------------------------|-----------------------------------|--|--|
| Common Name                     | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established Via                        |
| Mevinphos                       | 0.25                              | Lettuce  | Canada Gazette II Prior to 16 June 2008    |
| Mevinphos                       | 0.25                              | Mustard greens                                       | Canada Gazette II                          |
| Mevinphos                       | 0.25                              | Peaches/nectarines                                   | Prior to 16 June 2008 Canada Gazette II    |
| Mevinphos                       | 0.25                              | Pears  | Prior to 16 June 2008<br>Canada Gazette II |
| Mevinphos                       | 0.25                              | Plums  | Prior to 16 June 2008<br>Canada Gazette II |
| Mevinphos                       | 0.25                              | Raspberries  | Prior to 16 June 2008<br>Canada Gazette II |
| Mevinphos                       | 0.25                              | ·<br>Spinach   | Prior to 16 June 2008<br>Canada Gazette II |
|                                 | 0.25                              | Strawberries   | Prior to 16 June 2008 Canada Gazette II    |
| Mevinphos                       |                                   |  | Prior to 16 June 2008                      |
| Mevinphos                       | 0.25                              | Tomatoes   | Canada Gazette II<br>Prior to 16 June 2008 |
| Mevinphos                       | 0.25                              | Turnip tops  | Canada Gazette II<br>Prior to 16 June 2008 |
| Monocrotophos                   | 1.0                               | Apples   | Canada Gazette II<br>Prior to 16 June 2008 |
| Monocrotophos                   | 0.5                               | Pears  | Canada Gazette II Prior to 16 June 2008    |
| Monocrotophos                   | 0.5                               | Tomatoes   | Canada Gazette II                          |
| Myclobutanil                    | 0.1                               | Almonds  | Prior to 16 June 2008<br>EMRL2008-02       |
| Myclobutanil                    | 0.5                               | Apples   | (9 July 2008)<br>Canada Gazette II         |
| Myclobutanil                    | 1.4                               | Apricots   | Prior to 16 June 2008<br>EMRL2008-02       |
| Myclobutanil                    | 0.02                              | Asparagus  | (9 July 2008)<br>EMRL2008-02               |
| Myclobutanil                    | 0.3                               | Balsam apples  | (9 July 2008)  Canada Gazette II           |
| <u> </u>                        |                                   |  | Prior to 16 June 2008 Canada Gazette II    |
| Myclobutanil                    | 0.3                               | Balsam pears   | Prior to 16 June 2008                      |
| Myclobutanil                    | 2.0                               | Bananas  | Canada Gazette II<br>Prior to 16 June 2008 |
| Myclobutanil                    | 0.3                               | Bitter melons  | Canada Gazette II Prior to 16 June 2008    |
| Myclobutanil                    | 1.2                               | Blackberries   | EMRL2008-02<br>(9 July 2008)               |
| Myclobutanil                    | 0.3                               | Cantaloupes  | Canada Gazette II Prior to 16 June 2008    |
| Myclobutanil                    | 0.3                               | Casaba melons  | Canada Gazette II Prior to 16 June 2008    |
| Myclobutanil                    | 0.3                               | Chayotes   | Canada Gazette II                          |
| Myclobutanil                    | 1.0                               | Cherries   | Prior to 16 June 2008<br>Canada Gazette II |
| Myclobutanil                    | 0.3                               | Chinese cucumbers                                    | Prior to 16 June 2008<br>Canada Gazette II |
| Myclobutanil                    | 0.3                               | Chinese waxgourds                                    | Prior to 16 June 2008<br>Canada Gazette II |
| Myclobutanil                    | 0.3                               | Citron melons  | Prior to 16 June 2008<br>Canada Gazette II |
| Myclobutanil                    | 0.3                               |  | Prior to 16 June 2008                      |
| <u> </u>                        |                                   | Crenshaw melons                                      | Canada Gazette II Prior to 16 June 2008    |
| Myclobutanil                    | 0.3                               | Cucumbers  | Canada Gazette II<br>Prior to 16 June 2008 |
| Myclobutanil                    | 3.0                               | Currants   | EMRL2008-02<br>(9 July 2008)               |
| Myclobutanil                    | 4.0                               | Dried cherries                                       | Canada Gazette II<br>Prior to 16 June 2008 |
| Myclobutanil                    | 7.0                               | Dried peaches/nectarines                             | Canada Gazette II<br>Prior to 16 June 2008 |
| Myclobutanil                    | 0.3                               | Edible gourds (other than those listed in this item) | Canada Gazette II Prior to 16 June 2008    |
| Myclobutanil                    | 0.02                              | Eggs   | Canada Gazette II                          |
| Myclobutanil                    | 0.05                              | Fat of cattle  | Prior to 16 June 2008 Canada Gazette II    |
| Myclobutanil                    | 0.05                              | Fat of goats   | Prior to 16 June 2008<br>Canada Gazette II |
| Myclobutanil                    | 0.05                              | Fat of hogs  | Prior to 16 June 2008<br>Canada Gazette II |
| Myclobutanil                    | 0.05                              | Fat of horses  | Prior to 16 June 2008 Canada Gazette II    |
|                                 |                                   |  | Prior to 16 June 2008                      |
| Myclobutanil                    | 0.02                              | Fat of poultry                                       | Canada Gazette II<br>Prior to 16 June 2008 |
| Myclobutanil                    | 0.05                              | Fat of sheep   | Canada Gazette II<br>Prior to 16 June 2008 |

|               |                                   | distinct table on the MRL webpage |                                       |
|---------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Myclobutanil  | 0.3                               | Golden pershaw melons             | Canada Gazette Prior to 16 June 20    |
| Myclobutanil  | 1.0                               | Grapes                            | Canada Gazette                        |
| Myclobutanil  | 0.3                               | Honey balls                       | Prior to 16 June 20<br>Canada Gazette |
| Myclobulariii | 0.3                               | noney balls                       | Prior to 16 June 20                   |
| Myclobutanil  | 0.3                               | Honeydew melons                   | Canada Gazette                        |
| Myclobutanil  | 0.3                               | Liver of cattle                   | Prior to 16 June 20<br>Canada Gazette |
| Myclobutanil  | 0.3                               | Liver of goats                    | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Myclobutanil  | 0.3                               | Liver of hogs                     | Canada Gazette<br>Prior to 16 June 20 |
| Myclobutanil  | 0.3                               | Liver of horses                   | Canada Gazette                        |
| Myclobutanil  | 0.3                               | Liver of sheep                    | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Myclobutanil  | 1.2                               | Loganberries                      | EMRL2008-02<br>(9 July 2008)          |
| Myclobutanil  | 0.3                               | Mango melons                      | Canada Gazette                        |
| Myclobutanil  | 0.5                               | Mayhaws                           | Prior to 16 June 20<br>EMRL2008-02    |
| Muslahutanil  | 0.05                              | Most hyproducts of sottle         | (9 July 2008)                         |
| Myclobutanil  | 0.05                              | Meat byproducts of cattle         | Canada Gazette<br>Prior to 16 June 20 |
| Myclobutanil  | 0.05                              | Meat byproducts of goats          | Canada Gazette<br>Prior to 16 June 20 |
| Myclobutanil  | 0.05                              | Meat byproducts of hogs           | Canada Gazette                        |
| Myclobutanil  | 0.05                              | Meat byproducts of horses         | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Myclobutanil  | 0.02                              | Meat byproducts of poultry        | Canada Gazette Prior to 16 June 20    |
| Myclobutanil  | 0.05                              | Meat byproducts of sheep          | Canada Gazette                        |
| Myclobutanil  | 0.05                              | Meat of cattle                    | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Myclobutanil  | 0.05                              | Meat of goats                     | Canada Gazette Prior to 16 June 20    |
| Myclobutanil  | 0.05                              | Meat of hogs                      | Canada Gazette                        |
| Myclobutanil  | 0.05                              | Meat of horses                    | Prior to 16 June 20<br>Canada Gazette |
| Myclobutanil  | 0.02                              | Meat of poultry                   | Prior to 16 June 20<br>Canada Gazette |
|               | 0.02                              | ivieat or pounty                  | Prior to 16 June 20                   |
| Myclobutanil  | 0.05                              | Meat of sheep                     | Canada Gazette Prior to 16 June 20    |
| Myclobutanil  | 0.05                              | Milk                              | Canada Gazette                        |
| Myclobutanil  | 1.0                               | Peaches/nectarines                | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Myclobutanil  | 1.0                               | Peppers                           | Canada Gazette Prior to 16 June 20    |
| Myclobutanil  | 0.3                               | Persian melons                    | Canada Gazette                        |
| Myclobutanil  | 0.3                               | Pineapple melons                  | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Myclobutanil  | 2.0                               | Plums                             | EMRL2008-02<br>(9 July 2008)          |
| Myclobutanil  | 8.0                               | Prune plums                       | EMRL2008-02                           |
| Myclobutanil  | 0.3                               | Pumpkins                          | (9 July 2008)<br>Canada Gazette       |
| Myclobutanil  | 10                                | Raisins                           | Prior to 16 June 20<br>Canada Gazette |
|               |                                   |                                   | Prior to 16 June 20                   |
| Myclobutanil  | 1.2                               | Raspberries                       | EMRL2008-02<br>(9 July 2008)          |
| Myclobutanil  | 0.3                               | Santa Claus melons                | Canada Gazette                        |
| Myclobutanil  | 0.07                              | Saskatoon berries (juneberries)   | Prior to 16 June 20<br>EMRL2008-02    |
|               |                                   |                                   | (9 July 2008)                         |
| Myclobutanil  | 0.3                               | Snake melons                      | Canada Gazette Prior to 16 June 20    |
| Myclobutanil  | 0.5                               | Strawberries                      | Canada Gazette                        |
| Myclobutanil  | 0.3                               | Summer squash                     | Prior to 16 June 20<br>Canada Gazette |
|               |                                   | ·                                 | Prior to 16 June 20                   |
| Myclobutanil  | 1.0                               | Tomato paste                      | EMRL2008-02<br>(9 July 2008)          |
| Myclobutanil  | 0.5                               | Tomato purée                      | EMRL2008-02                           |
|               |                                   |                                   | (9 July 2008)                         |

|              |                                   | listinct table on the MRL webpage |   |
|--------------|-----------------------------------|-----------------------------------|---|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Establishe                          |
| Myclobutanil | 0.3                               | Watermelons                       | Canada Gazett                           |
| Myclobutanil | 0.3                               | Winter squash                     | Prior to 16 June<br>Canada Gazett       |
| Naled        | 0.5                               | Beans                             | Prior to 16 June<br>Canada Gazett       |
|              |                                   |                                   | Prior to 16 June                        |
| Naled        | 1.0                               | Broccoli                          | Canada Gazett<br>Prior to 16 June       |
| Naled        | 1.0                               | Brussels sprouts                  | Canada Gazett                           |
| Naled        | 1.0                               | Cabbages                          | Prior to 16 June<br>Canada Gazett       |
| Noted        | 1.0                               | Cauliflower                       | Prior to 16 June<br>Canada Gazett       |
| Naled        | 1.0                               |                                   | Prior to 16 June                        |
| Naled        | 3.0                               | Chard                             | Canada Gazeti<br>Prior to 16 June       |
| Naled        | 3.0                               | Citrus fruits                     | Canada Gazet                            |
| Naled        | 0.5                               | Cucumbers                         | Prior to 16 June Canada Gazett          |
|              |                                   |                                   | Prior to 16 June                        |
| Naled        | 0.5                               | Eggplants                         | Canada Gazeti<br>Prior to 16 June       |
| Naled        | 1.0                               | Lettuce                           | Canada Gazeti<br>Prior to 16 June       |
| Naled        | 0.5                               | Melons                            | Canada Gazet                            |
| Naled        | 0.5                               | Peas                              | Prior to 16 June<br>Canada Gazeti       |
|              |                                   |                                   | Prior to 16 June                        |
| Naled        | 0.5                               | Peppers                           | Canada Gazeti<br>Prior to 16 June       |
| Naled        | 0.5                               | Pumpkins                          | Canada Gazet                            |
| Naled        | 0.5                               | Rice                              | Prior to 16 June<br>Canada Gazett       |
| Naled        | 0.5                               | Soybeans                          | Prior to 16 June<br>Canada Gazeti       |
|              |                                   | •                                 | Prior to 16 June                        |
| Naled        | 3.0                               | Spinach                           | Canada Gazet<br>Prior to 16 June        |
| Naled        | 0.5                               | Squash                            | Canada Gazet                            |
| Naled        | 1.0                               | Strawberries                      | Prior to 16 June<br>Canada Gazett       |
| Naled        | 0.5                               | Tomatoes                          | Prior to 16 June<br>Canada Gazeti       |
|              |                                   |                                   | Prior to 16 June                        |
| Naled        | 3.0                               | Turnip tops                       | Canada Gazeti Prior to 16 June          |
| Napropamide  | 0.1                               | Aronia berries                    | EMRL2011-1                              |
| Napropamide  | 0.1                               | Asparagus                         | (18 March 201<br>EMRL2011-1             |
| Nonconomida  | 0.1                               |                                   | (18 March 20                            |
| Napropamide  | 0.1                               | Bell peppers                      | EMRL2011-2<br>(18 March 20              |
| Napropamide  | 0.1                               | Black walnuts                     | EMRL2011-1<br>(18 March 201             |
| Napropamide  | 0.1                               | Blackberries                      | EMRL2011-1                              |
| Napropamide  | 0.1                               | Broccoli                          | (18 March 20°<br>EMRL2011-1             |
| Napropamide  | 0.1                               | Rrussole coroute                  | (18 March 20 <sup>-</sup><br>EMRL2011-1 |
|              |                                   | Brussels sprouts                  | (18 March 20°                           |
| Napropamide  | 0.1                               | Buffalo currants                  | EMRL2011-1<br>(18 March 201             |
| Napropamide  | 0.1                               | Cabbages                          | EMRL2011-1                              |
| Napropamide  | 0.1                               | Cauliflower                       | (18 March 20 <sup>-</sup><br>EMRL2011-1 |
| · '          |                                   |                                   | (18 March 20°                           |
| Napropamide  | 0.1                               | Chilean guavas                    | EMRL2011-1<br>(18 March 201             |
| Napropamide  | 0.1                               | Chinese broccoli                  | EMRL2011-1<br>(18 March 201             |
| Napropamide  | 0.1                               | Chinese mustard cabbages          | EMRL2011-1                              |
| Napropamide  | 0.1                               | Cranberries                       | (18 March 201<br>EMRL2011-1             |
|              |                                   |                                   | (18 March 201                           |
| Napropamide  | 0.1                               | Currants                          | EMRL2011-1<br>(18 March 201             |
| Napropamide  | 0.1                               | Dried basil leaves                | EMRL2011-1                              |
| Napropamide  | 0.1                               | Eggplants                         | (18 March 201<br>EMRL2011-1             |
| Napropamide  | 0.1                               | Elderberries                      | (18 March 201<br>EMRL2011-1             |
|              |                                   |                                   | (18 March 20°                           |
| Napropamide  | 0.1                               | English walnuts                   | EMRL2011-1                              |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |   |  |
|---|-----------------------------------|---|---|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established \                         |  |
| Napropamide   | 0.1                               | European barberry                                 | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Filberts  | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Fresh basil leaves                                | (18 March 2011)<br>EMRL2011-13            |  |
|   | 0.1                               |   | (18 March 2011)                           |  |
| Napropamide   | 0.1                               | Gooseberries                                      | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Grapes  | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Groundcherries                                    | (18 March 2011)<br>EMRL2011-13            |  |
|   |                                   |   | (18 March 2011)                           |  |
| Napropamide   | 0.1                               | Highbush blueberries                              | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Highbush cranberries                              | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Honeysuckle                                       | (18 March 2011)<br>EMRL2011-13            |  |
|   |                                   | •   | (18 March 2011)                           |  |
| Napropamide   | 0.1                               | Huckleberries                                     | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Jostaberries                                      | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Kohlrabi  | (18 March 2011)<br>EMRL2011-13            |  |
| Name and de   | 0.4                               | Consultante                                       | (18 March 2011)                           |  |
| Napropamide   | 0.1                               | Lingonberries                                     | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Loganberries                                      | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Lowbush blueberries                               | (18 March 2011)<br>EMRL2011-13            |  |
| Nonronomido   | 0.1                               | Napa Chinese cabbages                             | (18 March 2011)<br>EMRL2011-13            |  |
| Napropamide   | 0.1                               | мара Crimese Cabbages                             | (18 March 2011)                           |  |
| Napropamide   | 0.1                               | Native currants                                   | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Non-bell peppers                                  | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Oriental radish roots                             | (18 March 2011)<br>EMRL2011-13            |  |
|   |                                   |   | (18 March 2011)                           |  |
| Napropamide   | 0.1                               | Pepinos   | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Pepper hybrids                                    | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Raspberries                                       | (18 March 2011)<br>EMRL2011-13            |  |
| Napropamide   | 0.1                               | Salal berries                                     | (18 March 2011)<br>EMRL2011-13            |  |
|   |                                   |   | (18 March 2011)                           |  |
| Napropamide   | 0.1                               | Saskatoon berries (juneberries)                   | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Sea buckthorn                                     | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Strawberries                                      | (18 March 2011)<br>EMRL2011-13            |  |
|   |                                   |   | (18 March 2011)                           |  |
| Napropamide   | 0.1                               | Tomatillos  | EMRL2011-13<br>(18 March 2011)            |  |
| Napropamide   | 0.1                               | Tomatoes  | EMRL2011-13                               |  |
| Napropamide   | 0.1                               | Wild raspberries                                  | (18 March 2011)<br>EMRL2011-13            |  |
| Naptalam  | 0.1                               | Cantaloupes                                       | (18 March 2011)<br>EMRL2011-13            |  |
|   | 0.1                               | Caritaloupes                                      | (18 March 2011)                           |  |
| Naptalam  | 0.1                               | Citron melons                                     | EMRL2011-13<br>(18 March 2011)            |  |
| Naptalam  | 0.1                               | Cucumbers   | EMRL2011-13                               |  |
| Naptalam  | 0.1                               | Muskmelons (other than those listed in this item) | (18 March 2011)<br>EMRL2011-13            |  |
| ·   |                                   |   | (18 March 2011)                           |  |
| Naptalam  | 0.1                               | Watermelons                                       | EMRL2011-13<br>(18 March 2011)            |  |
| Nicosulfuron  | 0.05                              | Blueberries                                       | Canada Gazette II                         |  |
| Nicosulfuron  | 0.1                               | Corn  | Prior to 16 June 200<br>Canada Gazette II |  |
|   |                                   |   | Prior to 16 June 200                      |  |
| Nicotine  | 2.0                               | Apples  | Canada Gazette II<br>Prior to 16 June 200 |  |
| Nicotine  | 2.0                               | Apricots  | Canada Gazette II                         |  |
| Nicotine  | 2.0                               | Artichokes  | Prior to 16 June 200<br>Canada Gazette II |  |
| Nicotine  | 2.0                               | Asparagus   | Prior to 16 June 200<br>Canada Gazette II |  |
|   |                                   | · · · · · · · · · · · · · · · · · · ·             | Prior to 16 June 200                      |  |
| Nicotine  | 2.0                               | Beans   | Canada Gazette II<br>Prior to 16 June 200 |  |
| Nicotine  | 2.0                               | Beet tops   | Canada Gazette II                         |  |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                    |  |
|--|-----------------------------------|--------------------|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity     | MRL Established \                        |
| Nicotine   | 2.0                               | Beets              | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Blackberries       | Canada Gazette I                         |
| Nicotico   | 2.0                               | Displayed          | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Blackeyed peas     | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Boysenberries      | Canada Gazette I                         |
| Nicotine   | 2.0                               | Broccoli           | Prior to 16 June 20 Canada Gazette I     |
| Nicotine   | 2.0                               | Brussels sprouts   | Prior to 16 June 20 Canada Gazette I     |
| Nicotine   | 2.0                               | Brussels sprouts   | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Cabbages           | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Cantaloupes        | Canada Gazette I                         |
| Nicotine   | 2.0                               | Cauliflower        | Prior to 16 June 20 Canada Gazette I     |
|  |                                   |                    | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Celery             | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Cherries           | Canada Gazette I                         |
| Nicotine   | 2.0                               | Collards           | Prior to 16 June 200<br>Canada Gazette I |
|  |                                   |                    | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Corn               | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Cucumbers          | Canada Gazette I                         |
| Nicotine   | 2.0                               | Eggplants          | Prior to 16 June 20 Canada Gazette I     |
| Nicotine   | 2.0                               | Grapefruits        | Prior to 16 June 20 Canada Gazette I     |
|  |                                   | <u> </u>           | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Green beans        | Canada Gazette I<br>Prior to 16 June 200 |
| Nicotine   | 2.0                               | Green onions       | Canada Gazette I                         |
| Nicotine   | 2.0                               | Kale               | Prior to 16 June 200<br>Canada Gazette I |
|  |                                   |                    | Prior to 16 June 200                     |
| Nicotine   | 2.0                               | Kohlrabi           | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Lemons             | Canada Gazette I                         |
| Nicotine   | 2.0                               | Lettuce            | Prior to 16 June 200<br>Canada Gazette I |
| Nicotine   | 2.0                               | Lima beans         | Prior to 16 June 200<br>Canada Gazette I |
|  |                                   | Lina beans         | Prior to 16 June 200                     |
| Nicotine   | 2.0                               | Limes              | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Mushrooms          | Canada Gazette I                         |
| Nicotine   | 2.0                               | Muskmelons         | Prior to 16 June 20 Canada Gazette I     |
|  |                                   |                    | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Mustard greens     | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Okras              | Canada Gazette I                         |
| Nicotine   | 2.0                               | Onions             | Prior to 16 June 20 Canada Gazette I     |
|  | 20                                |                    | Prior to 16 June 20<br>Canada Gazette I  |
| Nicotine   | 2.0                               | Oranges            | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Parsley            | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Parsnips           | Canada Gazette I                         |
| Nicotine   | 2.0                               | Peaches/nectarines | Prior to 16 June 20 Canada Gazette I     |
|  |                                   |                    | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Pears              | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Peas               | Canada Gazette I                         |
| Nicotine   | 2.0                               | Peppers            | Prior to 16 June 20 Canada Gazette I     |
|  |                                   |                    | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Pimentos           | Canada Gazette I<br>Prior to 16 June 200 |
| Nicotine   | 2.0                               | Plums              | Canada Gazette I                         |
| Nicotine   | 2.0                               | Prunes             | Prior to 16 June 20<br>Canada Gazette I  |
| Nicotine   | 2.0                               | Pumpkins           | Prior to 16 June 20<br>Canada Gazette I  |
|  |                                   | ·                  | Prior to 16 June 20                      |
| Nicotine   | 2.0                               | Quinces            | Canada Gazette I<br>Prior to 16 June 20  |
| Nicotine   | 2.0                               | Radishes           | Canada Gazette I                         |

|             |                                   | distinct table on the MRL webpage |   |
|-------------|-----------------------------------|-----------------------------------|---|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established \                         |
| Nicotine    | 2.0                               | Rutabagas                         | Canada Gazette I                          |
| Nicotine    | 2.0                               | Snap beans                        | Canada Gazette I                          |
| Nicotine    | 2.0                               | Spinach                           | Prior to 16 June 200<br>Canada Gazette II |
|             |                                   | ·                                 | Prior to 16 June 200                      |
| Nicotine    | 2.0                               | Summer squash                     | Canada Gazette II<br>Prior to 16 June 200 |
| Nicotine    | 2.0                               | Swiss chard                       | Canada Gazette II                         |
| Nicotine    | 2.0                               | Tangerines                        | Prior to 16 June 200<br>Canada Gazette II |
| Nicotine    | 2.0                               | Tomatoes                          | Prior to 16 June 200<br>Canada Gazette II |
|             |                                   |                                   | Prior to 16 June 200                      |
| Nicotine    | 2.0                               | Turnips                           | Canada Gazette II<br>Prior to 16 June 200 |
| Nicotine    | 2.0                               | Watermelons                       | Canada Gazette II<br>Prior to 16 June 200 |
| Nicotine    | 2.0                               | Winter squash                     | Canada Gazette II                         |
| Novaluron   | 2.0                               | Apples                            | Prior to 16 June 200<br>EMRL2008-06       |
|             |                                   |                                   | (6 August 2008)                           |
| Novaluron   | 0.05                              | Arracacha                         | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 0.05                              | Arrowroot                         | EMRL2008-06                               |
| Novaluron   | 2.0                               | Asian pears                       | (6 August 2008)<br>EMRL2008-06            |
| Novaluron   | 0.5                               | Broccoli                          | (6 August 2008)<br>EMRL2011-16            |
|             |                                   |                                   | (24 March 2011)                           |
| Novaluron   | 0.5                               | Brussels sprouts                  | EMRL2011-16<br>(24 March 2011)            |
| Novaluron   | 0.5                               | Cabbages                          | EMRL2011-16<br>(24 March 2011)            |
| Novaluron   | 0.05                              | Cassava roots                     | EMRL2008-06                               |
| Novaluron   | 0.5                               | Cauliflower                       | (6 August 2008)<br>EMRL2011-16            |
|             |                                   |                                   | (24 March 2011)                           |
| Novaluron   | 0.05                              | Chayote roots                     | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 0.05                              | Chinese artichokes                | EMRL2008-06                               |
| Novaluron   | 0.5                               | Chinese broccoli                  | (6 August 2008)<br>EMRL2011-16            |
| Novaluron   | 0.5                               | Chinese mustard cabbages          | (24 March 2011)<br>EMRL2011-16            |
|             | 0.05                              |                                   | (24 March 2011)                           |
| Novaluron   | 0.05                              | Chufa                             | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 2.0                               | Crabapples                        | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 0.05                              | Edible canna                      | EMRL2008-06                               |
| Novaluron   | 7.0                               | Fat of cattle                     | (6 August 2008)<br>EMRL2008-06            |
|             | 7.0                               |                                   | (6 August 2008)                           |
| Novaluron   | 7.0                               | Fat of goats                      | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 0.01                              | Fat of hogs                       | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 7.0                               | Fat of horses                     | EMRL2008-06                               |
| Novaluron   | 7.0                               | Fat of sheep                      | (6 August 2008)<br>EMRL2008-06            |
| Novaluron   | 0.05                              | Ginger roots                      | (6 August 2008)<br>EMRL2008-06            |
|             |                                   | <u>-</u>                          | (6 August 2008)                           |
| Novaluron   | 0.05                              | Jerusalem artichokes              | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 0.5                               | Kohlrabi                          | EMRL2011-16                               |
| Novaluron   | 0.05                              | Lerens                            | (24 March 2011)<br>EMRL2008-06            |
| Novaluron   | 2.0                               | Loquats                           | (6 August 2008)<br>EMRL2008-06            |
|             |                                   |                                   | (6 August 2008)                           |
| Novaluron   | 2.0                               | Mayhaws                           | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 0.4                               | Meat byproducts of cattle         | EMRL2008-06                               |
| Novaluron   | 0.4                               | Meat byproducts of goats          | (6 August 2008)<br>EMRL2008-06            |
|             |                                   |                                   | (6 August 2008)                           |
| Novaluron   | 0.01                              | Meat byproducts of hogs           | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 0.4                               | Meat byproducts of horses         | EMRL2008-06<br>(6 August 2008)            |
| Novaluron   | 0.4                               | Meat byproducts of sheep          | EMRL2008-06                               |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                           |                                      |
|--|-----------------------------------|---------------------------|--------------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity            | MRL Established \                    |
| Novaluron  | 0.4                               | Meat of cattle            | EMRL2008-06                          |
| Novaluron  | 0.4                               | Meat of goats             | (6 August 2008)<br>EMRL2008-06       |
|  |                                   |                           | (6 August 2008)                      |
| Novaluron  | 0.01                              | Meat of hogs              | EMRL2008-06<br>(6 August 2008)       |
| Novaluron  | 0.4                               | Meat of horses            | EMRL2008-06                          |
| Novaluron  | 0.4                               | Meat of sheep             | (6 August 2008)<br>EMRL2008-06       |
|  |                                   | ·                         | (6 August 2008)                      |
| Novaluron  | 0.5                               | Milk                      | EMRL2008-06<br>(6 August 2008)       |
| Novaluron  | 8.0                               | Milk fat                  | EMRL2008-06                          |
| Novaluron  | 0.5                               | Napa Chinese cabbages     | (6 August 2008)<br>EMRL2011-16       |
|  |                                   |                           | (24 March 2011)                      |
| Novaluron  | 2.0                               | Pears                     | EMRL2008-06<br>(6 August 2008)       |
| Novaluron  | 0.05                              | Potatoes                  | EMRL2008-06<br>(6 August 2008)       |
| Novaluron  | 2.0                               | Quinces                   | EMRL2008-06                          |
| Novaluron  | 0.05                              | Sweet potato roots        | (6 August 2008)<br>EMRL2008-06       |
| ivovaluiON   | 0.05                              | Sweet polato 100ts        | (6 August 2008)                      |
| Novaluron  | 0.05                              | Tanier corms              | EMRL2008-06<br>(6 August 2008)       |
| Novaluron  | 0.05                              | Taro corms                | EMRL2008-06                          |
| Novaluron  | 0.05                              | True yam tubers           | (6 August 2008)<br>EMRL2008-06       |
| Novalulon  | 0.05                              | ,                         | (6 August 2008)                      |
| Novaluron  | 0.05                              | Turmeric roots            | EMRL2008-06<br>(6 August 2008)       |
| Novaluron  | 0.05                              | Yam bean roots            | EMRL2008-06                          |
| Oxamyl   | 0.1                               | Potatoes                  | (6 August 2008)<br>EMRL2011-13       |
| ·  |                                   |                           | (18 March 2011)                      |
| Oxyfluorfen  | 0.05                              | Dry bulb onions           | EMRL2011-13<br>(18 March 2011)       |
| Oxyfluorfen  | 0.05                              | Raspberries               | EMRL2011-13                          |
| Oxyfluorfen  | 0.05                              | Strawberries              | (18 March 2011)<br>Canada Gazette II |
| Paraquat   | 0.05                              | Apples                    | Prior to 16 June 200<br>EMRL2011-13  |
|  | 0.03                              | Apples                    | (18 March 2011)                      |
| Paraquat   | 0.05                              | Apricots                  | EMRL2011-13<br>(18 March 2011)       |
| Paraquat   | 0.05                              | Aronia berries            | EMRL2011-13                          |
| Paraquat   | 0.05                              | Asian pears               | (18 March 2011)<br>EMRL2011-13       |
|  |                                   | <u> </u>                  | (18 March 2011)                      |
| Paraquat   | 0.05                              | Barley                    | EMRL2011-13<br>(18 March 2011)       |
| Paraquat   | 0.05                              | Blackberries              | EMRL2011-13                          |
| Paraquat   | 0.05                              | Bok choy Chinese cabbages | (18 March 2011)<br>EMRL2011-13       |
|  |                                   |                           | (18 March 2011)                      |
| Paraquat   | 0.05                              | Broccoli                  | EMRL2011-13<br>(18 March 2011)       |
| Paraquat   | 0.05                              | Broccoli raab             | EMRL2011-13                          |
| Paraquat   | 0.05                              | Brussels sprouts          | (18 March 2011)<br>EMRL2011-13       |
| Paraquat   | 0.05                              | Buffalo currants          | (18 March 2011)<br>EMRL2011-13       |
|  |                                   |                           | (18 March 2011)                      |
| Paraquat   | 0.05                              | Cabbages                  | EMRL2011-13<br>(18 March 2011)       |
| Paraquat   | 0.05                              | Carrot roots              | EMRL2011-13                          |
| Paraquat   | 0.05                              | Cauliflower               | (18 March 2011)<br>EMRL2011-13       |
|  |                                   |                           | (18 March 2011)                      |
| Paraquat   | 0.05                              | Chilean guavas            | EMRL2011-13<br>(18 March 2011)       |
| Paraquat   | 0.05                              | Chinese broccoli          | EMRL2011-13                          |
| Paraquat   | 0.05                              | Chinese mustard cabbages  | (18 March 2011)<br>EMRL2011-13       |
| Paraquat   | 0.05                              | Collards                  | (18 March 2011)<br>EMRL2011-13       |
|  |                                   |                           | (18 March 2011)                      |
| Paraquat   | 0.05                              | Crabapples                | EMRL2011-13<br>(18 March 2011)       |
| Paraquat   | 0.05                              | Cucumbers                 | EMRL2011-13                          |
| Paraquat   | 0.05                              | Currente                  | (18 March 2011)<br>EMRI 2011-13      |
| Paraguat   | 0.05                              | Currants                  | EMRL2011-13                          |

|             |                                   | distinct table on the MRL webpage | MDI F-G-ERS 1                 |
|-------------|-----------------------------------|-----------------------------------|-------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established               |
| Paraquat    | 0.1                               | Dry bulb onions                   | EMRL2011-13                   |
| Paraquat    | 0.05                              | Edible-podded dwarf peas          | (18 March 2011<br>EMRL2011-13 |
| Paraquat    | 0.05                              | Edible-podded jackbeans           | (18 March 2011<br>EMRL2011-13 |
|             |                                   |                                   | (18 March 2011                |
| Paraquat    | 0.05                              | Edible-podded moth beans          | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Edible-podded peas                | EMRL2011-13                   |
| Paraquat    | 0.05                              | Edible-podded pigeon peas         | (18 March 2011<br>EMRL2011-13 |
|             | 0.05                              | Edible-podded runner beans        | (18 March 2011<br>EMRL2011-13 |
| Paraquat    | 0.05                              | Edible-podded furfiler bearts     | (18 March 2011                |
| Paraquat    | 0.05                              | Edible-podded snap beans          | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Edible-podded snow peas           | EMRL2011-13                   |
| Paraquat    | 0.05                              | Edible-podded soybeans            | (18 March 2011<br>EMRL2011-13 |
| ·           |                                   |                                   | (18 March 2011                |
| Paraquat    | 0.05                              | Edible-podded sugar snap peas     | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Edible-podded swordbeans          | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Edible-podded wax beans           | EMRL2011-13                   |
| Paraquat    | 0.05                              | Edible-podded yardlong beans      | (18 March 2011<br>EMRL2011-13 |
| <u> </u>    |                                   |                                   | (18 March 2011                |
| Paraquat    | 0.05                              | Elderberries                      | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | European barberry                 | EMRL2011-13                   |
| Paraquat    | 0.1                               | Field corn                        | (18 March 2011<br>EMRL2011-13 |
| Paraquat    | 0.05                              | Filberts                          | (18 March 2011<br>EMRL2011-13 |
|             |                                   |                                   | (18 March 2011                |
| Paraquat    | 0.05                              | Gooseberries                      | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Grapes                            | EMRL2011-13                   |
| Paraquat    | 0.05                              | Green onions                      | (18 March 2011<br>EMRL2011-13 |
| Paraquat    | 0.05                              | Highbush blueberries              | (18 March 2011<br>EMRL2011-13 |
| ·           |                                   |                                   | (18 March 2011                |
| Paraquat    | 0.05                              | Highbush cranberries              | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Honeysuckle                       | EMRL2011-13                   |
| Paraquat    | 0.05                              | Huckleberries                     | (18 March 2011<br>EMRL2011-13 |
| Doroguet    | 0.05                              | Jostaherries                      | (18 March 2011<br>EMRL2011-13 |
| Paraquat    | 0.05                              | 000,000,000                       | (18 March 2011                |
| Paraquat    | 0.05                              | Kale                              | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Kohlrabi                          | EMRL2011-13                   |
| Paraquat    | 0.05                              | Lingonberries                     | (18 March 2011<br>EMRL2011-13 |
| Paraquat    | 0.05                              | Loganberries                      | (18 March 2011<br>EMRL2011-13 |
|             |                                   |                                   | (18 March 2011                |
| Paraquat    | 0.05                              | Loquats                           | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Lowbush blueberries               | EMRL2011-13                   |
| Paraquat    | 0.05                              | Mayhaws                           | (18 March 2011<br>EMRL2011-13 |
| ·           |                                   | •                                 | (18 March 2011                |
| Paraquat    | 0.05                              | Mustard greens                    | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Mustard spinach                   | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Napa Chinese cabbages             | EMRL2011-13                   |
| Paraquat    | 0.05                              | Native currants                   | (18 March 2011<br>EMRL2011-13 |
| ·           |                                   |                                   | (18 March 2011                |
| Paraquat    | 0.05                              | Nectarines                        | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Peaches                           | EMRL2011-13<br>(18 March 2011 |
| Paraquat    | 0.05                              | Pears                             | EMRL2011-13                   |
| Paraquat    | 0.05                              | Plumcots                          | (18 March 2011<br>EMRL2011-13 |
| ·           |                                   |                                   | (18 March 2011                |
| Paraquat    | 0.05                              | Plums                             | EMRL2011-13                   |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Establish  MRL Establish |                        |   |                                   |
|---|------------------------|---|-----------------------------------|
| Common Name   | Residue Limit<br>(ppm) | Food Commodity                                | MKL Established                   |
| Paraquat  | 0.1                    | Popcorn grain                                 | EMRL2011-13                       |
| Paraquat  | 0.05                   | Prune plums                                   | (18 March 2011<br>EMRL2011-13     |
| Paraquat  | 0.05                   | Quinces                                       | (18 March 2011<br>EMRL2011-13     |
|   |                        |   | (18 March 2011                    |
| Paraquat  | 0.05                   | Rape greens                                   | EMRL2011-13<br>(18 March 2011     |
| Paraquat  | 0.05                   | Raspberries                                   | EMRL2011-13                       |
| Paraquat  | 0.05                   | Salal berries                                 | (18 March 2011<br>EMRL2011-13     |
|   | 0.05                   | Cookstoon howing (innehowing)                 | (18 March 2011<br>EMRL2011-13     |
| Paraquat  | 0.05                   | Saskatoon berries (juneberries)               | (18 March 2011                    |
| Paraquat  | 0.05                   | Sea buckthorn                                 | EMRL2011-13<br>(18 March 2011     |
| Paraquat  | 0.05                   | Succulent shelled blackeyed peas              | EMRL2011-13                       |
| Paraguat  | 0.05                   | Succulent shelled broad beans                 | (18 March 2011<br>EMRL2011-13     |
|   |                        | Our standard ab all a discours and            | (18 March 2011                    |
| Paraquat  | 0.05                   | Succulent shelled cowpeas                     | EMRL2011-13<br>(18 March 2011     |
| Paraquat  | 0.05                   | Succulent shelled English peas                | EMRL2011-13                       |
| Paraquat  | 0.05                   | Succulent shelled garden peas                 | (18 March 2011<br>EMRL2011-13     |
| Paraquat  | 0.05                   | Succulent shelled green peas                  | (18 March 2011<br>EMRL2011-13     |
|   |                        |   | (18 March 2011                    |
| Paraquat  | 0.05                   | Succulent shelled lima beans                  | EMRL2011-13<br>(18 March 2011     |
| Paraquat  | 0.05                   | Succulent shelled peas                        | EMRL2011-13                       |
| Paraquat  | 0.05                   | Succulent shelled pigeon peas                 | (18 March 2011<br>EMRL2011-13     |
| Danaguat  | 0.05                   |   | (18 March 2011<br>EMRL2011-13     |
| Paraquat  |                        | Succulent shelled southern peas               | (18 March 2011                    |
| Paraquat  | 0.05                   | Sweet cherries                                | EMRL2011-13<br>(18 March 2011     |
| Paraquat  | 0.05                   | Sweet corn kernel plus cob with husks removed | EMRL2011-13                       |
| Paraquat  | 0.05                   | Tart cherries                                 | (18 March 2011<br>EMRL2011-13     |
|   | 0.05                   | Turnin roots                                  | (18 March 2011<br>EMRL2011-13     |
| Paraquat  | 0.05                   | Turnip roots                                  | (18 March 2011                    |
| Paraquat  | 0.05                   | Turnip tops                                   | EMRL2011-13<br>(18 March 2011     |
| Paraquat  | 0.05                   | Wild raspberries                              | EMRL2011-13                       |
| Pendimethalin   | 0.1                    | Apples  | (18 March 2011<br>EMRL2011-13     |
|   |                        |   | (18 March 2011                    |
| Pendimethalin   | 0.1                    | Apples  | EMRL2011-23<br>(10 May 2011)      |
| Pendimethalin   | 0.1                    | Apricots                                      | EMRL2011-13<br>(18 March 2011     |
| Pendimethalin   | 0.1                    | Apricots                                      | EMRL2011-23                       |
| Pendimethalin   | 0.1                    | Dry bulb onions                               | (10 May 2011)<br>EMRL2011-13      |
|   |                        | ,   | (18 March 2011                    |
| Pendimethalin   | 0.1                    | Dry bulb onions                               | EMRL2011-23<br>(10 May 2011)      |
| Pendimethalin   | 0.1                    | Dry soybeans                                  | EMRL2011-13<br>(18 March 2011     |
| Pendimethalin   | 0.1                    | Field corn                                    | EMRL2011-13                       |
| Pendimethalin   | 0.1                    | Field corn                                    | (18 March 2011<br>EMRL2011-23     |
|   |                        |   | (10 May 2011)                     |
| Pendimethalin   | 0.1                    | Nectarines                                    | EMRL2011-13<br>(18 March 2011     |
| Pendimethalin   | 0.1                    | Nectarines                                    | EMRL2011-23                       |
| Pendimethalin   | 0.1                    | Peaches                                       | (10 May 2011)<br>EMRL2011-13      |
| Pendimethalin   | 0.1                    | Peaches                                       | (18 March 2011<br>EMRL2011-23     |
|   |                        |   | (10 May 2011)                     |
| Pendimethalin   | 0.1                    | Sweet cherries                                | EMRL2011-13<br>(18 March 2011     |
| Pendimethalin   | 0.1                    | Sweet cherries                                | EMRL2011-23                       |
| Pendimethalin   | 0.1                    | Tart cherries                                 | (10 May 2011)<br>EMRL2011-13      |
| Pendimethalin   | 0.1                    | Tart cherries                                 | (18 March 2011<br>EMRL2011-23     |
|   |                        |   | (10 May 2011)                     |
| Permethrin  | 1.0                    | Apples  | Canada Gazette Prior to 16 June 2 |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |                                       |
|---|-----------------------------------|---|---------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                | MRL Established                       |
| Permethrin  | 0.5                               | Beans   | Canada Gazette                        |
| Permethrin  | 0.5                               | Broccoli                                      | Prior to 16 June 20<br>Canada Gazette |
| Permethrin  | 0.5                               | Divinged a constitu                           | Prior to 16 June 20<br>Canada Gazette |
| Permeinin   | 0.5                               | Brussels sprouts                              | Prior to 16 June 20                   |
| Permethrin  | 0.5                               | Cabbages                                      | Canada Gazette                        |
| Permethrin  | 5.0                               | Celery  | Prior to 16 June 20<br>Canada Gazette |
| Permethrin  | 0.5                               | Cucumbers                                     | Prior to 16 June 20<br>Canada Gazette |
| remeanin  | 0.5                               | Cucumbers                                     | Prior to 16 June 20                   |
| Permethrin  | 0.1                               | Dry bulb onions                               | EMRL2011-13<br>(18 March 2011)        |
| Permethrin  | 0.1                               | Fat of cattle                                 | Canada Gazette                        |
| Permethrin  | 0.1                               | Fat of poultry                                | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |   | Prior to 16 June 20                   |
| Permethrin  | 0.05                              | Field corn                                    | EMRL2011-13<br>(18 March 2011)        |
| Permethrin  | 2.0                               | Grapes  | Canada Gazette                        |
| Permethrin  | 10                                | Head lettuce                                  | Prior to 16 June 20<br>Canada Gazette |
| Do was official   | 20                                | Loof lattice                                  | Prior to 16 June 20<br>Canada Gazette |
| Permethrin  | 20                                | Leaf lettuce                                  | Prior to 16 June 20                   |
| Permethrin  | 0.1                               | Meat byproducts of cattle                     | Canada Gazette<br>Prior to 16 June 20 |
| Permethrin  | 0.1                               | Meat byproducts of horses                     | EMRL2011-13                           |
| Permethrin  | 0.1                               | Meat byproducts of poultry                    | (18 March 2011)<br>Canada Gazette     |
|   |                                   |   | Prior to 16 June 20                   |
| Permethrin  | 0.1                               | Meat byproducts of sheep                      | EMRL2011-13<br>(18 March 2011)        |
| Permethrin  | 0.1                               | Meat of cattle                                | Canada Gazette                        |
| Permethrin  | 0.1                               | Meat of horses                                | Prior to 16 June 20<br>EMRL2011-13    |
|   |                                   |   | (18 March 2011)                       |
| Permethrin  | 0.1                               | Meat of poultry                               | Canada Gazette Prior to 16 June 20    |
| Permethrin  | 0.1                               | Meat of sheep                                 | EMRL2011-13                           |
| Permethrin  | 0.2                               | Milk  | (18 March 2011)<br>Canada Gazette     |
| Permethrin  | 0.2                               | Other dairy products                          | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |   | Prior to 16 June 20                   |
| Permethrin  | 1.0                               | Peaches/nectarines                            | Canada Gazette Prior to 16 June 20    |
| Permethrin  | 1.0                               | Pears   | Canada Gazette                        |
| Permethrin  | 0.5                               | Peppers                                       | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |   | Prior to 16 June 20                   |
| Permethrin  | 0.5                               | Plums   | Canada Gazette Prior to 16 June 20    |
| Permethrin  | 0.05                              | Popcorn grain                                 | EMRL2011-13                           |
| Permethrin  | 0.05                              | Potatoes                                      | (18 March 2011)<br>EMRL2011-13        |
| Permethrin  | 20                                | Spinach                                       | (18 March 2011)<br>Canada Gazette     |
|   |                                   | ·   | Prior to 16 June 20                   |
| Permethrin  | 0.1                               | Sweet corn kernel plus cob with husks removed | EMRL2011-13<br>(18 March 2011)        |
| Permethrin  | 0.5                               | Tomatoes                                      | Canada Gazette                        |
| Permethrin  | 0.5                               | Wasabi  | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |   | Prior to 16 June 20                   |
| Phenmedipham  | 0.05                              | Sugar beet roots                              | EMRL2009-26<br>(26 November 200       |
| Phosalone   | 5.0                               | Apples  | Canada Gazette<br>Prior to 16 June 20 |
| Phosalone   | 4.0                               | Apricots                                      | Canada Gazette                        |
| Phosalone   | 15                                | Artichokes                                    | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |   | Prior to 16 June 20                   |
| Phosalone   | 6.0                               | Cherries                                      | Canada Gazette Prior to 16 June 20    |
| Phosalone   | 1.5                               | Citrus fruits                                 | Canada Gazette                        |
| Phosalone   | 12                                | Dried apricots                                | Prior to 16 June 20<br>Canada Gazette |
|   |                                   | ·   | Prior to 16 June 20                   |
| Phosalone   | 5.0                               | Grapes  | Canada Gazette Prior to 16 June 20    |
| Phosalone   | 4.0                               | Peaches/nectarines                            | Canada Gazette                        |

|             |                                   | distinct table on the MRL webpage | T .                                       |
|-------------|-----------------------------------|-----------------------------------|---|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established V                         |
| Phosalone   | 2.0                               | Pears                             | Canada Gazette II                         |
| Phosalone   | 5.0                               | Plums                             | Canada Gazette I                          |
| Phosmet     | 10                                | Apples                            | Prior to 16 June 200<br>Canada Gazette II |
|             |                                   | •••                               | Prior to 16 June 200                      |
| Phosmet     | 5.0                               | Blueberries                       | Canada Gazette II Prior to 16 June 200    |
| Phosmet     | 7.0                               | Cherries                          | Canada Gazette II<br>Prior to 16 June 200 |
| Phosmet     | 10                                | Grapes                            | Canada Gazette II                         |
| Phosmet     | 1.0                               | Kiwifruit (edible portion)        | Prior to 16 June 200<br>Canada Gazette II |
| Phosmet     | 10                                | Peaches/nectarines                | Prior to 16 June 200<br>Canada Gazette II |
|             |                                   |                                   | Prior to 16 June 200                      |
| Phosmet     | 10                                | Pears                             | Canada Gazette II<br>Prior to 16 June 200 |
| Phosmet     | 5.0                               | Plums                             | Canada Gazette II                         |
| Phosmet     | 0.1                               | Potatoes                          | Prior to 16 June 200<br>EMRL2011-13       |
| Phosphine   | 0.01                              | All processed foods               | (18 March 2011)<br>EMRL2011-13            |
| ·           |                                   |                                   | (18 March 2011)                           |
| Phosphine   | 0.1                               | Almonds                           | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.01                              | Avocados                          | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.01                              | Bananas                           | EMRL2011-13                               |
| Phosphine   | 0.1                               | Barley                            | (18 March 2011)<br>EMRL2011-13            |
| Phosphine   | 0.01                              | Bell peppers                      | (18 March 2011)<br>EMRL2011-13            |
| ·           |                                   |                                   | (18 March 2011)                           |
| Phosphine   | 0.1                               | Black walnuts                     | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.01                              | Bok choy Chinese cabbages         | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.1                               | Brazil nuts                       | EMRL2011-13                               |
| Phosphine   | 0.1                               | Cashew nuts                       | (18 March 2011)<br>EMRL2011-13            |
| Phosphine   | 0.01                              | Citrus citrons                    | (18 March 2011)<br>EMRL2011-13            |
| ·           |                                   |                                   | (18 March 2011)                           |
| Phosphine   | 0.1                               | Cocoa beans                       | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.1                               | Coffee beans                      | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.1                               | Dates                             | EMRL2011-13                               |
| Phosphine   | 0.01                              | Dill                              | (18 March 2011)<br>EMRL2011-13            |
| Phosphine   | 0.01                              | Dry adzuki beans                  | (18 March 2011)<br>EMRL2011-13            |
|             |                                   | •                                 | (18 March 2011)                           |
| Phosphine   | 0.01                              | Dry beans                         | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.01                              | Dry blackeyed peas                | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.01                              | Dry broad beans                   | EMRL2011-13                               |
| Phosphine   | 0.01                              | Dry catjang seeds                 | (18 March 2011)<br>EMRL2011-13            |
| Phosphine   | 0.01                              | Dry chickpeas                     | (18 March 2011)<br>EMRL2011-13            |
|             |                                   | , ,                               | (18 March 2011)                           |
| Phosphine   | 0.01                              | Dry cowpea seeds                  | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.01                              | Dry field peas                    | EMRL2011-13                               |
| Phosphine   | 0.01                              | Dry guar seeds                    | (18 March 2011)<br>EMRL2011-13            |
| Phosphine   | 0.01                              | Dry kidney beans                  | (18 March 2011)<br>EMRL2011-13            |
|             |                                   |                                   | (18 March 2011)                           |
| Phosphine   | 0.01                              | Dry lablab beans                  | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.01                              | Dry lentils                       | EMRL2011-13<br>(18 March 2011)            |
| Phosphine   | 0.01                              | Dry lima beans                    | EMRL2011-13                               |
| Phosphine   | 0.01                              | Dry moth beans                    | (18 March 2011)<br>EMRL2011-13            |
| Phosphine   | 0.01                              | Dry mung beans                    | (18 March 2011)<br>EMRL2011-13            |
|             |                                   |                                   | (18 March 2011)                           |
| Phosphine   | 0.01                              | Dry navy beans                    | EMRL2011-13                               |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Establisi |                                   |                               |                               |
|---|-----------------------------------|-------------------------------|-------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                | MRL Established               |
| Phosphine   | 0.01                              | Dry pigeon peas               | EMRL2011-13                   |
| Phosphine   | 0.01                              | Dry pink beans                | (18 March 2011<br>EMRL2011-13 |
| Dhaanhina   | 0.04                              | Dry sinte hoose               | (18 March 2011                |
| Phosphine   | 0.01                              | Dry pinto beans               | EMRL2011-13<br>(18 March 2011 |
| Phosphine   | 0.01                              | Dry rice beans                | EMRL2011-13                   |
| Phosphine   | 0.01                              | Dry southern peas             | (18 March 2011<br>EMRL2011-13 |
| Phosphine   | 0.1                               | Dry soybeans                  | (18 March 2011<br>EMRL2011-13 |
| ·   |                                   |                               | (18 March 201                 |
| Phosphine   | 0.01                              | Dry tepary beans              | EMRL2011-13<br>(18 March 2011 |
| Phosphine   | 0.01                              | Dry urd beans                 | EMRL2011-13                   |
| Phosphine   | 0.01                              | Edible-podded dwarf peas      | (18 March 2011<br>EMRL2011-13 |
| Phosphine   | 0.01                              | Edible-podded jackbeans       | (18 March 2011<br>EMRL2011-13 |
| Priospriirie  | 0.01                              | Edible-podded Jackbeans       | (18 March 2011                |
| Phosphine   | 0.01                              | Edible-podded moth beans      | EMRL2011-13<br>(18 March 201  |
| Phosphine   | 0.01                              | Edible-podded peas            | EMRL2011-13                   |
| Phosphine   | 0.01                              | Edible-podded pigeon peas     | (18 March 2011<br>EMRL2011-13 |
| <u> </u>  |                                   |                               | (18 March 201                 |
| Phosphine   | 0.01                              | Edible-podded runner beans    | EMRL2011-13<br>(18 March 2011 |
| Phosphine   | 0.01                              | Edible-podded snap beans      | EMRL2011-13                   |
| Phosphine   | 0.01                              | Edible-podded snow peas       | (18 March 2011<br>EMRL2011-13 |
| <u> </u>  | 0.04                              | <u> </u>                      | (18 March 2011                |
| Phosphine   | 0.01                              | Edible-podded soybeans        | EMRL2011-13<br>(18 March 2011 |
| Phosphine   | 0.01                              | Edible-podded sugar snap peas | EMRL2011-13<br>(18 March 201  |
| Phosphine   | 0.01                              | Edible-podded swordbeans      | EMRL2011-13                   |
| Phosphine   | 0.01                              | Edible-podded wax beans       | (18 March 2011<br>EMRL2011-13 |
| ·   |                                   | ·                             | (18 March 201                 |
| Phosphine   | 0.01                              | Edible-podded yardlong beans  | EMRL2011-13<br>(18 March 2011 |
| Phosphine   | 0.01                              | Eggplants                     | EMRL2011-13                   |
| Phosphine   | 0.01                              | Endives                       | (18 March 2011<br>EMRL2011-13 |
| Phosphine   | 0.1                               | English walnuts               | (18 March 2011<br>EMRL2011-13 |
| <u> </u>  |                                   |                               | (18 March 201                 |
| Phosphine   | 0.1                               | Field corn                    | EMRL2011-13<br>(18 March 201  |
| Phosphine   | 0.1                               | Filberts                      | EMRL2011-13                   |
| Phosphine   | 0.01                              | Grain lupin                   | (18 March 201<br>EMRL2011-13  |
| Phosphine   |                                   | Grapefruits                   | (18 March 201<br>EMRL2011-13  |
| ·   | 0.01                              | ·                             | (18 March 201                 |
| Phosphine   | 0.01                              | Kumquats                      | EMRL2011-13<br>(18 March 201  |
| Phosphine   | 0.01                              | Lemons                        | EMRL2011-13                   |
| Phosphine   | 0.01                              | Lettuce                       | (18 March 201<br>EMRL2011-13  |
| <u> </u>  |                                   |                               | (18 March 201                 |
| Phosphine   | 0.01                              | Limes                         | EMRL2011-13<br>(18 March 201  |
| Phosphine   | 0.01                              | Mangoes                       | EMRL2011-13                   |
| Phosphine   | 0.01                              | Napa Chinese cabbages         | (18 March 201<br>EMRL2011-13  |
| Phosphine   | 0.01                              | Non-bell peppers              | (18 March 2011<br>EMRL2011-13 |
| ·   |                                   |                               | (18 March 201                 |
| Phosphine   | 0.1                               | Oats                          | EMRL2011-13<br>(18 March 2011 |
| Phosphine   | 0.01                              | Okras                         | EMRL2011-13                   |
| Phosphine   | 0.01                              | Oranges                       | (18 March 2011<br>EMRL2011-13 |
| ·   |                                   |                               | (18 March 201                 |
| Phosphine   | 0.01                              | Papayas                       | EMRL2011-13<br>(18 March 201  |
| Phosphine   | 0.1                               | Peanuts                       | EMRL2011-13<br>(18 March 201  |
| Phosphine   | 0.1                               | Pearl millet                  | EMRL2011-13                   |
|   |                                   |                               | (18 March 2011                |

|                |                                   | distinct table on the MRL webpage |   |
|----------------|-----------------------------------|-----------------------------------|---|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established V                         |
| Phosphine      | 0.01                              | Pepper hybrids                    | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.01                              | Persimmons                        | (18 March 2011)<br>EMRL2011-13            |
| Phosphine      | 0.1                               | Pistachios                        | (18 March 2011)<br>EMRL2011-13            |
|                |                                   |                                   | (18 March 2011)                           |
| Phosphine      | 0.1                               | Popcorn grain                     | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.1                               | Proso millet                      | EMRL2011-13                               |
| Phosphine      | 0.1                               | Rice                              | (18 March 2011)<br>EMRL2011-13            |
|                |                                   |                                   | (18 March 2011)                           |
| Phosphine      | 0.1                               | Rye                               | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.1                               | Safflower seeds                   | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.01                              | Salsify tops                      | EMRL2011-13                               |
| Phosphine      | 0.1                               | Sesame seeds                      | (18 March 2011)<br>EMRL2011-13            |
|                |                                   |                                   | (18 March 2011)                           |
| Phosphine      | 0.1                               | Sorghum                           | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.01                              | Succulent shelled blackeyed peas  | EMRL2011-13                               |
| Phosphine      | 0.01                              | Succulent shelled broad beans     | (18 March 2011)<br>EMRL2011-13            |
| ,<br>Dhaanhina | 0.04                              | Overvillant aballad assuman       | (18 March 2011)                           |
| Phosphine      | 0.01                              | Succulent shelled cowpeas         | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.01                              | Succulent shelled English peas    | EMRL2011-13                               |
| Phosphine      | 0.01                              | Succulent shelled garden peas     | (18 March 2011)<br>EMRL2011-13            |
| Phosphine      | 0.01                              | Succulent shelled green peas      | (18 March 2011)<br>EMRL2011-13            |
| Filospiline    | 0.01                              |                                   | (18 March 2011)                           |
| Phosphine      | 0.01                              | Succulent shelled lima beans      | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.01                              | Succulent shelled peas            | EMRL2011-13                               |
| Phosphine      | 0.01                              | Succulent shelled pigeon peas     | (18 March 2011)<br>EMRL2011-13            |
|                |                                   |                                   | (18 March 2011)                           |
| Phosphine      | 0.01                              | Succulent shelled southern peas   | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.1                               | Sunflower seeds                   | EMRL2011-13                               |
| Phosphine      | 0.01                              | Sweet potato roots                | (18 March 2011)<br>EMRL2011-13            |
| Phosphine      | 0.01                              | Tangelos                          | (18 March 2011)<br>EMRL2011-13            |
|                |                                   |                                   | (18 March 2011)                           |
| Phosphine      | 0.01                              | Tangerines                        | EMRL2011-13<br>(18 March 2011)            |
| Phosphine      | 0.01                              | Tomatoes                          | EMRL2011-13                               |
| Phosphine      | 0.1                               | Triticale                         | (18 March 2011)<br>EMRL2011-13            |
|                |                                   |                                   | (18 March 2011)                           |
| Phosphine      | 0.1                               | Wheat                             | EMRL2011-13<br>(18 March 2011)            |
| Picloram       | 0.1                               | Barley                            | Canada Gazette II                         |
| Picloram       | 0.05                              | Eggs                              | Prior to 16 June 200 Canada Gazette II    |
| Picloram       | 0.05                              | Fat of cattle                     | Prior to 16 June 200<br>Canada Gazette II |
| Ficiolatti     | 0.05                              | Fat Of Cattle                     | Prior to 16 June 200                      |
| Picloram       | 0.05                              | Fat of goats                      | Canada Gazette II<br>Prior to 16 June 200 |
| Picloram       | 0.05                              | Fat of hogs                       | Canada Gazette II                         |
| Picloram       | 0.05                              | Fat of horses                     | Prior to 16 June 200 Canada Gazette II    |
|                |                                   |                                   | Prior to 16 June 200                      |
| Picloram       | 0.05                              | Fat of poultry                    | Canada Gazette II<br>Prior to 16 June 200 |
| Picloram       | 0.05                              | Fat of sheep                      | Canada Gazette II                         |
| Picloram       | 0.4                               | Kidney of cattle                  | Prior to 16 June 200 Canada Gazette II    |
|                | 0.4                               | •                                 | Prior to 16 June 200                      |
| Picloram       | 0.4                               | Kidney of goats                   | Canada Gazette II<br>Prior to 16 June 200 |
| Picloram       | 0.4                               | Kidney of hogs                    | Canada Gazette II<br>Prior to 16 June 200 |
| Picloram       | 0.4                               | Kidney of horses                  | Canada Gazette II                         |
| Picloram       | 0.2                               | Kidney of poultry                 | Prior to 16 June 200<br>Canada Gazette II |
|                |                                   |                                   | Prior to 16 June 200                      |
| Picloram       | 0.4                               | Kidney of sheep                   | Canada Gazette II<br>Prior to 16 June 200 |

|             |                                   | distinct table on the MRL webpage |                                      |
|-------------|-----------------------------------|-----------------------------------|--------------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                      |
| Picloram    | 0.05                              | Liver of cattle                   | Canada Gazette                       |
| Picloram    | 0.05                              | Liver of goats                    | Prior to 16 June 2<br>Canada Gazette |
| Picloram    | 0.05                              | Liver of hogs                     | Prior to 16 June 2<br>Canada Gazette |
| Picloram    | 0.05                              | Liver of horses                   | Prior to 16 June 2<br>Canada Gazette |
|             |                                   |                                   | Prior to 16 June 2                   |
| Picloram    | 0.05                              | Liver of poultry                  | Canada Gazette<br>Prior to 16 June 2 |
| Picloram    | 0.05                              | Liver of sheep                    | Canada Gazette<br>Prior to 16 June 2 |
| Picloram    | 0.4                               | Meat byproducts of cattle         | Canada Gazette                       |
| Picloram    | 0.4                               | Meat byproducts of goats          | Prior to 16 June 2<br>Canada Gazette |
| Picloram    | 0.4                               | Meat byproducts of hogs           | Prior to 16 June 2<br>Canada Gazette |
|             |                                   |                                   | Prior to 16 June 2                   |
| Picloram    | 0.4                               | Meat byproducts of horses         | Canada Gazette<br>Prior to 16 June 2 |
| Picloram    | 0.2                               | Meat byproducts of poultry        | Canada Gazette<br>Prior to 16 June 2 |
| Picloram    | 0.4                               | Meat byproducts of sheep          | Canada Gazette                       |
| Picloram    | 0.05                              | Meat of cattle                    | Prior to 16 June 2<br>Canada Gazette |
| Picloram    | 0.05                              | Meat of goats                     | Prior to 16 June 2<br>Canada Gazette |
| Picloram    |                                   |                                   | Prior to 16 June 2                   |
|             | 0.05                              | Meat of hogs                      | Canada Gazette<br>Prior to 16 June 2 |
| Picloram    | 0.05                              | Meat of horses                    | Canada Gazette Prior to 16 June 2    |
| Picloram    | 0.05                              | Meat of poultry                   | Canada Gazette                       |
| Picloram    | 0.05                              | Meat of sheep                     | Prior to 16 June 2<br>Canada Gazette |
| Picloram    | 0.05                              | Milk                              | Prior to 16 June 2<br>Canada Gazette |
| Picloram    | 0.2                               | Wheat                             | Prior to 16 June 2<br>Canada Gazette |
|             |                                   |                                   | Prior to 16 June 2                   |
| Picolinafen | 0.05                              | Barley                            | Canada Gazette<br>Prior to 16 June 2 |
| Picolinafen | 0.05                              | Wheat                             | Canada Gazette Prior to 16 June 2    |
| Pinoxaden   | 0.9                               | Barley                            | EMRL2008-03<br>(9 July 2008)         |
| Pinoxaden   | 1.6                               | Barley bran                       | EMRL2008-0                           |
| Pinoxaden   | 0.06                              | Eggs                              | (9 July 2008)<br>EMRL2008-0          |
| Pinoxaden   | 0.04                              | Fat of cattle                     | (9 July 2008)<br>EMRL2008-0          |
|             |                                   |                                   | (9 July 2008)                        |
| Pinoxaden   | 0.04                              | Fat of goats                      | EMRL2008-03<br>(9 July 2008)         |
| Pinoxaden   | 0.04                              | Fat of hogs                       | EMRL2008-0<br>(9 July 2008)          |
| Pinoxaden   | 0.04                              | Fat of horses                     | EMRL2008-0                           |
| Pinoxaden   | 0.06                              | Fat of poultry                    | (9 July 2008)<br>EMRL2008-0          |
| Pinoxaden   | 0.04                              | Fat of sheep                      | (9 July 2008)<br>EMRL2008-0:         |
| Pinoxaden   | 0.04                              | Meat byproducts of cattle         | (9 July 2008)<br>EMRL2008-0          |
| Pinoxaden   |                                   |                                   | (9 July 2008)                        |
|             | 0.04                              | Meat byproducts of goats          | EMRL2008-0:<br>(9 July 2008)         |
| Pinoxaden   | 0.04                              | Meat byproducts of hogs           | EMRL2008-03<br>(9 July 2008)         |
| Pinoxaden   | 0.04                              | Meat byproducts of horses         | EMRL2008-0:<br>(9 July 2008)         |
| Pinoxaden   | 0.06                              | Meat byproducts of poultry        | EMRL2008-02                          |
| Pinoxaden   | 0.04                              | Meat byproducts of sheep          | (9 July 2008)<br>EMRL2008-0:         |
| Pinoxaden   | 0.04                              | Meat of cattle                    | (9 July 2008)<br>EMRL2008-0          |
|             |                                   |                                   | (9 July 2008)                        |
| Pinoxaden   | 0.04                              | Meat of goats                     | EMRL2008-03<br>(9 July 2008)         |
| Pinoxaden   | 0.04                              | Meat of hogs                      | EMRL2008-03<br>(9 July 2008)         |
| Pinoxaden   | 0.04                              | Meat of horses                    | EMRL2008-0                           |
| Pinoxaden   | 0.06                              | Meat of poultry                   | (9 July 2008)<br>EMRL2008-02         |

|                      |                                   | distinct table on the MRL webpage | MDI E                                |
|----------------------|-----------------------------------|-----------------------------------|--------------------------------------|
| Common Name          | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                      |
| Pinoxaden            | 0.04                              | Meat of sheep                     | EMRL2008-02<br>(9 July 2008)         |
| Pinoxaden            | 0.02                              | Milk                              | EMRL2008-02                          |
| Pinoxaden            | 1.3                               | Wheat                             | (9 July 2008)<br>EMRL2008-02         |
|                      |                                   |                                   | (9 July 2008)                        |
| Pinoxaden            | 3.0                               | Wheat bran                        | EMRL2008-02<br>(9 July 2008)         |
| Piperonyl butoxide   | 8.0                               | Almonds                           | Canada Gazette                       |
| Piperonyl butoxide   | 8.0                               | Apples                            | Prior to 16 June 2                   |
|                      | 0.0                               |                                   | Prior to 16 June 2                   |
| Piperonyl butoxide   | 8.0                               | Beans                             | Prior to 16 June 2                   |
| Piperonyl butoxide   | 8.0                               | Blackberries                      | Canada Gazette Prior to 16 June 2    |
| Piperonyl butoxide   | 8.0                               | Blueberries                       | Canada Gazette                       |
| Piperonyl butoxide   | 8.0                               | Boysenberries                     | Prior to 16 June 2                   |
|                      |                                   | ·                                 | Prior to 16 June 2                   |
| Piperonyl butoxide   | 8.0                               | Cherries                          | Canada Gazette Prior to 16 June 2    |
| Piperonyl butoxide   | 8.0                               | Cocoa beans                       | Canada Gazette<br>Prior to 16 June 2 |
| Piperonyl butoxide   | 8.0                               | Copra                             | Canada Gazette                       |
| Piperonyl butoxide   | 8.0                               | Crabapples                        | Prior to 16 June 2                   |
|                      |                                   |                                   | Prior to 16 June 2                   |
| Piperonyl butoxide   | 8.0                               | Currants                          | Canada Gazette Prior to 16 June 2    |
| Piperonyl butoxide   | 8.0                               | Dewberries                        | Canada Gazette                       |
| Piperonyl butoxide   | 1.0                               | Dried codfish                     | Prior to 16 June 2<br>Canada Gazette |
| Piperonyl butoxide   | 0.1                               | Fat of cattle                     | Prior to 16 June 2<br>EMRL2011-13    |
|                      | -                                 |                                   | (18 March 2011                       |
| Piperonyl butoxide   | 0.1                               | Fat of goats                      | EMRL2011-13<br>(18 March 2011        |
| Piperonyl butoxide   | 0.1                               | Fat of hogs                       | EMRL2011-13                          |
| Piperonyl butoxide   | 0.1                               | Fat of horses                     | (18 March 2011<br>EMRL2011-13        |
| Piperonyl butoxide   | 0.1                               | Fat of sheep                      | (18 March 2011<br>EMRL2011-13        |
|                      | -                                 | ·                                 | (18 March 2011                       |
| Piperonyl butoxide   | 8.0                               | Figs                              | Canada Gazette Prior to 16 June 2    |
| Piperonyl butoxide   | 8.0                               | Gooseberries                      | Canada Gazette                       |
| Piperonyl butoxide   | 8.0                               | Grapes                            | Prior to 16 June 2<br>Canada Gazette |
| Din around hustovida | 0.0                               | Cuping                            | Prior to 16 June 2                   |
| Piperonyl butoxide   | 8.0                               | Guavas                            | Prior to 16 June 2                   |
| Piperonyl butoxide   | 8.0                               | Huckleberries                     | Canada Gazette Prior to 16 June 2    |
| Piperonyl butoxide   | 8.0                               | Loganberries                      | Canada Gazette                       |
| Piperonyl butoxide   | 8.0                               | Mangoes                           | Prior to 16 June 2  Canada Gazette   |
|                      |                                   |                                   | Prior to 16 June 2                   |
| Piperonyl butoxide   | 0.1                               | Meat byproducts of cattle         | EMRL2011-13<br>(18 March 2011        |
| Piperonyl butoxide   | 0.1                               | Meat byproducts of goats          | EMRL2011-13<br>(18 March 2011        |
| Piperonyl butoxide   | 0.1                               | Meat byproducts of hogs           | EMRL2011-13                          |
| Piperonyl butoxide   | 0.1                               | Meat byproducts of horses         | (18 March 2011<br>EMRL2011-13        |
|                      |                                   |                                   | (18 March 2011                       |
| Piperonyl butoxide   | 0.1                               | Meat byproducts of sheep          | EMRL2011-13<br>(18 March 2011        |
| Piperonyl butoxide   | 0.1                               | Meat of cattle                    | EMRL2011-13<br>(18 March 2011        |
| Piperonyl butoxide   | 0.1                               | Meat of goats                     | EMRL2011-13                          |
| Piperonyl butoxide   | 0.1                               | Meat of hogs                      | (18 March 2011<br>EMRL2011-13        |
|                      |                                   |                                   | (18 March 2011                       |
| Piperonyl butoxide   | 0.1                               | Meat of horses                    | EMRL2011-13<br>(18 March 2011        |
| Piperonyl butoxide   | 0.1                               | Meat of sheep                     | EMRL2011-13<br>(18 March 2011        |
| Piperonyl butoxide   | 8.0                               | Muskmelons                        | Canada Gazette                       |
| Piperonyl butoxide   | 8.0                               | Oranges                           | Prior to 16 June 2<br>Canada Gazette |
|                      |                                   |                                   | Prior to 16 June 2                   |
| Piperonyl butoxide   | 8.0                               | Peaches/nectarines                | Canada Gazette Prior to 16 June 2    |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                            |                                       |
|--|-----------------------------------|----------------------------|---------------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity             | MRL Established                       |
| Piperonyl butoxide   | 8.0                               | Peanuts                    | Canada Gazette Prior to 16 June 20    |
| Piperonyl butoxide   | 8.0                               | Pears                      | Canada Gazette                        |
| Piperonyl butoxide   | 8.0                               | Peas                       | Prior to 16 June 20<br>Canada Gazette |
| , ,  |                                   |                            | Prior to 16 June 20                   |
| Piperonyl butoxide   | 8.0                               | Pineapples                 | Canada Gazette Prior to 16 June 20    |
| Piperonyl butoxide   | 8.0                               | Plums                      | Canada Gazette                        |
| Piperonyl butoxide   | 8.0                               | Raspberries                | Prior to 16 June 20<br>Canada Gazette |
| Piperonyl butoxide   | 20                                | Raw cereals                | Prior to 16 June 20<br>Canada Gazette |
| · ·  | 20                                | Naw Cereals                | Prior to 16 June 20                   |
| Piperonyl butoxide   | 8.0                               | Tomatoes                   | Canada Gazette Prior to 16 June 20    |
| Piperonyl butoxide   | 8.0                               | Walnuts                    | Canada Gazette                        |
| Pirimicarb   | 0.5                               | Apples                     | Prior to 16 June 20<br>Canada Gazette |
| Dirimioarh   | 0.1                               | Colony                     | Prior to 16 June 20                   |
| Pirimicarb   | 0.1                               | Celery                     | Canada Gazette<br>Prior to 16 June 20 |
| Pirimicarb   | 0.2                               | Spinach                    | Canada Gazette<br>Prior to 16 June 20 |
| Primisulfuron-methyl   | 0.02                              | Corn                       | Canada Gazette                        |
| Primisulfuron-methyl   | 0.1                               | Eggs                       | Prior to 16 June 20<br>Canada Gazette |
|  | ·                                 |                            | Prior to 16 June 20<br>Canada Gazette |
| Primisulfuron-methyl   | 0.1                               | Meat byproducts of cattle  | Prior to 16 June 20                   |
| Primisulfuron-methyl   | 0.1                               | Meat byproducts of goats   | Canada Gazette<br>Prior to 16 June 20 |
| Primisulfuron-methyl   | 0.1                               | Meat byproducts of hogs    | Canada Gazette                        |
| Primisulfuron-methyl   | 0.1                               | Meat byproducts of horses  | Prior to 16 June 20<br>Canada Gazette |
|  | 0.1                               |                            | Prior to 16 June 20                   |
| Primisulfuron-methyl   | -                                 | Meat byproducts of poultry | Canada Gazette<br>Prior to 16 June 20 |
| Primisulfuron-methyl   | 0.1                               | Meat byproducts of sheep   | Canada Gazette Prior to 16 June 20    |
| Primisulfuron-methyl   | 0.1                               | Meat of cattle             | Canada Gazette                        |
| Primisulfuron-methyl   | 0.1                               | Meat of goats              | Prior to 16 June 20<br>Canada Gazette |
| Primisulfuron-methyl   | 0.1                               | Meat of hogs               | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |                            | Prior to 16 June 20                   |
| Primisulfuron-methyl   | 0.1                               | Meat of horses             | Canada Gazette Prior to 16 June 20    |
| Primisulfuron-methyl   | 0.1                               | Meat of poultry            | Canada Gazette                        |
| Primisulfuron-methyl   | 0.1                               | Meat of sheep              | Prior to 16 June 20<br>Canada Gazette |
| Primisulfuron-methyl   | 0.02                              | Milk                       | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |                            | Prior to 16 June 20                   |
| Procymidone  | 5.0                               | Grapes                     | Canada Gazette Prior to 16 June 20    |
| Procymidone  | 25                                | Raisins                    | Canada Gazette                        |
| Procymidone  | 1.0                               | Wine                       | Prior to 16 June 20<br>Canada Gazette |
| Prohexadione calcium   | 3.0                               | Apples                     | Prior to 16 June 20<br>EMRL2008-02    |
|  |                                   |                            | (9 July 2008)                         |
| Prohexadione calcium   | 0.05                              | Fat of cattle              | EMRL2008-02<br>(9 July 2008)          |
| Prohexadione calcium   | 0.05                              | Fat of goats               | EMRL2008-02                           |
| Prohexadione calcium   | 0.05                              | Fat of hogs                | (9 July 2008)<br>EMRL2008-02          |
| Prohexadione calcium   | 0.05                              | Fat of horses              | (9 July 2008)<br>EMRL2008-02          |
|  |                                   |                            | (9 July 2008)                         |
| Prohexadione calcium   | 0.05                              | Fat of sheep               | EMRL2008-02<br>(9 July 2008)          |
| Prohexadione calcium   | 0.05                              | Meat byproducts of cattle  | EMRL2008-02                           |
| Prohexadione calcium   | 0.05                              | Meat byproducts of goats   | (9 July 2008)<br>EMRL2008-02          |
| Prohexadione calcium   | 0.05                              | Meat byproducts of hogs    | (9 July 2008)<br>EMRL2008-02          |
|  |                                   |                            | (9 July 2008)                         |
| Prohexadione calcium   | 0.05                              | Meat byproducts of horses  | EMRL2008-02<br>(9 July 2008)          |
| Prohexadione calcium   | 0.05                              | Meat byproducts of sheep   | EMRL2008-02                           |
| Prohexadione calcium   | 0.05                              | Meat of cattle             | (9 July 2008)<br>EMRL2008-02          |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |  |
|--|-----------------------------------|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity   | MRL Established \                        |
| Prohexadione calcium   | 0.05                              | Meat of goats  | EMRL2008-02                              |
| Prohexadione calcium   | 0.05                              | Meat of hogs   | (9 July 2008)<br>EMRL2008-02             |
| Prohexadione calcium   | 0.05                              | Meat of horses   | (9 July 2008)<br>EMRL2008-02             |
| Pronexacione calcium   | 0.05                              | Meat of norses   | (9 July 2008)                            |
| Prohexadione calcium   | 0.05                              | Meat of sheep  | EMRL2008-02                              |
| Prohexadione calcium   | 0.01                              | Milk   | (9 July 2008)<br>EMRL2008-02             |
| Propamocarb hydrochloride  | 2.0                               | Cucumbers  | (9 July 2008)<br>Canada Gazette I        |
|  | 2.0                               |  | Prior to 16 June 200                     |
| Propamocarb hydrochloride  | 0.25                              | Fat of cattle  | EMRL2008-02<br>(9 July 2008)             |
| Propamocarb hydrochloride  | 0.25                              | Fat of goats   | EMRL2008-02                              |
| Propamocarb hydrochloride  | 0.25                              | Fat of hogs  | (9 July 2008)<br>EMRL2008-02             |
| •  |                                   | -  | (9 July 2008)                            |
| Propamocarb hydrochloride  | 0.25                              | Fat of horses  | EMRL2008-02<br>(9 July 2008)             |
| Propamocarb hydrochloride  | 0.25                              | Fat of sheep   | EMRL2008-02                              |
| Propamocarb hydrochloride  | 0.35                              | Liver of cattle  | (9 July 2008)<br>EMRL2008-02             |
| Propamocarb hydrochloride  | 0.35                              | Liver of goats   | (9 July 2008)<br>EMRL2008-02             |
| Propamocarb hydrochlonde   | 0.35                              | Liver or goats   | (9 July 2008)                            |
| Propamocarb hydrochloride  | 0.35                              | Liver of hogs  | EMRL2008-02                              |
| Propamocarb hydrochloride  | 0.35                              | Liver of horses  | (9 July 2008)<br>EMRL2008-02             |
| Propamocarb hydrochloride  | 0.35                              | Liver of sheep   | (9 July 2008)<br>EMRL2008-02             |
|  | 0.55                              | ·  | (9 July 2008)                            |
| Propamocarb hydrochloride  | 0.25                              | Meat byproducts (except liver) of cattle                   | EMRL2008-02<br>(9 July 2008)             |
| Propamocarb hydrochloride  | 0.25                              | Meat byproducts (except liver) of goats                    | EMRL2008-02                              |
| Propamocarb hydrochloride  | 0.25                              | Meat byproducts (except liver) of hogs                     | (9 July 2008)<br>EMRL2008-02             |
| <u> </u>   |                                   |  | (9 July 2008)                            |
| Propamocarb hydrochloride  | 0.25                              | Meat byproducts (except liver) of horses                   | EMRL2008-02<br>(9 July 2008)             |
| Propamocarb hydrochloride  | 0.25                              | Meat byproducts (except liver) of sheep                    | EMRL2008-02                              |
| Propamocarb hydrochloride  | 0.25                              | Meat of cattle   | (9 July 2008)<br>EMRL2008-02             |
| Propamocarb hydrochloride  | 0.25                              | Meat of goats  | (9 July 2008)<br>EMRL2008-02             |
| <u> </u>   |                                   | •  | (9 July 2008)                            |
| Propamocarb hydrochloride  | 0.25                              | Meat of hogs   | EMRL2008-02<br>(9 July 2008)             |
| Propamocarb hydrochloride  | 0.25                              | Meat of horses   | EMRL2008-02                              |
| Propamocarb hydrochloride  | 0.25                              | Meat of sheep  | (9 July 2008)<br>EMRL2008-02             |
|  |                                   |  | (9 July 2008)                            |
| Propamocarb hydrochloride  | 0.05                              | Milk   | EMRL2008-02<br>(9 July 2008)             |
| Propamocarb hydrochloride  | 0.5                               | Potatoes   | Canada Gazette I                         |
| Propargite   | 3.0                               | Apples   | Prior to 16 June 200<br>Canada Gazette I |
| Propargite   | 5.0                               | Beans  | Prior to 16 June 200<br>Canada Gazette I |
|  |                                   |  | Prior to 16 June 200                     |
| Propargite   | 5.0                               | Citrus fruits  | Canada Gazette I<br>Prior to 16 June 200 |
| Propargite   | 7.0                               | Grapes   | Canada Gazette I                         |
| Propargite   | 30                                | Hops (dried)   | Prior to 16 June 200<br>Canada Gazette I |
|  |                                   | , , ,  | Prior to 16 June 20                      |
| Propargite   | 7.0                               | Peaches/nectarines   | Canada Gazette I<br>Prior to 16 June 200 |
| Propargite   | 5.0                               | Plums  | Canada Gazette I<br>Prior to 16 June 20  |
| Propetamphos   | 0.1                               | All food commodities in food handling establishments where | EMRL2011-13                              |
| Propiconazole  | 1.0                               | food products are held, processed or prepared  Apricots    | (18 March 2011)<br>Canada Gazette I      |
|  |                                   | •  | Prior to 16 June 20                      |
| Propiconazole  | 0.1                               | Asparagus  | Canada Gazette I<br>Prior to 16 June 20  |
| Propiconazole  | 0.05                              | Barley   | Canada Gazette I                         |
| Propiconazole  | 0.7                               | Blackberries   | Prior to 16 June 200<br>EMRL2008-02      |
|  |                                   |  | (9 July 2008)                            |
| Propiconazole  | 0.7                               | Blueberries  | EMRL2008-02<br>(9 July 2008)             |
| Propiconazole  | 0.05                              | Buckwheat  | EMRL2011-12<br>(18 March 2011)           |

|                |                                   | distinct table on the MRL webpage |                                     |
|----------------|-----------------------------------|-----------------------------------|-------------------------------------|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established Vi                  |
| Propiconazole  | 1.0                               | Cherries                          | Canada Gazette II                   |
| Propiconazole  | 0.7                               | Currants                          | Prior to 16 June 200<br>EMRL2008-02 |
| Propiconazole  | 0.1                               | Dry adzuki beans                  | (9 July 2008)<br>EMRL2011-12        |
| Propiconazoie  | 0.1                               | Dry adzuki beans                  | (18 March 2011)                     |
| Propiconazole  | 0.1                               | Dry beans                         | EMRL2011-12                         |
| Propiconazole  | 0.1                               | Dry blackeyed peas                | (18 March 2011)<br>EMRL2011-12      |
| Propiconazole  | 0.1                               | Dry broad beans                   | (18 March 2011)<br>EMRL2011-12      |
| Propiconazoie  | 0.1                               | Dry broad bears                   | (18 March 2011)                     |
| Propiconazole  | 0.1                               | Dry catjang seeds                 | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.1                               | Dry chickpeas                     | EMRL2011-12                         |
| Propiconazole  | 0.1                               | Dry cowpea seeds                  | (18 March 2011)<br>EMRL2011-12      |
| Propiconazoie  | 0.1                               | Dry cowpea seeds                  | (18 March 2011)                     |
| Propiconazole  | 0.1                               | Dry field peas                    | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.1                               | Dry guar seeds                    | EMRL2011-12                         |
| Propingnazala  | 0.1                               | Dry kidney beens                  | (18 March 2011)<br>EMRL2011-12      |
| Propiconazole  | U. I                              | Dry kidney beans                  | (18 March 2011)                     |
| Propiconazole  | 0.1                               | Dry lablab beans                  | EMRL2011-12                         |
| Propiconazole  | 0.1                               | Dry lentils                       | (18 March 2011)<br>EMRL2011-12      |
| Propiconazole  | 0.1                               | Dry lima beans                    | (18 March 2011)<br>EMRL2011-12      |
| Propiconazoie  | 0.1                               | Dry Ilma beans                    | (18 March 2011)                     |
| Propiconazole  | 0.1                               | Dry moth beans                    | EMRL2011-12                         |
| Propiconazole  | 0.1                               | Dry mung beans                    | (18 March 2011)<br>EMRL2011-12      |
| Draniasananala | 0.4                               | Dryneysheene                      | (18 March 2011)                     |
| Propiconazole  | 0.1                               | Dry navy beans                    | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.1                               | Dry pigeon peas                   | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.1                               | Dry pink beans                    | EMRL2011-12                         |
| Propiconazole  | 0.1                               | Dry pinto beans                   | (18 March 2011)<br>EMRL2011-12      |
| FTopiconazoie  | 0.1                               |                                   | (18 March 2011)                     |
| Propiconazole  | 0.1                               | Dry rice beans                    | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.1                               | Dry southern peas                 | EMRL2011-12                         |
| Propiconazole  | 0.2                               | Dry soybeans                      | (18 March 2011)<br>EMRL2011-12      |
|                |                                   |                                   | (18 March 2011)                     |
| Propiconazole  | 0.1                               | Dry tepary beans                  | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.1                               | Dry urd beans                     | EMRL2011-12                         |
| Propiconazole  | 0.25                              | Edible-podded dwarf peas          | (18 March 2011)<br>EMRL2011-12      |
|                |                                   | · · · · ·                         | (18 March 2011)                     |
| Propiconazole  | 0.25                              | Edible-podded jackbeans           | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.25                              | Edible-podded moth beans          | EMRL2011-12                         |
| Propiconazole  | 0.25                              | Edible-podded peas                | (18 March 2011)<br>EMRL2011-12      |
|                |                                   |                                   | (18 March 2011)                     |
| Propiconazole  | 0.25                              | Edible-podded pigeon peas         | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.25                              | Edible-podded runner beans        | EMRL2011-12                         |
| Propiconazole  | 0.25                              | Edible-podded snap beans          | (18 March 2011)<br>EMRL2011-12      |
| <u> </u>       |                                   |                                   | (18 March 2011)                     |
| Propiconazole  | 0.25                              | Edible-podded snow peas           | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.25                              | Edible-podded soybeans            | EMRL2011-12                         |
| Propiconazole  | 0.25                              | Edible-podded sugar snap peas     | (18 March 2011)<br>EMRL2011-12      |
| <u> </u>       |                                   |                                   | (18 March 2011)                     |
| Propiconazole  | 0.25                              | Edible-podded swordbeans          | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.25                              | Edible-podded wax beans           | EMRL2011-12                         |
| Propiconazole  | 0.25                              | Edible-podded yardlong beans      | (18 March 2011)<br>EMRL2011-12      |
| ·              |                                   |                                   | (18 March 2011)                     |
| Propiconazole  | 0.05                              | Eggs                              | EMRL2011-12<br>(18 March 2011)      |
| Propiconazole  | 0.7                               | Elderberries                      | EMRL2008-02                         |
| Propiconazole  | 0.05                              | Field corn                        | (9 July 2008)<br>EMRL2011-12        |
|                | 1 5.55                            | . 1010 00111                      | (18 March 2011)                     |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |  |  |
|---|-----------------------------------|---|--|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                      | MRL Established V                          |  |
| Propiconazole   | 0.7                               | Gooseberries  | EMRL2008-02<br>(9 July 2008)               |  |
| Propiconazole   | 0.1                               | Grain lupin   | EMRL2011-12                                |  |
| Propingnazala   | 0.7                               | Huckleberries                                       | (18 March 2011)                            |  |
| Propiconazole   | 0.7                               | nuckiebernes  | EMRL2008-02<br>(9 July 2008)               |  |
| Propiconazole   | 2.0                               | Kidney of cattle                                    | Canada Gazette II                          |  |
| Propiconazole   | 2.0                               | Liver of cattle                                     | Prior to 16 June 2006<br>Canada Gazette II |  |
| Descionante   | 0.4                               | Liver of a collect                                  | Prior to 16 June 200                       |  |
| Propiconazole   | 0.1                               | Liver of poultry                                    | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.7                               | Loganberries  | EMRL2008-02                                |  |
| Propiconazole   | 0.05                              | Meat byproducts (except kidney and liver) of cattle | (9 July 2008)<br>EMRL2011-12               |  |
|   | 0.05                              | M. (1) (1) (2) (3) (4)                              | (18 March 2011)                            |  |
| Propiconazole   | 0.05                              | Meat byproducts (except liver) of poultry           | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.05                              | Meat of cattle                                      | EMRL2011-12                                |  |
| Propiconazole   | 0.05                              | Meat of poultry                                     | (18 March 2011)<br>EMRL2011-12             |  |
| Descionante   | 0.04                              | Adillo.   | (18 March 2011)                            |  |
| Propiconazole   | 0.01                              | Milk  | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.1                               | Mushrooms   | EMRL2011-13                                |  |
| Propiconazole   | 0.05                              | Oats  | (18 March 2011)<br>Canada Gazette II       |  |
| ·   |                                   |   | Prior to 16 June 2008                      |  |
| Propiconazole   | 1.0                               | Peaches/nectarines                                  | Canada Gazette II Prior to 16 June 2008    |  |
| Propiconazole   | 0.05                              | Pearl millet  | EMRL2011-12                                |  |
| Propiconazole   | 1.0                               | Plums   | (18 March 2011)<br>Canada Gazette II       |  |
| ·   |                                   |   | Prior to 16 June 2008                      |  |
| Propiconazole   | 0.05                              | Popcorn grain                                       | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.05                              | Proso millet  | EMRL2011-12                                |  |
| Propiconazole   | 0.7                               | Raspberries   | (18 March 2011)<br>EMRL2008-02             |  |
| <u> </u>  |                                   | *   | (9 July 2008)                              |  |
| Propiconazole   | 0.05                              | Rice  | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.05                              | Rye   | EMRL2011-12                                |  |
| Propiconazole   | 0.05                              | Sorghum   | (18 March 2011)<br>EMRL2011-12             |  |
| ·   |                                   |   | (18 March 2011)                            |  |
| Propiconazole   | 1.3                               | Strawberries  | EMRL2010-12<br>(15 September 2010          |  |
| Propiconazole   | 0.05                              | Succulent shelled blackeyed peas                    | EMRL2011-12                                |  |
| Propiconazole   | 0.05                              | Succulent shelled broad beans                       | (18 March 2011)<br>EMRL2011-12             |  |
| ·   |                                   |   | (18 March 2011)                            |  |
| Propiconazole   | 0.05                              | Succulent shelled cowpeas                           | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.05                              | Succulent shelled English peas                      | EMRL2011-12                                |  |
| Propiconazole   | 0.05                              | Succulent shelled garden peas                       | (18 March 2011)<br>EMRL2011-12             |  |
| ·   |                                   | • •   | (18 March 2011)                            |  |
| Propiconazole   | 0.05                              | Succulent shelled green peas                        | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.05                              | Succulent shelled lima beans                        | EMRL2011-12                                |  |
| Propiconazole   | 0.05                              | Succulent shelled peas                              | (18 March 2011)<br>EMRL2011-12             |  |
| <u> </u>  |                                   |   | (18 March 2011)                            |  |
| Propiconazole   | 0.05                              | Succulent shelled pigeon peas                       | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.05                              | Succulent shelled southern peas                     | EMRL2011-12                                |  |
| Propiconazole   | 0.05                              | Sweet corn kernels plus cob with husks removed      | (18 March 2011)<br>EMRL2011-12             |  |
| ·   |                                   | · · · · · · · · · · · · · · · · · · ·               | (18 March 2011)                            |  |
| Propiconazole   | 0.05                              | Teosinte  | EMRL2011-12<br>(18 March 2011)             |  |
| Propiconazole   | 0.05                              | Triticale   | EMRL2011-12                                |  |
| Propiconazole   | 0.05                              | Wheat   | (18 March 2011)<br>Canada Gazette II       |  |
| ·   |                                   |   | Prior to 16 June 2008                      |  |
| Propiconazole   | 0.05                              | Wild rice   | EMRL2011-12<br>(18 March 2011)             |  |
| Propylene oxide   | 300                               | Almonds   | EMRL2009-24                                |  |
| Propuzamida   | 0.1                               | Applee  | (2 September 2009)                         |  |
| Propyzamide   | 0.1                               | Apples  | EMRL2011-13<br>(18 March 2011)             |  |
| Propyzamide   | 1.0                               | Lettuce   | Canada Gazette II                          |  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                              |   |
|---|-----------------------------------|------------------------------|---|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity               | MRL Established V                         |
| Propyzamide   | 0.05                              | Lowbush blueberries          | EMRL2011-13<br>(18 March 2011)            |
| Propyzamide   | 0.1                               | Pears                        | EMRL2011-13                               |
| Prosulfuron   | 0.01                              | Corn                         | (18 March 2011)<br>Canada Gazette II      |
|   |                                   |                              | Prior to 16 June 200                      |
| Prosulfuron   | 0.05                              | Eggs                         | Canada Gazette II<br>Prior to 16 June 200 |
| Prosulfuron   | 0.05                              | Meat                         | Canada Gazette II                         |
| Prosulfuron   | 0.05                              | Meat byproducts              | Prior to 16 June 200<br>Canada Gazette II |
| Prosulfuron   | 0.01                              | Milk                         | Prior to 16 June 200<br>Canada Gazette II |
| Prosultation  | 0.01                              | IVIIIK                       | Prior to 16 June 200                      |
| Prothioconazole   | 0.35                              | Barley                       | EMRL2008-02<br>(9 July 2008)              |
| Prothioconazole   | 0.15                              | Borage seeds                 | EMRL2010-38                               |
| Prothioconazole   | 0.15                              | Cuphea seeds                 | (12 October 2010)<br>EMRL2010-38          |
|   |                                   | ·                            | (12 October 2010)                         |
| Prothioconazole   | 0.9                               | Dry chickpeas                | EMRL2008-02<br>(9 July 2008)              |
| Prothioconazole   | 0.9                               | Dry lentils                  | EMRL2008-02                               |
| Prothioconazole   | 0.15                              | Echium seeds                 | (9 July 2008)<br>EMRL2010-38              |
|   | 2.24                              |                              | (12 October 2010)                         |
| Prothioconazole   | 0.01                              | Eggs                         | EMRL2010-39<br>(29 November 2010          |
| Prothioconazole   | 0.1                               | Fat of cattle                | EMRL2008-02                               |
| Prothioconazole   | 0.1                               | Fat of goats                 | (9 July 2008)<br>EMRL2008-02              |
| Prothioconazole   | 0.1                               | Fat of horses                | (9 July 2008)<br>EMRL2008-02              |
|   | 0.1                               | rat of noises                | (9 July 2008)                             |
| Prothioconazole   | 0.1                               | Fat of sheep                 | EMRL2008-02<br>(9 July 2008)              |
| Prothioconazole   | 0.15                              | Flaxseeds                    | EMRL2010-38                               |
| Prothioconazole   | 0.15                              | Gold of Pleasure seeds       | (12 October 2010)<br>EMRL2010-38          |
|   |                                   |                              | (12 October 2010)                         |
| Prothioconazole   | 0.15                              | Hare's ear mustard seeds     | EMRL2010-38<br>(12 October 2010)          |
| Prothioconazole   | 0.2                               | Meat byproducts of cattle    | EMRL2008-02                               |
| Prothioconazole   | 0.2                               | Meat byproducts of goats     | (9 July 2008)<br>EMRL2008-02              |
| Prothioconazole   | 0.05                              | Meat byproducts of hogs      | (9 July 2008)<br>EMRL2008-02              |
| FTOTTIOCOTIAZOTE  | 0.03                              | Meat byproducts of flogs     | (9 July 2008)                             |
| Prothioconazole   | 0.2                               | Meat byproducts of horses    | EMRL2008-02<br>(9 July 2008)              |
| Prothioconazole   | 0.02                              | Meat byproducts of poultry   | EMRL2010-39                               |
| Prothioconazole   | 0.2                               | Meat byproducts of sheep     | (29 November 2010<br>EMRL2008-02          |
|   |                                   |                              | (9 July 2008)                             |
| Prothioconazole   | 0.02                              | Meat of cattle               | EMRL2008-02<br>(9 July 2008)              |
| Prothioconazole   | 0.02                              | Meat of goats                | EMRL2008-02                               |
| Prothioconazole   | 0.02                              | Meat of horses               | (9 July 2008)<br>EMRL2008-02              |
| Prothioconazole   | 0.02                              | Meat of poultry              | (9 July 2008)<br>EMRL2010-39              |
| Protrilocoriazole   | 0.02                              | weat or poultry              | (29 November 2010                         |
| Prothioconazole   | 0.02                              | Meat of sheep                | EMRL2008-02<br>(9 July 2008)              |
| Prothioconazole   | 0.02                              | Milk                         | EMRL2008-02                               |
| Prothioconazole   | 0.15                              | Milkweed seeds               | (9 July 2008)<br>EMRL2010-38              |
|   |                                   |                              | (12 October 2010)                         |
| Prothioconazole   | 0.15                              | Mustard seeds (oilseed type) | EMRL2008-02<br>(9 July 2008)              |
| Prothioconazole   | 0.15                              | Oil radish seeds             | EMRL2010-38                               |
| Prothioconazole   | 0.15                              | Poppy seeds                  | (12 October 2010)<br>EMRL2010-38          |
|   |                                   |                              | (12 October 2010)                         |
| Prothioconazole   | 0.15                              | Rapeseeds (canola)           | EMRL2008-02<br>(9 July 2008)              |
| Prothioconazole   | 0.15                              | Sesame seeds                 | EMRL2010-38                               |
| Prothioconazole   | 0.25                              | Sugar beet roots             | (12 October 2010)<br>EMRL2011-08          |
|   |                                   |                              | (16 March 2011)                           |
| Prothioconazole   | 0.15                              | Sweet rocket seeds           | EMRL2010-38<br>(12 October 2010)          |
| Prothioconazole   | 0.07                              | Wheat                        | EMRL2008-02                               |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                              |
|---|-----------------------------------|--|------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established              |
| Pymetrozine   | 0.6                               | Amaranth   | EMRL2008-02                  |
| Pymetrozine   | 0.02                              | Arracacha  | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |  | (9 July 2008)                |
| Pymetrozine   | 0.02                              | Arrowroot  | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.6                               | Arugula  | EMRL2008-02                  |
| Pymetrozine   | 0.1                               | Balsam apples  | (9 July 2008)<br>EMRL2008-02 |
| Fymetrozine   | 0.1                               | ваізані арріез                                       | (9 July 2008)                |
| Pymetrozine   | 0.1                               | Balsam pears   | EMRL2008-02                  |
| Pymetrozine   | 0.2                               | Bell peppers   | (9 July 2008)<br>EMRL2008-02 |
|   | 0.05                              |  | (9 July 2008)                |
| Pymetrozine   | 0.25                              | Bok choy Chinese cabbages                            | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.5                               | Broccoli   | EMRL2008-02                  |
| Pymetrozine   | 0.25                              | Broccoli raab  | (9 July 2008)<br>EMRL2008-02 |
| 1 ymodozno  | 0.20                              | Diododii idab  | (9 July 2008)                |
| Pymetrozine   | 0.5                               | Brussels sprouts                                     | EMRL2008-02                  |
| Pymetrozine   | 0.5                               | Cabbages   | (9 July 2008)<br>EMRL2008-02 |
|   |                                   | -  | (9 July 2008)                |
| Pymetrozine   | 0.1                               | Cantaloupes  | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.6                               | Cardoon  | EMRL2008-02                  |
| Pymetrozine   | 0.02                              | Cassava roots  | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |  | (9 July 2008)                |
| Pymetrozine   | 0.5                               | Cauliflower  | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.6                               | Celery   | EMRL2008-02                  |
| Pymetrozine   | 0.6                               | Celtuce  | (9 July 2008)<br>EMRL2008-02 |
| Fymetrozine   | 0.0                               | Genuce   | (9 July 2008)                |
| Pymetrozine   | 0.1                               | Chayote fruit  | EMRL2008-02                  |
| Pymetrozine   | 0.02                              | Chayote roots  | (9 July 2008)<br>EMRL2008-02 |
| Pymetrozine   | 0.02                              | Chinese artichokes                                   | (9 July 2008)                |
| Fymetrozine   | 0.02                              | Chinese afficiores                                   | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.5                               | Chinese broccoli                                     | EMRL2008-02                  |
| Pymetrozine   | 0.6                               | Chinese celery                                       | (9 July 2008)<br>EMRL2008-02 |
| Dispostronios   | 0.4                               | Chinaga gugumhara                                    | (9 July 2008)                |
| Pymetrozine   | 0.1                               | Chinese cucumbers                                    | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.5                               | Chinese mustard cabbages                             | EMRL2008-02                  |
| Pymetrozine   | 0.1                               | Chinese waxgourds                                    | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |  | (9 July 2008)                |
| Pymetrozine   | 0.02                              | Chufa  | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.1                               | Citron melons  | EMRL2008-02                  |
| Pymetrozine   | 0.25                              | Collards   | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |  | (9 July 2008)                |
| Pymetrozine   | 0.6                               | Corn salad   | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.1                               | Cucumbers  | EMRL2008-02                  |
| Pymetrozine   | 0.6                               | Dandelion leaves                                     | (9 July 2008)<br>EMRL2008-02 |
| •   | 0.6                               | Danuellon leaves                                     | (9 July 2008)                |
| Pymetrozine   | 0.6                               | Dock   | EMRL2008-02                  |
| Pymetrozine   | 0.02                              | Edible canna   | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |  | (9 July 2008)                |
| Pymetrozine   | 0.1                               | Edible gourds (other than those listed in this item) | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.6                               | Edible leaved chrysanthemum                          | EMRL2008-02                  |
| Pymetrozine   | 0.2                               | Eggplants  | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |  | (9 July 2008)                |
| Pymetrozine   | 0.6                               | Endives  | EMRL2008-02<br>(9 July 2008) |
| Pymetrozine   | 0.6                               | Fresh chervil leaves                                 | EMRL2008-02                  |
| Pymetrozine   | 0.6                               | Fresh Florence fennel leaves and stalks              | (9 July 2008)<br>EMRL2008-02 |
|   | 0.0                               |  | (9 July 2008)                |
| Pymetrozine   | 0.6                               | Fresh parsley leaves                                 | EMRL2008-02                  |
| Pymetrozine   |                                   |  | (9 July 2008)<br>EMRL2008-02 |

|               | esidue definitions for all chemicals are available in a distinct table on the MRL webpage |   |                               |  |
|---------------|---|---|-------------------------------|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm)   | Food Commodity                                    | MRL Established               |  |
| Pymetrozine   | 0.6   | Garden purslane                                   | EMRL2008-02                   |  |
| Pymetrozine   | 0.6   | Garland chrysanthemum                             | (9 July 2008)<br>EMRL2008-02  |  |
|               |   |   | (9 July 2008)                 |  |
| Pymetrozine   | 0.02  | Ginger roots                                      | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.2   | Groundcherries                                    | EMRL2008-02                   |  |
| Pymetrozine   | 0.6   | Head lettuce                                      | (9 July 2008)<br>EMRL2008-02  |  |
| Fymetrozine   | 0.6   | nead lettuce                                      | (9 July 2008)                 |  |
| Pymetrozine   | 6.0   | Hops  | EMRL2008-02                   |  |
| Pymetrozine   | 0.02  | Jerusalem artichokes                              | (9 July 2008)<br>EMRL2008-02  |  |
|               |   |   | (9 July 2008)                 |  |
| Pymetrozine   | 0.25  | Kale  | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.5   | Kohlrabi  | EMRL2008-02                   |  |
| Pymetrozine   | 0.6   | Leaf lettuce                                      | (9 July 2008)<br>EMRL2008-02  |  |
| •             | 0.0   | Lear lettuce                                      | (9 July 2008)                 |  |
| Pymetrozine   | 0.2   | Lemons  | EMRL2008-02                   |  |
| Pymetrozine   | 0.02  | Lerens  | (9 July 2008)<br>EMRL2008-02  |  |
|               |   |   | (9 July 2008)                 |  |
| Pymetrozine   | 0.2   | Mandarins   | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.1   | Muskmelons (other than those listed in this item) | EMRL2008-02                   |  |
| Pymetrozine   | 0.25  | Mustard greens                                    | (9 July 2008)<br>EMRL2008-02  |  |
|               |   |   | (9 July 2008)                 |  |
| Pymetrozine   | 0.25  | Mustard spinach                                   | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.5   | Napa Chinese cabbages                             | EMRL2008-02                   |  |
| Pymetrozine   | 0.6   | New Zealand spinach                               | (9 July 2008)<br>EMRL2008-02  |  |
| Fymetrozine   | 0.0   | New Zealand Spinach                               | (9 July 2008)                 |  |
| Pymetrozine   | 0.2   | Non-bell peppers                                  | EMRL2008-02                   |  |
| Pymetrozine   | 0.6   | Orach leaves                                      | (9 July 2008)<br>EMRL2008-02  |  |
| Dispostropios | 0.0   | Ozonaca   | (9 July 2008)                 |  |
| Pymetrozine   | 0.2   | Oranges   | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.02  | Pecans  | EMRL2008-02                   |  |
| Pymetrozine   | 0.2   | Pepinos   | (9 July 2008)<br>EMRL2008-02  |  |
| Dturnium      | 2.0   | Para and had adda                                 | (9 July 2008)                 |  |
| Pymetrozine   | 0.2   | Pepper hybrids                                    | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.02  | Potatoes  | EMRL2008-02                   |  |
| Pymetrozine   | 0.1   | Pumpkins  | (9 July 2008)<br>EMRL2008-02  |  |
|               |   | ·   | (9 July 2008)                 |  |
| Pymetrozine   | 0.6   | Radicchio   | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.25  | Rape greens                                       | EMRL2008-02                   |  |
| Pymetrozine   | 0.6   | Rhubarb   | (9 July 2008)<br>EMRL2008-02  |  |
|               |   |   | (9 July 2008)                 |  |
| Pymetrozine   | 0.6   | Spinach   | EMRL2008-02                   |  |
| Pymetrozine   | 0.1   | Summer squash                                     | (9 July 2008)<br>EMRL2008-02  |  |
| Dymotrozina   | 0.02  | Sweet potate roots                                | (9 July 2008)                 |  |
| Pymetrozine   | 0.02  | Sweet potato roots                                | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.6   | Swiss chard                                       | EMRL2008-02                   |  |
| Pymetrozine   | 0.02  | Tanier corms                                      | (9 July 2008)<br>EMRL2008-02  |  |
|               |   |   | (9 July 2008)                 |  |
| Pymetrozine   | 0.02  | Taro corms  | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.2   | Tomatillos  | EMRL2008-02                   |  |
| Pymetrozine   | 0.2   | Tomatoes  | (9 July 2008)<br>EMRL2008-02  |  |
|               |   |   | (9 July 2008)                 |  |
| Pymetrozine   | 0.02  | True yam tubers                                   | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.02  | Turmeric roots                                    | EMRL2008-02                   |  |
| Pymotrozino   | 0.6   | Upland cress                                      | (9 July 2008)<br>EMRI 2008-02 |  |
| Pymetrozine   | 0.0   | Opiana cress                                      | EMRL2008-02<br>(9 July 2008)  |  |
| Pymetrozine   | 0.6   | Vine spinach                                      | EMRL2008-02                   |  |
|               | 1   |   | (9 July 2008)                 |  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                           |                                  |
|---|-----------------------------------|---------------------------|----------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity            | MRL Established \                |
| Pymetrozine   | 0.1                               | West Indian gherkins      | EMRL2008-02                      |
| Pymetrozine   | 0.6                               | Winter purslane           | (9 July 2008)<br>EMRL2008-02     |
| Dispostropino   | 0.4                               | Minter equals             | (9 July 2008)                    |
| Pymetrozine   | 0.1                               | Winter squash             | EMRL2008-02<br>(9 July 2008)     |
| Pymetrozine   | 0.02                              | Yam bean roots            | EMRL2008-02                      |
| Pyraclostrobin  | 0.04                              | Almonds                   | (9 July 2008)<br>EMRL2008-02     |
|   |                                   |                           | (9 July 2008)                    |
| Pyraclostrobin  | 29                                | Amaranth                  | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin  | 1.5                               | Apples                    | EMRL2009-01                      |
| Pyraclostrobin  | 0.7                               | Apricots                  | (11 March 2009)<br>EMRL2008-02   |
|   |                                   | ·                         | (9 July 2008)                    |
| Pyraclostrobin  | 0.04                              | Arracacha                 | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.04                              | Arrowroot                 | EMRL2008-02                      |
| Pyraclostrobin  | 29                                | Arugula                   | (9 July 2008)<br>EMRL2009-01     |
|   |                                   |                           | (11 March 2009)                  |
| Pyraclostrobin  | 1.5                               | Asian pears               | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin  | 0.5                               | Balsam apples             | EMRL2008-02                      |
| Pyraclostrobin  | 0.5                               | Balsam pears              | (9 July 2008)<br>EMRL2008-02     |
|   | 0.5                               | Baisaili peais            | (9 July 2008)                    |
| Pyraclostrobin  | 0.04                              | Bananas                   | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.4                               | Barley                    | EMRL2008-02                      |
| Pyraclostrobin  | 0.04                              | Beechnuts                 | (9 July 2008)<br>EMRL2008-02     |
| Fyraciostrobin  | 0.04                              | Deecimus                  | (9 July 2008)                    |
| Pyraclostrobin  | 1.0                               | Bell peppers              | EMRL2008-02                      |
| Pyraclostrobin  | 0.4                               | Black salsify roots       | (9 July 2008)<br>EMRL2008-02     |
| Pyraclostrobin  | 0.04                              | Black walnuts             | (9 July 2008)<br>EMRL2008-02     |
| Fyraciostrobin  | 0.04                              |                           | (9 July 2008)                    |
| Pyraclostrobin  | 3.5                               | Blackberries              | EMRL2008-42<br>(19 November 2008 |
| Pyraclostrobin  | 3.5                               | Blueberries               | EMRL2008-42                      |
| Pyraclostrobin  | 16                                | Bok choy Chinese cabbages | (19 November 2008<br>EMRL2009-01 |
|   | -                                 |                           | (11 March 2009)                  |
| Pyraclostrobin  | 0.45                              | Borage seeds              | EMRL2010-28<br>(28 September 201 |
| Pyraclostrobin  | 0.04                              | Brazil nuts               | EMRL2008-02                      |
| Pyraclostrobin  | 5.0                               | Broccoli                  | (9 July 2008)<br>EMRL2009-01     |
| 1 yraciostrobin   | 3.0                               | Bioccoii                  | (11 March 2009)                  |
| Pyraclostrobin  | 16                                | Broccoli raab             | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin  | 5.0                               | Brussels sprouts          | EMRL2009-01                      |
| Pyraclostrobin  | 0.04                              | Butternuts                | (11 March 2009)<br>EMRL2008-02   |
|   |                                   |                           | (9 July 2008)                    |
| Pyraclostrobin  | 5.0                               | Cabbages                  | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin  | 2.0                               | Calamondins               | EMRL2009-01                      |
| Pyraclostrobin  | 0.5                               | Cantaloupes               | (11 March 2009)<br>EMRL2008-02   |
|   |                                   | ·                         | (9 July 2008)                    |
| Pyraclostrobin  | 29                                | Cardoon                   | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin  | 0.4                               | Carrot roots              | EMRL2008-02                      |
| Pyraclostrobin  | 0.04                              | Cashew nuts               | (9 July 2008)<br>EMRL2008-02     |
|   |                                   |                           | (9 July 2008)                    |
| Pyraclostrobin  | 0.04                              | Cassava roots             | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 5.0                               | Cauliflower               | EMRL2009-01                      |
| Pyraclostrobin  | 0.4                               | Celeriac roots            | (11 March 2009)                  |
| Pyraclostrobin  | 0.4                               | Celenac roots             | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 29                                | Celery                    | EMRL2009-01                      |
| Pyraclostrobin  | 29                                | Celtuce                   | (11 March 2009)<br>EMRL2009-01   |
|   |                                   |                           | (11 March 2009)                  |
| Pyraclostrobin  | 0.5                               | Chayote fruit             | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.04                              | Chayote roots             | EMRL2008-02                      |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                          |                                  |
|---|-----------------------------------|--------------------------|----------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity           | MRL Established \                |
| Pyraclostrobin  | 0.04                              | Chestnuts                | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.4                               | Chicory roots            | EMRL2008-02                      |
| Duranlantrahin  | 0.04                              | Chinago ortighalias      | (9 July 2008)                    |
| Pyraclostrobin  | 0.04                              | Chinese artichokes       | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 5.0                               | Chinese broccoli         | EMRL2009-01                      |
| Pyraclostrobin  | 29                                | Chinese celery           | (11 March 2009)<br>EMRL2009-01   |
| •   |                                   | <u> </u>                 | (11 March 2009)                  |
| Pyraclostrobin  | 0.5                               | Chinese cucumbers        | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 5.0                               | Chinese mustard cabbages | EMRL2009-01                      |
| Pyraclostrobin  | 0.9                               | Chinese onions           | (11 March 2009)<br>EMRL2008-42   |
|   |                                   |                          | (19 November 200                 |
| Pyraclostrobin  | 0.5                               | Chinese waxgourds        | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.04                              | Chinquapins              | EMRL2008-02                      |
| Pyraclostrobin  | 0.04                              | Chufa                    | (9 July 2008)<br>EMRL2008-02     |
| 1 yraciostrobin   |                                   |                          | (9 July 2008)                    |
| Pyraclostrobin  | 0.5                               | Citron melons            | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 2.0                               | Citrus citrons           | EMRL2009-01                      |
| D of a tracking   | 0.0                               | Oiteman hada si da       | (11 March 2009)                  |
| Pyraclostrobin  | 2.0                               | Citrus hybrids           | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin  | 9.0                               | Citrus oil               | EMRL2009-01                      |
| Pyraclostrobin  | 16                                | Collards                 | (11 March 2009)<br>EMRL2009-01   |
|   |                                   |                          | (11 March 2009)                  |
| Pyraclostrobin  | 29                                | Corn salad               | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin  | 1.5                               | Crabapples               | EMRL2009-01                      |
| Pyraclostrobin  | 0.5                               | Cucumbers                | (11 March 2009)<br>EMRL2008-02   |
| •   |                                   |                          | (9 July 2008)                    |
| Pyraclostrobin  | 0.45                              | Cuphea seeds             | EMRL2010-28<br>(28 September 201 |
| Pyraclostrobin  | 3.5                               | Currants                 | EMRL2008-42                      |
| Pyraclostrobin  | 29                                | Dandelion leaves         | (19 November 200)<br>EMRL2009-01 |
| Pyraciostrobin  | 29                                | Dandelion leaves         | (11 March 2009)                  |
| Pyraclostrobin  | 29                                | Dock                     | EMRL2009-01                      |
| Pyraclostrobin  | 0.5                               | Dry adzuki beans         | (11 March 2009)<br>EMRL2008-02   |
|   | 0.5                               | ·                        | (9 July 2008)                    |
| Pyraclostrobin  | 0.5                               | Dry beans                | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.5                               | Dry blackeyed peas       | EMRL2008-02                      |
| Pyraclostrobin  | 0.5                               | Dry broad beans          | (9 July 2008)<br>EMRL2008-02     |
|   |                                   | •                        | (9 July 2008)                    |
| Pyraclostrobin  | 0.9                               | Dry bulb onions          | EMRL2008-42<br>(19 November 200  |
| Pyraclostrobin  | 0.5                               | Dry catjang seeds        | EMRL2008-02                      |
| Pyraclostrobin  | 0.5                               | Dry chickpeas            | (9 July 2008)<br>EMRL2008-02     |
|   |                                   | · ·                      | (9 July 2008)                    |
| Pyraclostrobin  | 0.5                               | Dry field peas           | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.5                               | Dry guar seeds           | EMRL2008-02                      |
| Pyraclostrobin  | 0.5                               | Dry kidney beans         | (9 July 2008)<br>EMRL2008-02     |
| r yraciostropin   | 0.5                               |                          | (9 July 2008)                    |
| Pyraclostrobin  | 0.5                               | Dry lablab beans         | EMRL2008-02                      |
| Pyraclostrobin  | 0.5                               | Dry lentils              | (9 July 2008)<br>EMRL2008-02     |
|   |                                   | ·                        | (9 July 2008)                    |
| Pyraclostrobin  | 0.5                               | Dry lima beans           | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.5                               | Dry moth beans           | EMRL2008-02                      |
| Pyraclostrobin  | 0.5                               | Dry mung beans           | (9 July 2008)<br>EMRL2008-02     |
|   |                                   |                          | (9 July 2008)                    |
| Pyraclostrobin  | 0.5                               | Dry navy beans           | EMRL2008-02                      |
| Pyraclostrobin  | 0.5                               | Dry pigeon peas          | (9 July 2008)<br>EMRL2008-02     |
|   |                                   |                          | (9 July 2008)                    |
| Pyraclostrobin  | 0.5                               | Dry pink beans           | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin  | 0.5                               | Dry pinto beans          | EMRL2008-02                      |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                  |  |
|---|-----------------------------------|--|----------------------------------|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established \                |  |
| Pyraclostrobin  | 0.5                               | Dry rice beans                                       | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.5                               | Dry southern peas                                    | (9 July 2008)<br>EMRL2008-02     |  |
|   |                                   | · · ·  | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.04                              | Dry soybeans   | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.5                               | Dry tepary beans                                     | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.5                               | Dry urd beans  | (9 July 2008)<br>EMRL2008-02     |  |
| Pyraciostrobin  | 0.5                               | Dry did beans  | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.45                              | Echium seeds   | EMRL2010-28                      |  |
| Pyraclostrobin  | 0.4                               | Edible burdock roots                                 | (28 September 201<br>EMRL2008-02 |  |
| -   |                                   | 5.01   | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.04                              | Edible canna   | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.5                               | Edible gourds (other than those listed in this item) | EMRL2008-02                      |  |
| Pyraclostrobin  | 29                                | Edible leaved chrysanthemum                          | (9 July 2008)<br>EMRL2009-01     |  |
| 1 yradiodrobii1   | 20                                | Edible leaved onlysandleman                          | (11 March 2009)                  |  |
| Pyraclostrobin  | 0.4                               | Edible-podded dwarf peas                             | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.4                               | Edible-podded jackbeans                              | (9 July 2008)<br>EMRL2008-02     |  |
|   |                                   | F. 19.1  | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.4                               | Edible-podded moth beans                             | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.4                               | Edible-podded peas                                   | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.4                               | Edible-podded pigeon peas                            | (9 July 2008)<br>EMRL2008-02     |  |
|   |                                   |  | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.4                               | Edible-podded runner beans                           | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.4                               | Edible-podded snap beans                             | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.4                               | Edible-podded snow peas                              | (9 July 2008)<br>EMRL2008-02     |  |
| Fyraciostrobili   | 0.4                               | Edible-podded Silow peas                             | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.4                               | Edible-podded soybeans                               | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.4                               | Edible-podded sugar snap peas                        | (9 July 2008)<br>EMRL2008-02     |  |
| Diversionation  | 0.4                               | Edible pedded ewerd become                           | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.4                               | Edible-podded sword beans                            | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.4                               | Edible-podded wax beans                              | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.4                               | Edible-podded yardlong beans                         | (9 July 2008)<br>EMRL2008-02     |  |
| -   | 1.0                               | 5 1 1  | (9 July 2008)                    |  |
| Pyraclostrobin  | 1.0                               | Eggplants  | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.1                               | Eggs   | EMRL2008-42                      |  |
| Pyraclostrobin  | 3.5                               | Elderberries   | (19 November 200)<br>EMRL2008-42 |  |
|   |                                   |  | (19 November 200                 |  |
| Pyraclostrobin  | 29                                | Endives  | EMRL2009-01<br>(11 March 2009)   |  |
| Pyraclostrobin  | 0.04                              | English walnuts                                      | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.1                               | Fat of cattle  | (9 July 2008)<br>EMRL2008-02     |  |
| •   | 0.1                               | r at or cattle                                       | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.1                               | Fat of goats   | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.1                               | Fat of hogs  | (9 July 2008)<br>EMRL2008-02     |  |
| Dyroolootrobin  | 0.1                               | Eat of horses  | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.1                               | Fat of horses  | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.1                               | Fat of sheep   | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.04                              | Field corn   | (9 July 2008)<br>EMRL2008-02     |  |
|   |                                   |  | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.04                              | Filberts   | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.45                              | Flaxseeds  | EMRL2010-28                      |  |
| Pyraclostrobin  | 29                                | Fresh chervil leaves                                 | (28 September 201<br>EMRL2009-01 |  |
|   |                                   |  | (11 March 2009)                  |  |
| Pyraclostrobin  | 29                                | Fresh Florence fennel leaves and stalks              | EMRL2009-01                      |  |
| Pyraclostrobin  | 29                                | Fresh parsley leaves                                 | (11 March 2009)<br>EMRL2009-01   |  |
|   |                                   |  | (11 March 2009)                  |  |
| Pyraclostrobin  | 0.4                               | Garden beet roots                                    | EMRL2008-02<br>(9 July 2008)     |  |
|   |                                   |  |                                  |  |
| Pyraclostrobin  | 29                                | Garden cress   | EMRL2009-01<br>(11 March 2009)   |  |

|                    |                                   | a distinct table on the MRL webpage      |                                  |
|--------------------|-----------------------------------|--|----------------------------------|
| Common Name        | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                           | MRL Established                  |
| Pyraclostrobin     | 29                                | Garland chrysanthemum                    | EMRL2009-01                      |
| Pyraclostrobin     | 0.9                               | Garlic                                   | (11 March 2009)<br>EMRL2008-42   |
| Pyraclostrobin     | 0.04                              | Ginger roots                             | (19 November 200<br>EMRL2008-02  |
| Pyraciostrobin     | 0.04                              | Ginger roots                             | (9 July 2008)                    |
| Pyraclostrobin     | 0.4                               | Ginseng roots                            | EMRL2008-02                      |
| Pyraclostrobin     | 0.45                              | Gold of Pleasure seeds                   | (9 July 2008)<br>EMRL2010-28     |
| Pyraclostrobin     | 3.5                               | Gooseberries                             | (28 September 201<br>EMRL2008-42 |
|                    |                                   |  | (19 November 200                 |
| Pyraclostrobin     | 0.5                               | Grain lupin                              | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin     | 2.0                               | Grapefruits                              | EMRL2009-01                      |
| Pyraclostrobin     | 2.0                               | Grapes                                   | (11 March 2009)<br>EMRL2008-02   |
| •                  |                                   | •  | (9 July 2008)                    |
| Pyraclostrobin     | 0.9                               | Great headed garlic                      | EMRL2008-42<br>(19 November 200  |
| Pyraclostrobin     | 0.9                               | Green onions                             | EMRL2008-42                      |
| Pyraclostrobin     | 1.0                               | Groundcherries                           | (19 November 200<br>EMRL2008-02  |
| ,                  |                                   |  | (9 July 2008)                    |
| Pyraclostrobin     | 0.45                              | Hare's ear mustard seeds                 | EMRL2010-28<br>(28 September 201 |
| Pyraclostrobin     | 29                                | Head lettuce                             | EMRL2009-01<br>(11 Moreh 2000)   |
| Pyraclostrobin     | 0.04                              | Hickory nuts                             | (11 March 2009)<br>EMRL2008-02   |
| Pyraclostrobin     | 23                                | Hops                                     | (9 July 2008)<br>EMRL2009-01     |
|                    | 23                                | ·  | (11 March 2009)                  |
| Pyraclostrobin     | 0.4                               | Horseradish roots                        | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin     | 3.5                               | Huckleberries                            | EMRL2008-42                      |
| Pyraclostrobin     | 0.04                              | Jerusalem artichokes                     | (19 November 200<br>EMRL2008-02  |
| Dura da atrabia    | 16                                | Kale                                     | (9 July 2008)                    |
| Pyraclostrobin     | 16                                | Naie                                     | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin     | 5.0                               | Kohlrabi                                 | EMRL2009-01<br>(11 March 2009)   |
| Pyraclostrobin     | 2.0                               | Kumquats                                 | EMRL2009-01                      |
| Pyraclostrobin     | 29                                | Leaf lettuce                             | (11 March 2009)<br>EMRL2009-01   |
| D. marela atmobile | 0.0                               | Lada                                     | (11 March 2009)                  |
| Pyraclostrobin     | 0.9                               | Leeks                                    | EMRL2008-42<br>(19 November 200  |
| Pyraclostrobin     | 2.0                               | Lemons                                   | EMRL2009-01                      |
| Pyraclostrobin     | 0.04                              | Lerens                                   | (11 March 2009)<br>EMRL2008-02   |
| Pyraclostrobin     | 2.0                               | Limes                                    | (9 July 2008)<br>EMRL2009-01     |
| •                  |                                   |  | (11 March 2009)                  |
| Pyraclostrobin     | 1.5                               | Liver of cattle                          | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin     | 1.5                               | Liver of goats                           | EMRL2008-02                      |
| Pyraclostrobin     | 1.5                               | Liver of hogs                            | (9 July 2008)<br>EMRL2008-02     |
| •                  |                                   | Liverathanas                             | (9 July 2008)                    |
| Pyraclostrobin     | 1.5                               | Liver of horses                          | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin     | 1.5                               | Liver of sheep                           | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin     | 3.5                               | Loganberries                             | EMRL2008-42                      |
| Pyraclostrobin     | 1.5                               | Loquats                                  | (19 November 200<br>EMRL2009-01  |
| •                  |                                   | ·  | (11 March 2009)                  |
| Pyraclostrobin     | 0.04                              | Macadamia nuts                           | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin     | 0.1                               | Mangoes                                  | EMRL2009-01                      |
| Pyraclostrobin     | 1.5                               | Mayhaws                                  | (11 March 2009)<br>EMRL2009-01   |
|                    |                                   | <u> </u>                                 | (11 March 2009)                  |
| Pyraclostrobin     | 0.2                               | Meat byproducts (except liver) of cattle | EMRL2008-02<br>(9 July 2008)     |
| Pyraclostrobin     | 0.2                               | Meat byproducts (except liver) of goats  | EMRL2008-02                      |
| Pyraclostrobin     | 0.2                               | Meat byproducts (except liver) of hogs   | (9 July 2008)<br>EMRL2008-02     |
| Pyraclostrobin     | 0.2                               | Meat byproducts (except liver) of horses | (9 July 2008)<br>EMRL2008-02     |
|                    |                                   |  | (9 July 2008)                    |
| Pyraclostrobin     | 0.2                               | Meat byproducts (except liver) of sheep  | EMRL2008-02                      |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |                                  |  |
|---|-----------------------------------|---|----------------------------------|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established V                |  |
| Pyraclostrobin  | 0.1                               | Meat byproducts of poultry                        | EMRL2008-42                      |  |
| Pyraclostrobin  | 0.1                               | Meat of cattle                                    | (19 November 200<br>EMRL2008-02  |  |
| <u>,                                      </u>  |                                   |   | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.1                               | Meat of goats                                     | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.1                               | Meat of hogs                                      | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.1                               | Meat of horses                                    | (9 July 2008)<br>EMRL2008-02     |  |
| Pyraciostrobin  | 0.1                               | Meat of Horses                                    | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.1                               | Meat of poultry                                   | EMRL2008-42                      |  |
| Pyraclostrobin  | 0.1                               | Meat of sheep                                     | (19 November 200)<br>EMRL2008-02 |  |
|   |                                   |   | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.1                               | Milk  | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.45                              | Milkweed seeds                                    | EMRL2010-28                      |  |
| Pyraclostrobin  | 8.0                               | Mint  | (28 September 201<br>EMRL2009-01 |  |
| 1 yraciostrobin   | 0.0                               | Willit  | (11 March 2009)                  |  |
| Pyraclostrobin  | 0.5                               | Muskmelons (other than those listed in this item) | EMRL2008-02                      |  |
| Pyraclostrobin  | 16                                | Mustard greens                                    | (9 July 2008)<br>EMRL2009-01     |  |
| ,   |                                   |   | (11 March 2009)                  |  |
| Pyraclostrobin  | 0.45                              | Mustard seeds (oilseed type)                      | EMRL2010-28<br>(28 September 201 |  |
| Pyraclostrobin  | 16                                | Mustard spinach                                   | EMRL2009-01                      |  |
| Pyraclostrobin  | 5.0                               | Napa Chinese cabbages                             | (11 March 2009)<br>EMRL2009-01   |  |
| r yraciostrobin   | 5.0                               | Napa Offinese cabbages                            | (11 March 2009)                  |  |
| Pyraclostrobin  | 0.7                               | Nectarines  | EMRL2008-02                      |  |
| Pyraclostrobin  | 29                                | New Zealand spinach                               | (9 July 2008)<br>EMRL2009-01     |  |
|   |                                   |   | (11 March 2009)                  |  |
| Pyraclostrobin  | 1.0                               | Non-bell peppers                                  | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 1.2                               | Oats  | EMRL2009-02                      |  |
| Pyraclostrobin  | 0.45                              | Oil radish seeds                                  | (8 May 2009)<br>EMRL2010-28      |  |
|   |                                   |   | (28 September 201                |  |
| Pyraclostrobin  | 29                                | Orach leaves                                      | EMRL2009-01<br>(11 March 2009)   |  |
| Pyraclostrobin  | 2.0                               | Oranges   | EMRL2009-01                      |  |
| Pyraclostrobin  | 0.4                               | Oriental radish roots                             | (11 March 2009)<br>EMRL2008-02   |  |
| Pyraciostrobin  | 0.4                               | Offerital fadisti foots                           | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.1                               | Papayas   | EMRL2009-01                      |  |
| Pyraclostrobin  | 0.4                               | Parsnip roots                                     | (11 March 2009)<br>EMRL2008-02   |  |
| <u>,                                      </u>  |                                   | ·   | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.7                               | Peaches   | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.1                               | Peanut oil  | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.05                              | Peanuts   | (9 July 2008)<br>EMRL2008-02     |  |
| Fyraciostrobin  | 0.03                              | r earruis   | (9 July 2008)                    |  |
| Pyraclostrobin  | 1.5                               | Pears   | EMRL2009-01                      |  |
| Pyraclostrobin  | 0.04                              | Pecans  | (11 March 2009)<br>EMRL2008-02   |  |
|   | - 10                              |   | (9 July 2008)                    |  |
| Pyraclostrobin  | 1.0                               | Pepinos   | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 1.0                               | Pepper hybrids                                    | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.5                               | Pistachios  | (9 July 2008)<br>EMRL2008-02     |  |
| ,   | 0.0                               | i istasinos                                       | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.7                               | Plumcots  | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.7                               | Plums   | (9 July 2008)<br>EMRL2008-02     |  |
| Duraninatus   | 0.04                              | Denesar areia                                     | (9 July 2008)                    |  |
| Pyraclostrobin  | 0.04                              | Popcorn grain                                     | EMRL2008-02<br>(9 July 2008)     |  |
| Pyraclostrobin  | 0.45                              | Poppy seeds                                       | EMRL2010-28                      |  |
| Pyraclostrobin  | 0.9                               | Potato onions                                     | (28 September 201<br>EMRL2008-42 |  |
| i yradiostrobiii  | 0.5                               | i otato omons                                     | (19 November 200                 |  |
| Pyraclostrobin  | 0.04                              | Potatoes  | EMRL2008-02                      |  |
| Pyraclostrobin  | 0.7                               | Prune plums                                       | (9 July 2008)<br>EMRL2008-02     |  |
|   |                                   | ·   | (9 July 2008)                    |  |
| Pyraclostrobin  | 2.0                               | Pummelos  | EMRL2009-01<br>(11 March 2009)   |  |
|   | 1                                 |   | ,                                |  |

|                   |                                   | in a distinct table on the MRL webpage         |                                   |
|-------------------|-----------------------------------|--|-----------------------------------|
| Common Name       | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established V                 |
| Pyraclostrobin    | 1.5                               | Quinces  | EMRL2009-01<br>(11 March 2009)    |
| Pyraclostrobin    | 29                                | Radicchio                                      | EMRL2009-01                       |
| Pyraclostrobin    | 0.4                               | Radish roots                                   | (11 March 2009)<br>EMRL2008-02    |
| Pyraciostrobin    | 0.4                               | Radistifoots                                   | (9 July 2008)                     |
| Pyraclostrobin    | 7.0                               | Raisins  | EMRL2008-02                       |
| Pyraclostrobin    | 16                                | Rape greens                                    | (9 July 2008)<br>EMRL2009-01      |
| Pyraclostrobin    | 0.45                              | Rapeseeds (canola)                             | (11 March 2009)<br>EMRL2010-28    |
| •                 | 0.43                              | Napeseeus (Cariola)                            | (28 September 2010                |
| Pyraclostrobin    | 3.5                               | Raspberries                                    | EMRL2008-42<br>(19 November 2008  |
| Pyraclostrobin    | 29                                | Rhubarb  | EMRL2009-01                       |
| Pyraclostrobin    | 0.4                               | Rutabaga roots                                 | (11 March 2009)<br>EMRL2008-02    |
| •                 | 0.4                               | •  | (9 July 2008)                     |
| Pyraclostrobin    | 0.04                              | Rye  | EMRL2008-02<br>(9 July 2008)      |
| Pyraclostrobin    | 0.4                               | Salsify roots                                  | EMRL2008-02                       |
| Pyraclostrobin    | 3.5                               | Saskatoon berries (juneberries)                | (9 July 2008)<br>EMRL2010-37      |
| Pyraciostrobin    | 3.5                               | Saskatoon bernes (junebernes)                  | (12 October 2010)                 |
| Pyraclostrobin    | 2.0                               | Satsuma mandarins                              | EMRL2009-01<br>(11 March 2009)    |
| Pyraclostrobin    | 0.45                              | Sesame seeds                                   | EMRL2010-28                       |
| Di un ala atrahia | 0.9                               | Shallots                                       | (28 September 2010<br>EMRL2008-42 |
| Pyraclostrobin    | 0.9                               | Snallots                                       | (19 November 2008                 |
| Pyraclostrobin    | 0.4                               | Skirret roots                                  | EMRL2008-02                       |
| Pyraclostrobin    | 0.4                               | Spanish salsify roots                          | (9 July 2008)<br>EMRL2008-02      |
| Di un ala atrahia | 20                                | Chinash  | (9 July 2008)                     |
| Pyraclostrobin    | 29                                | Spinach  | EMRL2009-01<br>(11 March 2009)    |
| Pyraclostrobin    | 1.2                               | Strawberries                                   | EMRL2009-01                       |
| Pyraclostrobin    | 0.35                              | Succulent shelled blackeyed peas               | (11 March 2009)<br>EMRL2008-02    |
| D. wa ala atrahia | 0.35                              | Succulent shelled broad beans                  | (9 July 2008)                     |
| Pyraclostrobin    | 0.33                              | Succulent shelled broad beans                  | EMRL2008-02<br>(9 July 2008)      |
| Pyraclostrobin    | 0.35                              | Succulent shelled English peas                 | EMRL2008-02                       |
| Pyraclostrobin    | 0.35                              | Succulent shelled garden peas                  | (9 July 2008)<br>EMRL2008-02      |
| Pyraclostrobin    | 0.35                              | Succulent shelled green peas                   | (9 July 2008)<br>EMRL2008-02      |
| Pyraciostrobin    | 0.33                              | Succulent shelled green peas                   | (9 July 2008)                     |
| Pyraclostrobin    | 0.35                              | Succulent shelled lima beans                   | EMRL2008-02                       |
| Pyraclostrobin    | 0.35                              | Succulent shelled peas                         | (9 July 2008)<br>EMRL2008-02      |
| Pyraclostrobin    | 0.35                              | Succulent shelled pigeon peas                  | (9 July 2008)<br>EMRL2008-02      |
| Pyraciostrobin    | 0.33                              | Succulent shelled pigeon peas                  | (9 July 2008)                     |
| Pyraclostrobin    | 0.35                              | Succulent shelled southern peas                | EMRL2008-02                       |
| Pyraclostrobin    | 0.15                              | Sugar beet roots                               | (9 July 2008)<br>EMRL2008-02      |
| Pyraclostrobin    | 0.5                               | Summer squash                                  | (9 July 2008)<br>EMRL2008-02      |
| Pyraciosilobili   | 0.5                               | Summer squasii                                 | (9 July 2008)                     |
| Pyraclostrobin    | 0.3                               | Sunflower seeds                                | EMRL2009-01<br>(11 March 2009)    |
| Pyraclostrobin    | 0.7                               | Sweet cherries                                 | EMRL2008-02                       |
| Pyraclostrobin    | 0.04                              | Sweet corn kornele plus och with hugke removed | (9 July 2008)                     |
| Pyraciosilobili   | 0.04                              | Sweet corn kernels plus cob with husks removed | EMRL2008-02<br>(9 July 2008)      |
| Pyraclostrobin    | 0.04                              | Sweet potato roots                             | EMRL2008-02                       |
| Pyraclostrobin    | 0.45                              | Sweet rocket seeds                             | (9 July 2008)<br>EMRL2010-28      |
| Pyraclostrobin    | 29                                | Swiss chard                                    | (28 September 2010<br>EMRL2009-01 |
|                   |                                   | Swiss Uldiu                                    | (11 March 2009)                   |
| Pyraclostrobin    | 2.0                               | Tangerines                                     | EMRL2009-01<br>(11 March 2009)    |
| Pyraclostrobin    | 0.04                              | Tanier corms                                   | (11 March 2009)<br>EMRL2008-02    |
|                   | 0.04                              |  | (9 July 2008)                     |
| Pyraclostrobin    | 0.04                              | Taro corms                                     | EMRL2008-02<br>(9 July 2008)      |
| Pyraclostrobin    | 0.7                               | Tart cherries                                  | EMRL2008-02                       |
| Pyraclostrobin    | 1.0                               | Tomatillos                                     | (9 July 2008)<br>EMRL2008-02      |
|                   |                                   |  | (9 July 2008)                     |
| Pyraclostrobin    | 1.0                               | Tomatoes                                       | EMRL2008-02                       |

| ssidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                 |
|---|-----------------------------------|--|---------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                           | MRL Established \               |
| Pyraclostrobin  | 0.9                               | Tree onion tops                          | EMRL2008-42                     |
| Pyraclostrobin  | 0.04                              | True yam tubers                          | (19 November 200<br>EMRL2008-02 |
| Dura destrokia  | 0.04                              | Turmeric roots                           | (9 July 2008)                   |
| Pyraclostrobin  | 0.04                              | Turment roots                            | EMRL2008-02<br>(9 July 2008)    |
| Pyraclostrobin  | 0.4                               | Turnip roots                             | EMRL2008-02                     |
| Pyraclostrobin  | 16                                | Turnip tops                              | (9 July 2008)<br>EMRL2009-01    |
| Pyraclostrobin  | 0.4                               | Turnip-rooted chervil roots              | (11 March 2009)<br>EMRL2008-02  |
|   |                                   | ·  | (9 July 2008)                   |
| Pyraclostrobin  | 0.4                               | Turnip-rooted parsley roots              | EMRL2008-02<br>(9 July 2008)    |
| Pyraclostrobin  | 29                                | Upland cress                             | EMRL2009-01                     |
| Pyraclostrobin  | 29                                | Vine spinach                             | (11 March 2009)<br>EMRL2009-01  |
| Pyraclostrobin  | 0.5                               | Watermelons                              | (11 March 2009)<br>EMRL2008-02  |
| ,   | 0.5                               |  | (9 July 2008)                   |
| Pyraclostrobin  | 0.9                               | Welsh onion tops                         | EMRL2008-42<br>(19 November 200 |
| Pyraclostrobin  | 0.5                               | West Indian gherkins                     | EMRL2008-02                     |
| Pyraclostrobin  | 0.2                               | Wheat                                    | (9 July 2008)<br>EMRL2008-02    |
|   |                                   | •  | (9 July 2008)                   |
| Pyraclostrobin  | 29                                | Winter purslane                          | EMRL2009-01<br>(11 March 2009)  |
| Pyraclostrobin  | 0.5                               | Winter squash                            | EMRL2008-02                     |
| Pyraclostrobin  | 0.04                              | Yam bean roots                           | (9 July 2008)<br>EMRL2008-02    |
| Pyrasulfotole   | 0.02                              | Barley                                   | (9 July 2008)<br>EMRL2008-31    |
|   |                                   | ·  | (14 November 200                |
| Pyrasulfotole   | 0.02                              | Eggs                                     | EMRL2008-31<br>(14 November 200 |
| Pyrasulfotole   | 0.02                              | Fat of cattle                            | EMRL2008-31                     |
| Pyrasulfotole   | 0.02                              | Fat of goats                             | (14 November 200<br>EMRL2008-31 |
| Pyrasulfotole   | 0.02                              | Fat of hogs                              | (14 November 200<br>EMRL2008-31 |
|   |                                   |  | (14 November 200                |
| Pyrasulfotole   | 0.02                              | Fat of horses                            | EMRL2008-31<br>(14 November 200 |
| Pyrasulfotole   | 0.02                              | Fat of poultry                           | EMRL2008-31                     |
| Pyrasulfotole   | 0.02                              | Fat of sheep                             | (14 November 200<br>EMRL2008-31 |
| Pyrasulfotole   | 0.35                              | Liver of cattle                          | (14 November 200<br>EMRL2008-31 |
|   |                                   |  | (14 November 200                |
| Pyrasulfotole   | 0.35                              | Liver of goats                           | EMRL2008-31<br>(14 November 200 |
| Pyrasulfotole   | 0.35                              | Liver of horses                          | EMRL2008-31                     |
| Pyrasulfotole   | 0.35                              | Liver of sheep                           | (14 November 200<br>EMRL2008-31 |
| Pyrasulfotole   | 0.06                              | Meat byproducts (except liver) of cattle | (14 November 200<br>EMRL2008-31 |
|   |                                   | . , , ,                                  | (14 November 200                |
| Pyrasulfotole   | 0.06                              | Meat byproducts (except liver) of goats  | EMRL2008-31<br>(14 November 200 |
| Pyrasulfotole   | 0.06                              | Meat byproducts (except liver) of horses | EMRL2008-31                     |
| Pyrasulfotole   | 0.06                              | Meat byproducts (except liver) of sheep  | (14 November 200<br>EMRL2008-31 |
| ,   |                                   |  | (14 November 200                |
| Pyrasulfotole   | 0.02                              | Meat byproducts of hogs                  | EMRL2008-31<br>(14 November 200 |
| Pyrasulfotole   | 0.02                              | Meat byproducts of poultry               | EMRL2008-31<br>(14 November 200 |
| Pyrasulfotole   | 0.02                              | Meat of cattle                           | EMRL2008-31                     |
| Pyrasulfotole   | 0.02                              | Meat of goats                            | (14 November 200<br>EMRL2008-31 |
| ,   |                                   |  | (14 November 200                |
| Pyrasulfotole   | 0.02                              | Meat of hogs                             | EMRL2008-31<br>(14 November 200 |
| Pyrasulfotole   | 0.02                              | Meat of horses                           | EMRL2008-31                     |
| Pyrasulfotole   | 0.02                              | Meat of poultry                          | (14 November 200<br>EMRL2008-31 |
|   |                                   |  | (14 November 200                |
| Pyrasulfotole   | 0.02                              | Meat of sheep                            | EMRL2008-31<br>(14 November 200 |
| Pyrasulfotole   | 0.01                              | Milk                                     | EMRL2008-31                     |
| Pyrasulfotole   | 0.08                              | Oats                                     | (14 November 200<br>EMRL2008-31 |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Established |                                   |                           |  |
|---|-----------------------------------|---------------------------|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity            | MRL Established Vi                         |
| Pyrasulfotole   | 0.02                              | Rye                       | EMRL2008-31<br>(14 November 2008)          |
| Pyrasulfotole   | 0.02                              | Triticale                 | EMRL2008-31                                |
| Pyrasulfotole   | 0.02                              | Wheat                     | (14 November 2008)<br>EMRL2008-31          |
| Pyrethrins  | 1.0                               | Almonds                   | (14 November 2008)<br>Canada Gazette II    |
| <u> </u>  | 1.0                               |                           | Prior to 16 June 2008 Canada Gazette II    |
| Pyrethrins  |                                   | Apples                    | Prior to 16 June 2008                      |
| Pyrethrins  | 1.0                               | Beans                     | Canada Gazette II Prior to 16 June 2008    |
| Pyrethrins  | 1.0                               | Blackberries              | Canada Gazette II Prior to 16 June 2008    |
| Pyrethrins  | 1.0                               | Blueberries               | Canada Gazette II                          |
| Pyrethrins  | 1.0                               | Boysenberries             | Prior to 16 June 2008<br>Canada Gazette II |
| Pyrethrins  | 1.0                               | Cherries                  | Prior to 16 June 2008<br>Canada Gazette II |
|   |                                   |                           | Prior to 16 June 2008                      |
| Pyrethrins  | 1.0                               | Cocoa beans               | Canada Gazette II<br>Prior to 16 June 2008 |
| Pyrethrins  | 1.0                               | Copra                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Pyrethrins  | 1.0                               | Crabapples                | Canada Gazette II                          |
| Pyrethrins  | 1.0                               | Currants                  | Prior to 16 June 2008<br>Canada Gazette II |
| Pyrethrins  | 1.0                               | Dewberries                | Prior to 16 June 2008<br>Canada Gazette II |
|   | 1.0                               |                           | Prior to 16 June 2008 Canada Gazette II    |
| Pyrethrins  |                                   | Figs                      | Prior to 16 June 2008                      |
| Pyrethrins  | 1.0                               | Gooseberries              | Canada Gazette II<br>Prior to 16 June 2008 |
| Pyrethrins  | 1.0                               | Grapes                    | Canada Gazette II<br>Prior to 16 June 2008 |
| Pyrethrins  | 1.0                               | Guavas                    | Canada Gazette II                          |
| Pyrethrins  | 1.0                               | Huckleberries             | Prior to 16 June 2008<br>Canada Gazette II |
| Pyrethrins  | 1.0                               | Loganberries              | Prior to 16 June 2008<br>Canada Gazette II |
|   | 1.0                               |                           | Prior to 16 June 2008                      |
| Pyrethrins  |                                   | Mangoes                   | Prior to 16 June 2008                      |
| Pyrethrins  | 0.05                              | Meat byproducts of cattle | EMRL2011-13<br>(18 March 2011)             |
| Pyrethrins  | 0.05                              | Meat byproducts of goats  | EMRL2011-13<br>(18 March 2011)             |
| Pyrethrins  | 0.05                              | Meat byproducts of hogs   | EMRL2011-13                                |
| Pyrethrins  | 0.05                              | Meat byproducts of horses | (18 March 2011)<br>EMRL2011-13             |
| Pyrethrins  | 0.05                              | Meat byproducts of sheep  | (18 March 2011)<br>EMRL2011-13             |
| ,   |                                   |                           | (18 March 2011)<br>EMRL2011-13             |
| Pyrethrins  | 0.05                              | Meat of cattle            | (18 March 2011)                            |
| Pyrethrins  | 0.05                              | Meat of goats             | EMRL2011-13<br>(18 March 2011)             |
| Pyrethrins  | 0.05                              | Meat of hogs              | EMRL2011-13<br>(18 March 2011)             |
| Pyrethrins  | 0.05                              | Meat of horses            | EMRL2011-13                                |
| Pyrethrins  | 0.05                              | Meat of sheep             | (18 March 2011)<br>EMRL2011-13             |
| Pyrethrins  | 0.05                              | Milk fat                  | (18 March 2011)<br>EMRL2011-13             |
| Pyrethrins  | 1.0                               | Muskmelons                | (18 March 2011)<br>Canada Gazette II       |
|   |                                   |                           | Prior to 16 June 2008                      |
| Pyrethrins  | 1.0                               | Oranges                   | Canada Gazette II<br>Prior to 16 June 2008 |
| Pyrethrins  | 1.0                               | Peaches/nectarines        | Canada Gazette II<br>Prior to 16 June 2008 |
| Pyrethrins  | 1.0                               | Peanuts                   | Canada Gazette II                          |
| Pyrethrins  | 1.0                               | Pears                     | Prior to 16 June 2008<br>Canada Gazette II |
| Pyrethrins  | 1.0                               | Peas                      | Prior to 16 June 2008<br>Canada Gazette II |
|   |                                   |                           | Prior to 16 June 2008 Canada Gazette II    |
| Pyrethrins  | 1.0                               | Pineapples                | Prior to 16 June 2008                      |
| Pyrethrins  | 1.0                               | Plums                     | Canada Gazette II<br>Prior to 16 June 2008 |
| Pyrethrins  | 1.0                               | Raspberries               | Canada Gazette II<br>Prior to 16 June 2008 |

|                   |                                   | stinct table on the MRL webpage |                                      |
|-------------------|-----------------------------------|---------------------------------|--------------------------------------|
| Common Name       | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established                      |
| Pyrethrins        | 3.0                               | Raw cereals                     | Canada Gazette                       |
| Pyrethrins        | 1.0                               | Tomatoes                        | Prior to 16 June 2  Canada Gazette   |
| Durothrino        | 1.0                               | Wolnute                         | Prior to 16 June 2<br>Canada Gazette |
| Pyrethrins        | 1.0                               | Walnuts                         | Prior to 16 June 2                   |
| Pyridaben         | 0.05                              | Almonds                         | Canada Gazette                       |
| Pyridaben         | 0.5                               | Apples                          | Prior to 16 June 2<br>Canada Gazette |
| Pyridaben         | 0.1                               | Cucumbers                       | Prior to 16 June 2<br>Canada Gazette |
|                   |                                   | Oddambers                       | Prior to 16 June 2                   |
| Pyridaben         | 0.3                               | Grapes                          | Canada Gazette<br>Prior to 16 June 2 |
| Pyridaben         | 0.05                              | Meat of cattle                  | Canada Gazette                       |
| Pyridaben         | 0.05                              | Meat of goats                   | Prior to 16 June 2<br>Canada Gazette |
|                   | 0.05                              |                                 | Prior to 16 June 2                   |
| Pyridaben         | 0.05                              | Meat of horses                  | Canada Gazette<br>Prior to 16 June 2 |
| Pyridaben         | 0.05                              | Meat of sheep                   | Canada Gazette                       |
| Pyridaben         | 0.01                              | Milk                            | Prior to 16 June 2<br>Canada Gazette |
| Pyridaben         | 1.5                               | Peaches/nectarines              | Prior to 16 June 2<br>Canada Gazette |
|                   |                                   |                                 | Prior to 16 June 2                   |
| Pyridaben         | 0.75                              | Pears                           | Canada Gazette<br>Prior to 16 June 2 |
| Pyridaben         | 1.0                               | Peppers                         | Canada Gazette                       |
| Pyridaben         | 2.0                               | Strawberries                    | Prior to 16 June 2<br>Canada Gazette |
|                   |                                   |                                 | Prior to 16 June 2                   |
| Pyridaben         | 1.3                               | Sweet cherries                  | EMRL2008-03<br>(9 July 2008)         |
| Pyridaben         | 1.3                               | Tart cherries                   | EMRL2008-03                          |
| Pyridaben         | 0.15                              | Tomatoes                        | (9 July 2008)<br>Canada Gazette      |
| Pyrimethanil      | 0.2                               | Almonds                         | Prior to 16 June 2<br>EMRL2008-1     |
|                   |                                   |                                 | (29 August 200                       |
| Pyrimethanil      | 14                                | Apples                          | EMRL2010-20<br>(28 September 2       |
| Pyrimethanil      | 3.0                               | Apricots                        | EMRL2008-02                          |
| Pyrimethanil      | 0.05                              | Arracacha                       | (9 July 2008)<br>EMRL2008-0          |
| D. wins ath a mil | 0.05                              | Arranged                        | (9 July 2008)                        |
| Pyrimethanil      | 0.05                              | Arrowroot                       | EMRL2008-0<br>(9 July 2008)          |
| Pyrimethanil      | 14                                | Asian pears                     | EMRL2010-2                           |
| Pyrimethanil      | 0.05                              | Bananas                         | (28 September 2<br>Canada Gazett     |
| Pyrimethanil      | 10                                | Calamondins                     | Prior to 16 June 2<br>EMRL2008-0     |
|                   |                                   |                                 | (9 July 2008)                        |
| Pyrimethanil      | 0.05                              | Cassava roots                   | EMRL2008-0<br>(9 July 2008)          |
| Pyrimethanil      | 0.05                              | Chayote roots                   | EMRL2008-0                           |
| Pyrimethanil      | 0.05                              | Chinese artichokes              | (9 July 2008)<br>EMRL2008-0          |
| •                 |                                   |                                 | (9 July 2008)                        |
| Pyrimethanil      | 0.05                              | Chufa                           | EMRL2008-0<br>(9 July 2008)          |
| Pyrimethanil      | 10                                | Citrus citrons                  | EMRL2008-0                           |
| Pyrimethanil      | 10                                | Citrus hybrids                  | (9 July 2008)<br>EMRL2008-0          |
| Pyrimethanil      | 150                               | Citrus oil                      | (9 July 2008)<br>EMRL2008-0          |
|                   |                                   |                                 | (9 July 2008)                        |
| Pyrimethanil      | 14                                | Crabapples                      | EMRL2010-20<br>(28 September 2       |
| Pyrimethanil      | 0.1                               | Dry bulb onions                 | EMRL2008-03                          |
| Pyrimethanil      | 0.05                              | Edible canna                    | (9 July 2008)<br>EMRL2008-0          |
|                   |                                   |                                 | (9 July 2008)                        |
| Pyrimethanil      | 0.1                               | Fat of cattle                   | EMRL2008-03<br>(9 July 2008)         |
| Pyrimethanil      | 0.1                               | Fat of goats                    | EMRL2008-0                           |
| Pyrimethanil      | 0.1                               | Fat of hogs                     | (9 July 2008)<br>EMRL2008-0          |
| Pyrimethanil      | 0.1                               | Fat of horses                   | (9 July 2008)<br>EMRI 2008-0         |
|                   | 0.1                               | rat of Horses                   | EMRL2008-03<br>(9 July 2008)         |
| Pyrimethanil      | 0.1                               | Fat of sheep                    | EMRL2008-02                          |

| e residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                      |  |
|--|-----------------------------------|--|--------------------------------------|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                           | MRL Established Via                  |  |
| Pyrimethanil   | 0.05                              | Ginger roots                             | EMRL2008-02                          |  |
| Pyrimethanil   | 10                                | Grapefruits                              | (9 July 2008)<br>EMRL2008-02         |  |
| Pyrimethanil   | 5.0                               | Grapes                                   | (9 July 2008)<br>Canada Gazette II   |  |
| Pyrimethanil   | 2.0                               | Green onions                             | Prior to 16 June 2008<br>EMRL2008-02 |  |
| <u> </u>   |                                   |  | (9 July 2008)                        |  |
| Pyrimethanil   | 0.05                              | Jerusalem artichokes                     | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 10                                | Kumquats                                 | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 10                                | Lemons                                   | EMRL2008-02                          |  |
| Pyrimethanil   | 0.05                              | Lerens                                   | (9 July 2008)<br>EMRL2008-02         |  |
| Pyrimethanil   | 10                                | Limes                                    | (9 July 2008)<br>EMRL2008-02         |  |
| <u>,                                      </u>   |                                   |  | (9 July 2008)                        |  |
| Pyrimethanil   | 0.1                               | Liver of cattle                          | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 0.1                               | Liver of goats                           | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 0.1                               | Liver of hogs                            | EMRL2008-02                          |  |
| Pyrimethanil   | 0.1                               | Liver of horses                          | (9 July 2008)<br>EMRL2008-02         |  |
| Pyrimethanil   | 0.1                               | Liver of sheep                           | (9 July 2008)<br>EMRL2008-02         |  |
| <u> </u>   |                                   | <u> </u>                                 | (9 July 2008)                        |  |
| Pyrimethanil   | 14                                | Loquats                                  | EMRL2010-26<br>(28 September 2010    |  |
| Pyrimethanil   | 14                                | Mayhaws                                  | EMRL2010-26<br>(28 September 2010    |  |
| Pyrimethanil   | 0.15                              | Meat byproducts (except liver) of cattle | EMRL2008-02                          |  |
| Pyrimethanil   | 0.15                              | Meat byproducts (except liver) of goats  | (9 July 2008)<br>EMRL2008-02         |  |
| Pyrimethanil   | 0.15                              | Meat byproducts (except liver) of hogs   | (9 July 2008)<br>EMRL2008-02         |  |
| <u> </u>   |                                   |  | (9 July 2008)                        |  |
| Pyrimethanil   | 0.15                              | Meat byproducts (except liver) of horses | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 0.15                              | Meat byproducts (except liver) of sheep  | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 0.1                               | Meat of cattle                           | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 0.1                               | Meat of goats                            | EMRL2008-02                          |  |
| Pyrimethanil   | 0.1                               | Meat of hogs                             | (9 July 2008)<br>EMRL2008-02         |  |
| Pyrimethanil   | 0.1                               | Meat of horses                           | (9 July 2008)<br>EMRL2008-02         |  |
| Duning all and   | 0.4                               |  | (9 July 2008)                        |  |
| Pyrimethanii   | 0.1                               | Meat of sheep                            | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 0.02                              | Milk                                     | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 3.0                               | Nectarines                               | EMRL2008-02                          |  |
| Pyrimethanil   | 10                                | Oranges                                  | (9 July 2008)<br>EMRL2008-02         |  |
| Pyrimethanil   | 3.0                               | Peaches                                  | (9 July 2008)<br>EMRL2008-02         |  |
| Pyrimethanil   | 14                                | Pears                                    | (9 July 2008)<br>EMRL2010-26         |  |
| <u> </u>   |                                   |  | (28 September 2010                   |  |
| Pyrimethanil   | 0.2                               | Pistachios                               | EMRL2008-14<br>(29 August 2008)      |  |
| Pyrimethanil   | 3.0                               | Plumcots                                 | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 3.0                               | Plums                                    | EMRL2008-02                          |  |
| Pyrimethanil   | 0.05                              | Potatoes                                 | (9 July 2008)<br>EMRL2008-02         |  |
| Pyrimethanil   | 3.0                               | Prune plums                              | (9 July 2008)<br>EMRL2008-02         |  |
| ·  |                                   |  | (9 July 2008)                        |  |
| Pyrimethanil   | 10                                | Pummelos                                 | EMRL2008-02<br>(9 July 2008)         |  |
| Pyrimethanil   | 14                                | Quinces                                  | EMRL2010-26<br>(28 September 2010    |  |
| Pyrimethanil   | 8.0                               | Raisins                                  | Canada Gazette II                    |  |
| Pyrimethanil   | 10                                | Satsuma mandarins                        | Prior to 16 June 2008<br>EMRL2008-02 |  |
| Pyrimethanil   | 2.5                               | Strawberries                             | (9 July 2008)<br>EMRL2008-02         |  |
|  |                                   |  | (9 July 2008)                        |  |
| Pyrimethanil   | 0.05                              | Sweet potato roots                       | EMRL2008-02<br>(9 July 2008)         |  |

|                  |                                   | distinct table on the MRL webpage |                                       |
|------------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name      | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Pyrimethanil     | 10                                | Tangerines                        | EMRL2008-02                           |
| Pyrimethanil     | 0.05                              | Tanier corms                      | (9 July 2008)<br>EMRL2008-02          |
| During oth on it | 0.05                              | Toro corres                       | (9 July 2008)                         |
| Pyrimethanil     | 0.05                              | Taro corms                        | EMRL2008-02<br>(9 July 2008)          |
| Pyrimethanil     | 0.5                               | Tomatoes                          | EMRL2008-02                           |
| Pyrimethanil     | 0.05                              | True yam tubers                   | (9 July 2008)<br>EMRL2008-02          |
| During ath and   | 0.05                              | Turnovia voete                    | (9 July 2008)                         |
| Pyrimethanil     | 0.05                              | Turmeric roots                    | EMRL2008-02<br>(9 July 2008)          |
| Pyrimethanil     | 0.05                              | Yam bean roots                    | EMRL2008-02<br>(9 July 2008)          |
| Pyriproxyfen     | 0.8                               | Bell peppers                      | EMRL2008-03                           |
| Pyriproxyfen     | 0.02                              | Cucumbers                         | (8 August 2008)<br>EMRL2008-03        |
|                  |                                   |                                   | (8 August 2008)                       |
| Pyriproxyfen     | 0.25                              | Tomatoes                          | EMRL2008-03<br>(8 August 2008)        |
| Pyroxsulam       | 0.01                              | Wheat                             | EMRL2011-15                           |
| Quinclorac       | 2.0                               | Barley                            | (24 March 2011)<br>Canada Gazette     |
|                  |                                   | •                                 | Prior to 16 June 20                   |
| Quinclorac       | 3.5                               | Barley bran                       | EMRL2011-32<br>(16 May 2011)          |
| Quinclorac       | 0.05                              | Eggs                              | Canada Gazette                        |
| Quinclorac       | 0.05                              | Fat of cattle                     | Prior to 16 June 20<br>Canada Gazette |
| Ovinalarea       | 0.05                              | Fot of wests                      | Prior to 16 June 20<br>Canada Gazette |
| Quinclorac       | 0.05                              | Fat of goats                      | Prior to 16 June 20                   |
| Quinclorac       | 0.05                              | Fat of hogs                       | Canada Gazette<br>Prior to 16 June 20 |
| Quinclorac       | 0.05                              | Fat of horses                     | Canada Gazette                        |
| Quinclorac       | 0.05                              | Fat of poultry                    | Prior to 16 June 20<br>Canada Gazette |
|                  |                                   |                                   | Prior to 16 June 20                   |
| Quinclorac       | 0.05                              | Fat of sheep                      | Canada Gazette Prior to 16 June 20    |
| Quinclorac       | 0.05                              | Meat byproducts of cattle         | Canada Gazette                        |
| Quinclorac       | 0.05                              | Meat byproducts of goats          | Prior to 16 June 20<br>Canada Gazette |
| Quinclorac       | 0.05                              | Meat byproducts of hogs           | Prior to 16 June 20<br>Canada Gazette |
| Quinciorac       |                                   |                                   | Prior to 16 June 20                   |
| Quinclorac       | 0.05                              | Meat byproducts of horses         | Canada Gazette Prior to 16 June 20    |
| Quinclorac       | 0.05                              | Meat byproducts of poultry        | Canada Gazette                        |
| Quinclorac       | 0.05                              | Meat byproducts of sheep          | Prior to 16 June 20<br>Canada Gazette |
|                  |                                   |                                   | Prior to 16 June 20                   |
| Quinclorac       | 0.05                              | Meat of cattle                    | Canada Gazette Prior to 16 June 20    |
| Quinclorac       | 0.05                              | Meat of goats                     | Canada Gazette                        |
| Quinclorac       | 0.05                              | Meat of hogs                      | Prior to 16 June 20<br>Canada Gazette |
| Quinclorac       | 0.05                              | Meat of horses                    | Prior to 16 June 20<br>Canada Gazette |
|                  |                                   |                                   | Prior to 16 June 20                   |
| Quinclorac       | 0.05                              | Meat of poultry                   | Canada Gazette<br>Prior to 16 June 20 |
| Quinclorac       | 0.05                              | Meat of sheep                     | Canada Gazette                        |
| Quinclorac       | 0.05                              | Milk                              | Prior to 16 June 20<br>Canada Gazette |
|                  |                                   |                                   | Prior to 16 June 20                   |
| Quinclorac       | 5.0                               | Rice                              | Canada Gazette<br>Prior to 16 June 20 |
| Quinclorac       | 0.5                               | Wheat                             | Canada Gazette<br>Prior to 16 June 20 |
| Quinoxyfen       | 0.5                               | Grapes                            | EMRL2008-02                           |
| Quinoxyfen       | 2.5                               | Hops                              | (9 July 2008)<br>EMRL2008-02          |
| <u> </u>         |                                   |                                   | (9 July 2008)                         |
| Quinoxyfen       | 0.3                               | Sweet cherries                    | EMRL2008-02<br>(9 July 2008)          |
| Quinoxyfen       | 0.3                               | Tart cherries                     | EMRL2008-02                           |
| Quintozene       | 0.1                               | Broccoli                          | (9 July 2008)<br>EMRL2011-13          |
|                  |                                   |                                   | (18 March 2011)                       |
| Quintozene       | 0.1                               | Brussels sprouts                  | EMRL2011-13<br>(18 March 2011)        |
| Quintozene       | 0.1                               | Cabbages                          | EMRL2011-13                           |

|                  |                                   | distinct table on the MRL webpage | T   |
|------------------|-----------------------------------|-----------------------------------|---|
| Common Name      | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established V                         |
| Quintozene       | 0.1                               | Cauliflower                       | EMRL2011-13                               |
| Quintozene       | 0.1                               | Chinese broccoli                  | (18 March 2011)<br>EMRL2011-13            |
| Quintozene       | 0.1                               | Chinese mustard cabbages          | (18 March 2011)<br>EMRL2011-13            |
|                  |                                   |                                   | (18 March 2011)                           |
| Quintozene       | 0.1                               | Kohlrabi                          | EMRL2011-13<br>(18 March 2011)            |
| Quintozene       | 0.1                               | Napa Chinese cabbages             | EMRL2011-13                               |
| Quizalofop-ethyl | 0.15                              | Dry adzuki beans                  | (18 March 2011)<br>EMRL2008-02            |
| Quizalofop-ethyl | 0.45                              | Dry beans                         | (9 July 2008)<br>EMRL2008-02              |
| Quizalolop-ethyl | 0.15                              | ·                                 | (9 July 2008)                             |
| Quizalofop-ethyl | 0.15                              | Dry blackeyed peas                | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.15                              | Dry broad beans                   | EMRL2008-02                               |
| Quizalofop-ethyl | 0.05                              | Dry chickpeas                     | (9 July 2008)<br>EMRL2008-02              |
| . ,              |                                   | , ,                               | (9 July 2008)                             |
| Quizalofop-ethyl | 0.15                              | Dry kidney beans                  | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.15                              | Dry lablab beans                  | EMRL2008-02                               |
| Quizalofop-ethyl | 0.15                              | Dry lima beans                    | (9 July 2008)<br>EMRL2008-02              |
| Quizalofop-ethyl | 0.15                              | Dry moth beans                    | (9 July 2008)<br>EMRL2008-02              |
|                  |                                   | ,                                 | (9 July 2008)                             |
| Quizalofop-ethyl | 0.15                              | Dry mung beans                    | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.15                              | Dry navy beans                    | EMRL2008-02                               |
| Quizalofop-ethyl | 0.15                              | Dry pink beans                    | (9 July 2008)<br>EMRL2008-02              |
| Ouisalafan athul | 0.45                              | Druginto hogge                    | (9 July 2008)                             |
| Quizalofop-ethyl | 0.15                              | Dry pinto beans                   | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.15                              | Dry rice beans                    | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.15                              | Dry tepary beans                  | EMRL2008-02                               |
| Quizalofop-ethyl | 0.15                              | Dry urd beans                     | (9 July 2008)<br>EMRL2008-02              |
| Quizalofop-ethyl | 0.05                              | ·                                 | (9 July 2008)                             |
| Quizalolop-ethyl | 0.05                              | Edible-podded jackbeans           | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.05                              | Edible-podded moth beans          | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.05                              | Edible-podded runner beans        | EMRL2008-02                               |
| Quizalofop-ethyl | 0.05                              | Edible-podded snap beans          | (9 July 2008)<br>EMRL2008-02              |
| . ,              |                                   |                                   | (9 July 2008)                             |
| Quizalofop-ethyl | 0.05                              | Edible-podded soybeans            | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.05                              | Edible-podded sword beans         | EMRL2008-02<br>(9 July 2008)              |
| Quizalofop-ethyl | 0.05                              | Edible-podded wax beans           | EMRL2008-02                               |
| Quizalofop-ethyl | 0.05                              | Edible-podded yardlong beans      | (9 July 2008)<br>EMRL2008-02              |
|                  |                                   |                                   | (9 July 2008)                             |
| Quizalofop-ethyl | 0.02                              | Eggs                              | Canada Gazette II Prior to 16 June 200    |
| Quizalofop-ethyl | 0.05                              | Fat of cattle                     | Canada Gazette II                         |
| Quizalofop-ethyl | 0.05                              | Fat of goats                      | Prior to 16 June 200<br>Canada Gazette II |
| Quizalofop-ethyl | 0.05                              | Fat of hogs                       | Prior to 16 June 200<br>Canada Gazette II |
|                  |                                   |                                   | Prior to 16 June 200                      |
| Quizalofop-ethyl | 0.05                              | Fat of horses                     | Canada Gazette II Prior to 16 June 200    |
| Quizalofop-ethyl | 0.05                              | Fat of poultry                    | Canada Gazette II                         |
| Quizalofop-ethyl | 0.05                              | Fat of sheep                      | Prior to 16 June 200<br>Canada Gazette II |
| Quizalofop-ethyl | 0.05                              | Flax                              | Prior to 16 June 200<br>Canada Gazette II |
|                  |                                   |                                   | Prior to 16 June 200                      |
| Quizalofop-ethyl | 0.05                              | Lentils                           | Canada Gazette II Prior to 16 June 200    |
| Quizalofop-ethyl | 0.05                              | Meat byproducts of cattle         | Canada Gazette II                         |
| Quizalofop-ethyl | 0.05                              | Meat byproducts of goats          | Prior to 16 June 200<br>Canada Gazette II |
|                  |                                   |                                   | Prior to 16 June 200                      |
| Quizalofop-ethyl | 0.05                              | Meat byproducts of hogs           | Canada Gazette II<br>Prior to 16 June 200 |
| Quizalofop-ethyl | 0.05                              | Meat byproducts of horses         | Canada Gazette II                         |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |  |  |
|--|-----------------------------------|---|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                          | MRL Established Via                        |  |
| Quizalofop-ethyl   | 0.05                              | Meat byproducts of poultry              | Canada Gazette II Prior to 16 June 2008    |  |
| Quizalofop-ethyl   | 0.05                              | Meat byproducts of sheep                | Canada Gazette II                          |  |
| Quizalofop-ethyl   | 0.02                              | Meat of cattle                          | Prior to 16 June 2008<br>Canada Gazette II |  |
| Quizalofop-ethyl   | 0.02                              | Meat of goats                           | Prior to 16 June 2008<br>Canada Gazette II |  |
| Quizalofop-ethyl   | 0.02                              | Meat of hogs                            | Prior to 16 June 2008<br>Canada Gazette II |  |
|  | 0.02                              | Meat of horses                          | Prior to 16 June 2008 Canada Gazette II    |  |
| Quizalofop-ethyl   |                                   |   | Prior to 16 June 2008                      |  |
| Quizalofop-ethyl   | 0.02                              | Meat of poultry                         | Canada Gazette II<br>Prior to 16 June 2008 |  |
| Quizalofop-ethyl   | 0.02                              | Meat of sheep                           | Canada Gazette II Prior to 16 June 2008    |  |
| Quizalofop-ethyl   | 0.01                              | Milk                                    | Canada Gazette II<br>Prior to 16 June 2008 |  |
| Quizalofop-ethyl   | 0.05                              | Milk fat                                | Canada Gazette II                          |  |
| Quizalofop-ethyl   | 0.05                              | Oriental mustard seeds (condiment type) | Prior to 16 June 2008<br>EMRL2008-10       |  |
| Quizalofop-ethyl   | 0.05                              | Oriental mustard seeds (oilseed type)   | (8 August 2008)<br>EMRL2008-10             |  |
| Quizalofop-ethyl   | 0.05                              | Peas                                    | (8 August 2008)<br>Canada Gazette II       |  |
| · ·  | 0.05                              |   | Prior to 16 June 2008 Canada Gazette II    |  |
| Quizalofop-ethyl   |                                   | Rapeseeds (canola)                      | Prior to 16 June 2008                      |  |
| Quizalofop-ethyl   | 0.1                               | Rutabaga roots                          | EMRL2008-02<br>(9 July 2008)               |  |
| Quizalofop-ethyl   | 0.05                              | Soybeans                                | Canada Gazette II<br>Prior to 16 June 2008 |  |
| Quizalofop-ethyl   | 0.2                               | Sugar beets                             | Canada Gazette II                          |  |
| Rimsulfuron  | 0.05                              | Blueberries                             | Prior to 16 June 2008<br>Canada Gazette II |  |
| Rimsulfuron  | 0.1                               | Field corn                              | Prior to 16 June 2008<br>EMRL2011-13       |  |
| Rimsulfuron  | 0.1                               | Potatoes                                | (18 March 2011)<br>EMRL2011-13             |  |
| Rimsulfuron  | 0.05                              | Tomatoes                                | (18 March 2011)<br>Canada Gazette II       |  |
| Saflufenacil   |                                   |   | Prior to 16 June 2008                      |  |
|  | 0.03                              | Almonds                                 | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Apples                                  | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Apricots                                | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Asian pears                             | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Australian desert limes                 | EMRL2010-17                                |  |
| Saflufenacil   | 0.03                              | Australian finger limes                 | (21 September 2010)<br>EMRL2010-17         |  |
| Saflufenacil   | 0.03                              | Australian round limes                  | (21 September 2010)<br>EMRL2010-17         |  |
| Saflufenacil   | 0.03                              | Barley                                  | (21 September 2010)<br>EMRL2010-17         |  |
|  |                                   | ·                                       | (21 September 2010)                        |  |
| Saflufenacil   | 0.03                              | Beechnuts                               | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Black walnuts                           | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Brazil nuts                             | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Brown River finger limes                | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Buckwheat                               | EMRL2010-17                                |  |
| Saflufenacil   | 0.03                              | Butternuts                              | (21 September 2010)<br>EMRL2010-17         |  |
| Saflufenacil   | 0.03                              | Calamondins                             | (21 September 2010)<br>EMRL2010-17         |  |
| Saflufenacil   | 0.03                              | Cashew nuts                             | (21 September 2010)<br>EMRL2010-17         |  |
|  |                                   |   | (21 September 2010)                        |  |
| Saflufenacil   | 0.03                              | Chestnuts                               | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Chinquapins                             | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Citrus citrons                          | EMRL2010-17<br>(21 September 2010)         |  |
| Saflufenacil   | 0.03                              | Citrus hybrids                          | EMRL2010-17                                |  |
| Saflufenacil   | 0.03                              | Crabapples                              | (21 September 2010)<br>EMRL2010-17         |  |

|              |                                   | distinct table on the MRL webpage |                                 |
|--------------|-----------------------------------|-----------------------------------|---------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                 |
| Saflufenacil | 0.03                              | Dry adzuki beans                  | EMRL2010-17                     |
| Saflufenacil | 0.03                              | Dry beans                         | (21 September 20<br>EMRL2010-17 |
| Saflufenacil | 0.03                              | Dry blackeyed peas                | (21 September 20<br>EMRL2010-17 |
|              |                                   |                                   | (21 September 2<br>EMRL2010-1   |
| Saflufenacil | 0.03                              | Dry broad beans                   | (21 September 20                |
| Saflufenacil | 0.03                              | Dry catjang seeds                 | EMRL2010-17<br>(21 September 20 |
| Saflufenacil | 0.03                              | Dry chickpeas                     | EMRL2010-17                     |
| Saflufenacil | 0.03                              | Dry cowpea seeds                  | (21 September 2<br>EMRL2010-1   |
| Saflufenacil | 0.03                              | Dry field peas                    | (21 September 2)<br>EMRL2010-1  |
| Saflufenacil | 0.03                              | Dry guar seeds                    | (21 September 2<br>EMRL2010-1   |
|              |                                   |                                   | (21 September 20                |
| Saflufenacil | 0.03                              | Dry kidney beans                  | EMRL2010-1<br>(21 September 2   |
| Saflufenacil | 0.03                              | Dry lablab beans                  | EMRL2010-17<br>(21 September 20 |
| Saflufenacil | 0.03                              | Dry lentils                       | EMRL2010-17                     |
| Saflufenacil | 0.03                              | Dry lima beans                    | (21 September 2<br>EMRL2010-1   |
| Saflufenacil | 0.03                              | Dry moth beans                    | (21 September 2<br>EMRL2010-1   |
|              |                                   |                                   | (21 September 20                |
| Saflufenacil | 0.03                              | Dry mung beans                    | EMRL2010-17<br>(21 September 20 |
| Saflufenacil | 0.03                              | Dry navy beans                    | EMRL2010-1<br>(21 September 2   |
| Saflufenacil | 0.03                              | Dry pigeon peas                   | EMRL2010-17                     |
| Saflufenacil | 0.03                              | Dry pink beans                    | (21 September 2<br>EMRL2010-1   |
| Saflufenacil | 0.03                              | Dry pinto beans                   | (21 September 2<br>EMRL2010-1   |
| Saflufenacil | 0.03                              | Dry rice beans                    | (21 September 2<br>EMRL2010-1   |
|              |                                   |                                   | (21 September 2                 |
| Saflufenacil | 0.03                              | Dry southern peas                 | EMRL2010-17<br>(21 September 20 |
| Saflufenacil | 0.03                              | Dry soybeans                      | EMRL2010-1<br>(21 September 2   |
| Saflufenacil | 0.03                              | Dry tepary beans                  | EMRL2010-1<br>(21 September 2   |
| Saflufenacil | 0.03                              | Dry urd beans                     | EMRL2010-1                      |
| Saflufenacil | 0.03                              | Edible-podded dwarf peas          | (21 September 2<br>EMRL2010-1   |
| Saflufenacil | 0.03                              |                                   | (21 September 2<br>EMRL2010-1   |
|              |                                   | Edible-podded jackbeans           | (21 September 2                 |
| Saflufenacil | 0.03                              | Edible-podded moth beans          | EMRL2010-1<br>(21 September 2   |
| Saflufenacil | 0.03                              | Edible-podded peas                | EMRL2010-17<br>(21 September 20 |
| Saflufenacil | 0.03                              | Edible-podded pigeon peas         | EMRL2010-1                      |
| Saflufenacil | 0.03                              | Edible-podded runner beans        | (21 September 2<br>EMRL2010-1   |
| Saflufenacil | 0.03                              | Edible-podded snap beans          | (21 September 2<br>EMRL2010-1   |
| Saflufenacil | 0.03                              | Edible-podded snow peas           | (21 September 2<br>EMRL2010-1   |
|              |                                   | · · · ·                           | (21 September 2                 |
| Saflufenacil | 0.03                              | Edible-podded soybeans            | EMRL2010-17<br>(21 September 20 |
| Saflufenacil | 0.03                              | Edible-podded sugar snap peas     | EMRL2010-1<br>(21 September 2   |
| Saflufenacil | 0.03                              | Edible-podded sword beans         | EMRL2010-1                      |
| Saflufenacil | 0.03                              | Edible-podded wax beans           | (21 September 20<br>EMRL2010-17 |
| Saflufenacil | 0.03                              | Edible-podded yardlong beans      | (21 September 20<br>EMRL2010-17 |
|              | 0.03                              | English walnuts                   | (21 September 2<br>EMRL2010-1   |
| Saflufenacil |                                   |                                   | (21 September 2                 |
| Saflufenacil | 0.01                              | Fat of cattle                     | EMRL2010-1<br>(21 September 2   |
| Saflufenacil | 0.01                              | Fat of goats                      | EMRL2010-1<br>(21 September 2   |
| Saflufenacil | 0.01                              | Fat of hogs                       | EMRL2010-17                     |
| Saflufenacil |                                   |                                   | (21 September 20<br>EMRL2010-17 |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                 |
|---|-----------------------------------|--|---------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                           | MRL Established                 |
| Saflufenacil  | 0.01                              | Fat of sheep                             | EMRL2010-17                     |
| Saflufenacil  | 0.03                              | Field corn                               | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.03                              | Filberts                                 | (21 September 20<br>EMRL2010-17 |
|   |                                   |  | (21 September 20                |
| Saflufenacil  | 0.03                              | Grain lupin                              | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Grapefruits                              | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Grapes                                   | EMRL2010-17                     |
| Saflufenacil  | 0.03                              | Hickory nuts                             | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.03                              | Japanese summer grapefruits              | (21 September 2)<br>EMRL2010-17 |
| Saflufenacil  | 0.03                              | Kumquats                                 | (21 September 20<br>EMRL2010-17 |
|   |                                   | ·  | (21 September 20                |
| Saflufenacil  | 0.03                              | Lemons                                   | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Limes                                    | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.8                               | Liver of cattle                          | EMRL2010-17                     |
| Saflufenacil  | 0.8                               | Liver of goats                           | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.8                               | Liver of hogs                            | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.8                               | Liver of horses                          | (21 September 20<br>EMRL2010-17 |
|   |                                   |  | (21 September 20                |
| Saflufenacil  | 0.8                               | Liver of sheep                           | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Loquats                                  | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Macadamia nuts                           | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Mayhaws                                  | EMRL2010-17                     |
| Saflufenacil  | 0.02                              | Meat byproducts (except liver) of cattle | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.02                              | Meat byproducts (except liver) of goats  | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.02                              | Meat byproducts (except liver) of hogs   | (21 September 20<br>EMRL2010-17 |
|   |                                   |  | (21 September 20                |
| Saflufenacil  | 0.02                              | Meat byproducts (except liver) of horses | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.02                              | Meat byproducts (except liver) of sheep  | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.01                              | Meat of cattle                           | EMRL2010-1<br>(21 September 2   |
| Saflufenacil  | 0.01                              | Meat of goats                            | EMRL2010-17                     |
| Saflufenacil  | 0.01                              | Meat of hogs                             | (21 September 2)<br>EMRL2010-17 |
| Saflufenacil  | 0.01                              | Meat of horses                           | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.01                              | Meat of sheep                            | (21 September 20<br>EMRL2010-17 |
|   |                                   | ·  | (21 September 20                |
| Saflufenacil  | 0.03                              | Mediterranean mandarins                  | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.01                              | Milk                                     | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Mount White limes                        | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Nectarines                               | EMRL2010-17                     |
| Saflufenacil  | 0.03                              | New Guinea wild limes                    | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.03                              | Oats                                     | (21 September 20<br>EMRL2010-17 |
|   |                                   |  | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.03                              | Oranges                                  | (21 September 20                |
| Saflufenacil  | 0.03                              | Peaches                                  | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Pearl millet                             | EMRL2010-17<br>(21 September 20 |
| Saflufenacil  | 0.03                              | Pears                                    | EMRL2010-17                     |
| Saflufenacil  | 0.03                              | Pecans                                   | (21 September 20<br>EMRL2010-17 |
| Saflufenacil  | 0.03                              | Pistachios                               | (21 September 20<br>EMRL2010-17 |
|   |                                   |  | (21 September 2                 |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                      |  |
|---|-----------------------------------|--|--------------------------------------|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established                      |  |
| Saflufenacil  | 0.03                              | Plums  | EMRL2010-17                          |  |
| Saflufenacil  | 0.03                              | Popcorn grain                                  | (21 September 20<br>EMRL2010-17      |  |
| Saflufenacil  | 0.03                              | Proso millet                                   | (21 September 20<br>EMRL2010-17      |  |
|   |                                   |  | (21 September 2                      |  |
| Saflufenacil  | 0.03                              | Prune plums                                    | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Pummelos                                       | EMRL2010-17                          |  |
| Saflufenacil  | 0.03                              | Quinces  | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  | 0.03                              | Rice   | (21 September 2<br>EMRL2010-1        |  |
|   |                                   |  | (21 September 2                      |  |
| Saflufenacil  | 0.03                              | Russell River limes                            | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Rye  | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Satsuma mandarins                              | EMRL2010-1                           |  |
| Saflufenacil  | 0.03                              | Sorghum  | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  | 0.03                              | Succulent shelled blackeyed peas               | (21 September 2<br>EMRL2010-1        |  |
|   |                                   |  | (21 September 2                      |  |
| Saflufenacil  | 0.03                              | Succulent shelled broad beans                  | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Succulent shelled cowpeas                      | EMRL2010-17<br>(21 September 20      |  |
| Saflufenacil  | 0.03                              | Succulent shelled English peas                 | EMRL2010-17                          |  |
| Saflufenacil  | 0.03                              | Succulent shelled garden peas                  | (21 September 2)<br>EMRL2010-17      |  |
| Saflufenacil  | 0.03                              | Succulent shelled green peas                   | (21 September 2)<br>EMRL2010-1       |  |
|   |                                   |  | (21 September 2                      |  |
| Saflufenacil  | 0.03                              | Succulent shelled lima beans                   | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Succulent shelled peas                         | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Succulent shelled pigeon peas                  | EMRL2010-1                           |  |
| Saflufenacil  | 0.03                              | Succulent shelled southern peas                | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  | 1.0                               | Sunflower seeds                                | (21 September 2<br>EMRL2010-1        |  |
|   | 0.03                              | Sweet cherries                                 | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  |                                   | Sweet criemes                                  | (21 September 2                      |  |
| Saflufenacil  | 0.03                              | Sweet corn kernels plus cob with husks removed | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Sweet limes                                    | EMRL2010-1                           |  |
| Saflufenacil  | 0.03                              | Tachibana oranges                              | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  | 0.03                              | Tahiti limes                                   | (21 September 2<br>EMRL2010-1        |  |
|   |                                   |  | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  | 0.03                              | Tangelos                                       | (21 September 2                      |  |
| Saflufenacil  | 0.03                              | Tangerines                                     | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Tangors  | EMRL2010-1                           |  |
| Saflufenacil  | 0.03                              | Tart cherries                                  | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  | 0.03                              | Teosinte                                       | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  | 0.03                              |  | (21 September 2<br>EMRL2010-1        |  |
|   |                                   | Trifoliate oranges                             | (21 September 2                      |  |
| Saflufenacil  | 0.03                              | Triticale                                      | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Undelinted cotton seeds                        | EMRL2010-1<br>(21 September 2        |  |
| Saflufenacil  | 0.03                              | Uniq fruits                                    | EMRL2010-1                           |  |
| Saflufenacil  | 0.03                              | Wheat  | (21 September 2<br>EMRL2010-1        |  |
| Saflufenacil  | 0.03                              | Wild rice                                      | (21 September 2<br>EMRL2010-1        |  |
|   |                                   |  | (21 September 2                      |  |
| Sethoxydim  | 2.0                               | Artichokes                                     | Canada Gazette<br>Prior to 16 June 2 |  |
| Sethoxydim  | 0.5                               | Asparagus                                      | Canada Gazette                       |  |
| Sethoxydim  | 5.0                               | Beans  | Prior to 16 June 2<br>Canada Gazett  |  |
|   | 1 1                               |  | Prior to 16 June 2                   |  |

|                |                                   | distinct table on the MRL webpage | T   |
|----------------|-----------------------------------|-----------------------------------|---|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established V                         |
| Sethoxydim     | 0.5                               | Broccoli                          | Canada Gazette II Prior to 16 June 200    |
| Sethoxydim     | 2.0                               | Cabbages                          | Canada Gazette I                          |
| Sethoxydim     | 2.0                               | Cantalounos                       | Prior to 16 June 200<br>Canada Gazette I  |
| Semoxyaim      | 2.0                               | Cantaloupes                       | Prior to 16 June 200                      |
| Sethoxydim     | 0.1                               | Carrots                           | Canada Gazette I                          |
| Sethoxydim     | 1.0                               | Celery                            | Prior to 16 June 200<br>Canada Gazette I  |
| Sothovardim    | 0.5                               | Corn                              | Prior to 16 June 200<br>Canada Gazette I  |
| Sethoxydim     | 0.5                               | Com                               | Prior to 16 June 200                      |
| Sethoxydim     | 2.0                               | Cranberries                       | Canada Gazette I<br>Prior to 16 June 200  |
| Sethoxydim     | 1.0                               | Cucumbers                         | Canada Gazette I                          |
| Sethoxydim     | 10                                | Dry beans                         | Prior to 16 June 200<br>Canada Gazette II |
|                | 10                                | Dry beans                         | Prior to 16 June 200                      |
| Sethoxydim     | 2.0                               | Eggplants                         | Canada Gazette II<br>Prior to 16 June 200 |
| Sethoxydim     | 2.0                               | Eggs                              | Canada Gazette II                         |
| Sethoxydim     | 0.2                               | Flax                              | Prior to 16 June 200<br>Canada Gazette II |
| Setrioxydiiri  | 0.2                               | I IAA                             | Prior to 16 June 200                      |
| Sethoxydim     | 0.15                              | Garden beet roots                 | EMRL2010-18<br>(21 September 2010         |
| Sethoxydim     | 10                                | Grain lupin                       | EMRL2009-08                               |
| Sethoxydim     | 30                                | Lentils                           | (5 June 2009)<br>Canada Gazette II        |
| Setrioxydim    | 30                                | Lettuis                           | Prior to 16 June 200                      |
| Sethoxydim     | 1.0                               | Lettuce                           | Canada Gazette II<br>Prior to 16 June 200 |
| Sethoxydim     | 0.5                               | Liver of poultry                  | Canada Gazette II                         |
| Sethoxydim     | 0.2                               | Meat of poultry                   | Prior to 16 June 200<br>Canada Gazette II |
| Sethoxydim     | 0.2                               | ivieat of poultry                 | Prior to 16 June 200                      |
| Sethoxydim     | 2.0                               | Mustard                           | Canada Gazette II<br>Prior to 16 June 200 |
| Sethoxydim     | 2.0                               | Mustard greens                    | Canada Gazette II                         |
| Sethoxydim     | 0.2                               | Onions                            | Prior to 16 June 200<br>Canada Gazette II |
| Setrioxydiini  | 0.2                               | Officials                         | Prior to 16 June 200                      |
| Sethoxydim     | 12.5                              | Peanuts                           | EMRL2008-29<br>(14 November 2008          |
| Sethoxydim     | 10                                | Peas                              | Canada Gazette II                         |
| Sethoxydim     | 0.5                               | Peppers                           | Prior to 16 June 200<br>Canada Gazette II |
|                |                                   |                                   | Prior to 16 June 200                      |
| Sethoxydim     | 4.0                               | Potatoes                          | Canada Gazette II<br>Prior to 16 June 200 |
| Sethoxydim     | 1.0                               | Pumpkins                          | Canada Gazette II                         |
| Sethoxydim     | 5.0                               | Raspberries                       | Prior to 16 June 200<br>Canada Gazette II |
|                |                                   | ·                                 | Prior to 16 June 200                      |
| Sethoxydim     | 5.0                               | Soybeans                          | Canada Gazette II Prior to 16 June 200    |
| Sethoxydim     | 4.0                               | Spinach                           | EMRL2010-04                               |
| Sethoxydim     | 1.0                               | Squash                            | (3 June 2010)<br>Canada Gazette II        |
|                |                                   | ·                                 | Prior to 16 June 200                      |
| Sethoxydim     | 10                                | Strawberries                      | Canada Gazette II<br>Prior to 16 June 200 |
| Sethoxydim     | 7.0                               | Sunflowers                        | Canada Gazette II                         |
| Sethoxydim     | 15                                | Tomato paste                      | Prior to 16 June 200<br>Canada Gazette II |
| ·              |                                   | ·                                 | Prior to 16 June 200                      |
| Sethoxydim     | 4.0                               | Tomatoes                          | Canada Gazette II<br>Prior to 16 June 200 |
| Sethoxydim     | 0.2                               | Turnips                           | Canada Gazette II                         |
| S-Methoprene   | 0.05                              | Mushrooms                         | Prior to 16 June 200<br>Canada Gazette II |
| S_motolookles  | 0.1                               | African aggalente                 | Prior to 16 June 200<br>EMRL2011-24       |
| S-metolachlor  | U. I                              | African eggplants                 | (12 May 2011)                             |
| S-Metolachlor  | 0.1                               | Apples                            | Canada Gazette II                         |
| S-Metolachlor  | 0.1                               | Apricots                          | Prior to 16 June 200<br>Canada Gazette II |
| S. Motolookies | 0.1                               | Apparague                         | Prior to 16 June 200                      |
| S-Metolachlor  | 0.1                               | Asparagus                         | EMRL2011-13<br>(18 March 2011)            |
| S-metolachlor  | 0.1                               | Bell peppers                      | EMRL2011-24                               |
|                | 1                                 |                                   | (12 May 2011)                             |

|                  |                                   | stinct table on the MRL webpage |                                       |
|------------------|-----------------------------------|---------------------------------|---------------------------------------|
| Common Name      | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established                       |
| S-metolachlor    | 0.9                               | Broccoli raab                   | EMRL2011-24                           |
| S-metolachlor    | 0.1                               | Bush tomatoes                   | (12 May 2011)<br>EMRL2011-24          |
| S-Metolachlor    | 0.1                               | Cherries                        | (12 May 2011)<br>Canada Gazette       |
|                  |                                   |                                 | Prior to 16 June 20                   |
| S-metolachlor    | 0.1                               | Coconas                         | EMRL2011-24<br>(12 May 2011)          |
| S-metolachlor    | 0.9                               | Collards                        | EMRL2011-24                           |
| S-Metolachlor    | 0.1                               | Corn                            | (12 May 2011)<br>Canada Gazette       |
| S-metolachlor    | 0.1                               | Currant tomatoes                | Prior to 16 June 20<br>EMRL2011-24    |
|                  |                                   |                                 | (12 May 2011)                         |
| S-Metolachlor    | 0.3                               | Dry beans                       | Canada Gazette Prior to 16 June 20    |
| S-metolachlor    | 0.1                               | Eggplants                       | EMRL2011-24                           |
| S-Metolachlor    | 0.02                              | Eggs                            | (12 May 2011)<br>Canada Gazette       |
| S-Metolachlor    | 0.3                               | Garden beet roots               | Prior to 16 June 20<br>EMRL2011-10    |
|                  |                                   | Garden beer 100ts               | (16 March 2011)                       |
| S-Metolachlor    | 0.8                               | Garden beet tops                | EMRL2011-10<br>(16 March 2011)        |
| S-metolachlor    | 0.1                               | Garden huckleberries            | EMRL2011-24                           |
| S-metolachlor    | 0.1                               | Goji berries                    | (12 May 2011)<br>EMRL2011-24          |
| S-metolachlor    | 0.1                               | Groundcherries                  | (12 May 2011)<br>EMRL2011-24          |
| 5-metolachior    | 0.1                               | Groundchernes                   | (12 May 2011)                         |
| S-metolachlor    | 0.9                               | Kale                            | EMRL2011-24<br>(12 May 2011)          |
| S-Metolachlor    | 0.2                               | Kidney of cattle                | Canada Gazette                        |
| S-Metolachlor    | 0.3                               | Lima beans                      | Prior to 16 June 20<br>Canada Gazette |
| S-Metolachlor    | 0.05                              | Liver of cattle                 | Prior to 16 June 20                   |
| 5-ivietolacrilor | 0.05                              | Liver of Cattle                 | Canada Gazette Prior to 16 June 20    |
| S-Metolachlor    | 0.05                              | Liver of poultry                | Canada Gazette Prior to 16 June 20    |
| S-metolachlor    | 0.1                               | Martynias                       | EMRL2011-24                           |
| S-Metolachlor    | 0.02                              | Meat of cattle                  | (12 May 2011)<br>Canada Gazette       |
| O Matala aktar   | 0.02                              | Most of most                    | Prior to 16 June 20<br>Canada Gazette |
| S-Metolachlor    | 0.02                              | Meat of goats                   | Prior to 16 June 20                   |
| S-Metolachlor    | 0.02                              | Meat of hogs                    | Canada Gazette Prior to 16 June 20    |
| S-Metolachlor    | 0.02                              | Meat of poultry                 | Canada Gazette                        |
| S-Metolachlor    | 0.02                              | Meat of sheep                   | Prior to 16 June 20<br>Canada Gazette |
|                  |                                   |                                 | Prior to 16 June 20                   |
| S-Metolachlor    | 0.02                              | Milk                            | Canada Gazette Prior to 16 June 20    |
| S-metolachlor    | 0.9                               | Mustard greens                  | EMRL2011-24<br>(12 May 2011)          |
| S-metolachlor    | 0.9                               | Mustard spinach                 | EMRL2011-24                           |
| S-metolachlor    | 0.1                               | Naranjillas                     | (12 May 2011)<br>EMRL2011-24          |
| C motolophlor    | 0.1                               | Non hall pappara                | (12 May 2011)                         |
| S-metolachlor    | 0.1                               | Non-bell peppers                | EMRL2011-24<br>(12 May 2011)          |
| S-metolachlor    | 0.1                               | Okras                           | EMRL2011-24<br>(12 May 2011)          |
| S-metolachlor    | 0.1                               | Pea eggplants                   | EMRL2011-24                           |
| S-Metolachlor    | 0.1                               | Peaches/nectarines              | (12 May 2011)<br>Canada Gazette       |
|                  |                                   | Dooro                           | Prior to 16 June 20                   |
| S-Metolachlor    | 0.1                               | Pears                           | Canada Gazette<br>Prior to 16 June 20 |
| S-Metolachlor    | 0.3                               | Peas                            | Canada Gazette Prior to 16 June 20    |
| S-metolachlor    | 0.1                               | Pepinos                         | EMRL2011-24                           |
| S-Metolachlor    | 0.1                               | Plums                           | (12 May 2011)<br>Canada Gazette       |
|                  |                                   |                                 | Prior to 16 June 20                   |
| S-Metolachlor    | 0.2                               | Potatoes                        | Canada Gazette Prior to 16 June 20    |
| S-Metolachlor    | 0.1                               | Pumpkins                        | EMRL2008-35<br>(17 November 200       |
| S-metolachlor    | 0.9                               | Rape greens                     | EMRL2011-24                           |
| S-metolachlor    | 0.1                               | Roselles                        | (12 May 2011)<br>EMRL2011-24          |
| C                | ] "                               |                                 | (12 May 2011)                         |

|                            |                                   | distinct table on the MRL webpage | 1                                       |
|----------------------------|-----------------------------------|-----------------------------------|---|
| Common Name                | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established V                       |
| S-Metolachlor              | 0.1                               | Rutabagas                         | Canada Gazette                          |
| S-metolachlor              | 0.1                               | Scarlet eggplants                 | Prior to 16 June 20<br>EMRL2011-24      |
| S-Metolachlor              | 0.3                               | Snap beans                        | (12 May 2011)<br>Canada Gazette         |
|                            |                                   | ·                                 | Prior to 16 June 20                     |
| S-Metolachlor              | 0.2                               | Soybeans                          | Canada Gazette I<br>Prior to 16 June 20 |
| S-Metolachlor              | 0.3                               | Sugar beet roots                  | EMRL2008-01<br>(9 July 2008)            |
| S-metolachlor              | 0.1                               | Sunberries                        | EMRL2011-24                             |
| S-metolachlor              | 0.1                               | Tomatillos                        | (12 May 2011)<br>EMRL2011-24            |
| S-Metolachlor              | 0.1                               | Tomatoes                          | (12 May 2011)<br>Canada Gazette I       |
|                            |                                   |                                   | Prior to 16 June 20                     |
| S-metolachlor              | 0.1                               | Tree tomatoes                     | EMRL2011-25<br>(12 May 2011)            |
| S-Metolachlor              | 0.1                               | Winter squash                     | EMRL2008-35<br>(17 November 200         |
| Sodium acifluorfen         | 0.02                              | Dry soybeans                      | EMRL2008-11                             |
| Sodium orthophenyl phenate | 25                                | Apples                            | (8 August 2008)<br>Canada Gazette I     |
| Sodium orthophenyl phenate | 10                                | Bell peppers                      | Prior to 16 June 20<br>Canada Gazette I |
|                            |                                   |                                   | Prior to 16 June 20                     |
| Sodium orthophenyl phenate | 10                                | Cantaloupes (edible portion)      | Canada Gazette I<br>Prior to 16 June 20 |
| Sodium orthophenyl phenate | 20                                | Carrots                           | Canada Gazette I<br>Prior to 16 June 20 |
| Sodium orthophenyl phenate | 5.0                               | Cherries                          | Canada Gazette I                        |
| Sodium orthophenyl phenate | 10                                | Citrus fruits                     | Prior to 16 June 20<br>Canada Gazette I |
|                            | 10                                | Cucumbers                         | Prior to 16 June 20<br>Canada Gazette I |
| Sodium orthophenyl phenate |                                   |                                   | Prior to 16 June 20                     |
| Sodium orthophenyl phenate | 20                                | Peaches/nectarines                | Canada Gazette I<br>Prior to 16 June 20 |
| Sodium orthophenyl phenate | 25                                | Pears                             | Canada Gazette I<br>Prior to 16 June 20 |
| Sodium orthophenyl phenate | 10                                | Pineapples                        | Canada Gazette I                        |
| Sodium orthophenyl phenate | 20                                | Plums                             | Prior to 16 June 20<br>Canada Gazette I |
| Sodium orthophenyl phenate | 15                                | Sweet potato roots                | Prior to 16 June 20 Canada Gazette I    |
|                            |                                   | ·                                 | Prior to 16 June 20                     |
| Sodium orthophenyl phenate | 10                                | Tomatoes                          | Canada Gazette I<br>Prior to 16 June 20 |
| Sodium TCA                 | 0.5                               | Barley                            | Canada Gazette I<br>Prior to 16 June 20 |
| Sodium TCA                 | 0.5                               | Oats                              | Canada Gazette I                        |
| Spinetoram                 | 7.0                               | Amaranth                          | Prior to 16 June 20<br>EMRL2008-28      |
| Spinetoram                 | 0.4                               | Amur River grapes                 | (14 November 200<br>EMRL2008-28         |
|                            |                                   | <u> </u>                          | (14 November 200                        |
| Spinetoram                 | 0.1                               | Apples                            | EMRL2008-28<br>(14 November 200         |
| Spinetoram                 | 0.2                               | Apricots                          | EMRL2008-28<br>(14 November 200         |
| Spinetoram                 | 0.5                               | Aronia berries                    | EMRL2008-28                             |
| Spinetoram                 | 0.04                              | Arracacha                         | (14 November 200<br>EMRL2008-28         |
| Spinetoram                 | 0.04                              | Arrowroot                         | (14 November 200<br>EMRL2008-28         |
| <u> </u>                   |                                   |                                   | (14 November 200                        |
| Spinetoram                 | 7.0                               | Arugula                           | EMRL2008-28<br>(14 November 200         |
| Spinetoram                 | 0.1                               | Asian pears                       | EMRL2008-28<br>(14 November 200         |
| Spinetoram                 | 0.04                              | Asparagus                         | EMRL2008-28                             |
| Spinetoram                 | 0.3                               | Balsam apples                     | (14 November 200<br>EMRL2008-28         |
| Spinetoram                 | 0.3                               | Balsam pears                      | (14 November 200<br>EMRL2008-28         |
|                            |                                   | ·                                 | (14 November 200                        |
| Spinetoram                 | 0.1                               | Barley                            | EMRL2008-28<br>(14 November 200         |
| Spinetoram                 | 0.7                               | Bearberries                       | EMRL2008-28<br>(14 November 200         |
| Spinetoram                 | 0.2                               | Bell peppers                      | EMRL2008-28                             |
| Spinetoram                 | 0.7                               | Bilberries                        | (14 November 200<br>EMRL2008-28         |

|             |                                   | distinct table on the MRL webpage |                               |
|-------------|-----------------------------------|-----------------------------------|-------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established               |
| Spinetoram  | 0.1                               | Black salsify roots               | EMRL2008-2                    |
| Spinetoram  | 7.0                               | Black salsify tops                | (14 November 2<br>EMRL2008-2  |
| Spinetoram  | 0.5                               | Blackberries                      | (14 November 2<br>EMRL2008-2  |
|             |                                   |                                   | (14 November 2                |
| Spinetoram  | 7.0                               | Bok choy Chinese cabbages         | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 2.0                               | Broccoli                          | EMRL2008-2                    |
| Spinetoram  | 7.0                               | Broccoli raab                     | (14 November 2<br>EMRL2008-2  |
|             | 2.0                               | Dwissels severite                 | (14 November 2<br>EMRL2008-2  |
| Spinetoram  | 2.0                               | Brussels sprouts                  | (14 November 2                |
| Spinetoram  | 0.5                               | Buffalo currants                  | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 2.0                               | Cabbages                          | EMRL2008-2                    |
| Spinetoram  | 0.3                               | Calamondins                       | (14 November 2<br>EMRL2008-2  |
| •           | 0.2                               | Contolouros                       | (14 November 2                |
| Spinetoram  | 0.3                               | Cantaloupes                       | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 7.0                               | Cardoon                           | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 0.1                               | Carrot roots                      | EMRL2008-2                    |
| Spinetoram  | 7.0                               | Cassava leaves                    | (14 November 2<br>EMRL2008-2  |
|             |                                   |                                   | (14 November 2                |
| Spinetoram  | 0.04                              | Cassava roots                     | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 2.0                               | Cauliflower                       | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 0.1                               | Celeriac roots                    | EMRL2008-2                    |
| Spinetoram  | 7.0                               | Celeriac tops                     | (14 November 2<br>EMRL2008-2  |
|             |                                   |                                   | (14 November 2                |
| Spinetoram  | 7.0                               | Celery                            | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 7.0                               | Celtuce                           | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 0.3                               | Chayote fruit                     | EMRL2008-2                    |
| Spinetoram  | 0.04                              | Chayote roots                     | (14 November 2<br>EMRL2008-2  |
|             | 0.4                               | ·                                 | (14 November 2                |
| Spinetoram  | 0.1                               | Chicory roots                     | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 7.0                               | Chicory tops                      | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 0.5                               | Chilean guavas                    | EMRL2008-2                    |
| Spinetoram  | 0.04                              | Chinese artichokes                | (14 November 2<br>EMRL2008-2  |
| Spinetoram  | 2.0                               | Chinese broccoli                  | (14 November 2<br>EMRL2008-2  |
|             |                                   |                                   | (14 November 2                |
| Spinetoram  | 7.0                               | Chinese celery                    | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 0.3                               | Chinese cucumbers                 | EMRL2008-2                    |
| Spinetoram  | 2.0                               | Chinese mustard cabbages          | (14 November 2<br>EMRL2008-2  |
| Spinetoram  | 0.3                               | Chinese waxgourds                 | (14 November 2<br>EMRL2008-2  |
|             |                                   |                                   | (14 November 2                |
| Spinetoram  | 0.04                              | Chufa                             | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 0.3                               | Citron melons                     | EMRL2008-2                    |
| Spinetoram  | 0.3                               | Citrus citrons                    | (14 November 2<br>EMRL2008-2  |
| Spinetoram  | 0.3                               | Citrus hybrids                    | (14 November 2<br>EMRL2008-2  |
|             |                                   |                                   | (14 November 2                |
| Spinetoram  | 3.0                               | Citrus oil                        | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 0.7                               | Cloudberries                      | EMRL2008-2                    |
| Spinetoram  | 7.0                               | Collards                          | (14 November 2<br>EMRL2008-2  |
| Spinetoram  | 7.0                               | Corn salad                        | (14 November 2<br>EMRL2008-2  |
|             |                                   |                                   | (14 November 2                |
| Spinetoram  | 0.1                               | Crabapples                        | EMRL2008-2<br>(14 November 2  |
| Spinetoram  | 0.04                              | Cranberries                       | EMRL2008-2                    |
| Spinetoram  | 0.3                               | Cucumbers                         | (14 November 2)<br>EMRL2008-2 |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                |
|---|-----------------------------------|--|--------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                |
| Spinetoram  | 0.5                               | Currants   | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Dandelion leaves                                     | EMRL2008-28                    |
| Spinetoram  | 7.0                               | Dock   | (14 November 20<br>EMRL2008-28 |
|   |                                   |  | (14 November 20                |
| Spinetoram  | 0.04                              | Dry adzuki beans                                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry beans  | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Dry blackeyed peas                                   | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.04                              | Dry broad beans                                      | (14 November 20<br>EMRL2008-28 |
|   |                                   |  | (14 November 20                |
| Spinetoram  | 0.04                              | Dry catjang seeds                                    | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry chickpeas  | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry field peas                                       | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Dry guar seeds                                       | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.04                              | Dry kidney beans                                     | (14 November 20<br>EMRL2008-28 |
|   |                                   |  | (14 November 20                |
| Spinetoram  | 0.04                              | Dry lablab beans                                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry lentils  | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry lima beans                                       | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Dry moth beans                                       | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.04                              | Dry mung beans                                       | (14 November 20<br>EMRL2008-28 |
|   |                                   |  | (14 November 20                |
| Spinetoram  | 0.04                              | Dry navy beans                                       | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry pigeon peas                                      | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry pink beans                                       | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Dry pinto beans                                      | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.04                              | Dry rice beans                                       | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.04                              | Dry southern peas                                    | (14 November 20<br>EMRL2008-28 |
|   |                                   |  | (14 November 20                |
| Spinetoram  | 0.04                              | Dry soybeans   | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry tepary beans                                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Dry urd beans  | EMRL2008-28                    |
| Spinetoram  | 0.1                               | Edible burdock roots                                 | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 7.0                               | Edible burdock tops                                  | (14 November 20<br>EMRL2008-28 |
|   |                                   | ·  | (14 November 20                |
| Spinetoram  | 0.04                              | Edible canna   | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Edible gourds (other than those listed in this item) | EMRL2008-28                    |
| Spinetoram  | 7.0                               | Edible leaved chrysanthemum                          | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.3                               | Edible-podded dwarf peas                             | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.3                               | Edible-podded jackbeans                              | (14 November 20<br>EMRL2008-28 |
|   |                                   |  | (14 November 20                |
| Spinetoram  | 0.3                               | Edible-podded moth beans                             | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Edible-podded peas                                   | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Edible-podded pigeon peas                            | EMRL2008-28                    |
| Spinetoram  | 0.3                               | Edible-podded runner beans                           | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.3                               | Edible-podded snap beans                             | (14 November 20<br>EMRL2008-28 |
|   |                                   |  | (14 November 20                |
| Spinetoram  | 0.3                               | Edible-podded snow peas                              | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Edible-podded soybeans                               | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Edible-podded sugar snap peas                        | EMRL2008-28                    |
| Spinetoram  | 0.3                               | Edible-podded sword beans                            | (14 November 20<br>EMRL2008-28 |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |                                |
|---|-----------------------------------|---|--------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                          | MRL Established                |
| Spinetoram  | 0.3                               | Edible-podded wax beans                 | EMRL2008-28                    |
| Spinetoram  | 0.3                               | Edible-podded yardlong beans            | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.2                               | Eggplants                               | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 0.04                              | Eggs                                    | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.5                               | Elderberries                            | EMRL2008-28                    |
| Spinetoram  | 7.0                               | Endives                                 | (14 November 20<br>EMRL2008-28 |
|   | 0.5                               | Furanca harbaria                        | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.5                               | European barberries                     | (14 November 20                |
| Spinetoram  | 5.5                               | Fat of cattle                           | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 5.5                               | Fat of goats                            | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Fat of hogs                             | (14 November 20<br>EMRL2008-28 |
|   | F.F.                              | Fat of horses                           | (14 November 20                |
| Spinetoram  | 5.5                               | Fat of norses                           | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Fat of poultry                          | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 5.5                               | Fat of sheep                            | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Field corn                              | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 7.0                               | Fresh chervil leaves                    | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Fresh Florence fennel leaves and stalks | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Fresh parsley leaves                    | EMRL2008-28                    |
| Spinetoram  | 0.1                               | Garden beet roots                       | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 7.0                               | Garden beet tops                        | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Garden cress                            | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Garden purslane                         | EMRL2008-28                    |
| Spinetoram  | 7.0                               | Garland chrysanthemum                   | (14 November 20<br>EMRL2008-28 |
|   | 0.04                              | ·                                       | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.04                              | Ginger roots                            | (14 November 20                |
| Spinetoram  | 0.1                               | Ginseng roots                           | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.5                               | Gooseberries                            | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Grain Iupin                             | (14 November 20<br>EMRL2008-28 |
|   |                                   | ·                                       | (14 November 20                |
| Spinetoram  | 1.0                               | Grape juice                             | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Grapefruits                             | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.4                               | Grapes                                  | EMRL2008-28                    |
| Spinetoram  | 0.2                               | Groundcherries                          | (14 November 20<br>EMRL2008-28 |
|   | 0.4                               | Hordy kiwifruit                         | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.4                               | Hardy kiwifruit                         | (14 November 20                |
| Spinetoram  | 7.0                               | Head lettuce                            | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.5                               | Highbush blueberries                    | EMRL2008-28                    |
| Spinetoram  | 0.5                               | Honeysuckle                             | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 0.1                               | Horseradish roots                       | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.5                               | Huckleberries                           | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Jerusalem artichokes                    | EMRL2008-28                    |
| Spinetoram  | 0.5                               | Jostaberries                            | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 7.0                               | Kale                                    | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 2.0                               | Kohlrabi                                | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Kumquats                                | EMRL2008-28                    |
|   |                                   |   | (14 November 20                |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |                                |
|---|-----------------------------------|---|--------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established                |
| Spinetoram  | 0.3                               | Lemons  | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Lerens  | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.3                               | Limes   | (14 November 20<br>EMRL2008-28 |
| Spirietoram   | 0.3                               | Lines   | (14 November 20                |
| Spinetoram  | 0.7                               | Lingonberries                                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.85                              | Liver of cattle                                   | EMRL2008-28                    |
| Spinetoram  | 0.85                              | Liver of goats                                    | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 0.85                              | Liver of horses                                   | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.85                              | Liver of sheep                                    | EMRL2008-28                    |
| Spinetoram  | 0.5                               | Loganberries                                      | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.1                               | Loquats   | (14 November 20<br>EMRL2008-28 |
| Spirietoram   | 0.1                               | Loquais   | (14 November 20                |
| Spinetoram  | 0.5                               | Lowbush blueberries                               | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.1                               | Mayhaws   | EMRL2008-28                    |
| Spinetoram  | 0.4                               | Маурор  | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 0.6                               | Meat byproducts (except liver) of cattle          | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.6                               | Meat byproducts (except liver) of goats           | EMRL2008-28                    |
| Spinetoram  | 0.6                               | Meat byproducts (except liver) of horses          | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 0.6                               | Meat byproducts (except liver) of sheep           | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Meat byproducts of hogs                           | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Meat byproducts of poultry                        | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.2                               | Meat of cattle                                    | (14 November 20<br>EMRL2008-28 |
| Spirietoram   |                                   |   | (14 November 20                |
| Spinetoram  | 0.2                               | Meat of goats                                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Meat of hogs                                      | EMRL2008-28                    |
| Spinetoram  | 0.2                               | Meat of horses                                    | (14 November 20<br>EMRL2008-28 |
| Cainataram  | 0.04                              | Most of paulty.                                   | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.04                              | Meat of poultry                                   | (14 November 20                |
| Spinetoram  | 0.2                               | Meat of sheep                                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Milk  | EMRL2008-28                    |
| Spinetoram  | 7.5                               | Milk fat  | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 0.7                               | Muntries  | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Muskmelons (other than those listed in this item) | EMRL2008-28                    |
| Spinetoram  | 7.0                               | Mustard greens                                    | (14 November 20<br>EMRL2008-28 |
|   | 7.0                               | Mustand spinosh                                   | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 7.0                               | Mustard spinach                                   | (14 November 20                |
| Spinetoram  | 2.0                               | Napa Chinese cabbages                             | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.5                               | Native currants                                   | EMRL2008-28                    |
| Spinetoram  | 0.2                               | Nectarines  | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 7.0                               | New Zealand spinach                               | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.2                               | Non-bell peppers                                  | EMRL2008-28                    |
| Spinetoram  | 0.1                               | Oats  | (14 November 20<br>EMRL2008-28 |
|   |                                   |   | (14 November 20                |
| Spinetoram  | 0.2                               | Okras   | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Orach leaves                                      | EMRL2008-28                    |
| Spinetoram  | 0.3                               | Oranges   | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.1                               | Oriental radish roots                             | (14 November 20<br>EMRL2008-28 |
| Spirietoral11   | 0.1                               | Oriental radion 100ts                             | (14 November 20                |
| Spinetoram  | 7.0                               | Oriental radish tops                              | EMRL2008-28                    |

|             |                                   | distinct table on the MRL webpage | T                              |
|-------------|-----------------------------------|-----------------------------------|--------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                |
| Spinetoram  | 0.1                               | Parsnip roots                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.7                               | Partridgeberries                  | EMRL2008-28                    |
| Spinetoram  | 0.2                               | Peaches                           | (14 November 20<br>EMRL2008-28 |
| ·           |                                   |                                   | (14 November 20                |
| Spinetoram  | 0.1                               | Pears                             | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.2                               | Pepinos                           | EMRL2008-28                    |
| Spinetoram  | 0.2                               | Pepper hybrids                    | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.2                               | Plumcots                          | (14 November 20<br>EMRL2008-28 |
|             |                                   |                                   | (14 November 20                |
| Spinetoram  | 0.2                               | Plums                             | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Popcorn grain                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Potatoes                          | EMRL2008-28                    |
| Spinetoram  | 0.2                               | Prune plums                       | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.3                               | Pummelos                          | (14 November 20<br>EMRL2008-28 |
| ·           |                                   |                                   | (14 November 20                |
| Spinetoram  | 0.3                               | Pumpkins                          | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.1                               | Quinces                           | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Radicchio                         | EMRL2008-28                    |
| Spinetoram  | 0.1                               | Radish roots                      | (14 November 20<br>EMRL2008-28 |
| ·           |                                   |                                   | (14 November 20                |
| Spinetoram  | 7.0                               | Radish tops                       | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.7                               | Raisins                           | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Rape greens                       | EMRL2008-28                    |
| Spinetoram  | 0.5                               | Raspberries                       | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 7.0                               | Rhubarb                           | (14 November 20<br>EMRL2008-28 |
|             |                                   |                                   | (14 November 20                |
| Spinetoram  | 0.1                               | Rutabaga roots                    | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Rutabaga tops                     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.1                               | Rye                               | EMRL2008-28                    |
| Spinetoram  | 0.5                               | Salal berries                     | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.1                               | Salsify roots                     | (14 November 20<br>EMRL2008-28 |
|             |                                   |                                   | (14 November 20                |
| Spinetoram  | 0.5                               | Saskatoon berries (juneberries)   | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.3                               | Satsuma mandarins                 | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.4                               | Schisandra berries                | EMRL2008-28                    |
| Spinetoram  | 0.5                               | Sea buckthorn                     | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.1                               | Skirret roots                     | (14 November 20<br>EMRL2008-28 |
|             |                                   |                                   | (14 November 20                |
| Spinetoram  | 0.1                               | Spanish salsify roots             | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 7.0                               | Spinach                           | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.7                               | Strawberries                      | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Succulent shelled blackeyed peas  | (14 November 20<br>EMRL2008-28 |
|             |                                   |                                   | (14 November 20                |
| Spinetoram  | 0.04                              | Succulent shelled broad beans     | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Succulent shelled English peas    | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Succulent shelled garden peas     | EMRL2008-28                    |
| Spinetoram  | 0.04                              | Succulent shelled green peas      | (14 November 20<br>EMRL2008-28 |
| Spinetoram  | 0.04                              | Succulent shelled lima beans      | (14 November 20<br>EMRL2008-28 |
|             |                                   |                                   | (14 November 20                |
| Spinetoram  | 0.04                              | Succulent shelled peas            | EMRL2008-28<br>(14 November 20 |
| Spinetoram  | 0.04                              | Succulent shelled pigeon peas     | EMRL2008-28                    |

|               |                                   | in a distinct table on the MRL webpage         | 1 see                            |
|---------------|-----------------------------------|--|----------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established                  |
| Spinetoram    | 0.04                              | Succulent shelled southern peas                | EMRL2008-28                      |
| Spinetoram    | 0.1                               | Sugar beet roots                               | (14 November 20<br>EMRL2008-28   |
|               |                                   |  | (14 November 20                  |
| Spinetoram    | 0.3                               | Summer squash                                  | EMRL2008-28<br>(14 November 20   |
| Spinetoram    | 0.2                               | Sweet cherries                                 | EMRL2008-2                       |
| Spinetoram    | 0.04                              | Sweet corn kernels plus cob with husks removed | (14 November 20<br>EMRL2008-2    |
|               | 0.04                              | ·  | (14 November 20                  |
| Spinetoram    | 0.04                              | Sweet potato roots                             | EMRL2008-23<br>(14 November 20   |
| Spinetoram    | 7.0                               | Swiss chard                                    | EMRL2008-2                       |
| Spinetoram    | 0.3                               | Tangerines                                     | (14 November 20<br>EMRL2008-2    |
|               | 0.04                              |  | (14 November 20                  |
| Spinetoram    | 0.04                              | Tanier corms                                   | EMRL2008-2<br>(14 November 2     |
| Spinetoram    | 7.0                               | Tanier leaves                                  | EMRL2008-2                       |
| Spinetoram    | 0.04                              | Taro corms                                     | (14 November 20<br>EMRL2008-2    |
|               | 7.0                               | Taro leaves                                    | (14 November 20<br>EMRL2008-2    |
| Spinetoram    | 7.0                               | ı aro ıeaves                                   | EMRL2008-28<br>(14 November 20   |
| Spinetoram    | 0.2                               | Tart cherries                                  | EMRL2008-2                       |
| Spinetoram    | 0.2                               | Tomatillos                                     | (14 November 20<br>EMRL2008-2    |
| Onit of an an | 0.0                               | Townsteen                                      | (14 November 20                  |
| Spinetoram    | 0.2                               | Tomatoes                                       | EMRL2008-2<br>(14 November 20    |
| Spinetoram    | 0.04                              | True yam tubers                                | EMRL2008-2                       |
| Spinetoram    | 0.04                              | Turmeric roots                                 | (14 November 20<br>EMRL2008-2    |
|               | 0.4                               | Tombressets                                    | (14 November 2                   |
| Spinetoram    | 0.1                               | Turnip roots                                   | EMRL2008-2<br>(14 November 20    |
| Spinetoram    | 7.0                               | Turnip tops                                    | EMRL2008-2<br>(14 November 20    |
| Spinetoram    | 0.1                               | Turnip-rooted chervil roots                    | EMRL2008-2                       |
| Spinetoram    | 7.0                               | Turnip-rooted chervil tops                     | (14 November 20<br>EMRL2008-2    |
|               | 7.0                               |  | (14 November 20                  |
| Spinetoram    | 0.1                               | Turnip-rooted parsley roots                    | EMRL2008-23<br>(14 November 20   |
| Spinetoram    | 7.0                               | Upland cress                                   | EMRL2008-2                       |
| Spinetoram    | 7.0                               | Vine spinach                                   | (14 November 20<br>EMRL2008-2    |
|               |                                   | ·  | (14 November 20                  |
| Spinetoram    | 0.3                               | Watermelons                                    | EMRL2008-2<br>(14 November 2     |
| Spinetoram    | 0.3                               | West Indian gherkins                           | EMRL2008-2                       |
| Spinetoram    | 0.1                               | Wheat  | (14 November 2<br>EMRL2008-2     |
|               |                                   |  | (14 November 2                   |
| Spinetoram    | 0.5                               | Wild raspberries                               | EMRL2008-2<br>(14 November 20    |
| Spinetoram    | 7.0                               | Winter purslane                                | EMRL2008-2                       |
| Spinetoram    | 0.3                               | Winter squash                                  | (14 November 20<br>EMRL2008-2    |
| Spinetoram    | 0.04                              | Yam bean roots                                 | (14 November 2<br>EMRL2008-2     |
|               |                                   |  | (14 November 20                  |
| Spinosad      | 7.0                               | Amaranth                                       | EMRL2008-0<br>(9 July 2008)      |
| Spinosad      | 0.1                               | Apples   | Canada Gazett                    |
| Spinosad      | 0.2                               | Apricots                                       | Prior to 16 June 2<br>EMRL2008-0 |
| ·             |                                   | ·  | (9 July 2008)                    |
| Spinosad      | 0.02                              | Arracacha                                      | EMRL2008-0<br>(9 July 2008)      |
| Spinosad      | 0.02                              | Arrowroot                                      | EMRL2008-0                       |
| Spinosad      | 7.0                               | Arugula  | (9 July 2008)<br>EMRL2008-0      |
| ·             |                                   | <u> </u>                                       | (9 July 2008)                    |
| Spinosad      | 0.1                               | Asian pears                                    | EMRL2008-0<br>(9 July 2008)      |
| Spinosad      | 0.3                               | Balsam apples                                  | EMRL2008-0                       |
| Spinosad      | 0.3                               | Balsam pears                                   | (9 July 2008)<br>EMRL2008-0      |
|               |                                   | <u> </u>                                       | (9 July 2008)                    |
| Spinosad      | 1.5                               | Barley   | EMRL2008-03<br>(9 July 2008)     |
| Spinosad      | 0.2                               | Bell peppers                                   | EMRL2008-0                       |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                           |                              |
|---|-----------------------------------|---------------------------|------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity            | MRL Established \            |
| Spinosad  | 0.1                               | Black salsify roots       | EMRL2008-02                  |
| Spinosad  | 0.5                               | Blackberries              | (9 July 2008)<br>EMRL2008-02 |
| Spinoopd  | 0.5                               | Blueberries               | (9 July 2008)                |
| Spinosad  | 0.5                               | Blueberries               | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 7.0                               | Bok choy Chinese cabbages | EMRL2008-02                  |
| Spinosad  | 2.0                               | Broccoli                  | (9 July 2008)<br>EMRL2008-02 |
| Oningeral   | 7.0                               | December                  | (9 July 2008)                |
| Spinosad  | 7.0                               | Broccoli raab             | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 2.0                               | Brussels sprouts          | EMRL2008-02                  |
| Spinosad  | 1.5                               | Buckwheat                 | (9 July 2008)<br>EMRL2008-02 |
| Spinosad  | 2.0                               | Cabbages                  | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |                           | (9 July 2008)                |
| Spinosad  | 0.3                               | Calamondins               | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.3                               | Cantaloupes               | EMRL2008-02                  |
| Spinosad  | 7.0                               | Cardoon                   | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |                           | (9 July 2008)                |
| Spinosad  | 0.1                               | Carrot roots              | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.02                              | Cassava roots             | EMRL2008-02                  |
| Spinosad  | 2.0                               | Cauliflower               | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |                           | (9 July 2008)                |
| Spinosad  | 0.1                               | Celeriac roots            | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 7.0                               | Celery                    | EMRL2008-02                  |
| Spinosad  | 7.0                               | Celtuce                   | (9 July 2008)<br>EMRL2008-02 |
| Spinosad  | 0.3                               | Chayote fruit             | (9 July 2008)                |
| Spiriosau   | 0.3                               | Chayote muit              | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.02                              | Chayote roots             | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.1                               | Chicory roots             | EMRL2008-02                  |
| Spinosad  | 0.02                              | Chinese artichokes        | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Spinosad  | 2.0                               | Chinese broccoli          | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 7.0                               | Chinese celery            | EMRL2008-02                  |
| Spinosad  | 0.3                               | Chinese cucumbers         | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>  |                                   |                           | (9 July 2008)                |
| Spinosad  | 2.0                               | Chinese mustard cabbages  | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.3                               | Chinese waxgourds         | EMRL2008-02                  |
| Spinosad  | 0.2                               | Chokecherries             | (9 July 2008)<br>EMRL2008-02 |
| Spinosad  | 0.02                              | Chufa                     | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Spinosad  | 0.3                               | Citron melons             | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.3                               | Citrus citrons            | EMRL2008-02                  |
| Spinosad  | 0.3                               | Citrus hybrids            | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   | •                         | (9 July 2008)                |
| Spinosad  | 3.0                               | Citrus oil                | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 7.0                               | Collards                  | EMRL2008-02                  |
| Spinosad  | 7.0                               | Corn salad                | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Spinosad  | 0.1                               | Crabapples                | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.01                              | Cranberries               | EMRL2008-02                  |
| Spinosad  | 0.3                               | Cucumbers                 | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |                           | (9 July 2008)                |
| Spinosad  | 0.5                               | Currants                  | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 7.0                               | Dandelion leaves          | EMRL2008-02                  |
| Spinosad  | 7.0                               | Dock                      | (9 July 2008)<br>EMRL2008-02 |
| Spinosad  | 0.02                              | Dry odzuki boose          | (9 July 2008)                |
| opinosau  | 0.02                              | Dry adzuki beans          | EMRL2008-02<br>(9 July 2008) |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                              |
|--|-----------------------------------|--|------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established \            |
| Spinosad   | 0.02                              | Dry beans  | EMRL2008-02                  |
| Spinosad   | 0.02                              | Dry blackeyed peas                                   | (9 July 2008)<br>EMRL2008-02 |
| Spinosad   | 0.02                              | Dry broad beans                                      | (9 July 2008)<br>EMRL2008-02 |
| Spiriosad  | 0.02                              | Dry broad beans                                      | (9 July 2008)                |
| Spinosad   | 0.02                              | Dry catjang seeds                                    | EMRL2008-02                  |
| Spinosad   | 0.02                              | Dry chickpeas  | (9 July 2008)<br>EMRL2008-02 |
| Spinosad   | 0.02                              | Dry field peas                                       | (9 July 2008)<br>EMRL2008-02 |
|  | 0.02                              | Dry field peas                                       | (9 July 2008)                |
| Spinosad   | 0.02                              | Dry guar seeds                                       | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Dry kidney beans                                     | EMRL2008-02                  |
| Spinosad   | 0.02                              | Dry lablab beans                                     | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   | •  | (9 July 2008)                |
| Spinosad   | 0.02                              | Dry lentils  | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Dry lima beans                                       | EMRL2008-02                  |
| Spinosad   | 0.02                              | Dry moth beans                                       | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>   |                                   | <u>,                                      </u>       | (9 July 2008)                |
| Spinosad   | 0.02                              | Dry mung beans                                       | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Dry navy beans                                       | EMRL2008-02                  |
| Spinosad   | 0.02                              | Dry pigeon peas                                      | (9 July 2008)<br>EMRL2008-02 |
| Spinosad   | 0.02                              | Dry pink hoons                                       | (9 July 2008)<br>EMRL2008-02 |
| Spiriosau  | 0.02                              | Dry pink beans                                       | (9 July 2008)                |
| Spinosad   | 0.02                              | Dry pinto beans                                      | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Dry rice beans                                       | EMRL2008-02                  |
| Spinosad   | 0.02                              | Dry southern peas                                    | (9 July 2008)<br>EMRL2008-02 |
| ·  | 0.00                              |  | (9 July 2008)                |
| Spinosad   | 0.02                              | Dry soybeans   | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Dry tepary beans                                     | EMRL2008-02                  |
| Spinosad   | 0.02                              | Dry urd beans  | (9 July 2008)<br>EMRL2008-02 |
| Spinosad   | 0.1                               | Edible burdock roots                                 | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>   |                                   |  | (9 July 2008)                |
| Spinosad   | 0.02                              | Edible canna   | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.3                               | Edible gourds (other than those listed in this item) | EMRL2008-02                  |
| Spinosad   | 7.0                               | Edible leaved chrysanthemum                          | (9 July 2008)<br>EMRL2008-02 |
| Cainagad   | 0.3                               | Edible-podded dwarf peas                             | (9 July 2008)<br>EMRL2008-02 |
| Spinosad   | 0.3                               |  | (9 July 2008)                |
| Spinosad   | 0.3                               | Edible-podded jackbeans                              | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.3                               | Edible-podded moth beans                             | EMRL2008-02                  |
| Spinosad   | 0.3                               | Edible-podded peas                                   | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   |  | (9 July 2008)                |
| Spinosad   | 0.3                               | Edible-podded pigeon peas                            | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.3                               | Edible-podded runner beans                           | EMRL2008-02                  |
| Spinosad   | 0.3                               | Edible-podded snap beans                             | (9 July 2008)<br>EMRL2008-02 |
| Spinosad   | 0.3                               | Edible-podded snow peas                              | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>   |                                   |  | (9 July 2008)                |
| Spinosad   | 0.3                               | Edible-podded soybeans                               | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.3                               | Edible-podded sugar snap peas                        | EMRL2008-02                  |
| Spinosad   | 0.3                               | Edible-podded sword beans                            | (9 July 2008)<br>EMRL2008-02 |
| Spinosad   | 0.3                               | Edible-podded wax beans                              | (9 July 2008)                |
|  |                                   | ·  | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.3                               | Edible-podded yardlong beans                         | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.2                               | Eggplants  | EMRL2008-02                  |
| Spinosad   | 0.5                               | Elderberries   | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>   |                                   |  | (9 July 2008)                |
| Spinosad   | 7.0                               | Endives  | EMRL2008-02                  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |                              |
|---|-----------------------------------|---|------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                          | MRL Established \            |
| Spinosad  | 5.0                               | Fat of cattle                           | EMRL2008-02                  |
| Spinosad  | 5.0                               | Fat of goats                            | (9 July 2008)<br>EMRL2008-02 |
| Oninger   | 5.0                               | Established                             | (9 July 2008)                |
| Spinosad  | 5.0                               | Fat of hogs                             | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 5.0                               | Fat of horses                           | EMRL2008-02                  |
| Spinosad  | 5.0                               | Fat of sheep                            | (9 July 2008)<br>EMRL2008-02 |
|   |                                   | ·                                       | (9 July 2008)                |
| Spinosad  | 1.5                               | Field corn                              | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 7.0                               | Fresh chervil leaves                    | EMRL2008-02                  |
| Spinosad  | 7.0                               | Fresh Florence fennel leaves and stalks | (9 July 2008)<br>EMRL2008-02 |
|   | 7.0                               |   | (9 July 2008)                |
| Spinosad  | 7.0                               | Fresh parsley leaves                    | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.1                               | Garden beet roots                       | EMRL2008-02                  |
| Spinosad  | 7.0                               | Garden cress                            | (9 July 2008)<br>EMRL2008-02 |
| 0-1   | 7.0                               | Osadon avantos                          | (9 July 2008)                |
| Spinosad  | 7.0                               | Garden purslane                         | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 7.0                               | Garland chrysanthemum                   | EMRL2008-02                  |
| Spinosad  | 0.02                              | Ginger roots                            | (9 July 2008)<br>EMRL2008-02 |
| ·   |                                   |   | (9 July 2008)                |
| Spinosad  | 0.1                               | Ginseng roots                           | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.2                               | Globe artichokes                        | EMRL2008-02                  |
| Spinosad  | 0.5                               | Gooseberries                            | (9 July 2008)<br>EMRL2008-02 |
| 0-1   | 0.00                              | Opering housing                         | (9 July 2008)                |
| Spinosad  | 0.02                              | Grain lupin                             | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 1.0                               | Grape juice                             | EMRL2008-02                  |
| Spinosad  | 0.3                               | Grapefruits                             | (9 July 2008)<br>EMRL2008-02 |
| Spinosad  | 0.4                               | Grapes                                  | (9 July 2008)<br>EMRL2008-02 |
|   | 0.4                               | Grapes                                  | (9 July 2008)                |
| Spinosad  | 0.2                               | Groundcherries                          | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 7.0                               | Head lettuce                            | EMRL2008-02                  |
| Spinosad  | 0.1                               | Horseradish roots                       | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |   | (9 July 2008)                |
| Spinosad  | 0.5                               | Huckleberries                           | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.02                              | Jerusalem artichokes                    | EMRL2008-02                  |
| Spinosad  | 7.0                               | Kale                                    | (9 July 2008)<br>EMRL2008-02 |
|   |                                   |   | (9 July 2008)                |
| Spinosad  | 2.0                               | Kohlrabi                                | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.3                               | Kumquats                                | EMRL2008-02                  |
| Spinosad  | 7.0                               | Leaf lettuce                            | (9 July 2008)<br>EMRL2008-02 |
| Caineand  | 0.2                               |   | (9 July 2008)                |
| Spinosad  | 0.3                               | Lemons                                  | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.02                              | Lerens                                  | EMRL2008-02                  |
| Spinosad  | 0.3                               | Limes                                   | (9 July 2008)<br>EMRL2008-02 |
| Spinosad  | 0.5                               | Lawanhawina                             | (9 July 2008)<br>EMRL2008-02 |
| Spiriosad   | 0.5                               | Loganberries                            | (9 July 2008)                |
| Spinosad  | 0.1                               | Loquats                                 | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.1                               | Mayhaws                                 | EMRL2008-02                  |
| Spinosad  | 1.0                               | Meat byproducts of cattle               | (9 July 2008)<br>EMRL2008-02 |
|   |                                   | ••                                      | (9 July 2008)                |
| Spinosad  | 1.0                               | Meat byproducts of goats                | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 1.0                               | Meat byproducts of hogs                 | EMRL2008-02                  |
| Spinosad  | 1.0                               | Meat byproducts of horses               | (9 July 2008)<br>EMRL2008-02 |
|   | 1.0                               |   | (9 July 2008)                |
| Spinosad  | 1.0                               | Meat byproducts of sheep                | EMRL2008-02<br>(9 July 2008) |
| Spinosad  | 0.2                               | Meat of cattle                          | EMRL2008-02                  |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |   |
|--|-----------------------------------|---|---|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established V                         |
| Spinosad   | 0.2                               | Meat of goats                                     | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.2                               | Meat of hogs                                      | EMRL2008-02                               |
| Chinanad   | 0.2                               | Meat of horses                                    | (9 July 2008)                             |
| Spinosad   | 0.2                               | Meat of norses                                    | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.2                               | Meat of sheep                                     | EMRL2008-02                               |
| Spinosad   | 0.5                               | Milk  | (9 July 2008)<br>EMRL2008-02              |
| Online and   | 47                                | Mailly Co.  | (9 July 2008)                             |
| Spinosad   | 17                                | Milk fat  | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.3                               | Muskmelons (other than those listed in this item) | EMRL2008-02                               |
| Spinosad   | 7.0                               | Mustard greens                                    | (9 July 2008)<br>EMRL2008-02              |
|  |                                   |   | (9 July 2008)                             |
| Spinosad   | 7.0                               | Mustard spinach                                   | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 2.0                               | Napa Chinese cabbages                             | EMRL2008-02                               |
| Spinosad   | 0.2                               | Nectarines  | (9 July 2008)<br>EMRL2008-02              |
| ·  |                                   |   | (9 July 2008)                             |
| Spinosad   | 7.0                               | New Zealand spinach                               | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.2                               | Non-bell peppers                                  | EMRL2008-02                               |
| Spinosad   | 1.5                               | Oats  | (9 July 2008)<br>EMRL2008-02              |
|  |                                   |   | (9 July 2008)                             |
| Spinosad   | 7.0                               | Orach leaves                                      | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.3                               | Oranges   | EMRL2008-02                               |
| Spinosad   | 0.1                               | Oriental radish roots                             | (9 July 2008)<br>EMRL2008-02              |
|  |                                   |   | (9 July 2008)                             |
| Spinosad   | 0.1                               | Parsnip roots                                     | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.2                               | Peaches   | EMRL2008-02                               |
| Spinosad   | 1.5                               | Pearl millet                                      | (9 July 2008)<br>EMRL2008-02              |
|  |                                   |   | (9 July 2008)                             |
| Spinosad   | 0.1                               | Pears   | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.2                               | Pepinos   | EMRL2008-02                               |
| Spinosad   | 0.2                               | Pepper hybrids                                    | (9 July 2008)<br>EMRL2008-02              |
| ·  |                                   |   | (9 July 2008)                             |
| Spinosad   | 0.2                               | Plumcots  | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.2                               | Plums   | EMRL2008-02                               |
| Spinosad   | 1.5                               | Popcorn grain                                     | (9 July 2008)<br>EMRL2008-02              |
|  |                                   |   | (9 July 2008)                             |
| Spinosad   | 0.02                              | Potatoes  | Canada Gazette II<br>Prior to 16 June 200 |
| Spinosad   | 1.5                               | Proso millet                                      | EMRL2008-02                               |
| Spinosad   | 0.2                               | Prune plums                                       | (9 July 2008)<br>EMRL2008-02              |
|  |                                   | ·   | (9 July 2008)                             |
| Spinosad   | 0.3                               | Pummelos  | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.3                               | Pumpkins  | EMRL2008-02                               |
| Spinosad   | 0.1                               | Quinces   | (9 July 2008)<br>EMRL2008-02              |
| ·  |                                   |   | (9 July 2008)                             |
| Spinosad   | 7.0                               | Radicchio   | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.1                               | Radish roots                                      | EMRL2008-02                               |
| Spinosad   | 0.7                               | Raisins   | (9 July 2008)<br>EMRL2008-02              |
|  |                                   |   | (9 July 2008)                             |
| Spinosad   | 7.0                               | Rape greens                                       | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.5                               | Raspberries                                       | EMRL2008-02                               |
| Spinosad   | 7.0                               | Rhubarb   | (9 July 2008)<br>EMRL2008-02              |
|  |                                   |   | (9 July 2008)                             |
| Spinosad   | 1.5                               | Rice  | EMRL2008-02<br>(9 July 2008)              |
| Spinosad   | 0.1                               | Rutabaga roots                                    | EMRL2008-02                               |
| Spinosad   | 1.5                               | Rye   | (9 July 2008)<br>EMRL2008-02              |
| ·  |                                   | ·   | (9 July 2008)                             |
| Spinosad   | 0.1                               | Salsify roots                                     | EMRL2008-02                               |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                              |
|--|-----------------------------------|--|------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established \            |
| Spinosad   | 0.3                               | Satsuma mandarins                              | EMRL2008-02                  |
| Spinosad   | 0.1                               | Skirret roots                                  | (9 July 2008)<br>EMRL2008-02 |
| Coincord   | 4.5                               | Country  | (9 July 2008)                |
| Spinosad   | 1.5                               | Sorghum  | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.1                               | Spanish salsify roots                          | EMRL2008-02                  |
| Spinosad   | 7.0                               | Spinach  | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   | ·  | (9 July 2008)                |
| Spinosad   | 0.7                               | Strawberries                                   | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Succulent shelled blackeyed peas               | EMRL2008-02                  |
| Spinosad   | 0.02                              | Succulent shelled broad beans                  | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   |  | (9 July 2008)                |
| Spinosad   | 0.02                              | Succulent shelled English peas                 | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Succulent shelled garden peas                  | EMRL2008-02                  |
| Spinosad   | 0.02                              | Succulent shelled green peas                   | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   |  | (9 July 2008)                |
| Spinosad   | 0.02                              | Succulent shelled lima beans                   | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Succulent shelled peas                         | EMRL2008-02                  |
| Spinosad   | 0.02                              | Succulent shelled pigeon peas                  | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   |  | (9 July 2008)                |
| Spinosad   | 0.02                              | Succulent shelled southern peas                | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.1                               | Sugar beet roots                               | EMRL2008-02                  |
| Spinosad   | 0.3                               | Summer squash                                  | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   | ·  | (9 July 2008)                |
| Spinosad   | 0.2                               | Sweet cherries                                 | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 1.5                               | Sweet corn kernels plus cob with husks removed | EMRL2008-02                  |
| Spinosad   | 0.02                              | Sweet potato roots                             | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   | ·  | (9 July 2008)                |
| Spinosad   | 7.0                               | Swiss chard                                    | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.3                               | Tangerines                                     | EMRL2008-02                  |
| Spinosad   | 0.02                              | Tanier corms                                   | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   |  | (9 July 2008)                |
| Spinosad   | 0.02                              | Taro corms                                     | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.2                               | Tart cherries                                  | EMRL2008-02                  |
| Spinosad   | 1.5                               | Teosinte                                       | (9 July 2008)<br>EMRL2008-02 |
|  |                                   |  | (9 July 2008)                |
| Spinosad   | 0.2                               | Tomatillos                                     | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.2                               | Tomatoes                                       | EMRL2008-02                  |
| Spinosad   | 1.5                               | Triticale                                      | (9 July 2008)<br>EMRL2008-02 |
|  |                                   |  | (9 July 2008)                |
| Spinosad   | 0.02                              | True yam tubers                                | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.02                              | Turmeric roots                                 | EMRL2008-02                  |
| Spinosad   | 0.1                               | Turnip roots                                   | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   | ·  | (9 July 2008)                |
| Spinosad   | 0.1                               | Turnip-rooted chervil roots                    | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.1                               | Turnip-rooted parsley roots                    | EMRL2008-02                  |
| Spinosad   | 7.0                               | Upland cress                                   | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   | ·  | (9 July 2008)                |
| Spinosad   | 7.0                               | Vine spinach                                   | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 0.3                               | Watermelons                                    | EMRL2008-02                  |
| Spinosad   | 0.3                               | West Indian gherkins                           | (9 July 2008)<br>EMRL2008-02 |
| ·  |                                   |  | (9 July 2008)                |
| Spinosad   | 1.5                               | Wheat  | EMRL2008-02<br>(9 July 2008) |
| Spinosad   | 1.5                               | Wild rice                                      | EMRL2008-02                  |
| Spinosad   | 7.0                               | Winter purslane                                | (9 July 2008)<br>EMRL2008-02 |
| <u> </u>   |                                   |  | (9 July 2008)                |
| Spinosad   | 0.3                               | Winter squash                                  | EMRL2008-02                  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                           |                               |
|---|-----------------------------------|---------------------------|-------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity            | MRL Established V             |
| Spinosad  | 0.02                              | Yam bean roots            | EMRL2008-02                   |
| Spirodiclofen   | 0.1                               | Almonds                   | (9 July 2008)<br>EMRL2008-02  |
| Cuirodialatan   | 0.0                               | Apples                    | (9 July 2008)                 |
| Spirodiclofen   | 0.8                               | Apples                    | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 1.0                               | Apricots                  | EMRL2008-02                   |
| Spirodiclofen   | 0.8                               | Asian pears               | (9 July 2008)<br>EMRL2008-02  |
| ·   |                                   | ·                         | (9 July 2008)                 |
| Spirodiclofen   | 0.1                               | Beechnuts                 | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.1                               | Black walnuts             | EMRL2008-02                   |
| Spirodiclofen   | 0.1                               | Brazil nuts               | (9 July 2008)<br>EMRL2008-02  |
|   |                                   |                           | (9 July 2008)                 |
| Spirodiclofen   | 0.1                               | Butternuts                | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.5                               | Calamondins               | EMRL2008-02                   |
| Spirodiclofen   | 0.1                               | Cashew nuts               | (9 July 2008)<br>EMRL2008-02  |
| ·   |                                   |                           | (9 July 2008)                 |
| Spirodiclofen   | 0.1                               | Chestnuts                 | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.1                               | Chinquapins               | EMRL2008-02                   |
| Spirodiclofen   | 0.5                               | Citrus citrons            | (9 July 2008)<br>EMRL2008-02  |
| ·   |                                   |                           | (9 July 2008)                 |
| Spirodiclofen   | 0.5                               | Citrus hybrids            | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.6                               | Citrus juice              | EMRL2008-02                   |
| Spirodiclofen   | 20                                | Citrus oil                | (9 July 2008)<br>EMRL2008-02  |
| ·   |                                   |                           | (9 July 2008)                 |
| Spirodiclofen   | 0.8                               | Crabapples                | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.1                               | English walnuts           | EMRL2008-02                   |
| Spirodiclofen   | 0.02                              | Fat of cattle             | (9 July 2008)<br>EMRL2008-02  |
| ·   |                                   |                           | (9 July 2008)                 |
| Spirodiclofen   | 0.02                              | Fat of goats              | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.02                              | Fat of horses             | EMRL2008-02                   |
| Spirodiclofen   | 0.02                              | Fat of sheep              | (9 July 2008)<br>EMRL2008-02  |
| <u> </u>  | 0.02                              | ·                         | (9 July 2008)                 |
| Spirodiclofen   | 0.1                               | Filberts                  | EMRL2008-02                   |
| Spirodiclofen   | 2.4                               | Grape juice               | (9 July 2008)<br>EMRL2008-02  |
| Spirodiclofop   | 0.5                               | Grapefruits               | (9 July 2008)<br>EMRL2008-02  |
| Spirodiclofen   | 0.3                               | Graperiuis                | (9 July 2008)                 |
| Spirodiclofen   | 2.0                               | Grapes                    | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.1                               | Hickory nuts              | EMRL2008-02                   |
| Spirodiclofen   | 40                                | Hops (dried)              | (9 July 2008)<br>EMRL2011-30  |
| <u> </u>  |                                   |                           | (16 May 2011)                 |
| Spirodiclofen   | 0.5                               | Kumquats                  | EMRL2008-02<br>(9. July 2008) |
| Spirodiclofen   | 0.5                               | Lemons                    | (9 July 2008)<br>EMRL2008-02  |
| Spirodiclofen   | 0.5                               | Limes                     | (9 July 2008)<br>EMRL2008-02  |
| <u> </u>  |                                   |                           | (9 July 2008)                 |
| Spirodiclofen   | 0.8                               | Loquats                   | EMRL2008-02<br>(9.July 2008)  |
| Spirodiclofen   | 0.1                               | Macadamia nuts            | (9 July 2008)<br>EMRL2008-02  |
| Spirodiclofen   | 0.8                               | Mayhaws                   | (9 July 2008)<br>EMRL2008-02  |
| <u> </u>  |                                   | ·                         | (9 July 2008)                 |
| Spirodiclofen   | 0.1                               | Meat byproducts of cattle | EMRL2008-02                   |
| Spirodiclofen   | 0.1                               | Meat byproducts of goats  | (9 July 2008)<br>EMRL2008-02  |
| Spiradialafaa   | 0.1                               |                           | (9 July 2008)                 |
| Spirodiclofen   | 0.1                               | Meat byproducts of horses | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.1                               | Meat byproducts of sheep  | EMRL2008-02                   |
| Spirodiclofen   | 0.02                              | Meat of cattle            | (9 July 2008)<br>EMRL2008-02  |
|   |                                   |                           | (9 July 2008)                 |
| Spirodiclofen   | 0.02                              | Meat of goats             | EMRL2008-02<br>(9 July 2008)  |
| Spirodiclofen   | 0.02                              | Meat of horses            | EMRL2008-02                   |

|                |                                   | distinct table on the MRL webpage | 1                               |
|----------------|-----------------------------------|-----------------------------------|---------------------------------|
| Common Name    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                 |
| Spirodiclofen  | 0.02                              | Meat of sheep                     | EMRL2008-02                     |
| Spirodiclofen  | 0.01                              | Milk                              | (9 July 2008)<br>EMRL2008-02    |
| <u> </u>       |                                   |                                   | (9 July 2008)                   |
| Spirodiclofen  | 0.03                              | Milk fat                          | EMRL2008-02<br>(9 July 2008)    |
| Spirodiclofen  | 1.0                               | Nectarines                        | EMRL2008-02                     |
| Spirodiclofen  | 0.5                               | Oranges                           | (9 July 2008)<br>EMRL2008-02    |
| Spirodicioleri | 0.5                               | Oranges                           | (9 July 2008)                   |
| Spirodiclofen  | 1.0                               | Peaches                           | EMRL2008-02                     |
| Spirodiclofen  | 0.8                               | Pears                             | (9 July 2008)<br>EMRL2008-02    |
| Oning distance | 0.4                               | Pressure                          | (9 July 2008)                   |
| Spirodiclofen  | 0.1                               | Pecans                            | EMRL2008-02<br>(9 July 2008)    |
| Spirodiclofen  | 0.1                               | Pistachios                        | EMRL2008-02                     |
| Spirodiclofen  | 1.0                               | Plumcots                          | (9 July 2008)<br>EMRL2008-02    |
| <u> </u>       | ·                                 |                                   | (9 July 2008)                   |
| Spirodiclofen  | 1.0                               | Plums                             | EMRL2008-02<br>(9 July 2008)    |
| Spirodiclofen  | 1.0                               | Prune plums                       | EMRL2008-02                     |
| Spirodialofon  | 0.5                               | Pummelos                          | (9 July 2008)<br>EMRL2008-02    |
| Spirodiclofen  | 0.5                               | Fullifields                       | (9 July 2008)                   |
| Spirodiclofen  | 0.8                               | Quinces                           | EMRL2008-02                     |
| Spirodiclofen  | 4.0                               | Raisins                           | (9 July 2008)<br>EMRL2008-02    |
| ·              |                                   |                                   | (9 July 2008)                   |
| Spirodiclofen  | 0.5                               | Satsuma mandarins                 | EMRL2008-02<br>(9 July 2008)    |
| Spirodiclofen  | 1.0                               | Sweet cherries                    | EMRL2008-02                     |
| Spirodiclofen  | 0.5                               | Tangerines                        | (9 July 2008)<br>EMRL2008-02    |
|                |                                   |                                   | (9 July 2008)                   |
| Spirodiclofen  | 1.0                               | Tart cherries                     | EMRL2008-02<br>(9 July 2008)    |
| Spiromesifen   | 12                                | Amaranth                          | EMRL2008-17                     |
| Spiromesifen   | 0.02                              | Arracacha                         | (29 August 2008)<br>EMRL2008-17 |
| Spiromesilen   | 0.02                              | Alfacacila                        | (29 August 2008)                |
| Spiromesifen   | 0.02                              | Arrowroot                         | EMRL2008-17                     |
| Spiromesifen   | 12                                | Arugula                           | (29 August 2008)<br>EMRL2008-17 |
| Caironnaitea   | 0.4                               | Deleam apples                     | (29 August 2008)                |
| Spiromesifen   | 0.1                               | Balsam apples                     | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen   | 0.1                               | Balsam pears                      | EMRL2008-17                     |
| Spiromesifen   | 0.03                              | Barley                            | (29 August 2008)<br>EMRL2008-17 |
|                |                                   |                                   | (29 August 2008)                |
| Spiromesifen   | 0.45                              | Bell peppers                      | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen   | 12                                | Bok choy Chinese cabbages         | EMRL2008-17                     |
| Spiromesifen   | 2.0                               | Broccoli                          | (29 August 2008)<br>EMRL2008-17 |
|                | 2.0                               | 2,000011                          | (29 August 2008)                |
| Spiromesifen   | 12                                | Broccoli raab                     | EMRL2008-17                     |
| Spiromesifen   | 2.0                               | Brussels sprouts                  | (29 August 2008)<br>EMRL2008-17 |
| Spiromooife=   | 2.0                               | Cobbogoo                          | (29 August 2008)                |
| Spiromesifen   | 2.0                               | Cabbages                          | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen   | 0.1                               | Cantaloupes                       | EMRL2008-17                     |
| Spiromesifen   | 0.02                              | Cassava roots                     | (29 August 2008)<br>EMRL2008-17 |
| <u> </u>       |                                   |                                   | (29 August 2008)                |
| Spiromesifen   | 2.0                               | Cauliflower                       | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen   | 0.1                               | Chayote fruit                     | EMRL2008-17                     |
| Spiromesifen   | 0.02                              | Chayote roots                     | (29 August 2008)<br>EMRL2008-17 |
|                | 0.02                              | Chayole 100is                     | (29 August 2008)                |
| Spiromesifen   | 0.6                               | Cherry tomatoes                   | EMRL2008-17                     |
| Spiromesifen   | 0.02                              | Chinese artichokes                | (29 August 2008)<br>EMRL2008-17 |
|                |                                   |                                   | (29 August 2008)                |
| Spiromesifen   | 2.0                               | Chinese broccoli                  | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen   | 0.1                               | Chinese cucumbers                 | EMRL2008-17                     |
| Spiromesifen   |                                   | Ohiman                            | (29 August 2008)                |
|                | 2.0                               | Chinese mustard cabbages          | EMRL2008-17                     |

|              |                                   | in a distinct table on the MRL webpage               |                                 |
|--------------|-----------------------------------|--|---------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established \               |
| Spiromesifen | 0.1                               | Chinese waxgourds                                    | EMRL2008-17                     |
| Spiromesifen | 0.02                              | Chufa  | (29 August 2008)<br>EMRL2008-17 |
| Spiromesifen | 0.1                               | Citron melons  | (29 August 2008)<br>EMRL2008-17 |
| Spiromestien | 0.1                               | Cition meions  | (29 August 2008)                |
| Spiromesifen | 12                                | Collards   | EMRL2008-17                     |
| Spiromesifen | 12                                | Corn salad   | (29 August 2008)<br>EMRL2008-17 |
| Caisamasifan | 0.2                               | Cucumbers  | (29 August 2008)                |
| Spiromesifen | 0.2                               | Cucumbers  | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 12                                | Dandelion leaves                                     | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 12                                | Dock   | EMRL2008-17                     |
| Spiromesifen | 0.02                              | Dry adzuki beans                                     | (29 August 2008)<br>EMRL2011-29 |
|              |                                   | •  | (16 May 2011)                   |
| Spiromesifen | 0.02                              | Dry beans  | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.02                              | Dry blackeyed peas                                   | EMRL2011-29                     |
| Spiromesifen | 0.02                              | Dry broad beans                                      | (16 May 2011)<br>EMRL2011-29    |
|              |                                   | ·  | (16 May 2011)                   |
| Spiromesifen | 0.02                              | Dry catjang seeds                                    | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.02                              | Dry chickpeas  | EMRL2011-29                     |
| Spiromesifen | 0.02                              | Dry cowpea seeds                                     | (16 May 2011)<br>EMRL2011-29    |
|              |                                   |  | (16 May 2011)                   |
| Spiromesifen | 0.02                              | Dry guar seeds                                       | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.02                              | Dry kidney beans                                     | EMRL2011-29                     |
| Spiromesifen | 0.02                              | Dry lablab beans                                     | (16 May 2011)<br>EMRL2011-29    |
|              | 0.00                              | ·  | (16 May 2011)                   |
| Spiromesifen | 0.02                              | Dry lima beans                                       | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.02                              | Dry moth beans                                       | EMRL2011-29                     |
| Spiromesifen | 0.02                              | Dry mung beans                                       | (16 May 2011)<br>EMRL2011-29    |
| Spiromesifen | 0.02                              | Dry navy beans                                       | (16 May 2011)<br>EMRL2011-29    |
|              |                                   |  | (16 May 2011)                   |
| Spiromesifen | 0.02                              | Dry pink beans                                       | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.02                              | Dry pinto beans                                      | EMRL2011-29                     |
| Spiromesifen | 0.02                              | Dry rice beans                                       | (16 May 2011)<br>EMRL2011-29    |
| ·            |                                   | ·  | (16 May 2011)                   |
| Spiromesifen | 0.02                              | Dry southern peas                                    | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.02                              | Dry tepary beans                                     | EMRL2011-29                     |
| Spiromesifen | 0.02                              | Dry urd beans  | (16 May 2011)<br>EMRL2011-29    |
| Spiromesifen | 0.02                              | Edible canna   | (16 May 2011)<br>EMRL2008-17    |
| Spiromesilen | 0.02                              |  | (29 August 2008)                |
| Spiromesifen | 0.1                               | Edible gourds (other than those listed in this item) | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 12                                | Edible leaved chrysanthemum                          | EMRL2008-17                     |
| Spiromesifen | 0.8                               | Edible-podded jackbeans                              | (29 August 2008)<br>EMRL2011-29 |
|              |                                   |  | (16 May 2011)                   |
| Spiromesifen | 0.8                               | Edible-podded moth beans                             | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.8                               | Edible-podded runner beans                           | EMRL2011-29                     |
| Spiromesifen | 0.8                               | Edible-podded snap beans                             | (16 May 2011)<br>EMRL2011-29    |
|              |                                   | · · ·  | (16 May 2011)                   |
| Spiromesifen | 0.8                               | Edible-podded soybeans                               | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.8                               | Edible-podded sword beans                            | EMRL2011-29                     |
| Spiromesifen | 0.8                               | Edible-podded wax beans                              | (16 May 2011)<br>EMRL2011-29    |
|              |                                   | ·  | (16 May 2011)                   |
| Spiromesifen | 0.8                               | Edible-podded yardlong beans                         | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen | 0.45                              | Eggplants  | EMRL2008-17                     |
| Spiromesifen | 12                                | Endives  | (29 August 2008)<br>EMRL2008-17 |
| Spiromesifen | 0.05                              | Fat of cattle  | (29 August 2008)<br>EMRL2008-17 |
| Spiromesiten | 0.05                              | Fat Of Gattle  | (29 August 2008)                |

|              |                                   | in a distinct table on the MRL webpage            |                                 |
|--------------|-----------------------------------|---|---------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established \               |
| Spiromesifen | 0.05                              | Fat of goats                                      | EMRL2008-17                     |
| Spiromesifen | 0.05                              | Fat of horses                                     | (29 August 2008)<br>EMRL2008-17 |
| Spiromesifen | 0.05                              | Fat of sheep                                      | (29 August 2008)<br>EMRL2008-17 |
|              |                                   | ·   | (29 August 2008)                |
| Spiromesifen | 0.02                              | Field corn  | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 12                                | Fresh chervil leaves                              | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 12                                | Fresh parsley leaves                              | EMRL2008-17                     |
| Spiromesifen | 12                                | Garden cress                                      | (29 August 2008)<br>EMRL2008-17 |
| Spiromesifen | 12                                | Garden purslane                                   | (29 August 2008)<br>EMRL2008-17 |
|              |                                   | ·   | (29 August 2008)                |
| Spiromesifen | 12                                | Garland chrysanthemum                             | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.02                              | Ginger roots                                      | EMRL2008-17                     |
| Spiromesifen | 0.02                              | Grain lupin                                       | (29 August 2008)<br>EMRL2011-29 |
| Spiromesifen | 0.45                              | Groundcherries                                    | (16 May 2011)<br>EMRL2008-17    |
|              |                                   |   | (29 August 2008)                |
| Spiromesifen | 12                                | Head lettuce                                      | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.02                              | Jerusalem artichokes                              | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 12                                | Kale  | EMRL2008-17                     |
| Spiromesifen | 2.0                               | Kohlrabi  | (29 August 2008)<br>EMRL2008-17 |
|              | 12                                | Leaf lettuce                                      | (29 August 2008)                |
| Spiromesifen | 12                                | Lear rettuce                                      | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.02                              | Lerens  | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.05                              | Meat byproducts of cattle                         | EMRL2008-17                     |
| Spiromesifen | 0.05                              | Meat byproducts of goats                          | (29 August 2008)<br>EMRL2008-17 |
| Spiromesifen | 0.05                              | Meat byproducts of horses                         | (29 August 2008)<br>EMRL2008-17 |
|              |                                   | ···   | (29 August 2008)                |
| Spiromesifen | 0.05                              | Meat byproducts of sheep                          | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.01                              | Meat of cattle                                    | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.01                              | Meat of goats                                     | EMRL2008-17                     |
| Spiromesifen | 0.01                              | Meat of horses                                    | (29 August 2008)<br>EMRL2008-17 |
| Spiromesifen | 0.01                              | Most of choop                                     | (29 August 2008)<br>EMRL2008-17 |
|              | 0.01                              | Meat of sheep                                     | (29 August 2008)                |
| Spiromesifen | 0.005                             | Milk  | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.1                               | Milk fat  | EMRL2008-17                     |
| Spiromesifen | 0.1                               | Muskmelons (other than those listed in this item) | (29 August 2008)<br>EMRL2008-17 |
| Spiromesifen | 12                                | Mustard greens                                    | (29 August 2008)<br>EMRL2008-17 |
|              |                                   |   | (29 August 2008)                |
| Spiromesifen | 12                                | Mustard spinach                                   | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 2.0                               | Napa Chinese cabbages                             | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 12                                | New Zealand spinach                               | EMRL2008-17                     |
| Spiromesifen | 0.45                              | Non-bell peppers                                  | (29 August 2008)<br>EMRL2008-17 |
|              |                                   |   | (29 August 2008)                |
| Spiromesifen | 12                                | Orach leaves                                      | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.45                              | Pepinos   | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 0.45                              | Pepper hybrids                                    | EMRL2008-17                     |
| Spiromesifen | 0.02                              | Potatoes  | (29 August 2008)<br>EMRL2008-17 |
|              |                                   |   | (29 August 2008)<br>EMRL2008-17 |
| Spiromesifen | 0.1                               | Pumpkins  | (29 August 2008)                |
| Spiromesifen | 12                                | Radicchio   | EMRL2008-17<br>(29 August 2008) |
| Spiromesifen | 12                                | Rape greens                                       | EMRL2008-17                     |
| Spiromesifen | 12                                | Spinach   | (29 August 2008)<br>EMRL2008-17 |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                                       |                                 |
|---|-----------------------------------|---------------------------------------|---------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                        | MRL Established                 |
| Spiromesifen  | 2.0                               | Strawberries                          | EMRL2008-17                     |
| Spiromesifen  | 0.1                               | Succulent shelled blackeyed peas      | (29 August 2008<br>EMRL2011-29  |
| Cairomanifon  | 0.1                               | Cussilent shalled broad beaus         | (16 May 2011)                   |
| Spiromesifen  | 0.1                               | Succulent shelled broad beans         | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen  | 0.1                               | Succulent shelled cowpeas             | EMRL2011-29                     |
| Spiromesifen  | 0.1                               | Succulent shelled lima beans          | (16 May 2011)<br>EMRL2011-29    |
|   |                                   |                                       | (16 May 2011)                   |
| Spiromesifen  | 0.1                               | Succulent shelled southern peas       | EMRL2011-29<br>(16 May 2011)    |
| Spiromesifen  | 0.03                              | Sugar beet roots                      | EMRL2008-17                     |
| Spiromesifen  | 0.1                               | Summer squash                         | (29 August 2008<br>EMRL2008-17  |
|   |                                   |                                       | (29 August 2008                 |
| Spiromesifen  | 0.02                              | Sweet potato roots                    | EMRL2008-17<br>(29 August 2008  |
| Spiromesifen  | 0.02                              | Tanier corms                          | EMRL2008-17                     |
| Spiromesifen  | 0.02                              | Taro corms                            | (29 August 2008<br>EMRL2008-17  |
| 0-1   | 0.45                              | Topodillo                             | (29 August 2008                 |
| Spiromesifen  | 0.45                              | Tomatillos                            | EMRL2008-17<br>(29 August 2008  |
| Spiromesifen  | 0.6                               | Tomato paste                          | EMRL2008-17                     |
| Spiromesifen  | 0.45                              | Tomatoes (except cherry tomatoes)     | (29 August 2008<br>EMRL2008-17  |
|   |                                   |                                       | (29 August 2008                 |
| Spiromesifen  | 0.02                              | True yam tubers                       | EMRL2008-17<br>(29 August 2008  |
| Spiromesifen  | 0.02                              | Turmeric roots                        | EMRL2008-17                     |
| Spiromesifen  | 12                                | Upland cress                          | (29 August 2008<br>EMRL2008-17  |
|   | - 10                              | ·                                     | (29 August 2008                 |
| Spiromesifen  | 12                                | Vine spinach                          | EMRL2008-17<br>(29 August 2008  |
| Spiromesifen  | 0.1                               | Watermelons                           | EMRL2008-17                     |
| Spiromesifen  | 0.1                               | West Indian gherkins                  | (29 August 2008<br>EMRL2008-17  |
|   |                                   |                                       | (29 August 2008                 |
| Spiromesifen  | 0.03                              | Wheat                                 | EMRL2008-17<br>(29 August 2008  |
| Spiromesifen  | 12                                | Winter purslane                       | EMRL2008-17                     |
| Spiromesifen  | 0.1                               | Winter squash                         | (29 August 2008<br>EMRL2008-17  |
| Cairomanifon  | 0.00                              | Yam bean roots                        | (29 August 2008                 |
| Spiromesifen  | 0.02                              | ram bean roots                        | EMRL2008-17<br>(29 August 2008  |
| Spirotetramat   | 0.25                              | Almonds                               | EMRL2008-36                     |
| Spirotetramat   | 9.0                               | Amaranth                              | (17 November 200<br>EMRL2008-36 |
|   | 1.2                               | Amus Diver grance                     | (17 November 200                |
| Spirotetramat   | 1.3                               | Amur River grapes                     | EMRL2008-36<br>(17 November 200 |
| Spirotetramat   | 0.7                               | Apples                                | EMRL2008-36                     |
| Spirotetramat   | 4.5                               | Apricots                              | (17 November 200<br>EMRL2008-36 |
| Spirotetramat   | 0.6                               | Arracacha                             | (17 November 200<br>EMRL2008-36 |
| орновенанав   |                                   | Alfacacita                            | (17 November 200                |
| Spirotetramat   | 0.6                               | Arrowroot                             | EMRL2008-36<br>(17 November 200 |
| Spirotetramat   | 9.0                               | Arugula                               | EMRL2008-36                     |
| Spirotetramat   | 0.7                               | Asian pears                           | (17 November 200<br>EMRL2008-36 |
| орновенанав   | 0.7                               | Asian pears                           | (17 November 200                |
| Spirotetramat   | 0.3                               | Balsam apples                         | EMRL2008-36<br>(17 November 200 |
| Spirotetramat   | 0.3                               | Balsam pears                          | EMRL2008-36                     |
| Spirotetramat   | 0.25                              | Beechnuts                             | (17 November 200<br>EMRL2008-36 |
|   |                                   |                                       | (17 November 200                |
| Spirotetramat   | 2.5                               | Bell peppers                          | EMRL2008-36<br>(17 November 200 |
| Spirotetramat   | 0.25                              | Black walnuts                         | EMRL2008-36                     |
| Spirotetramat   | 8.0                               | Bok choy Chinese cabbages             | (17 November 200<br>EMRL2008-36 |
|   |                                   | · · · · · · · · · · · · · · · · · · · | (17 November 200                |
| Spirotetramat   | 0.25                              | Brazil nuts                           | EMRL2008-36<br>(17 November 200 |
| Spirotetramat   | 2.5                               | Broccoli                              | EMRL2008-36                     |
| Cnirotot-a-a-t  | 8.0                               | Proceed read                          | (17 November 200                |
| Spirotetramat   | 8.0                               | Broccoli raab                         | EMRL2008-36<br>(17 November 200 |

|               |                                   | in a distinct table on the MRL webpage               | 1                               |
|---------------|-----------------------------------|--|---------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                 |
| Spirotetramat | 2.5                               | Brussels sprouts                                     | EMRL2008-36                     |
| Spirotetramat | 0.25                              | Butternuts   | (17 November 200<br>EMRL2008-36 |
| Spirotetramat | 2.5                               | Cabbages   | (17 November 200<br>EMRL2008-36 |
|               |                                   | •  | (17 November 20                 |
| Spirotetramat | 0.6                               | Calamondins  | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 0.3                               | Cantaloupes  | EMRL2008-36                     |
| Spirotetramat | 9.0                               | Cardoon  | (17 November 20)<br>EMRL2008-36 |
| Spirotetramat | 0.25                              | Cashew nuts  | (17 November 20)<br>EMRL2008-36 |
|               |                                   |  | (17 November 20                 |
| Spirotetramat | 0.6                               | Cassava roots  | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 2.5                               | Cauliflower  | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 9.0                               | Celery   | EMRL2008-36                     |
| Spirotetramat | 9.0                               | Celtuce  | (17 November 200<br>EMRL2008-36 |
| Spirototromot | 0.3                               | Chayote fruit  | (17 November 20<br>EMRL2008-36  |
| Spirotetramat | 0.3                               | Chayote Iruit  | (17 November 20                 |
| Spirotetramat | 0.6                               | Chayote roots  | EMRL2008-36<br>(17 November 200 |
| Spirotetramat | 0.25                              | Chestnuts  | EMRL2008-36                     |
| Spirotetramat | 0.6                               | Chinese artichokes                                   | (17 November 200<br>EMRL2008-36 |
| Spirotetramat | 2.5                               | Chinese broccoli                                     | (17 November 20)<br>EMRL2008-36 |
|               |                                   |  | (17 November 20                 |
| Spirotetramat | 9.0                               | Chinese celery                                       | EMRL2008-36<br>(17 November 200 |
| Spirotetramat | 0.3                               | Chinese cucumbers                                    | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 2.5                               | Chinese mustard cabbages                             | EMRL2008-36                     |
| Spirotetramat | 0.3                               | Chinese waxgourds                                    | (17 November 200<br>EMRL2008-36 |
| Spirotetramat | 0.25                              | Chinquapins  | (17 November 200<br>EMRL2008-36 |
| ,             |                                   |  | (17 November 20                 |
| Spirotetramat | 0.6                               | Chufa  | EMRL2008-36<br>(17 November 200 |
| Spirotetramat | 0.3                               | Citron melons  | EMRL2008-36<br>(17 November 200 |
| Spirotetramat | 0.6                               | Citrus citrons                                       | EMRL2008-36                     |
| Spirotetramat | 0.6                               | Citrus hybrids                                       | (17 November 20)<br>EMRL2008-36 |
| Spirotetramat | 6.0                               | Citrus oil   | (17 November 20)<br>EMRL2008-36 |
|               |                                   |  | (17 November 200                |
| Spirotetramat | 8.0                               | Collards   | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 9.0                               | Corn salad   | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 0.7                               | Crabapples   | EMRL2008-36                     |
| Spirotetramat | 0.3                               | Cucumbers  | (17 November 20)<br>EMRL2008-36 |
| Spirotetramat | 9.0                               | Dandelion leaves                                     | (17 November 20<br>EMRL2008-36  |
| <u> </u>      |                                   |  | (17 November 20                 |
| Spirotetramat | 9.0                               | Dock   | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 0.3                               | Dry bulb onions                                      | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 0.6                               | Edible canna   | EMRL2008-36                     |
| Spirotetramat | 0.3                               | Edible gourds (other than those listed in this item) | (17 November 200<br>EMRL2008-36 |
|               |                                   |  | (17 November 200                |
| Spirotetramat | 9.0                               | Edible leaved chrysanthemum                          | EMRL2008-36<br>(17 November 200 |
| Spirotetramat | 2.5                               | Eggplants  | EMRL2008-36<br>(17 November 200 |
| Spirotetramat | 9.0                               | Endives  | EMRL2008-36                     |
| Spirotetramat | 0.25                              | English walnuts                                      | (17 November 20<br>EMRL2008-36  |
| Spirotetramat | 0.02                              | Fat of cattle  | (17 November 200<br>EMRL2008-36 |
|               |                                   |  | (17 November 200                |
| Spirotetramat | 0.02                              | Fat of goats   | EMRL2008-36<br>(17 November 20  |
| Spirotetramat | 0.02                              | Fat of horses  | EMRL2008-36                     |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |                                |
|---|-----------------------------------|---|--------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established                |
| Spirotetramat   | 0.02                              | Fat of sheep                                      | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 0.25                              | Filberts  | EMRL2008-36                    |
| Spirotetramat   | 9.0                               | Fresh chervil leaves                              | (17 November 20<br>EMRL2008-36 |
|   |                                   |   | (17 November 20                |
| Spirotetramat   | 9.0                               | Fresh Florence fennel leaves and stalks           | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 9.0                               | Fresh parsley leaves                              | EMRL2008-36                    |
| Spirotetramat   | 9.0                               | Garden cress                                      | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 9.0                               | Garden purslane                                   | (17 November 20<br>EMRL2008-36 |
|   |                                   | ·   | (17 November 20                |
| Spirotetramat   | 9.0                               | Garland chrysanthemum                             | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 0.6                               | Ginger roots                                      | EMRL2008-36                    |
| Spirotetramat   | 1.3                               | Gooseberries                                      | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 0.6                               | Grapefruits                                       | (17 November 20<br>EMRL2008-36 |
|   |                                   | ·   | (17 November 20                |
| Spirotetramat   | 1.3                               | Grapes  | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 2.5                               | Groundcherries                                    | EMRL2008-36                    |
| Spirotetramat   | 1.3                               | Hardy kiwifruit                                   | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 9.0                               | Head lettuce                                      | (17 November 20<br>EMRL2008-36 |
|   |                                   |   | (17 November 20                |
| Spirotetramat   | 0.25                              | Hickory nuts                                      | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 10                                | Hops (dried)                                      | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 0.6                               | Jerusalem artichokes                              | EMRL2008-36                    |
| Spirotetramat   | 8.0                               | Kale  | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 2.5                               | Kohlrabi  | (17 November 20<br>EMRL2008-36 |
|   |                                   |   | (17 November 20                |
| Spirotetramat   | 0.6                               | Kumquats  | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 9.0                               | Leaf lettuce                                      | EMRL2008-36                    |
| Spirotetramat   | 0.6                               | Lemons  | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 0.6                               | Lerens  | (17 November 20<br>EMRL2008-36 |
|   | 0.0                               | Limas   | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 0.6                               | Limes   | (17 November 20                |
| Spirotetramat   | 0.7                               | Loquats   | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 0.25                              | Macadamia nuts                                    | EMRL2008-36                    |
| Spirotetramat   | 0.7                               | Mayhaws   | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 1.3                               | Маурор  | (17 November 20<br>EMRL2008-36 |
|   |                                   |   | (17 November 20                |
| Spirotetramat   | 0.02                              | Meat byproducts of cattle                         | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 0.02                              | Meat byproducts of goats                          | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 0.02                              | Meat byproducts of horses                         | EMRL2008-36                    |
| Spirotetramat   | 0.02                              | Meat byproducts of sheep                          | (17 November 20<br>EMRL2008-36 |
| <u> </u>  |                                   |   | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 0.02                              | Meat of cattle                                    | (17 November 20                |
| Spirotetramat   | 0.02                              | Meat of goats                                     | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 0.02                              | Meat of horses                                    | EMRL2008-36                    |
| Spirotetramat   | 0.02                              | Meat of sheep                                     | (17 November 20<br>EMRL2008-36 |
| Spirotetramat   | 0.01                              | Milk  | (17 November 20<br>EMRL2008-36 |
|   |                                   |   | (17 November 20                |
| Spirotetramat   | 0.3                               | Muskmelons (other than those listed in this item) | EMRL2008-36<br>(17 November 20 |
| Spirotetramat   | 8.0                               | Mustard greens                                    | EMRL2008-36                    |
| Spirotetramat   | 8.0                               | Mustard spinach                                   | (17 November 20<br>EMRL2008-36 |
|   |                                   |   | (17 November 20                |

|                 |                                   | stinct table on the MRL webpage | 4451 E 1101                    |
|-----------------|-----------------------------------|---------------------------------|--------------------------------|
| Common Name     | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established                |
| Spirotetramat   | 4.5                               | Nectarines                      | EMRL2008-3                     |
| Spirotetramat   | 9.0                               | New Zealand spinach             | (17 November 20<br>EMRL2008-3  |
| Coinstatus most | 2.5                               | New hall papears                | (17 November 20                |
| Spirotetramat   | 2.5                               | Non-bell peppers                | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 9.0                               | Orach leaves                    | EMRL2008-3                     |
| Spirotetramat   | 0.6                               | Oranges                         | (17 November 20<br>EMRL2008-3  |
|                 |                                   |                                 | (17 November 20                |
| Spirotetramat   | 4.5                               | Peaches                         | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 0.7                               | Pears                           | EMRL2008-3                     |
| Spirotetramat   | 0.25                              | Pecans                          | (17 November 20<br>EMRL2008-3  |
| Coinstatus most | 2.5                               | Denines                         | (17 November 20<br>EMRL2008-30 |
| Spirotetramat   | 2.5                               | Pepinos                         | (17 November 20                |
| Spirotetramat   | 2.5                               | Pepper hybrids                  | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 0.25                              | Pistachios                      | EMRL2008-3                     |
| Spirotetramat   | 4.5                               | Plumcots                        | (17 November 20<br>EMRL2008-3  |
|                 |                                   |                                 | (17 November 20                |
| Spirotetramat   | 4.5                               | Plums                           | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 1.6                               | Potato flakes                   | EMRL2008-3                     |
| Spirotetramat   | 0.6                               | Potatoes                        | (17 November 20<br>EMRL2008-3  |
|                 |                                   |                                 | (17 November 20                |
| Spirotetramat   | 4.5                               | Prune plums                     | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 0.6                               | Pummelos                        | EMRL2008-3                     |
| Spirotetramat   | 0.3                               | Pumpkins                        | (17 November 20<br>EMRL2008-3  |
| Spirotetramat   | 0.7                               | Quinces                         | (17 November 20<br>EMRL2008-3  |
| · ·             |                                   |                                 | (17 November 20                |
| Spirotetramat   | 9.0                               | Radicchio                       | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 3.0                               | Raisins                         | EMRL2008-3                     |
| Spirotetramat   | 8.0                               | Rape greens                     | (17 November 20<br>EMRL2008-3  |
| Spirotetramat   | 9.0                               | Rhubarb                         | (17 November 20<br>EMRL2008-3  |
| Spirotetramat   | 9.0                               | Itilubalb                       | (17 November 20                |
| Spirotetramat   | 0.6                               | Satsuma mandarins               | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 1.3                               | Schisandra berries              | EMRL2008-3                     |
| Spirotetramat   | 9.0                               | Spinach                         | (17 November 20<br>EMRL2008-3  |
|                 |                                   | ·                               | (17 November 2                 |
| Spirotetramat   | 0.4                               | Strawberries                    | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 0.3                               | Summer squash                   | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 4.5                               | Sweet cherries                  | EMRL2008-3                     |
| Spirotetramat   | 0.6                               | Sweet potato roots              | (17 November 20<br>EMRL2008-3  |
|                 |                                   | ·                               | (17 November 2                 |
| Spirotetramat   | 9.0                               | Swiss chard                     | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 0.6                               | Tangerines                      | EMRL2008-3                     |
| Spirotetramat   | 0.6                               | Tanier corms                    | (17 November 20<br>EMRL2008-3  |
| · ·             |                                   |                                 | (17 November 20<br>EMRL2008-3  |
| Spirotetramat   | 0.6                               | Taro corms                      | (17 November 2                 |
| Spirotetramat   | 4.5                               | Tart cherries                   | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 2.5                               | Tomatillos                      | EMRL2008-3                     |
| Spirotetramat   | 2.5                               | Tomatoes                        | (17 November 20<br>EMRL2008-3  |
|                 |                                   |                                 | (17 November 20                |
| Spirotetramat   | 0.6                               | True yam tubers                 | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 0.6                               | Turmeric roots                  | EMRL2008-3<br>(17 November 20  |
| Spirotetramat   | 9.0                               | Upland cress                    | EMRL2008-3                     |
| Spirotetramat   | 9.0                               | Vine spinach                    | (17 November 20<br>EMRL2008-3  |
|                 |                                   |                                 | (17 November 2                 |
| Spirotetramat   | 0.3                               | Watermelons                     | EMRL2008-3                     |

|                   |                                   | stinct table on the MRL webpage |                                   |
|-------------------|-----------------------------------|---------------------------------|-----------------------------------|
| Common Name       | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established                   |
| Spirotetramat     | 0.3                               | West Indian gherkins            | EMRL2008-36                       |
| Spirotetramat     | 9.0                               | Winter purslane                 | (17 November 200<br>EMRL2008-36   |
| Spirotetramat     | 0.3                               | Winter squash                   | (17 November 200<br>EMRL2008-36   |
| Spirotetramat     | 0.3                               | willer squasii                  | (17 November 200                  |
| Spirotetramat     | 0.6                               | Yam bean roots                  | EMRL2008-36<br>(17 November 200   |
| Sulfentrazone     | 0.15                              | Asparagus                       | EMRL2011-01                       |
| Sulfentrazone     | 0.2                               | Cabbages                        | (14 March 2011)<br>EMRL2011-01    |
| Sulfentrazone     | 0.15                              | Dry adzuki beans                | (14 March 2011)<br>EMRL2011-01    |
|                   |                                   |                                 | (14 March 2011)                   |
| Sulfentrazone     | 0.15                              | Dry beans                       | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.15                              | Dry blackeyed peas              | EMRL2011-01                       |
| Sulfentrazone     | 0.15                              | Dry broad beans                 | (14 March 2011)<br>EMRL2011-01    |
| Sulfentrazone     | 0.15                              | Dry catjang seeds               | (14 March 2011)<br>EMRL2011-01    |
| Suileritrazorie   |                                   |                                 | (14 March 2011)                   |
| Sulfentrazone     | 0.15                              | Dry chickpeas                   | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.15                              | Dry cowpea seeds                | EMRL2011-01                       |
| Sulfentrazone     | 0.15                              | Dry field peas                  | (14 March 2011)<br>EMRL2011-01    |
| Sulfentrazone     | 0.15                              | Dry quar seeds                  | (14 March 2011)<br>EMRL2011-01    |
| Suileritrazorie   | 0.15                              | Dry guar seeds                  | (14 March 2011)                   |
| Sulfentrazone     | 0.15                              | Dry kidney beans                | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.15                              | Dry lablab beans                | EMRL2011-01                       |
| Sulfentrazone     | 0.15                              | Dry lentils                     | (14 March 2011)<br>EMRL2011-01    |
| Sulfentrazone     | 0.15                              | Dry lima beans                  | (14 March 2011)<br>EMRL2011-01    |
|                   |                                   | •                               | (14 March 2011)                   |
| Sulfentrazone     | 0.15                              | Dry moth beans                  | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.15                              | Dry mung beans                  | EMRL2011-01                       |
| Sulfentrazone     | 0.15                              | Dry navy beans                  | (14 March 2011)<br>EMRL2011-01    |
| Sulfentrazone     | 0.15                              | Dry pigeon peas                 | (14 March 2011)<br>EMRL2011-01    |
|                   |                                   |                                 | (14 March 2011)                   |
| Sulfentrazone     | 0.15                              | Dry pink beans                  | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.15                              | Dry pinto beans                 | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.15                              | Dry rice beans                  | EMRL2011-01                       |
| Sulfentrazone     | 0.15                              | Dry southern peas               | (14 March 2011)<br>EMRL2011-01    |
|                   |                                   | •                               | (14 March 2011)                   |
| Sulfentrazone     | 0.05                              | Dry soybeans                    | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.15                              | Dry tepary beans                | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.15                              | Dry urd beans                   | EMRL2011-01                       |
| Sulfentrazone     | 0.15                              | Grain lupin                     | (14 March 2011)<br>EMRL2011-01    |
| Sulfentrazone     | 0.2                               | Horseradish roots               | (14 March 2011)<br>EMRL2011-01    |
|                   |                                   |                                 | (14 March 2011)                   |
| Sulfentrazone     | 0.3                               | Peppermint tops                 | EMRL2011-01<br>(14 March 2011)    |
| Sulfentrazone     | 0.3                               | Spearmint tops                  | EMRL2011-01                       |
| Sulfentrazone     | 0.2                               | Sunflower seeds                 | (14 March 2011)<br>EMRL2011-01    |
| Sulfosulfuron     | 0.02                              | Wheat                           | (14 March 2011)<br>Canada Gazette |
|                   |                                   |                                 | Prior to 16 June 20               |
| Sulfuryl fluoride | 0.04                              | Almonds                         | EMRL2009-25<br>(6 November 2009   |
| Sulfuryl fluoride | 0.01                              | Dates                           | EMRL2008-02                       |
| Sulfuryl fluoride | 0.05                              | Dried figs                      | (9 July 2008)<br>EMRL2008-02      |
| Sulfuryl fluoride | 0.03                              | Dried prune plums               | (9 July 2008)<br>EMRL2008-02      |
|                   |                                   |                                 | (9 July 2008)                     |
| Sulfuryl fluoride | 0.03                              | Field corn                      | EMRL2008-02<br>(9 July 2008)      |
| Sulfuryl fluoride | 3.0                               | Pecans                          | EMRL2008-02                       |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                       |
|---|-----------------------------------|--|---------------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established                       |
| Sulfuryl fluoride   | 0.3                               | Pistachios                                     | EMRL2008-02<br>(9 July 2008)          |
| Sulfuryl fluoride   | 0.01                              | Raisins  | EMRL2009-25                           |
| Sulfuryl fluoride   | 0.03                              | Rice   | (6 November 2009<br>EMRL2008-02       |
| <u> </u>  |                                   |  | (9 July 2008)                         |
| Sulfuryl fluoride   | 0.1                               | Wheat  | EMRL2008-02<br>(9 July 2008)          |
| Tau fluvalinate   | 0.02                              | Honey  | EMRL2011-13                           |
| Tebuconazole  | 0.03                              | Bananas  | (18 March 2011)<br>Canada Gazette     |
| Tebuconazole  | 0.01                              | Barley   | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |  | Prior to 16 June 20                   |
| Tebuconazole  | 3.0                               | Cherries                                       | Canada Gazette<br>Prior to 16 June 20 |
| Tebuconazole  | 0.1                               | Eggs   | Canada Gazette                        |
| Tebuconazole  | 5.0                               | Grapes   | Prior to 16 June 20<br>Canada Gazette |
| Tebuconazole  | 0.2                               | Meat byproducts of cattle                      | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |  | Prior to 16 June 20                   |
| Tebuconazole  | 0.2                               | Meat byproducts of goats                       | Canada Gazette Prior to 16 June 20    |
| Tebuconazole  | 0.2                               | Meat byproducts of hogs                        | Canada Gazette                        |
| Tebuconazole  | 0.2                               | Meat byproducts of horses                      | Prior to 16 June 20<br>Canada Gazette |
| Tebuconazole  | 0.1                               |  | Prior to 16 June 20<br>Canada Gazette |
| rebuconazoie  | 0.1                               | Meat byproducts of poultry                     | Prior to 16 June 20                   |
| Tebuconazole  | 0.2                               | Meat byproducts of sheep                       | Canada Gazette Prior to 16 June 20    |
| Tebuconazole  | 0.2                               | Meat of cattle                                 | Canada Gazette                        |
| Tebuconazole  | 0.2                               | Meat of goats                                  | Prior to 16 June 20<br>Canada Gazette |
| Tebuconazole  | 0.2                               |  | Prior to 16 June 20<br>Canada Gazette |
| rebuconazoie  | 0.2                               | Meat of hogs                                   | Prior to 16 June 20                   |
| Tebuconazole  | 0.2                               | Meat of horses                                 | Canada Gazette Prior to 16 June 20    |
| Tebuconazole  | 0.1                               | Meat of poultry                                | Canada Gazette                        |
| Tebuconazole  | 0.2                               | Meat of sheep                                  | Prior to 16 June 20<br>Canada Gazette |
| Tebuconazole  | 0.1                               | Milk   | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |  | Prior to 16 June 20                   |
| Tebuconazole  | 0.01                              | Oats   | Canada Gazette Prior to 16 June 20    |
| Tebuconazole  | 1.0                               | Peaches/nectarines                             | Canada Gazette                        |
| Tebuconazole  | 0.1                               | Peanuts  | Prior to 16 June 20<br>Canada Gazette |
| Tebuconazole  | 0.05                              | Wheat  | Prior to 16 June 20<br>Canada Gazette |
|   |                                   | wheat  | Prior to 16 June 20                   |
| Tebufenozide  | 1.0                               | Apples   | Canada Gazette Prior to 16 June 20    |
| Tebufenozide  | 1.0                               | Cranberries                                    | Canada Gazette                        |
| Tebufenozide  | 5.0                               | Dried cranberries                              | Prior to 16 June 20<br>Canada Gazette |
| Tebufenozide  | 0.5                               | Grapes   | Prior to 16 June 20<br>Canada Gazette |
|   |                                   | ·  | Prior to 16 June 20                   |
| Tebufenozide  | 0.5                               | Kiwifruit                                      | Canada Gazette Prior to 16 June 20    |
| Tebufenozide  | 6.0                               | Lettuce  | Canada Gazette                        |
| Tebufenozide  | 1.0                               | Pears  | Prior to 16 June 20<br>Canada Gazette |
| Tebufenozide  | 0.2                               | Peppers  | Prior to 16 June 20<br>Canada Gazette |
|   |                                   |  | Prior to 16 June 20                   |
| Tebufenozide  | 2.5                               | Raisins  | Canada Gazette Prior to 16 June 20    |
| Tebufenozide  | 2.0                               | Tomatoes                                       | Canada Gazette                        |
| Tefluthrin  | 0.06                              | Field corn                                     | Prior to 16 June 20<br>EMRL2010-24    |
| Tefluthrin  | 0.001                             | Milk   | (24 September 20°<br>Canada Gazette   |
|   |                                   |  | Prior to 16 June 20                   |
| Tefluthrin  | 0.06                              | Sweet corn kernels plus cob with husks removed | EMRL2010-24<br>(24 September 201      |
| Tepraloxydim  | 0.3                               | Borage seeds                                   | EMRL2011-27                           |
| Tepraloxydim  |                                   |  | (12 May 2011)<br>EMRL2011-27          |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                            |                              |
|---|-----------------------------------|----------------------------|------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity             | MRL Established              |
| Tepraloxydim  | 0.3                               | Cuphea seeds               | EMRL2011-27                  |
| Tepraloxydim  | 0.1                               | Dry adzuki beans           | (12 May 2011)<br>EMRL2011-27 |
| Tepraloxydim  | 0.1                               | Dry beans                  | (12 May 2011)<br>EMRL2011-27 |
| repraioxydini   | 0.1                               | Dry beans                  | (12 May 2011)                |
| Tepraloxydim  | 0.1                               | Dry blackeyed peas         | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.1                               | Dry broad beans            | EMRL2011-27                  |
| Tepraloxydim  | 0.1                               | Dry catjang seeds          | (12 May 2011)<br>EMRL2011-27 |
|   |                                   |                            | (12 May 2011)                |
| Tepraloxydim  | 0.1                               | Dry chickpeas              | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.1                               | Dry cowpea seeds           | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.1                               | Dry guar seeds             | EMRL2011-27                  |
| Tepraloxydim  | 0.1                               | Dry kidney beans           | (12 May 2011)<br>EMRL2011-27 |
|   |                                   | · · ·                      | (12 May 2011)                |
| Tepraloxydim  | 0.1                               | Dry lablab beans           | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.1                               | Dry lima beans             | EMRL2011-27                  |
| Tepraloxydim  | 0.1                               | Dry moth beans             | (12 May 2011)<br>EMRL2011-27 |
|   | 0.1                               | Dry mung beans             | (12 May 2011)<br>EMRL2011-27 |
| Tepraloxydim  | 0.1                               | Dry mung beans             | (12 May 2011)                |
| Tepraloxydim  | 0.1                               | Dry navy beans             | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.1                               | Dry peas                   | EMRL2008-01                  |
| Tepraloxydim  | 0.1                               | Dry pigeon peas            | (9 July 2008)<br>EMRL2011-27 |
|   |                                   |                            | (12 May 2011)                |
| Tepraloxydim  | 0.1                               | Dry pink beans             | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.1                               | Dry pinto beans            | EMRL2011-27                  |
| Tepraloxydim  | 0.1                               | Dry rice beans             | (12 May 2011)<br>EMRL2011-27 |
| Tepraloxydim  | 0.1                               | Dry southern peas          | (12 May 2011)<br>EMRL2011-27 |
|   |                                   |                            | (12 May 2011)                |
| Tepraloxydim  | 0.1                               | Dry tepary beans           | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.1                               | Dry urd beans              | EMRL2011-27                  |
| Tepraloxydim  | 0.3                               | Echium seeds               | (12 May 2011)<br>EMRL2011-27 |
| Tepraloxydim  | 0.15                              | Eggs                       | (12 May 2011)<br>EMRL2008-01 |
|   |                                   |                            | (9 July 2008)                |
| Tepraloxydim  | 0.2                               | Evening primrose seeds     | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.3                               | Flaxseeds                  | EMRL2011-27                  |
| Tepraloxydim  | 0.3                               | Gold of Pleasure seeds     | (12 May 2011)<br>EMRL2011-27 |
| Tepraloxydim  | 0.1                               | Grain Iupin                | (12 May 2011)<br>EMRL2011-27 |
|   |                                   | ·                          | (12 May 2011)                |
| Tepraloxydim  | 0.3                               | Hare's ear mustard seeds   | EMRL2011-27<br>(12 May 2011) |
| Tepraloxydim  | 0.2                               | Jojoba seeds               | EMRL2011-27                  |
| Tepraloxydim  | 0.1                               | Lentils                    | (12 May 2011)<br>EMRL2008-01 |
|   |                                   |                            | (9 July 2008)                |
| Tepraloxydim  | 0.15                              | Meat byproducts of cattle  | EMRL2008-01<br>(9 July 2008) |
| Tepraloxydim  | 0.15                              | Meat byproducts of hogs    | EMRL2008-01<br>(9 July 2008) |
| Tepraloxydim  | 0.15                              | Meat byproducts of horses  | EMRL2008-01                  |
| Tepraloxydim  | 0.15                              | Meat byproducts of poultry | (9 July 2008)<br>EMRL2008-01 |
|   |                                   |                            | (9 July 2008)                |
| Tepraloxydim  | 0.15                              | Meat byproducts of sheep   | EMRL2008-01<br>(9 July 2008) |
| Tepraloxydim  | 0.15                              | Meat of cattle             | EMRL2008-01                  |
| Tepraloxydim  | 0.15                              | Meat of hogs               | (9 July 2008)<br>EMRL2008-01 |
|   |                                   |                            | (9 July 2008)                |
| Tepraloxydim  | 0.15                              | Meat of horses             | EMRL2008-01<br>(9 July 2008) |
| Tepraloxydim  | 0.15                              | Meat of poultry            | EMRL2008-01                  |
| Tepraloxydim  | 0.15                              | Meat of sheep              | (9 July 2008)<br>EMRL2008-01 |

|                    |                                   | distinct table on the MRL webpage | 1                                     |
|--------------------|-----------------------------------|-----------------------------------|---------------------------------------|
| Common Name        | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                    | MRL Established                       |
| Tepraloxydim       | 0.03                              | Milk                              | EMRL2008-01<br>(9 July 2008)          |
| Tepraloxydim       | 0.3                               | Milkweed seeds                    | EMRL2011-27                           |
| Tepraloxydim       | 0.3                               | Mustard seeds (oilseed type)      | (12 May 2011)<br>EMRL2010-29          |
|                    |                                   |                                   | (28 September 20                      |
| Tepraloxydim       | 0.2                               | Niger seed seeds                  | EMRL2011-27<br>(12 May 2011)          |
| Tepraloxydim       | 0.3                               | Oil radish seeds                  | EMRL2011-27                           |
| Tepraloxydim       | 0.3                               | Poppy seeds                       | (12 May 2011)<br>EMRL2011-27          |
|                    | 0.0                               |                                   | (12 May 2011)<br>EMRL2009-20          |
| Tepraloxydim       | 0.3                               | Rapeseeds (canola)                | (26 June 2009)                        |
| Tepraloxydim       | 0.2                               | Safflower seeds                   | EMRL2011-27<br>(12 May 2011)          |
| Tepraloxydim       | 0.3                               | Sesame seeds                      | EMRL2011-27                           |
| Tepraloxydim       | 0.2                               | Sunflower seeds                   | (12 May 2011)<br>EMRL2011-27          |
|                    | ·                                 |                                   | (12 May 2011)                         |
| Tepraloxydim       | 0.3                               | Sweet rocket seeds                | EMRL2011-27<br>(12 May 2011)          |
| Tepraloxydim       | 0.2                               | Tallowwood seeds                  | EMRL2011-27                           |
| Tepraloxydim       | 0.2                               | Tea oil plant seeds               | (12 May 2011)<br>EMRL2011-27          |
|                    | ·                                 | ·                                 | (12 May 2011)                         |
| Terbacil           | 0.1                               | Strawberries                      | EMRL2011-13<br>(18 March 2011)        |
| Tetrachlorvinphos  | 10                                | Apples                            | Canada Gazette<br>Prior to 16 June 20 |
| Tetrachlorvinphos  | 1.5                               | Fat of cattle                     | Canada Gazette                        |
| Tetrachlorvinphos  | 1.5                               | Fat of hogs                       | Prior to 16 June 20<br>Canada Gazette |
| retrachiorviriphos | 1.5                               | Fat of flogs                      | Prior to 16 June 20                   |
| Tetrachlorvinphos  | 0.75                              | Fat of poultry                    | Canada Gazette<br>Prior to 16 June 20 |
| Tetrachlorvinphos  | 10                                | Grapes                            | Canada Gazette                        |
| Tetrachlorvinphos  | 1.5                               | Meat byproducts of cattle         | Prior to 16 June 20<br>Canada Gazette |
| <u> </u>           |                                   |                                   | Prior to 16 June 20                   |
| Tetrachlorvinphos  | 1.5                               | Meat byproducts of hogs           | Canada Gazette Prior to 16 June 20    |
| Tetrachlorvinphos  | 0.75                              | Meat byproducts of poultry        | Canada Gazette                        |
| Tetrachlorvinphos  | 1.5                               | Meat of cattle                    | Prior to 16 June 20<br>Canada Gazette |
| <u> </u>           |                                   |                                   | Prior to 16 June 20<br>Canada Gazette |
| Tetrachlorvinphos  | 1.5                               | Meat of hogs                      | Prior to 16 June 20                   |
| Tetrachlorvinphos  | 0.75                              | Meat of poultry                   | Canada Gazette                        |
| Tetradifon         | 5.0                               | Apples                            | Prior to 16 June 20<br>Canada Gazette |
| Tetradifon         | 5.0                               | Apricots                          | Prior to 16 June 20<br>Canada Gazette |
|                    |                                   | ·                                 | Prior to 16 June 20                   |
| Tetradifon         | 5.0                               | Cherries                          | Canada Gazette Prior to 16 June 20    |
| Tetradifon         | 2.0                               | Citrus fruits                     | Canada Gazette                        |
| Tetradifon         | 5.0                               | Crabapples                        | Prior to 16 June 20<br>Canada Gazette |
|                    |                                   |                                   | Prior to 16 June 20                   |
| Tetradifon         | 1.0                               | Cucumbers                         | Canada Gazette Prior to 16 June 20    |
| Tetradifon         | 10                                | Figs                              | Canada Gazette                        |
| Tetradifon         | 5.0                               | Grapes                            | Prior to 16 June 20<br>Canada Gazette |
| Tetradifon         | 1.0                               | Melons                            | Prior to 16 June 20<br>Canada Gazette |
|                    |                                   |                                   | Prior to 16 June 20                   |
| Tetradifon         | 5.0                               | Peaches/nectarines                | Canada Gazette<br>Prior to 16 June 20 |
| Tetradifon         | 5.0                               | Pears                             | Canada Gazette                        |
| Tetradifon         | 100                               | Peppermint                        | Prior to 16 June 20<br>Canada Gazette |
|                    |                                   |                                   | Prior to 16 June 20                   |
| Tetradifon         | 5.0                               | Plums                             | Canada Gazette Prior to 16 June 20    |
| Tetradifon         | 5.0                               | Prunes                            | Canada Gazette                        |
| Tetradifon         | 1.0                               | Pumpkins                          | Prior to 16 June 20<br>Canada Gazette |
|                    |                                   | ·                                 | Prior to 16 June 20                   |
| Tetradifon         | 5.0                               | Quinces                           | Canada Gazette Prior to 16 June 20    |
| Tetradifon         | 100                               | Spearmint                         | Canada Gazette                        |

| esidue definitions for all c | hemicals are available  Maximum | in a distinct table on the MRL webpage  Food Commodity | MRL Established V                         |
|------------------------------|---------------------------------|--|---|
| Common Name                  | Residue Limit<br>(ppm)          | Food Commodity   | WIRL ESTABLISHED V                        |
| Tetradifon                   | 5.0                             | Strawberries   | Canada Gazette II                         |
| Tetradifon                   | 1.0                             | Summer squash  | Canada Gazette II                         |
| Tetradifon                   | 1.0                             | Tomatoes   | Prior to 16 June 200<br>Canada Gazette II |
| Tetradifon                   | 1.0                             | Watermelons  | Prior to 16 June 200<br>Canada Gazette II |
| Tetradifon                   | 1.0                             | Winter squash  | Prior to 16 June 200<br>Canada Gazette II |
| Thiabendazole                | 10                              | Apples   | Prior to 16 June 200<br>Canada Gazette II |
| Thiabendazole                | 0.4                             |  | Prior to 16 June 200                      |
|                              |                                 | Bananas (edible pulp)                                  | Prior to 16 June 200                      |
| Thiabendazole                | 0.05                            | Belgian endives  | EMRL2008-40<br>(19 November 2008          |
| Thiabendazole                | 10                              | Citrus fruits  | Canada Gazette II<br>Prior to 16 June 200 |
| Thiabendazole                | 10                              | Pears  | Canada Gazette II<br>Prior to 16 June 200 |
| Thiabendazole                | 10                              | Potatoes   | EMRL2008-02                               |
| Thiabendazole                | 55                              | White button mushrooms                                 | (9 July 2008)<br>EMRL2011-07              |
| Thiacloprid                  | 0.3                             | Apples   | (16 March 2011)<br>EMRL2008-04            |
| Thiacloprid                  | 0.3                             | Asian pears  | (6 August 2008)<br>EMRL2008-04            |
|                              | 0.3                             | ·  | (6 August 2008)<br>EMRL2008-04            |
| Thiacloprid                  |                                 | Crabapples   | (6 August 2008)                           |
| Thiacloprid                  | 0.02                            | Fat of cattle  | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.02                            | Fat of goats   | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.02                            | Fat of horses  | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.02                            | Fat of sheep   | EMRL2008-04                               |
| Thiacloprid                  | 0.15                            | Liver of cattle  | (6 August 2008)<br>EMRL2008-04            |
| Thiacloprid                  | 0.15                            | Liver of goats   | (6 August 2008)<br>EMRL2008-04            |
| Thiacloprid                  | 0.15                            | Liver of horses  | (6 August 2008)<br>EMRL2008-04            |
| Thiacloprid                  | 0.15                            | Liver of sheep   | (6 August 2008)<br>EMRL2008-04            |
| Thiacloprid                  | 0.3                             | Loquats  | (6 August 2008)<br>EMRL2008-04            |
|                              |                                 | ·  | (6 August 2008)                           |
| Thiacloprid                  | 0.3                             | Mayhaws  | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.05                            | Meat byproducts (except liver) of cattle               | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.05                            | Meat byproducts (except liver) of goats                | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.05                            | Meat byproducts (except liver) of horses               | EMRL2008-04                               |
| Thiacloprid                  | 0.05                            | Meat byproducts (except liver) of sheep                | (6 August 2008)<br>EMRL2008-04            |
| Thiacloprid                  | 0.03                            | Meat of cattle   | (6 August 2008)<br>EMRL2008-04            |
| Thiacloprid                  | 0.03                            | Meat of goats  | (6 August 2008)<br>EMRL2008-04            |
| Thiacloprid                  | 0.03                            | Meat of horses   | (6 August 2008)<br>EMRL2008-04            |
|                              |                                 |  | (6 August 2008)                           |
| Thiacloprid                  | 0.03                            | Meat of sheep  | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.03                            | Milk   | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.3                             | Pears  | EMRL2008-04<br>(6 August 2008)            |
| Thiacloprid                  | 0.3                             | Quinces  | EMRL2008-04                               |
| Thiamethoxam                 | 0.02                            | All food crops (other than those listed in this item)  | (6 August 2008) Canada Gazette II         |
| Thiamethoxam                 | 4.0                             | Amaranth   | Prior to 16 June 200<br>EMRL2011-45       |
| Thiamethoxam                 | 0.2                             | Amur River grapes                                      | (18 May 2011)<br>EMRL2011-45              |
| Thiamethoxam                 | 0.2                             | Apples   | (18 May 2011)<br>EMRL2011-45              |
|                              |                                 |  | (18 May 2011)                             |
| Thiamethoxam                 | 0.5                             | Apricots   | EMRL2011-45<br>(18 May 2011)              |
| Thiamethoxam                 | 0.2                             | Aronia berries   | EMRL2010-15<br>(21 September 201          |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                           |                              |
|---|-----------------------------------|---------------------------|------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity            | MRL Established              |
| Thiamethoxam  | 4.0                               | Arugula                   | EMRL2011-45                  |
| Thiamethoxam  | 0.2                               | Asian pears               | (18 May 2011)<br>EMRL2011-45 |
|   | -                                 | ·                         | (18 May 2011)                |
| Thiamethoxam  | 0.4                               | Australian desert limes   | EMRL2011-45                  |
| Thiamethoxam  | 0.4                               | Australian finger limes   | (18 May 2011<br>EMRL2011-45  |
|   |                                   |                           | (18 May 2011                 |
| Thiamethoxam  | 0.4                               | Australian round limes    | EMRL2011-45                  |
| Thiamethoxam  | 0.4                               | Avocados                  | (18 May 2011<br>EMRL2011-4   |
|   |                                   |                           | (18 May 2011                 |
| Thiamethoxam  | 0.2                               | Balsam apples             | EMRL2011-45<br>(18 May 2011  |
| Thiamethoxam  | 0.2                               | Balsam pears              | EMRL2011-4                   |
| T1: 4   |                                   | 5.1                       | (18 May 2011                 |
| Thiamethoxam  | 0.3                               | Barley                    | EMRL2011-4<br>(18 May 2011   |
| Thiamethoxam  | 0.3                               | Bearberries               | EMRL2011-4                   |
| This as ath avam  | 0.0                               | Dilhamiaa                 | (18 May 2011                 |
| Thiamethoxam  | 0.3                               | Bilberries                | EMRL2011-45<br>(18 May 2011  |
| Thiamethoxam  | 0.05                              | Black salsify roots       | EMRL2011-45                  |
| Thiamethoxam  | 0.8                               | Black salsify tops        | (18 May 2011<br>EMRL2011-4   |
| mametnoxam  | 0.8                               | black saisily tops        | (18 May 2011                 |
| Thiamethoxam  | 0.4                               | Black sapotes             | EMRL2011-45                  |
| Thiamethoxam  | 0.35                              | Blackberries              | (18 May 2011<br>EMRL2011-45  |
| Tillamethoxam   | 0.33                              | DIACKDETTIES              | (18 May 2011                 |
| Thiamethoxam  | 3.0                               | Bok choy Chinese cabbages | EMRL2011-4                   |
| Thiamethoxam  | 4.5                               | Broccoli                  | (18 May 2011<br>EMRL2011-4   |
| mamemoxam   | 4.5                               | Dioccoli                  | (18 May 2011                 |
| Thiamethoxam  | 3.0                               | Broccoli raab             | EMRL2011-4                   |
| Thiamethoxam  | 0.4                               | Brown River finger limes  | (18 May 2011<br>EMRL2011-4   |
|   | -                                 |                           | (18 May 2011                 |
| Thiamethoxam  | 4.5                               | Brussels sprouts          | EMRL2011-45                  |
| Thiamethoxam  | 0.2                               | Buffalo currants          | (18 May 2011<br>EMRL2010-15  |
|   |                                   |                           | (21 September 20             |
| Thiamethoxam  | 4.5                               | Cabbages                  | EMRL2011-45<br>(18 May 2011  |
| Thiamethoxam  | 0.4                               | Calamondins               | EMRL2011-4                   |
| T1: 4   |                                   | 0.141                     | (18 May 2011                 |
| Thiamethoxam  | 0.4                               | Canistels                 | EMRL2011-45<br>(18 May 2011  |
| Thiamethoxam  | 0.2                               | Cantaloupes               | EMRL2011-4                   |
| This was the same   | 4.0                               | Ocalesa                   | (18 May 2011                 |
| Thiamethoxam  | 4.0                               | Cardoon                   | EMRL2011-45<br>(18 May 2011  |
| Thiamethoxam  | 0.05                              | Carrot roots              | EMRL2011-4                   |
| Thiamethoxam  | 4.5                               | Cauliflower               | (18 May 2011<br>EMRL2011-4   |
| i ilaniculoxani   | 4.3                               | Caumower                  | (18 May 2011                 |
| Thiamethoxam  | 0.05                              | Celeriac roots            | EMRL2011-4                   |
| Thiamethoxam  | 0.8                               | Celeriac tops             | (18 May 2011<br>EMRL2011-4   |
| . mamourozam  | 0.0                               | Obienac tops              | (18 May 2011                 |
| Thiamethoxam  | 4.0                               | Celery                    | EMRL2011-4                   |
| Thiamethoxam  | 4.0                               | Celtuce                   | (18 May 2011<br>EMRL2011-4   |
|   |                                   |                           | (18 May 2011                 |
| Thiamethoxam  | 0.2                               | Chayote fruit             | EMRL2011-45                  |
| Thiamethoxam  | 0.05                              | Chicory roots             | (18 May 2011<br>EMRL2011-4   |
|   |                                   | ·                         | (18 May 2011                 |
| Thiamethoxam  | 0.8                               | Chicory tops              | EMRL2011-49                  |
| Thiamethoxam  | 0.2                               | Chilean guavas            | (18 May 2011<br>EMRL2010-1   |
|   |                                   | •                         | (21 September 2)             |
| Thiamethoxam  | 4.5                               | Chinese broccoli          | EMRL2011-45<br>(18 May 2011  |
| Thiamethoxam  | 4.0                               | Chinese celery            | (18 May 2011<br>EMRL2011-4   |
|   |                                   |                           | (18 May 2011                 |
| Thiamethoxam  | 0.2                               | Chinese cucumbers         | EMRL2011-4<br>(18 May 2011   |
| Thiamethoxam  | 4.5                               | Chinese mustard cabbages  | (18 May 2011<br>EMRL2011-45  |
|   |                                   |                           | (18 May 2011                 |
| Thiamethoxam  | 0.2                               | Chinese waxgourds         | EMRL2011-45<br>(18 May 2011  |
|   | 1 1                               |                           | (10 IVIAY ZUI I              |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRI Established V |  |  |  |
|---|--|--|--|
| Residue Limit<br>(ppm)  | Food Commodity   | MRL Established V  |  |
| 0.4   | Citrus citrons   | EMRL2011-45<br>(18 May 2011)   |  |
| 0.4   | Citrus hybrids   | EMRL2011-45  |  |
| 0.3   | Cloudberries   | (18 May 2011)<br>EMRL2011-45   |  |
| 0.05  | Coffee beans   | (18 May 2011)<br>EMRL2011-45   |  |
| 3.0   | Collards   | (18 May 2011)<br>EMRL2011-45   |  |
|   |  | (18 May 2011)<br>EMRL2011-45   |  |
|   |  | (18 May 2011)  |  |
| 0.2   | Crabapples   | EMRL2011-45<br>(18 May 2011)   |  |
| 0.2   | Cucumbers  | EMRL2011-45<br>(18 May 2011)   |  |
| 0.2   | Currants   | EMRL2010-15<br>(21 September 2010  |  |
| 4.0   | Dandelion leaves   | EMRL2011-45  |  |
| 4.0   | Dock   | (18 May 2011)<br>EMRL2011-45   |  |
| 0.05  | Edible burdock roots   | (18 May 2011)<br>EMRL2011-45   |  |
|   |  | (18 May 2011)<br>EMRL2011-45   |  |
|   | <u> </u>   | (18 May 2011)  |  |
| 0.2   | Edible gourds (other than those listed in this item)   | EMRL2011-45<br>(18 May 2011)   |  |
| 4.0   | Edible leaved chrysanthemum  | EMRL2011-45<br>(18 May 2011)   |  |
| 0.02  | Eggs   | Canada Gazette II  |  |
| 0.2   | Elderberries   | Prior to 16 June 200<br>EMRL2010-15  |  |
| 4.0   | Endives  | (21 September 2010<br>EMRL2011-45  |  |
| 0.2   | European barberries  | (18 May 2011)<br>EMRL2010-15   |  |
|   | · · · · · · · · · · · · · · · · · · ·  | (21 September 2010<br>EMRL2011-45  |  |
|   |  | (18 May 2011)  |  |
| 4.0   | Fresh Florence fennel leaves and stalks  | EMRL2011-45<br>(18 May 2011)   |  |
| 4.0   | Fresh parsley leaves   | EMRL2011-45<br>(18 May 2011)   |  |
| 0.05  | Garden beet roots  | EMRL2011-45<br>(18 May 2011)   |  |
| 0.8   | Garden beet tops   | EMRL2011-45  |  |
| 4.0   | Garden cress   | (18 May 2011)<br>EMRL2011-45   |  |
| 4.0   | Garden purslane  | (18 May 2011)<br>EMRL2011-45   |  |
| 4.0   | ·  | (18 May 2011)<br>EMRL2011-45   |  |
|   | ,  | (18 May 2011)  |  |
|   |  | EMRL2011-45<br>(18 May 2011)   |  |
| 0.45  | Globe artichokes   | EMRL2011-45<br>(18 May 2011)   |  |
| 0.2   | Gooseberries   | EMRL2010-15<br>(21 September 2010  |  |
| 0.4   | Grapefruits  | EMRL2011-45  |  |
| 0.2   | Grapes   | (18 May 2011)<br>EMRL2011-45   |  |
| 0.2   | Hardy kiwifruit  | (18 May 2011)<br>EMRL2011-45   |  |
| 4.0   | Head lettuce   | (18 May 2011)<br>EMRL2011-45   |  |
|   |  | (18 May 2011)<br>EMRL2010-15   |  |
|   |  | (21 September 2010   |  |
|   |  | EMRL2010-15<br>(21 September 2010  |  |
| 0.2   | Honeysuckle  | EMRL2010-15<br>(21 September 2010  |  |
| 0.1   | Hops (dried)   | EMRL2011-45  |  |
| 0.05  | Horseradish roots  | (18 May 2011)<br>EMRL2011-45   |  |
| 0.2   | Huckleberries  | (18 May 2011)<br>EMRL2010-15   |  |
| 0.4   | Japanese summer grapefruits  | (21 September 2010<br>EMRL2011-45  |  |
| ***   | Jostaberries   | (18 May 2011)<br>EMRL2010-15   |  |
|   | (ppm)  0.4  0.4  0.3  0.05  3.0  4.0  0.2  0.2  4.0  4.0  0.05  0.8  0.2  4.0  0.02  4.0  0.2  4.0  0.05  0.8  0.2  4.0  0.05  0.8  0.2  4.0  0.2  4.0  0.2  4.0  0.2  4.0  0.2  4.0  0.2  4.0  0.2  4.0  0.2  4.0  0.05  0.8  4.0  0.05  0.8  0.9  0.9  0.9  0.9  0.9  0.9  0.9 | Residue Limit (ppm)         Citrus citrons           0.4         Citrus hybrids           0.3         Cloudberries           0.05         Coffee beans           3.0         Collards           4.0         Corr salad           0.2         Crabapples           0.2         Cucumbers           0.2         Cucumbers           4.0         Dandelion leaves           4.0         Dock           0.05         Edible burdock roots           Edible burdock tops         Edible burdock tops           0.2         Edible gourds (other than those listed in this item)           4.0         Edible leaved chrysanthemum           0.02         Eggs           0.2         Elderberries           4.0         Endives           4.0         Endives           4.0         Endives           4.0         Fresh chervil leaves           4.0         Fresh Priorence fennel leaves and stalks           4.0         Fresh parsley leaves           0.05         Garden beet tops           4.0         Garden purslane           4.0         Garden prislane           4.0         Garden prislane           4.0 |  |

|                   |                                   | in a distinct table on the MRL webpage            | T  |
|-------------------|-----------------------------------|---|--|
| Common Name       | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established \                        |
| Thiamethoxam      | 3.0                               | Kale  | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 4.5                               | Kohlrabi  | EMRL2011-45                              |
| Thiamethoxam      | 0.4                               | Kumquats  | (18 May 2011)<br>EMRL2011-45             |
|                   |                                   | ·   | (18 May 2011)                            |
| Thiamethoxam      | 4.0                               | Leaf lettuce                                      | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 0.4                               | Lemons  | EMRL2011-45                              |
| Thiamethoxam      | 0.4                               | Limes   | (18 May 2011)<br>EMRL2011-45             |
| Thiamethoxam      | 0.3                               | Lincophornica                                     | (18 May 2011)<br>EMRL2011-45             |
|                   | 0.3                               | Lingonberries                                     | (18 May 2011)                            |
| Thiamethoxam      | 0.35                              | Loganberries                                      | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 0.2                               | Loquats   | EMRL2011-45                              |
| Thiamethoxam      | 0.3                               | Lowbush blueberries                               | (18 May 2011)<br>EMRL2011-45             |
| Thiomathavan      | 0.4                               | Mamou consta                                      | (18 May 2011)<br>EMRL2011-45             |
| Thiamethoxam      | 0.4                               | Mamey sapotes                                     | (18 May 2011)                            |
| Thiamethoxam      | 0.4                               | Mangoes   | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 0.2                               | Mayhaws   | EMRL2011-45                              |
| Thiamethoxam      | 0.2                               | Маурор  | (18 May 2011)<br>EMRL2011-45             |
|                   |                                   |   | (18 May 2011)                            |
| Thiamethoxam      | 0.02                              | Meat byproducts of cattle                         | Canada Gazette I<br>Prior to 16 June 200 |
| Thiamethoxam      | 0.02                              | Meat byproducts of hogs                           | Canada Gazette I<br>Prior to 16 June 200 |
| Thiamethoxam      | 0.02                              | Meat byproducts of poultry                        | Canada Gazette I                         |
| Thiamethoxam      | 0.02                              | Meat byproducts of sheep                          | Prior to 16 June 200<br>Canada Gazette I |
|                   |                                   |   | Prior to 16 June 200                     |
| Thiamethoxam      | 0.02                              | Meat of cattle                                    | Canada Gazette I<br>Prior to 16 June 200 |
| Thiamethoxam      | 0.02                              | Meat of hogs                                      | Canada Gazette I<br>Prior to 16 June 200 |
| Thiamethoxam      | 0.02                              | Meat of poultry                                   | Canada Gazette I                         |
| Thiamethoxam      | 0.02                              | Meat of sheep                                     | Prior to 16 June 200<br>Canada Gazette I |
| This was the same | 0.4                               | Maditawa  | Prior to 16 June 200<br>EMRL2011-45      |
| Thiamethoxam      | 0.4                               | Mediterranean mandarins                           | (18 May 2011)                            |
| Thiamethoxam      | 0.01                              | Milk  | Canada Gazette I<br>Prior to 16 June 200 |
| Thiamethoxam      | 0.4                               | Mount White limes                                 | EMRL2011-45                              |
| Thiamethoxam      | 0.3                               | Muntries  | (18 May 2011)<br>EMRL2011-45             |
|                   |                                   |   | (18 May 2011)                            |
| Thiamethoxam      | 0.2                               | Muskmelons (other than those listed in this item) | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 3.0                               | Mustard greens                                    | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 3.0                               | Mustard spinach                                   | EMRL2011-45                              |
| Thiamethoxam      | 4.5                               | Napa Chinese cabbages                             | (18 May 2011)<br>EMRL2011-45             |
| Thiamethoxam      | 0.2                               | Native currants                                   | (18 May 2011)<br>EMRL2010-15             |
| rniametnoxam      | 0.2                               | Native currants                                   | (21 September 201                        |
| Thiamethoxam      | 0.5                               | Nectarines  | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 0.4                               | New Guinea wild limes                             | EMRL2011-45                              |
| Thiamethoxam      | 4.0                               | New Zealand spinach                               | (18 May 2011)<br>EMRL2011-45             |
|                   | 4.0                               | ·   | (18 May 2011)                            |
| Thiamethoxam      | 4.0                               | Orach leaves                                      | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 0.4                               | Oranges   | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 0.05                              | Oriental radish roots                             | EMRL2011-45                              |
| Thiamethoxam      | 0.8                               | Oriental radish tops                              | (18 May 2011)<br>EMRL2011-45             |
|                   |                                   | ·   | (18 May 2011)                            |
| Thiamethoxam      | 0.4                               | Papayas   | EMRL2011-45<br>(18 May 2011)             |
| Thiamethoxam      | 0.05                              | Parsnip roots                                     | EMRL2011-45                              |
| Thiamethoxam      | 0.3                               | Partridgeberries                                  | (18 May 2011)<br>EMRL2011-45             |
| Thiamethoxam      | 0.5                               | Peaches   | (18 May 2011)<br>EMRL2011-45             |
|                   |                                   |   |  |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                                 |                                 |
|---|-----------------------------------|---------------------------------|---------------------------------|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established                 |
| Thiamethoxam  | 0.2                               | Pears                           | EMRL2011-45                     |
| Thiamethoxam  | 1.5                               | Peppermint tops                 | (18 May 2011)<br>EMRL2011-45    |
|   |                                   |                                 | (18 May 2011)                   |
| Thiamethoxam  | 0.5                               | Plumcots                        | EMRL2011-45                     |
| Thiamethoxam  | 0.5                               | Plums                           | (18 May 2011<br>EMRL2011-45     |
|   |                                   |                                 | (18 May 2011                    |
| Thiamethoxam  | 0.15                              | Potatoes                        | EMRL2011-45<br>(18 May 2011     |
| Thiamethoxam  | 0.5                               | Prune plums                     | EMRL2011-4                      |
| T1: 41  |                                   |                                 | (18 May 2011                    |
| Thiamethoxam  | 0.4                               | Pummelos                        | EMRL2011-45<br>(18 May 2011     |
| Thiamethoxam  | 0.2                               | Pumpkins                        | EMRL2011-4                      |
| Thiamethoxam  | 0.2                               | Ouinees                         | (18 May 2011<br>EMRL2011-4      |
| mamemoxam   | 0.2                               | Quinces                         | (18 May 2011                    |
| Thiamethoxam  | 4.0                               | Radicchio                       | EMRL2011-4                      |
| Thiomathayam  | 0.05                              | Padish roots                    | (18 May 2011<br>EMRL2011-4      |
| Thiamethoxam  | 0.05                              | Radish roots                    | (18 May 2011                    |
| Thiamethoxam  | 0.8                               | Radish tops                     | EMRL2011-4                      |
| Thiamethoxam  | 0.3                               | Raisins                         | (18 May 2011<br>EMRL2011-4      |
| . mametroxalli  | 0.3                               | וומוטוווט                       | (18 May 2011                    |
| Thiamethoxam  | 3.0                               | Rape greens                     | EMRL2011-4                      |
| Thiamethoxam  | 0.35                              | Raspberries                     | (18 May 2011<br>EMRL2011-4      |
| mamemoxam   | 0.55                              | Каэрынгез                       | (18 May 2011                    |
| Thiamethoxam  | 4.0                               | Rhubarb                         | EMRL2011-4                      |
| Thiamethoxam  | 0.4                               | Russell River limes             | (18 May 2011<br>EMRL2011-4      |
| mamorioxam  | 0.4                               | rassen raver innes              | (18 May 2011                    |
| Thiamethoxam  | 0.05                              | Rutabaga roots                  | EMRL2011-4                      |
| Thiamethoxam  | 0.8                               | Rutabaga tops                   | (18 May 2011<br>EMRL2011-4      |
|   |                                   |                                 | (18 May 2011                    |
| Thiamethoxam  | 0.2                               | Salal berries                   | EMRL2010-15<br>(21 September 20 |
| Thiamethoxam  | 0.05                              | Salsify roots                   | EMRL2011-45                     |
|   |                                   |                                 | (18 May 2011                    |
| Thiamethoxam  | 0.4                               | Sapodillas                      | EMRL2011-45<br>(18 May 2011     |
| Thiamethoxam  | 0.2                               | Saskatoon berries (juneberries) | EMRL2010-1                      |
| This as ath avans   | 0.4                               | Catalina mandaria               | (21 September 20                |
| Thiamethoxam  | 0.4                               | Satsuma mandarins               | EMRL2011-45<br>(18 May 2011     |
| Thiamethoxam  | 0.2                               | Schisandra berries              | EMRL2011-4                      |
| Thiomathayam  | 0.2                               | Saa huakthara                   | (18 May 2011<br>EMRL2010-1      |
| Thiamethoxam  | 0.2                               | Sea buckthorn                   | (21 September 20                |
| Thiamethoxam  | 0.05                              | Skirret roots                   | EMRL2011-4                      |
| Thiamethoxam  | 0.05                              | Spanish salsify roots           | (18 May 2011<br>EMRL2011-4      |
| amothoxam   | 0.00                              |                                 | (18 May 2011                    |
| Thiamethoxam  | 1.5                               | Spearmint tops                  | EMRL2011-4                      |
| Thiamethoxam  | 4.0                               | Spinach                         | (18 May 2011<br>EMRL2011-4      |
|   |                                   | ·                               | (18 May 2011                    |
| Thiamethoxam  | 0.4                               | Star apples                     | EMRL2011-45                     |
| Thiamethoxam  | 0.3                               | Strawberries                    | (18 May 2011<br>EMRL2011-4      |
|   |                                   |                                 | (18 May 2011                    |
| Thiamethoxam  | 0.05                              | Sugar beet roots                | EMRL2011-4<br>(18 May 2011      |
| Thiamethoxam  | 0.2                               | Summer squash                   | EMRL2011-4                      |
|   |                                   | ·                               | (18 May 2011                    |
| Thiamethoxam  | 0.5                               | Sweet cherries                  | EMRL2011-45<br>(18 May 2011     |
| Thiamethoxam  | 0.4                               | Sweet limes                     | EMRL2011-4                      |
|   | 10                                |                                 | (18 May 2011                    |
| Thiamethoxam  | 4.0                               | Swiss chard                     | EMRL2011-45<br>(18 May 2011     |
| Thiamethoxam  | 0.4                               | Tachibana oranges               | EMRL2011-4                      |
|   |                                   |                                 | (18 May 2011                    |
| Thiamethoxam  | 0.4                               | Tahiti limes                    | EMRL2011-45<br>(18 May 2011     |
| Thiamethoxam  | 0.4                               | Tangelos                        | EMRL2011-4                      |
| This worth  |                                   | Torre                           | (18 May 2011                    |
| Thiamethoxam  | 0.4                               | Tangerines                      | EMRL2011-45<br>(18 May 2011     |
|   |                                   |                                 | (10 IVIAY ZUIT                  |

|                       |                                   | in a distinct table on the MRL webpage         |                                |
|-----------------------|-----------------------------------|--|--------------------------------|
| Common Name           | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established Via            |
| Thiamethoxam          | 0.5                               | Tart cherries                                  | EMRL2011-45<br>(18 May 2011)   |
| Thiamethoxam          | 0.4                               | Trifoliate oranges                             | EMRL2011-45                    |
| Thiamethoxam          | 0.05                              | Turnip roots                                   | (18 May 2011)<br>EMRL2011-45   |
| Thiamethoxam          | 0.8                               | Turnip tops                                    | (18 May 2011)<br>EMRL2011-45   |
| Thiamethoxam          | 0.05                              | Turnip-rooted chervil roots                    | (18 May 2011)<br>EMRL2011-45   |
|                       |                                   | ·  | (18 May 2011)                  |
| Thiamethoxam          | 0.8                               | Turnip-rooted chervil tops                     | EMRL2011-45<br>(18 May 2011)   |
| Thiamethoxam          | 0.05                              | Turnip-rooted parsley roots                    | EMRL2011-45<br>(18 May 2011)   |
| Thiamethoxam          | 0.1                               | Undelinted cotton seeds                        | EMRL2011-45<br>(18 May 2011)   |
| Thiamethoxam          | 0.4                               | Uniq fruits                                    | EMRL2011-45                    |
| Thiamethoxam          | 4.0                               | Upland cress                                   | (18 May 2011)<br>EMRL2011-45   |
| Thiamethoxam          | 4.0                               | Vine spinach                                   | (18 May 2011)<br>EMRL2011-45   |
| Thiamethoxam          | 0.2                               | Watermelons                                    | (18 May 2011)<br>EMRL2011-45   |
|                       |                                   |  | (18 May 2011)                  |
| Thiamethoxam          | 0.2                               | West Indian gherkins                           | EMRL2011-45<br>(18 May 2011)   |
| Thiamethoxam          | 0.35                              | Wild raspberries                               | EMRL2011-45<br>(18 May 2011)   |
| Thiamethoxam          | 4.0                               | Winter purslane                                | EMRL2011-45                    |
| Thiamethoxam          | 0.2                               | Winter squash                                  | (18 May 2011)<br>EMRL2011-45   |
| niencarbazone-methyl  | 0.02                              | Eggs   | (18 May 2011)<br>EMRL2011-28   |
| niencarbazone-methyl  | 0.02                              | Fat of cattle                                  | (12 May 2011)<br>EMRL2011-28   |
| <u> </u>              |                                   |  | (12 May 2011)                  |
| niencarbazone-methyl  | 0.02                              | Fat of goats                                   | EMRL2011-28<br>(12 May 2011)   |
| niencarbazone-methyl  | 0.02                              | Fat of hogs                                    | EMRL2011-28<br>(12 May 2011)   |
| niencarbazone-methyl  | 0.02                              | Fat of horses                                  | EMRL2011-28<br>(12 May 2011)   |
| niencarbazone-methyl  | 0.02                              | Fat of poultry                                 | EMRL2011-28                    |
| niencarbazone-methyl  | 0.02                              | Fat of sheep                                   | (12 May 2011)<br>EMRL2011-28   |
| niencarbazone-methyl  | 0.01                              | Field corn                                     | (12 May 2011)<br>EMRL2011-28   |
| niencarbazone-methyl  | 0.02                              | Meat byproducts of cattle                      | (12 May 2011)<br>EMRL2011-28   |
|                       |                                   |  | (12 May 2011)                  |
| niencarbazone-methyl  | 0.02                              | Meat byproducts of goats                       | EMRL2011-28<br>(12 May 2011)   |
| niencarbazone-methyl  | 0.02                              | Meat byproducts of hogs                        | EMRL2011-28<br>(12 May 2011)   |
| niencarbazone-methyl  | 0.02                              | Meat byproducts of horses                      | EMRL2011-28                    |
| niencarbazone-methyl  | 0.02                              | Meat byproducts of poultry                     | (12 May 2011)<br>EMRL2011-28   |
| niencarbazone-methyl  | 0.02                              | Meat byproducts of sheep                       | (12 May 2011)<br>EMRL2011-28   |
| niencarbazone-methyl  | 0.02                              | Meat of cattle                                 | (12 May 2011)<br>EMRL2011-28   |
| niencarbazone-methyl  | 0.02                              | Meat of goats                                  | (12 May 2011)<br>EMRL2011-28   |
| <u> </u>              |                                   |  | (12 May 2011)                  |
| niencarbazone-methyl  | 0.02                              | Meat of hogs                                   | EMRL2011-28<br>(12 May 2011)   |
| niencarbazone-methyl  | 0.02                              | Meat of horses                                 | EMRL2011-28<br>(12 May 2011)   |
| niencarbazone-methyl  | 0.02                              | Meat of poultry                                | EMRL2011-28                    |
| niencarbazone-methyl  | 0.02                              | Meat of sheep                                  | (12 May 2011)<br>EMRL2011-28   |
| niencarbazone-methyl  | 0.02                              | Milk   | (12 May 2011)<br>EMRL2011-28   |
| niencarbazone-methyl  | 0.01                              | Popcorn grain                                  | (12 May 2011)<br>EMRL2011-28   |
|                       |                                   |  | (12 May 2011)                  |
| niencarbazone-methyl  | 0.01                              | Sweet corn kernels plus cob with husks removed | EMRL2011-28<br>(12 May 2011)   |
| niencarbazone-methyl  | 0.01                              | Wheat  | EMRL2011-28<br>(12 May 2011)   |
| Thifensulfuron-methyl | 0.05                              | Barley   | EMRL2011-13                    |
| Thifensulfuron-methyl | 0.1                               | Dry soybeans                                   | (18 March 2011)<br>EMRL2011-13 |

|                       |                                   | residue definitions for all chemicals are available in a distinct table on the MRL webpage  Common Name Maximum Food Commodity MRL Established Vi |  |  |  |
|-----------------------|-----------------------------------|---|--|--|--|
| Common Name           | Maximum<br>Residue Limit<br>(ppm) | Food Commodity  | MRL Established Vi                         |  |  |
| Thifensulfuron-methyl | 0.02                              | Flax  | Canada Gazette II Prior to 16 June 2008    |  |  |
| Thifensulfuron-methyl | 0.05                              | Oats  | EMRL2011-13                                |  |  |
| Thifensulfuron-methyl | 0.02                              | Rapeseeds (canola)  | (18 March 2011)<br>Canada Gazette II       |  |  |
| Thifensulfuron-methyl | 0.07                              | Tomatoes  | Prior to 16 June 2008<br>Canada Gazette II |  |  |
| Thifensulfuron-methyl | 0.05                              | Wheat   | Prior to 16 June 2008<br>EMRL2011-13       |  |  |
| Thiram                | 7.0                               | Apples  | (18 March 2011)<br>Canada Gazette II       |  |  |
|                       | 1.0                               |   | Prior to 16 June 2008 Canada Gazette II    |  |  |
| Thiram                |                                   | Bananas (edible pulp)   | Prior to 16 June 2008                      |  |  |
| Thiram                | 7.0                               | Celery  | Canada Gazette II<br>Prior to 16 June 2008 |  |  |
| Thiram                | 7.0                               | Peaches/nectarines  | Canada Gazette II Prior to 16 June 2008    |  |  |
| Thiram                | 7.0                               | Strawberries  | Canada Gazette II<br>Prior to 16 June 2008 |  |  |
| Thiram                | 7.0                               | Tomatoes  | Canada Gazette II                          |  |  |
| Topramezone           | 0.05                              | Fat of cattle   | Prior to 16 June 2008<br>EMRL2008-01       |  |  |
| Topramezone           | 0.05                              | Fat of goats  | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           | 0.05                              | Fat of hogs   | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           |                                   |   | (9 July 2008)                              |  |  |
| <u> </u>              | 0.05                              | Fat of horses   | EMRL2008-01<br>(9 July 2008)               |  |  |
| Topramezone           | 0.05                              | Fat of sheep  | EMRL2008-01<br>(9 July 2008)               |  |  |
| Topramezone           | 0.01                              | Field corn  | EMRL2008-01<br>(9 July 2008)               |  |  |
| Topramezone           | 0.15                              | Liver of cattle   | EMRL2008-01<br>(9 July 2008)               |  |  |
| Topramezone           | 0.15                              | Liver of goats  | EMRL2008-01                                |  |  |
| Topramezone           | 0.15                              | Liver of horses   | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           | 0.15                              | Liver of sheep  | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           | 0.05                              | Meat byproducts (except liver) of cattle  | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           | 0.05                              | Meat byproducts (except liver) of goats   | (9 July 2008)<br>EMRL2008-01               |  |  |
|                       |                                   |   | (9 July 2008)                              |  |  |
| Topramezone           | 0.05                              | Meat byproducts (except liver) of horses  | EMRL2008-01<br>(9 July 2008)               |  |  |
| Topramezone           | 0.05                              | Meat byproducts (except liver) of sheep   | EMRL2008-01<br>(9 July 2008)               |  |  |
| Topramezone           | 0.05                              | Meat byproducts of hogs   | EMRL2008-01<br>(9 July 2008)               |  |  |
| Topramezone           | 0.01                              | Meat of cattle  | EMRL2008-01                                |  |  |
| Topramezone           | 0.01                              | Meat of goats   | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           | 0.01                              | Meat of hogs  | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           | 0.01                              | Meat of horses  | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           | 0.01                              | Meat of sheep   | (9 July 2008)<br>EMRL2008-01               |  |  |
| Topramezone           | 0.01                              | Milk  | (9 July 2008)<br>EMRL2008-01               |  |  |
|                       |                                   |   | (9 July 2008)                              |  |  |
| Topramezone           | 0.01                              | Sweet corn kernels plus cob with husks removed  | EMRL2010-25<br>(28 September 2010          |  |  |
| Tralkoxydim           | 0.02                              | Barley  | Canada Gazette II Prior to 16 June 2008    |  |  |
| Tralkoxydim           | 0.02                              | Wheat   | Canada Gazette II<br>Prior to 16 June 2008 |  |  |
| Triadimenol           | 0.05                              | Barley  | EMRL2011-13                                |  |  |
| Triadimenol           | 0.05                              | Wheat   | (18 March 2011)<br>EMRL2011-13             |  |  |
| Triallate             | 0.05                              | Barley  | (18 March 2011)<br>EMRL2011-13             |  |  |
| Triallate             | 0.1                               | Sugar beet roots  | (18 March 2011)<br>EMRL2011-13             |  |  |
|                       |                                   | Wheat   | (18 March 2011)                            |  |  |
| Triallate             | 0.05                              |   | EMRL2011-13<br>(18 March 2011)             |  |  |
| Triasulfuron          | 0.02                              | Barley  | EMRL2011-13<br>(18 March 2011)             |  |  |
| Triasulfuron          | 0.02                              | Wheat   | Canada Gazette II<br>Prior to 16 June 2008 |  |  |

|  |                                   | istinct table on the MRL webpage | T  |
|--|-----------------------------------|----------------------------------|--|
| Common Name                                | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                   | MRL Established \                        |
| azolyl alanine plant metabolite            | 2.0                               | All food crops                   | Canada Gazette I                         |
| from triazole fungicides Tribenuron-methyl | 0.05                              | Barley                           | Prior to 16 June 200<br>Canada Gazette I |
| •  | 0.00                              | Balloy                           | Prior to 16 June 200                     |
| Tribenuron-methyl                          | 0.01                              | Dry adzuki beans                 | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.01                              | Dry beans                        | (1 October 2010)<br>EMRL2010-34          |
| ,  |                                   | <u> </u>                         | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.01                              | Dry blackeyed peas               | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.01                              | Dry broad beans                  | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.01                              | Dry catjang seeds                | (1 October 2010)<br>EMRL2010-34          |
| Thisonaron metry                           | 0.01                              | Dry ouguing secus                | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.01                              | Dry chickpeas                    | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.01                              | Dry cowpea seeds                 | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.01                              | Dry field need                   | (1 October 2010)<br>EMRL2010-34          |
| i ribenurori-metnyi                        | 0.01                              | Dry field peas                   | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.01                              | Dry guar seeds                   | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.01                              | Dry kidney beans                 | (1 October 2010)<br>EMRL2010-34          |
| ,  |                                   |                                  | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.01                              | Dry lablab beans                 | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.01                              | Dry lentils                      | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.01                              | Dry lima beans                   | (1 October 2010)<br>EMRL2010-34          |
| Thibendron-metry                           | 0.01                              | bry ima beans                    | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.01                              | Dry moth beans                   | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.01                              | Dry mung beans                   | (1 October 2010)<br>EMRL2010-34          |
|  | 2.24                              |                                  | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.01                              | Dry navy beans                   | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.01                              | Dry pigeon peas                  | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.01                              | Dry pink beans                   | (1 October 2010)<br>EMRL2010-34          |
|  |                                   |                                  | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.01                              | Dry pinto beans                  | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.01                              | Dry rice beans                   | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.01                              | Dry southern peas                | (1 October 2010)<br>EMRL2010-34          |
| Thisendron-metry                           | 0.01                              | Dry Southern peas                | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.05                              | Dry soybeans                     | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.01                              | Dry tepary beans                 | (1 October 2010)<br>EMRL2010-34          |
| Trib an uran mathed                        | 0.04                              | Driving hooms                    | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.01                              | Dry urd beans                    | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.02                              | Eggs                             | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.02                              | Fat of cattle                    | (1 October 2010)<br>EMRL2010-34          |
|  |                                   |                                  | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.02                              | Fat of goats                     | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.02                              | Fat of hogs                      | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.02                              | Fat of horses                    | (1 October 2010)<br>EMRL2010-34          |
| •  | 0.02                              | r at or norses                   | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.02                              | Fat of poultry                   | EMRL2010-34<br>(1 Octobor 2010)          |
| Tribenuron-methyl                          | 0.02                              | Fat of sheep                     | (1 October 2010)<br>EMRL2010-34          |
| Talk and the standard                      | 0.00                              |                                  | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.02                              | Flax                             | Canada Gazette I<br>Prior to 16 June 200 |
| Tribenuron-methyl                          | 0.01                              | Grain lupin                      | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.02                              | Meat byproducts of cattle        | (1 October 2010)<br>EMRL2010-34          |
| •  |                                   | ••                               | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.02                              | Meat byproducts of goats         | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.02                              | Meat byproducts of hogs          | EMRL2010-34                              |
| Tribonuran mathud                          | 0.02                              | Most hyproducts of horses        | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.02                              | Meat byproducts of horses        | EMRL2010-34<br>(1 October 2010)          |
| Tribenuron-methyl                          | 0.02                              | Meat byproducts of poultry       | EMRL2010-34                              |
| Tribenuron-methyl                          | 0.02                              | Meat byproducts of sheep         | (1 October 2010)<br>EMRL2010-34          |
|  |                                   |                                  | (1 October 2010)                         |
| Tribenuron-methyl                          | 0.02                              | Meat of cattle                   | EMRL2010-34                              |

| esidue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |  |  |
|---|-----------------------------------|---|--|--|
| Common Name   | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                      | MRL Established V                          |  |
| Tribenuron-methyl   | 0.02                              | Meat of goats                                       | EMRL2010-34                                |  |
| Tribenuron-methyl   | 0.02                              | Meat of hogs  | (1 October 2010)<br>EMRL2010-34            |  |
| <del>-</del>  |                                   |   | (1 October 2010)                           |  |
| Tribenuron-methyl   | 0.02                              | Meat of horses                                      | EMRL2010-34<br>(1 October 2010)            |  |
| Tribenuron-methyl   | 0.02                              | Meat of poultry                                     | EMRL2010-34                                |  |
| Tribenuron-methyl   | 0.02                              | Meat of sheep                                       | (1 October 2010)<br>EMRL2010-34            |  |
|   |                                   | •   | (1 October 2010)                           |  |
| Tribenuron-methyl   | 0.02                              | Milk  | EMRL2010-34<br>(1 October 2010)            |  |
| Tribenuron-methyl   | 0.05                              | Oats  | Canada Gazette II                          |  |
| Tribenuron-methyl   | 0.02                              | Rapeseeds (canola)                                  | Prior to 16 June 2006<br>Canada Gazette II |  |
|   | 0.05                              |   | Prior to 16 June 200                       |  |
| Tribenuron-methyl   | 0.05                              | Wheat   | Canada Gazette II Prior to 16 June 2008    |  |
| Triclopyr   | 0.1                               | Fat of cattle                                       | EMRL2008-05                                |  |
| Triclopyr   | 0.1                               | Fat of goats  | (6 August 2008)<br>EMRL2008-05             |  |
|   | 0.4                               |   | (6 August 2008)                            |  |
| Triclopyr   | 0.1                               | Fat of hogs   | EMRL2008-05<br>(6 August 2008)             |  |
| Triclopyr   | 0.1                               | Fat of horses                                       | EMRL2008-05                                |  |
| Triclopyr   | 0.1                               | Fat of sheep  | (6 August 2008)<br>EMRL2008-05             |  |
| Trialanus   | 0.5                               | Kidney of cattle                                    | (6 August 2008)<br>Canada Gazette II       |  |
| Triclopyr   | 0.5                               | Noney of cattle                                     | Prior to 16 June 2008                      |  |
| Triclopyr   | 0.5                               | Kidney of goats                                     | Canada Gazette II                          |  |
| Triclopyr   | 0.5                               | Kidney of hogs                                      | Prior to 16 June 2008<br>Canada Gazette II |  |
| Triclopyr   | 0.5                               | Kidney of horses                                    | Prior to 16 June 2008<br>Canada Gazette II |  |
|   |                                   | ·   | Prior to 16 June 2008                      |  |
| Triclopyr   | 0.5                               | Kidney of sheep                                     | Canada Gazette II Prior to 16 June 2008    |  |
| Triclopyr   | 0.5                               | Liver of cattle                                     | Canada Gazette II                          |  |
| Triclopyr   | 0.5                               | Liver of goats                                      | Prior to 16 June 2008<br>Canada Gazette II |  |
|   |                                   | •   | Prior to 16 June 2008                      |  |
| Triclopyr   | 0.5                               | Liver of hogs                                       | Canada Gazette II Prior to 16 June 2008    |  |
| Triclopyr   | 0.5                               | Liver of horses                                     | Canada Gazette II                          |  |
| Triclopyr   | 0.5                               | Liver of sheep                                      | Prior to 16 June 2008<br>Canada Gazette II |  |
|   |                                   | <u> </u>  | Prior to 16 June 2008                      |  |
| Triclopyr   | 0.1                               | Meat byproducts (except kidney and liver) of cattle | EMRL2008-05<br>(6 August 2008)             |  |
| Triclopyr   | 0.1                               | Meat byproducts (except kidney and liver) of goats  | EMRL2008-05                                |  |
| Triclopyr   | 0.1                               | Meat byproducts (except kidney and liver) of hogs   | (6 August 2008)<br>EMRL2008-05             |  |
| Triclopyr   | 0.1                               | Meat byproducts (except kidney and liver) of horses | (6 August 2008)<br>EMRL2008-05             |  |
|   |                                   |   | (6 August 2008)                            |  |
| Triclopyr   | 0.1                               | Meat byproducts (except kidney and liver) of sheep  | EMRL2008-05<br>(6 August 2008)             |  |
| Triclopyr   | 0.1                               | Meat of cattle                                      | EMRL2008-05                                |  |
| Triclopyr   | 0.1                               | Meat of goats                                       | (6 August 2008)<br>EMRL2008-05             |  |
|   |                                   |   | (6 August 2008)                            |  |
| Triclopyr   | 0.1                               | Meat of hogs  | EMRL2008-05<br>(6 August 2008)             |  |
| Triclopyr   | 0.1                               | Meat of horses                                      | EMRL2008-05                                |  |
| Triclopyr   | 0.1                               | Meat of sheep                                       | (6 August 2008)<br>EMRL2008-05             |  |
|   |                                   | ·   | (6 August 2008)                            |  |
| Triclopyr   | 0.01                              | Milk  | EMRL2008-05<br>(6 August 2008)             |  |
| Trifloxystrobin   | 0.04                              | Almonds   | EMRL2008-02                                |  |
| Trifloxystrobin   | 0.5                               | Apples  | (9 July 2008)<br>EMRL2008-02               |  |
| <u>,                                      </u>  |                                   |   | (9 July 2008)                              |  |
| Trifloxystrobin   | 2.0                               | Apricots  | EMRL2011-18<br>(24 March 2011)             |  |
| Trifloxystrobin   | 0.5                               | Asian pears   | EMRL2008-02                                |  |
| Trifloxystrobin   | 0.6                               | Australian desert limes                             | (9 July 2008)<br>EMRL2011-17               |  |
| <u>,                                      </u>  |                                   |   | (24 March 2011)                            |  |
| Trifloxystrobin   | 0.6                               | Australian finger limes                             | EMRL2011-17<br>(24 March 2011)             |  |
| Trifloxystrobin   | 0.6                               | Australian round limes                              | EMRL2011-17                                |  |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |                          |                                 |
|--|-----------------------------------|--------------------------|---------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity           | MRL Established                 |
| Trifloxystrobin  | 0.5                               | Balsam apples            | EMRL2008-02                     |
| Trifloxystrobin  | 0.5                               | Balsam pears             | (9 July 2008)<br>EMRL2008-02    |
| Trifloxystrobin  | 0.05                              | Rarlov                   | (9 July 2008)<br>EMRL2008-02    |
| Tilloxystrobin   | 0.05                              | Barley                   | (9 July 2008)                   |
| Trifloxystrobin  | 0.04                              | Beechnuts                | EMRL2008-34                     |
| Trifloxystrobin  | 0.5                               | Bell peppers             | (17 November 20)<br>EMRL2008-02 |
| Trifferentiable  | 0.7                               | Di J                     | (9 July 2008)                   |
| Trifloxystrobin  | 0.7                               | Black sapote             | EMRL2011-17<br>(24 March 2011   |
| Trifloxystrobin  | 0.04                              | Black walnuts            | EMRL2008-34                     |
| Trifloxystrobin  | 0.04                              | Brazil nuts              | (17 November 20)<br>EMRL2008-34 |
|  |                                   | D                        | (17 November 200                |
| Trifloxystrobin  | 0.6                               | Brown River finger limes | EMRL2011-17<br>(24 March 2011   |
| Trifloxystrobin  | 0.04                              | Butternuts               | EMRL2008-34                     |
| Trifloxystrobin  | 0.6                               | Calamondins              | (17 November 200<br>EMRL2011-17 |
| Trifferentiable  | 0.7                               | Control                  | (24 March 2011                  |
| Trifloxystrobin  | 0.7                               | Canistel                 | EMRL2011-17<br>(24 March 2011   |
| Trifloxystrobin  | 0.5                               | Cantaloupes              | EMRL2008-02                     |
| Trifloxystrobin  | 0.04                              | Cashew nuts              | (9 July 2008)<br>EMRL2008-34    |
|  |                                   |                          | (17 November 20                 |
| Trifloxystrobin  | 0.5                               | Chayote fruit            | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin  | 0.04                              | Chestnuts                | EMRL2008-34                     |
| Trifloxystrobin  | 0.5                               | Chinese cucumbers        | (17 November 200<br>EMRL2008-02 |
| <u> </u>   |                                   |                          | (9 July 2008)                   |
| Trifloxystrobin  | 0.5                               | Chinese waxgourds        | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin  | 0.04                              | Chinquapins              | EMRL2008-34                     |
| Trifloxystrobin  | 0.5                               | Citron melons            | (17 November 200<br>EMRL2008-02 |
| <u>,                                      </u>   |                                   | 0''                      | (9 July 2008)                   |
| Trifloxystrobin  | 0.6                               | Citrus citrons           | EMRL2011-17<br>(24 March 2011   |
| Trifloxystrobin  | 0.6                               | Citrus hybrids           | EMRL2011-17                     |
| Trifloxystrobin  | 38                                | Citrus oil               | (24 March 2011<br>EMRL2011-17   |
| Trifferenteshie  | 0.5                               | Crahannia                | (24 March 2011                  |
| Trifloxystrobin  | 0.5                               | Crabapples               | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin  | 0.5                               | Cucumbers                | EMRL2008-02                     |
| Trifloxystrobin  | 0.02                              | Dry adzuki beans         | (9 July 2008)<br>EMRL2010-10    |
|  | 0.00                              | •                        | (15 September 20                |
| Trifloxystrobin  | 0.02                              | Dry beans                | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin  | 0.02                              | Dry blackeyed peas       | EMRL2010-10                     |
| Trifloxystrobin  | 0.02                              | Dry broad beans          | (15 September 20<br>EMRL2010-10 |
| Trifloxystrobin  | 0.02                              | Dry catjang seeds        | (15 September 20<br>EMRL2010-10 |
|  |                                   | , , ,                    | (15 September 20                |
| Trifloxystrobin  | 0.02                              | Dry chickpeas            | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin  | 0.02                              | Dry cowpea seeds         | EMRL2010-10                     |
| Trifloxystrobin  | 0.02                              | Dry field peas           | (15 September 20<br>EMRL2010-10 |
| <u>,                                      </u>   |                                   | , ,                      | (15 September 20                |
| Trifloxystrobin  | 0.02                              | Dry guar seeds           | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin  | 0.02                              | Dry kidney beans         | EMRL2010-10                     |
| Trifloxystrobin  | 0.02                              | Dry lablab beans         | (15 September 20<br>EMRL2010-10 |
| <u>,                                      </u>   |                                   | <u> </u>                 | (15 September 20                |
| Trifloxystrobin  | 0.02                              | Dry lentils              | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin  | 0.02                              | Dry lima beans           | EMRL2010-10                     |
| Trifloxystrobin  | 0.02                              | Dry moth beans           | (15 September 20<br>EMRL2010-10 |
| <u> </u>   |                                   |                          | (15 September 20                |
| Trifloxystrobin  | 0.02                              | Dry mung beans           | EMRL2010-10                     |
| Trifloxystrobin  | 0.02                              | Dry navy beans           | (15 September 20<br>EMRL2010-10 |
| Trifferente-lei-   | 0.00                              | Davaina                  | (15 September 20                |
| Trifloxystrobin  | 0.02                              | Dry pigeon peas          | EMRL2010-10                     |

|  |                                   | in a distinct table on the MRL webpage               |                                 |
|--|-----------------------------------|--|---------------------------------|
| Common Name                                    | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established                 |
| Trifloxystrobin                                | 0.02                              | Dry pink beans                                       | EMRL2010-10                     |
| Trifloxystrobin                                | 0.02                              | Dry pinto beans                                      | (15 September 20<br>EMRL2010-10 |
| Trifloxystrobin                                | 0.02                              | Dry rice beans                                       | (15 September 20<br>EMRL2010-10 |
|  |                                   | ·  | (15 September 20                |
| Trifloxystrobin                                | 0.02                              | Dry southern peas                                    | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin                                | 0.02                              | Dry soybeans   | EMRL2010-10                     |
| Trifloxystrobin                                | 0.02                              | Dry tepary beans                                     | (15 September 20<br>EMRL2010-10 |
| Trifloxystrobin                                | 0.02                              | Dry urd beans  | (15 September 20<br>EMRL2010-10 |
|  |                                   | ·  | (15 September 20                |
| Trifloxystrobin                                | 0.5                               | Edible gourds (other than those listed in this item) | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin                                | 0.02                              | Edible-podded dwarf peas                             | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin                                | 0.02                              | Edible-podded jackbeans                              | EMRL2010-10                     |
| Trifloxystrobin                                | 0.02                              | Edible-podded moth beans                             | (15 September 20<br>EMRL2010-10 |
| Trifloxystrobin                                | 0.02                              | Edible-podded peas                                   | (15 September 20<br>EMRL2010-10 |
|  |                                   | · · ·  | (15 September 20                |
| Trifloxystrobin                                | 0.02                              | Edible-podded pigeon peas                            | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin                                | 0.02                              | Edible-podded runner beans                           | EMRL2010-10                     |
| Trifloxystrobin                                | 0.02                              | Edible-podded snap beans                             | (15 September 20<br>EMRL2010-10 |
| Trifloxystrobin                                | 0.02                              | Edible-podded snow peas                              | (15 September 20<br>EMRL2010-10 |
|  |                                   |  | (15 September 20                |
| Trifloxystrobin                                | 0.02                              | Edible-podded soybeans                               | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin                                | 0.02                              | Edible-podded sugar snap peas                        | EMRL2010-10<br>(15 September 20 |
| Trifloxystrobin                                | 0.02                              | Edible-podded sword beans                            | EMRL2010-10                     |
| Trifloxystrobin                                | 0.02                              | Edible-podded wax beans                              | (15 September 20<br>EMRL2010-10 |
| Trifloxystrobin                                | 0.02                              | Edible-podded yardlong beans                         | (15 September 20<br>EMRL2010-10 |
| <u>,                                      </u> |                                   |  | (15 September 20                |
| Trifloxystrobin                                | 0.5                               | Eggplants  | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin                                | 0.04                              | Eggs   | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin                                | 0.04                              | English walnuts                                      | EMRL2008-34                     |
| Trifloxystrobin                                | 0.04                              | Fat of cattle  | (17 November 20)<br>EMRL2008-02 |
| Trifloxystrobin                                | 0.04                              | Fat of goats   | (9 July 2008)<br>EMRL2008-02    |
|  |                                   |  | (9 July 2008)                   |
| Trifloxystrobin                                | 0.04                              | Fat of hogs  | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin                                | 0.04                              | Fat of horses  | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin                                | 0.04                              | Fat of poultry                                       | EMRL2008-02                     |
| Trifloxystrobin                                | 0.04                              | Fat of sheep   | (9 July 2008)<br>EMRL2008-02    |
| Trifloxystrobin                                | 0.02                              | Field corn   | (9 July 2008)<br>EMRL2010-10    |
| <u>,                                      </u> |                                   |  | (15 September 20                |
| Trifloxystrobin                                | 0.04                              | Filberts   | EMRL2008-34<br>(17 November 20  |
| Trifloxystrobin                                | 0.02                              | Grain Iupin  | EMRL2010-10                     |
| Trifloxystrobin                                | 0.6                               | Grapefruits  | (15 September 20<br>EMRL2011-17 |
| Trifloxystrobin                                | 2.0                               | Grapes   | (24 March 2011<br>EMRL2008-02   |
| <u>,                                      </u> |                                   | · · · · · · · · · · · · · · · · · · ·                | (9 July 2008)                   |
| Trifloxystrobin                                | 0.5                               | Groundcherries                                       | EMRL2008-02<br>(9 July 2008)    |
| Trifloxystrobin                                | 0.04                              | Hickory nuts   | EMRL2008-34<br>(17 November 20  |
| Trifloxystrobin                                | 0.6                               | Japanese summer grapefruits                          | EMRL2011-17                     |
| Trifloxystrobin                                | 0.6                               | Kumquats   | (24 March 2011<br>EMRL2011-17   |
| Trifloxystrobin                                | 0.6                               | Lemons   | (24 March 2011<br>EMRL2011-17   |
|  |                                   |  | (24 March 2011                  |
| Trifloxystrobin                                | 0.6                               | Limes  | EMRL2011-17<br>(24 March 2011   |
| Trifloxystrobin                                | 0.5                               | Loquats  | EMRL2008-02                     |

| residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |   |                                  |
|--|-----------------------------------|---|----------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                    | MRL Established                  |
| Trifloxystrobin  | 0.04                              | Macadamia nuts                                    | EMRL2008-34                      |
| Trifloxystrobin  | 0.7                               | Mamey sapote                                      | (17 November 200<br>EMRL2011-17  |
| Trifloxystrobin  | 0.7                               | Mango   | (24 March 2011)<br>EMRL2011-17   |
| Tilloxystrobili  | 0.7                               | · ·   | (24 March 2011)                  |
| Trifloxystrobin  | 0.5                               | Mayhaws   | EMRL2008-02<br>(9 July 2008)     |
| Trifloxystrobin  | 0.04                              | Meat byproducts of cattle                         | EMRL2008-02                      |
| Trifloxystrobin  | 0.04                              | Meat byproducts of goats                          | (9 July 2008)<br>EMRL2008-02     |
| Trifferenterahia   | 0.04                              |   | (9 July 2008)<br>EMRL2008-02     |
| Trifloxystrobin  |                                   | Meat byproducts of hogs                           | (9 July 2008)                    |
| Trifloxystrobin  | 0.04                              | Meat byproducts of horses                         | EMRL2008-02<br>(9 July 2008)     |
| Trifloxystrobin  | 0.04                              | Meat byproducts of poultry                        | EMRL2008-02                      |
| Trifloxystrobin  | 0.04                              | Meat byproducts of sheep                          | (9 July 2008)<br>EMRL2008-02     |
| Trifloxystrobin  | 0.04                              | Meat of cattle                                    | (9 July 2008)<br>EMRL2008-02     |
| Tilloxystrobili  | 0.04                              | ivieal of Callie                                  | (9 July 2008)                    |
| Trifloxystrobin  | 0.04                              | Meat of goats                                     | EMRL2008-02<br>(9 July 2008)     |
| Trifloxystrobin  | 0.04                              | Meat of hogs                                      | EMRL2008-02                      |
| Trifloxystrobin  | 0.04                              | Meat of horses                                    | (9 July 2008)<br>EMRL2008-02     |
| Trifloxystrobin  | 0.04                              | Meat of poultry                                   | (9 July 2008)<br>EMRL2008-02     |
| Tilloxystrobin   | 0.04                              | ineat of poultry                                  | (9 July 2008)                    |
| Trifloxystrobin  | 0.04                              | Meat of sheep                                     | EMRL2008-02<br>(9 July 2008)     |
| Trifloxystrobin  | 0.6                               | Mediterranean mandarins                           | EMRL2011-17                      |
| Trifloxystrobin  | 0.02                              | Milk  | (24 March 2011)<br>EMRL2008-02   |
| Trifloxystrobin  | 0.6                               | Mount White limes                                 | (9 July 2008)<br>EMRL2011-17     |
| <u>,                                      </u>   |                                   |   | (24 March 2011)                  |
| Trifloxystrobin  | 0.5                               | Muskmelons (other than those listed in this item) | EMRL2008-02<br>(9 July 2008)     |
| Trifloxystrobin  | 0.02                              | Mustard seeds (condiment type)                    | EMRL2010-10                      |
| Trifloxystrobin  | 0.02                              | Mustard seeds (oilseed type)                      | (15 September 201<br>EMRL2010-10 |
| Trifloxystrobin  | 2.0                               | Nectarines  | (15 September 201<br>EMRL2011-18 |
|  |                                   |   | (24 March 2011)                  |
| Trifloxystrobin  | 0.6                               | New Guinea wild limes                             | EMRL2011-17<br>(24 March 2011)   |
| Trifloxystrobin  | 0.5                               | Non-bell peppers                                  | EMRL2008-02                      |
| Trifloxystrobin  | 0.05                              | Oats  | (9 July 2008)<br>EMRL2008-02     |
| Trifloxystrobin  | 0.6                               | Oranges   | (9 July 2008)<br>EMRL2011-17     |
| ,  |                                   |   | (24 March 2011)                  |
| Trifloxystrobin  | 0.7                               | Papaya  | EMRL2011-17<br>(24 March 2011)   |
| Trifloxystrobin  | 2.0                               | Peaches   | EMRL2011-18<br>(24 March 2011)   |
| Trifloxystrobin  | 0.5                               | Pears   | EMRL2008-02                      |
| Trifloxystrobin  | 0.04                              | Pecans  | (9 July 2008)<br>EMRL2008-34     |
|  |                                   |   | (17 November 200<br>EMRL2008-02  |
| Trifloxystrobin  | 0.5                               | Pepinos   | (9 July 2008)                    |
| Trifloxystrobin  | 0.5                               | Pepper hybrids                                    | EMRL2008-02<br>(9 July 2008)     |
| Trifloxystrobin  | 0.04                              | Pistachios  | EMRL2008-34                      |
| Trifloxystrobin  | 2.0                               | Plumcots  | (17 November 200<br>EMRL2011-18  |
| Trifloxystrobin  | 2.0                               | Plums   | (24 March 2011)<br>EMRL2011-18   |
| ·  |                                   |   | (24 March 2011)                  |
| Trifloxystrobin  | 0.02                              | Popcorn grain                                     | EMRL2010-10<br>(15 September 201 |
| Trifloxystrobin  | 0.04                              | Potatoes  | EMRL2008-02                      |
| Trifloxystrobin  | 2.0                               | Prune plums                                       | (9 July 2008)<br>EMRL2011-18     |
| <u>,                                      </u>   |                                   | ·   | (24 March 2011)                  |
| Trifloxystrobin  | 0.6                               | Pummelos  | EMRL2011-17<br>(24 March 2011)   |
| Trifloxystrobin  | 0.5                               | Pumpkins  | EMRL2008-02                      |
| Trifloxystrobin  | 0.5                               | Quinces   | (9 July 2008)<br>EMRL2008-02     |

| e residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |  |
|--|-----------------------------------|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                 | MRL Established Via                        |
| Trifloxystrobin  | 5.0                               | Raisins  | EMRL2008-02<br>(9 July 2008)               |
| Trifloxystrobin  | 0.02                              | Rapeseeds (canola)                             | EMRL2010-10                                |
| Trifloxystrobin  | 3.5                               | Rice   | (15 September 2010)<br>EMRL2011-17         |
| Trifloxystrobin  | 0.6                               | Russell River limes                            | (24 March 2011)<br>EMRL2011-17             |
| Trifloxystrobin  | 0.7                               | Sapodilla                                      | (24 March 2011)<br>EMRL2011-17             |
| Trifloxystrobin  | 0.6                               | Satsuma mandarins                              | (24 March 2011)<br>EMRL2011-17             |
| Trifloxystrobin  | 0.7                               | Star apple                                     | (24 March 2011)<br>EMRL2011-17             |
| Trifloxystrobin  | 0.02                              | Succulent shelled blackeyed peas               | (24 March 2011)<br>EMRL2010-10             |
| Trifloxystrobin  | 0.02                              | Succulent shelled broad beans                  | (15 September 2010)<br>EMRL2010-10         |
|  |                                   |  | (15 September 2010)                        |
| Trifloxystrobin  | 0.02                              | Succulent shelled cowpeas                      | EMRL2010-10<br>(15 September 2010)         |
| Trifloxystrobin  | 0.02                              | Succulent shelled English peas                 | EMRL2010-10<br>(15 September 2010)         |
| Trifloxystrobin  | 0.02                              | Succulent shelled garden peas                  | EMRL2010-10<br>(15 September 2010)         |
| Trifloxystrobin  | 0.02                              | Succulent shelled green peas                   | EMRL2010-10<br>(15 September 2010          |
| Trifloxystrobin  | 0.02                              | Succulent shelled lima beans                   | EMRL2010-10<br>(15 September 2010          |
| Trifloxystrobin  | 0.02                              | Succulent shelled peas                         | EMRL2010-10                                |
| Trifloxystrobin  | 0.02                              | Succulent shelled pigeon peas                  | (15 September 2010<br>EMRL2010-10          |
| Trifloxystrobin  | 0.02                              | Succulent shelled southern peas                | (15 September 2010)<br>EMRL2010-10         |
| Trifloxystrobin  | 0.1                               | Sugar beet roots                               | (15 September 2010)<br>EMRL2008-02         |
| Trifloxystrobin  | 0.5                               | Summer squash                                  | (9 July 2008)<br>EMRL2008-02               |
| Trifloxystrobin  | 2.0                               | Sweet cherries                                 | (9 July 2008)<br>EMRL2011-18               |
|  |                                   |  | (24 March 2011)                            |
| Trifloxystrobin  | 0.02                              | Sweet corn kernels plus cob with husks removed | EMRL2010-10<br>(15 September 2010)         |
| Trifloxystrobin  | 0.6                               | Sweet limes                                    | EMRL2011-17<br>(24 March 2011)             |
| Trifloxystrobin  | 0.6                               | Tachibana oranges                              | EMRL2011-17<br>(24 March 2011)             |
| Trifloxystrobin  | 0.6                               | Tahiti limes                                   | EMRL2011-17<br>(24 March 2011)             |
| Trifloxystrobin  | 0.6                               | Tangelos                                       | EMRL2011-17<br>(24 March 2011)             |
| Trifloxystrobin  | 0.6                               | Tangerines                                     | EMRL2011-17                                |
| Trifloxystrobin  | 0.6                               | Tangors  | (24 March 2011)<br>EMRL2011-17             |
| Trifloxystrobin  | 2.0                               | Tart cherries                                  | (24 March 2011)<br>EMRL2011-18             |
| Trifloxystrobin  | 0.5                               | Tomatillos                                     | (24 March 2011)<br>EMRL2008-02             |
| Trifloxystrobin  | 0.5                               | Tomatoes                                       | (9 July 2008)<br>EMRL2008-02               |
| Trifloxystrobin  | 0.6                               | Trifoliate oranges                             | (9 July 2008)<br>EMRL2011-17               |
| Trifloxystrobin  | 0.6                               | Uniq fruits                                    | (24 March 2011)<br>EMRL2011-17             |
|  |                                   | · ·  | (24 March 2011)                            |
| Trifloxystrobin  | 0.5                               | Watermelons                                    | EMRL2008-02<br>(9 July 2008)               |
| Trifloxystrobin  | 0.5                               | West Indian gherkins                           | EMRL2008-02<br>(9 July 2008)               |
| Trifloxystrobin  | 0.05                              | Wheat  | EMRL2008-02<br>(9 July 2008)               |
| Trifloxystrobin  | 0.5                               | Winter squash                                  | EMRL2008-02<br>(9 July 2008)               |
| Triflumizole   | 0.5                               | Apples   | Canada Gazette II<br>Prior to 16 June 2008 |
| Triflumizole   | 0.5                               | Balsam apples                                  | EMRL2009-23                                |
| Triflumizole   | 0.5                               | Balsam pears                                   | (19 November 2009)<br>EMRL2009-23          |
| Triflumizole   | 0.5                               | Cantaloupes                                    | (19 November 2009)<br>EMRL2009-23          |
| Triflumizole   | 0.5                               | Chayote fruit                                  | (19 November 2009)<br>EMRL2009-23          |
|  | 0.5                               | Chinese Cucumbers                              | (19 November 2009)<br>EMRL2009-23          |

|              |                                   | in a distinct table on the MRL webpage               | _  |
|--------------|-----------------------------------|--|--|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                                       | MRL Established V                        |
| Triflumizole | 0.5                               | Chinese waxgourds                                    | EMRL2009-23<br>(19 November 200          |
| Triflumizole | 0.5                               | Citron melons  | EMRL2009-23                              |
| Triflumizole | 0.5                               | Cucumbers  | (19 November 200<br>EMRL2009-23          |
|              | 0.5                               |  | (19 November 200                         |
| Triflumizole | 0.5                               | Edible gourds (other than those listed in this item) | EMRL2009-23<br>(19 November 200          |
| Triflumizole | 2.5                               | Grapes   | Canada Gazette I                         |
| Triflumizole | 0.5                               | Muskmelons (other than those listed in this item)    | Prior to 16 June 200<br>EMRL2009-23      |
|              |                                   |  | (19 November 200                         |
| Triflumizole | 0.5                               | Pears  | Canada Gazette I<br>Prior to 16 June 20  |
| Triflumizole | 0.5                               | Pumpkins   | EMRL2009-23<br>(19 November 200          |
| Triflumizole | 2.0                               | Strawberries   | EMRL2009-23                              |
| Triflumizole | 0.5                               | Summer squash  | (19 November 2009<br>EMRL2009-23         |
|              |                                   | ·  | (19 November 200                         |
| Triflumizole | 1.5                               | Sweet cherries                                       | Canada Gazette I<br>Prior to 16 June 200 |
| Triflumizole | 1.5                               | Tart cherries  | Canada Gazette I                         |
| Triflumizole | 0.5                               | Watermelons  | Prior to 16 June 200<br>EMRL2009-23      |
| T-:0::       | 0.5                               | West to disposition                                  | (19 November 2009                        |
| Triflumizole | 0.5                               | West Indian gherkins                                 | EMRL2009-23<br>(19 November 2009         |
| Triflumizole | 0.5                               | Winter squash  | EMRL2009-23<br>(19 November 2009         |
| Trifluralin  | 0.05                              | Apricots   | EMRL2011-13                              |
| Trifluralin  | 0.05                              | Asparagus  | (18 March 2011)<br>EMRL2011-13           |
|              |                                   |  | (18 March 2011)                          |
| Trifluralin  | 0.05                              | Barley   | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin  | 0.05                              | Bell peppers   | EMRL2011-13                              |
| Trifluralin  | 0.05                              | Broccoli   | (18 March 2011)<br>EMRL2011-13           |
| Trifluralin  | 0.05                              | Brussels sprouts                                     | (18 March 2011)<br>EMRL2011-13           |
|              |                                   | ·  | (18 March 2011)                          |
| Trifluralin  | 0.05                              | Cabbages   | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin  | 0.5                               | Carrots  | Canada Gazette I                         |
| Trifluralin  | 0.05                              | Cauliflower  | Prior to 16 June 200<br>EMRL2011-13      |
| Trifluralin  | 0.05                              | Chinese broccoli                                     | (18 March 2011)<br>EMRL2011-13           |
| Timurami     |                                   |  | (18 March 2011)                          |
| Trifluralin  | 0.05                              | Chinese mustard cabbages                             | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin  | 0.05                              | Dry adzuki beans                                     | EMRL2011-13                              |
| Trifluralin  | 0.05                              | Dry beans  | (18 March 2011)<br>EMRL2011-13           |
| Trifluralin  | 0.05                              | Dry blackeyed peas                                   | (18 March 2011)                          |
|              |                                   | , , ,  | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin  | 0.05                              | Dry broad beans                                      | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin  | 0.05                              | Dry catjang seeds                                    | EMRL2011-13                              |
| Trifluralin  | 0.05                              | Dry chickpeas  | (18 March 2011)<br>EMRL2011-13           |
| Trifluralin  | 0.05                              | Dry cowpea seeds                                     | (18 March 2011)<br>EMRL2011-13           |
|              |                                   | • •  | (18 March 2011)                          |
| Trifluralin  | 0.05                              | Dry field peas                                       | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin  | 0.05                              | Dry guar seeds                                       | EMRL2011-13                              |
| Trifluralin  | 0.05                              | Dry kidney beans                                     | (18 March 2011)<br>EMRL2011-13           |
|              |                                   | · ·  | (18 March 2011)                          |
| Trifluralin  | 0.05                              | Dry lablab beans                                     | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin  | 0.05                              | Dry lentils  | EMRL2011-13                              |
| Trifluralin  | 0.05                              | Dry lima beans                                       | (18 March 2011)<br>EMRL2011-13           |
| Trifluralin  | 0.05                              | Dry moth beans                                       | (18 March 2011)<br>EMRL2011-13           |
|              |                                   | ·  | (18 March 2011)                          |
| Trifluralin  | 0.05                              | Dry mung beans                                       | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin  | 0.05                              | Dry navy beans                                       | EMRL2011-13                              |

|             |                                   | distinct table on the MRL webpage     |                                |
|-------------|-----------------------------------|---------------------------------------|--------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                        | MRL Established \              |
| Trifluralin | 0.05                              | Dry pigeon peas                       | EMRL2011-13                    |
| Trifluralin | 0.05                              | Dry pink beans                        | (18 March 2011)<br>EMRL2011-13 |
| Trifluralin | 0.05                              | Dry pinto beans                       | (18 March 2011)<br>EMRL2011-13 |
|             |                                   |                                       | (18 March 2011)                |
| Trifluralin | 0.05                              | Dry rice beans                        | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Dry southern peas                     | EMRL2011-13                    |
| Trifluralin | 0.05                              | Dry soybeans                          | (18 March 2011)<br>EMRL2011-13 |
| Trifluralin | 0.05                              | Dry tepary beans                      | (18 March 2011)<br>EMRL2011-13 |
| Trifluralin | 0.05                              | Dry urd beans                         | (18 March 2011)<br>EMRL2011-13 |
|             | 0.05                              | ·                                     | (18 March 2011)                |
| Trifluralin | 0.05                              | Edible-podded dwarf peas              | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Edible-podded jackbeans               | EMRL2011-13                    |
| Trifluralin | 0.05                              | Edible-podded moth beans              | (18 March 2011)<br>EMRL2011-13 |
| Trifluralin | 0.05                              | Edible-podded peas                    | (18 March 2011)<br>EMRL2011-13 |
|             |                                   | · · · · · · · · · · · · · · · · · · · | (18 March 2011)                |
| Trifluralin | 0.05                              | Edible-podded pigeon peas             | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Edible-podded runner beans            | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Edible-podded snap beans              | EMRL2011-13                    |
| Trifluralin | 0.05                              | Edible-podded snow peas               | (18 March 2011)<br>EMRL2011-13 |
|             |                                   | <u> </u>                              | (18 March 2011)                |
| Trifluralin | 0.05                              | Edible-podded soybeans                | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Edible-podded sugar snap peas         | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Edible-podded swordbeans              | EMRL2011-13                    |
| Trifluralin | 0.05                              | Edible-podded wax beans               | (18 March 2011)<br>EMRL2011-13 |
| Trifluralin | 0.05                              | Edible-podded yardlong beans          | (18 March 2011)<br>EMRL2011-13 |
|             |                                   |                                       | (18 March 2011)                |
| Trifluralin | 0.05                              | Eggplants                             | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Flaxseeds                             | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Grain lupin                           | EMRL2011-13                    |
| Trifluralin | 0.05                              | Groundcherries                        | (18 March 2011)<br>EMRL2011-13 |
| Trifluralin | 0.05                              | Kohlrobi                              | (18 March 2011)<br>EMRL2011-13 |
|             | 0.05                              | Kohlrabi                              | (18 March 2011)                |
| Trifluralin | 0.05                              | Mustard                               | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Napa Chinese cabbages                 | EMRL2011-13                    |
| Trifluralin | 0.05                              | Nectarines                            | (18 March 2011)<br>EMRL2011-13 |
| Trifluralin | 0.05                              | Non-bell peppers                      | (18 March 2011)<br>EMRL2011-13 |
|             |                                   |                                       | (18 March 2011)                |
| Trifluralin | 0.05                              | Peaches                               | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Pearl millet                          | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Pepinos                               | EMRL2011-13                    |
| Trifluralin | 0.05                              | Pepper hybrids                        | (18 March 2011)<br>EMRL2011-13 |
|             |                                   |                                       | (18 March 2011)                |
| Trifluralin | 0.05                              | Plumcots                              | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Plums                                 | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Proso millet                          | EMRL2011-13                    |
| Trifluralin | 0.05                              | Prune plums                           | (18 March 2011)<br>EMRL2011-13 |
| Trifluralin | 0.05                              | Rapeseeds (canola)                    | (18 March 2011)<br>EMRL2011-13 |
|             |                                   |                                       | (18 March 2011)                |
| Trifluralin | 0.05                              | Rutabaga roots                        | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Rutabaga tops                         | EMRL2011-13<br>(18 March 2011) |
| Trifluralin | 0.05                              | Safflower seeds                       | EMRL2011-13                    |

|                           | emicals are available in a  | a distinct table on the MRL webpage | MDI Farabilati 11                        |
|---------------------------|-----------------------------|-------------------------------------|--|
| Common Name               | Maximum Residue Limit (ppm) | Food Commodity                      | MRL Established \                        |
| Trifluralin               | 0.05                        | Succulent shelled blackeyed peas    | EMRL2011-13                              |
| Trifluralin               | 0.05                        | Succulent shelled broad beans       | (18 March 2011)<br>EMRL2011-13           |
| Trifluralin               | 0.05                        | Succulent shelled cowpeas           | (18 March 2011)<br>EMRL2011-13           |
| muraiin                   | 0.05                        | Succulent Shelled Cowpeas           | (18 March 2011)                          |
| Trifluralin               | 0.05                        | Succulent shelled English peas      | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin               | 0.05                        | Succulent shelled garden peas       | EMRL2011-13                              |
| Trifluralin               | 0.05                        | Succulent shelled green peas        | (18 March 2011)<br>EMRL2011-13           |
|                           |                             |                                     | (18 March 2011)                          |
| Trifluralin               | 0.05                        | Succulent shelled lima beans        | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin               | 0.05                        | Succulent shelled peas              | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin               | 0.05                        | Succulent shelled pigeon peas       | (18 March 2011)<br>EMRL2011-13           |
| Trifluralin               | 0.05                        | Succulent shelled southern peas     | (18 March 2011)<br>EMRL2011-13           |
|                           | 0.05                        | Succulent Shelled Southern peas     | (18 March 2011)                          |
| Trifluralin               | 0.05                        | Sunflower seeds                     | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin               | 0.05                        | Sweet cherries                      | EMRL2011-13                              |
| Trifluralin               | 0.05                        | Tart cherries                       | (18 March 2011)<br>EMRL2011-13           |
|                           |                             |                                     | (18 March 2011)                          |
| Trifluralin               | 0.05                        | Tomatillos                          | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin               | 0.05                        | Tomatoes                            | EMRL2011-13                              |
| Trifluralin               | 0.05                        | Triticale                           | (18 March 2011)<br>EMRL2011-13           |
|                           |                             |                                     | (18 March 2011)                          |
| Trifluralin               | 0.05                        | Turnip roots                        | EMRL2011-13<br>(18 March 2011)           |
| Trifluralin               | 0.05                        | Turnip tops                         | EMRL2011-13                              |
| Trifluralin               | 0.05                        | Wheat                               | (18 March 2011)<br>EMRL2011-13           |
| Triflusulfuron-methyl     | 0.05                        | Chicory roots                       | (18 March 2011)<br>EMRL2011-13           |
| <u> </u>                  |                             | ·                                   | (18 March 2011)                          |
| Triflusulfuron-methyl     | 0.05                        | Molasses                            | Canada Gazette I<br>Prior to 16 June 20  |
| Triflusulfuron-methyl     | 0.05                        | Sugar                               | Canada Gazette I                         |
| Triflusulfuron-methyl     | 0.05                        | Sugar beets                         | Prior to 16 June 20 Canada Gazette I     |
| Trimethylaulfanium action | 15                          | Porloy                              | Prior to 16 June 20 Canada Gazette I     |
| Trimethylsulfonium cation | 15                          | Barley                              | Prior to 16 June 20                      |
| Trimethylsulfonium cation | 1.0                         | Beans                               | Canada Gazette I<br>Prior to 16 June 200 |
| Trimethylsulfonium cation | 0.02                        | Eggs                                | Canada Gazette I                         |
| Trimethylsulfonium cation | 3.0                         | Flax                                | Prior to 16 June 20 Canada Gazette I     |
|                           |                             |                                     | Prior to 16 June 200                     |
| Trimethylsulfonium cation | 1.0                         | Kidney of cattle                    | Canada Gazette I<br>Prior to 16 June 20  |
| Trimethylsulfonium cation | 1.0                         | Kidney of goats                     | Canada Gazette I                         |
| Trimethylsulfonium cation | 1.0                         | Kidney of hogs                      | Prior to 16 June 20 Canada Gazette I     |
| Trimethylaulfanium action | 1.0                         | Kidney of horses                    | Prior to 16 June 20<br>Canada Gazette I  |
| Trimethylsulfonium cation | 1.0                         | Ridney of norses                    | Prior to 16 June 20                      |
| Trimethylsulfonium cation | 0.1                         | Kidney of poultry                   | Canada Gazette I<br>Prior to 16 June 20  |
| Trimethylsulfonium cation | 1.0                         | Kidney of sheep                     | Canada Gazette I                         |
| Trimethylsulfonium cation | 1.5                         | Lentils                             | Prior to 16 June 20 Canada Gazette I     |
| -                         |                             |                                     | Prior to 16 June 20                      |
| Trimethylsulfonium cation | 0.5                         | Liver of cattle                     | Canada Gazette I<br>Prior to 16 June 20  |
| Trimethylsulfonium cation | 0.5                         | Liver of goats                      | Canada Gazette I                         |
| Trimethylsulfonium cation | 0.5                         | Liver of hogs                       | Prior to 16 June 200<br>Canada Gazette I |
|                           | 0.1                         |                                     | Prior to 16 June 20                      |
| Trimethylsulfonium cation | 0.1                         | Liver of poultry                    | Canada Gazette I<br>Prior to 16 June 20  |
| Trimethylsulfonium cation | 0.5                         | Liver of sheep                      | Canada Gazette I<br>Prior to 16 June 20  |
| Trimethylsulfonium cation | 0.5                         | Meat byproducts of cattle           | Canada Gazette I                         |
| Trimethylsulfonium cation | 0.5                         | Meat byproducts of goats            | Prior to 16 June 20 Canada Gazette I     |
|                           |                             |                                     | Prior to 16 June 20                      |
| Trimethylsulfonium cation | 0.5                         | Meat byproducts of hogs             | Canada Gazette I                         |

| e residue definitions for all chemicals are available in a distinct table on the MRL webpage |                                   |  |                                       |
|--|-----------------------------------|--|---------------------------------------|
| Common Name  | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                         | MRL Established                       |
| Trimethylsulfonium cation  | 0.5                               | Meat byproducts of horses              | Canada Gazette                        |
| Trimethylsulfonium cation  | 0.5                               | Meat byproducts of sheep               | Prior to 16 June 20<br>Canada Gazette |
| Trim other day of a nivers and in a  | 0.5                               | Most of souls                          | Prior to 16 June 20                   |
| Trimethylsulfonium cation  | 0.5                               | Meat of cattle                         | Canada Gazette Prior to 16 June 20    |
| Trimethylsulfonium cation  | 0.5                               | Meat of goats                          | Canada Gazette                        |
| Trimethylsulfonium cation  | 0.5                               | Meat of hogs                           | Prior to 16 June 20<br>Canada Gazette |
| Trim other day of a nivers and in a  | 0.5                               | Most of houses                         | Prior to 16 June 20<br>Canada Gazette |
| Trimethylsulfonium cation  | 0.5                               | Meat of horses                         | Prior to 16 June 20                   |
| Trimethylsulfonium cation  | 0.05                              | Meat of poultry                        | Canada Gazette<br>Prior to 16 June 20 |
| Trimethylsulfonium cation  | 0.5                               | Meat of sheep                          | Canada Gazette                        |
| Trimethylsulfonium cation  | 0.5                               | Milk                                   | Prior to 16 June 20<br>Canada Gazette |
| •  |                                   |  | Prior to 16 June 20                   |
| Trimethylsulfonium cation  | 15                                | Oat milling fractions, excluding flour | Canada Gazette<br>Prior to 16 June 20 |
| Trimethylsulfonium cation  | 10                                | Oats                                   | Canada Gazette                        |
| Trimethylsulfonium cation  | 3.0                               | Peas                                   | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |  | Prior to 16 June 20                   |
| Trimethylsulfonium cation  | 10                                | Rapeseeds (canola)                     | Canada Gazette Prior to 16 June 20    |
| Trimethylsulfonium cation  | 13                                | Soybeans                               | Canada Gazette                        |
| Trimethylsulfonium cation  | 3.0                               | Wheat                                  | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |  | Prior to 16 June 20                   |
| Triticonazole  | 0.01                              | Barley                                 | Canada Gazette Prior to 16 June 20    |
| Triticonazole  | 0.05                              | Eggs                                   | Canada Gazette                        |
| Triticonazole  | 0.05                              | Meat byproducts of cattle              | Prior to 16 June 20<br>Canada Gazette |
| Triticonazole  | 0.05                              | Meat byproducts of goats               | Prior to 16 June 20<br>Canada Gazette |
| THICOHAZOIE  | 0.03                              |  | Prior to 16 June 20                   |
| Triticonazole  | 0.05                              | Meat byproducts of hogs                | Canada Gazette Prior to 16 June 20    |
| Triticonazole  | 0.05                              | Meat byproducts of horses              | Canada Gazette                        |
| Triticonazole  | 0.05                              | Meat byproducts of poultry             | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |  | Prior to 16 June 20                   |
| Triticonazole  | 0.05                              | Meat byproducts of sheep               | Canada Gazette Prior to 16 June 20    |
| Triticonazole  | 0.05                              | Meat of cattle                         | Canada Gazette                        |
| Triticonazole  | 0.05                              | Meat of goats                          | Prior to 16 June 20<br>Canada Gazette |
| Tritionnessle  | 0.05                              | Most of home                           | Prior to 16 June 20                   |
| Triticonazole  | 0.05                              | Meat of hogs                           | Canada Gazette Prior to 16 June 20    |
| Triticonazole  | 0.05                              | Meat of horses                         | Canada Gazette Prior to 16 June 20    |
| Triticonazole  | 0.05                              | Meat of poultry                        | Canada Gazette                        |
| Triticonazole  | 0.05                              | Meat of sheep                          | Prior to 16 June 20<br>Canada Gazette |
|  |                                   | ·                                      | Prior to 16 June 20                   |
| Triticonazole  | 0.01                              | Milk                                   | Canada Gazette Prior to 16 June 20    |
| Triticonazole  | 0.01                              | Oats                                   | Canada Gazette                        |
| Triticonazole  | 0.01                              | Wheat                                  | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |  | Prior to 16 June 20                   |
| Vinclozolin  | 5.0                               | Apricots                               | Canada Gazette<br>Prior to 16 June 20 |
| Vinclozolin  | 1.0                               | Beans                                  | Canada Gazette                        |
| Vinclozolin  | 3.0                               | Cherries                               | Prior to 16 June 20<br>Canada Gazette |
|  | 1.0                               |  | Prior to 16 June 20<br>Canada Gazette |
| Vinclozolin  | 1.0                               | Cucumbers                              | Prior to 16 June 20                   |
| Vinclozolin  | 5.0                               | Grapes                                 | Canada Gazette<br>Prior to 16 June 20 |
| Vinclozolin  | 10                                | Kiwifruit                              | Canada Gazette                        |
| Vinclozolin  | 5.0                               | Lettuce                                | Prior to 16 June 20<br>Canada Gazette |
|  |                                   |  | Prior to 16 June 20                   |
| Vinclozolin  | 2.0                               | Peaches/nectarines                     | Canada Gazette<br>Prior to 16 June 20 |
| Vinclozolin  | 2.0                               | Peppers                                | Canada Gazette                        |
|  |                                   |  | Prior to 16 June 20                   |

|             |                                   | stinct table on the MRL webpage |                                       |
|-------------|-----------------------------------|---------------------------------|---------------------------------------|
| Common Name | Maximum<br>Residue Limit<br>(ppm) | Food Commodity                  | MRL Established                       |
| Vinclozolin | 10                                | Strawberries                    | Canada Gazette                        |
| Vinclozolin | 3.0                               | Tomatoes                        | Prior to 16 June 20<br>Canada Gazette |
| 7:          | 7.0                               | Apples                          | Prior to 16 June 20<br>Canada Gazette |
| Ziram       | 7.0                               | Apples                          | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Apricots                        | Canada Gazette                        |
| Ziram       | 7.0                               | Beans                           | Prior to 16 June 20<br>Canada Gazette |
| Ziram       | 7.0                               | Beets                           | Prior to 16 June 20<br>Canada Gazette |
| Zilalii     | 7.0                               | Deets                           | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Blackberries                    | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Blackeyed peas                  | Canada Gazette                        |
| Ziram       | 7.0                               | Blueberries                     | Prior to 16 June 20<br>Canada Gazette |
|             |                                   |                                 | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Broccoli                        | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Brussels sprouts                | Canada Gazette                        |
| Ziram       | 7.0                               | Cabbages                        | Prior to 16 June 20<br>Canada Gazette |
| Ziram       | 7.0                               | Correcto                        | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Carrots                         | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Cauliflower                     | Canada Gazette<br>Prior to 16 June 20 |
| Ziram       | 7.0                               | Celery                          | Canada Gazette                        |
| Ziram       | 7.0                               | Cherries                        | Prior to 16 June 20<br>Canada Gazette |
|             |                                   |                                 | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Collards                        | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Cranberries                     | Canada Gazette                        |
| Ziram       | 7.0                               | Cucumbers                       | Prior to 16 June 20<br>Canada Gazette |
|             |                                   |                                 | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Eggplants                       | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Gooseberries                    | Canada Gazette                        |
| Ziram       | 7.0                               | Grapes                          | Prior to 16 June 20<br>Canada Gazette |
| Ziram       | 7.0                               | Huckleberries                   | Prior to 16 June 20<br>Canada Gazette |
| Zilalli     | 7.0                               | Hucklebernes                    | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Kale                            | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Kohlrabi                        | Canada Gazette                        |
| Ziram       | 7.0                               | Lettuce                         | Prior to 16 June 20<br>Canada Gazette |
|             |                                   |                                 | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Loganberries                    | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Melons                          | Canada Gazette                        |
| Ziram       | 7.0                               | Onions                          | Prior to 16 June 20<br>Canada Gazette |
| Ziram       | 7.0                               | Peaches/nectarines              | Prior to 16 June 20<br>Canada Gazette |
|             |                                   |                                 | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Peanuts                         | Canada Gazette<br>Prior to 16 June 20 |
| Ziram       | 7.0                               | Pears                           | Canada Gazette                        |
| Ziram       | 7.0                               | Peas                            | Prior to 16 June 20<br>Canada Gazette |
|             |                                   |                                 | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Peppers                         | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Pumpkins                        | Canada Gazette                        |
| Ziram       | 7.0                               | Quinces                         | Prior to 16 June 20<br>Canada Gazette |
| Ziram       | 7.0                               | Radishes                        | Prior to 16 June 20                   |
| Ziidiii     |                                   | radistles                       | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Raspberries                     | Canada Gazette<br>Prior to 16 June 20 |
| Ziram       | 7.0                               | Rutabagas                       | Canada Gazette                        |
| Ziram       | 7.0                               | Spinach                         | Prior to 16 June 20<br>Canada Gazette |
|             |                                   |                                 | Prior to 16 June 20                   |
| Ziram       | 7.0                               | Squash                          | Canada Gazette Prior to 16 June 20    |
| Ziram       | 7.0                               | Strawberries                    | Canada Gazette                        |

| nadian MRLs established as of 18 May 2011 residue definitions for all chemicals are available in a distinct table on the MRL webpage |                             |                 |  |
|--|-----------------------------|-----------------|--|
| Common Name  | Maximum Residue Limit (ppm) | Food Commodity  | MRL Established Via                        |
| Ziram  | 7.0                         | Summer squash   | Canada Gazette II Prior to 16 June 2008    |
| Ziram  | 7.0                         | Tomatoes        | Canada Gazette II<br>Prior to 16 June 2008 |
| Ziram  | 7.0                         | Turnips         | Canada Gazette II<br>Prior to 16 June 2008 |
| Zoxamide   | 3.0                         | Grapes          | Canada Gazette II<br>Prior to 16 June 2008 |
| Zoxamide   | 0.3                         | Potato chips    | Canada Gazette II<br>Prior to 16 June 2008 |
| Zoxamide   | 0.3                         | Potato flakes   | Canada Gazette II<br>Prior to 16 June 2008 |
| Zoxamide   | 0.3                         | Potato granules | Canada Gazette II<br>Prior to 16 June 2008 |
| Zoxamide   | 0.06                        | Potatoes        | Canada Gazette II<br>Prior to 16 June 2008 |
| Zoxamide   | 15                          | Raisins         | Canada Gazette II<br>Prior to 16 June 2008 |