



Health Canada
Santé Canada

Reference Manual for the WHMIS
Requirements of the
*Hazardous Products Act and
Controlled Products Regulations*

Page:

INDEX-1

Last update:

2006/04/30

INDEX to the Health Canada Reference Manual for the WHMIS Requirements of the HPA & CPR

Key: C - *Controlled Products Regulations*
H - *Hazardous Products Act*
S - *Schedule I to the CPR*

Note: Information may be in the *HPA/CPR* and/or the "interpretation/discussion" corresponding to the cited section(s).

« A »

absolute pressure,
compressed gas, as a criterion for C-34(c)

absolute vapour pressure,
compressed gas, as a criterion for C-34(b)(d)

ACGIH
carcinogenicity, as a criterion for C-54
defined C-32

Act,
defined C-2(1)

acute exposure,
MSDS disclosure of S-7(2)

acute lethality,
defined C-32
classification criteria for C-46; C-49

adjuvant,
criteria using C-61(a)

adverse effect (see also "harmful ingredients")
defined C-33(2)

advertise,
defined H-2

aerosol container,
defined C-32
flammability criteria C-40

air,
complex mixture, as a C-5

allergen / allergy
see "respiratory tract sensitization"; "skin sensitization"; and/or
"sensitization to product"

American Conference of Governmental Industrial Hygienists
see ACGIH

analyst,
defined H-2

animal tests,
for acute lethality C-46; C-49
for chronic toxic effects C-52
for embryotoxicity C-53
for reproductive toxicity C-55
for teratogenicity C-53

ANSI Standard Z400.1,
MSDS revision indicators C-29(1)

antigens,
see allergen / allergy

appearance [of product],
MSDS disclosure of S-4(2)

**American Society for Testing
and Materials (ASTM)** C-32
in determining flammability C-34(d); C-37; C-38

atmospheric pressure,
defined C-32

atopic,
sensitization, C-32

atopy,
respiratory tract sensitization, in relation to C-56
skin sensitization, in relation to C-61

auto-ignition temperature,
MSDS disclosure of S-5(6)

« B »

biohazardous infectious material,
classification criteria for C-64
labelling of C-9
MSDSs for C-16

boiling point,
MSDS disclosure of S-4(8)

border,
see label

bulk shipment(s),
defined C-2(2); H-11
ingots C-15(1)
label exemption C-15; C-18

« C »

**Canadian Centre for Occupational
Health & Safety (CCOHS)** C-33(2)

carbon dioxide,
food, for use in H-12

carcinogen,
concentration cut-off C-4; C-5

carcinogenicity,
classification criteria C-54
MSDS disclosure of S-7(7)

CAS registry number,
defined C-2(1)
MSDS disclosure of S-1(2)

CBI,
see "confidential business information"

chromosomal aberration,
see "mutagenicity"

chronic exposure,
disclosure of S-7(3)

chronic toxic effect,
defined C-32
classification criteria for C-52; C-59



INDEX to the Health Canada Reference Manual for the WHMIS Requirements of the HPA & CPR

classification

human evidence C-33(2)
label disclosure of C-19
MSDS disclosure of C-12; S-3

classification criteria,

Class A - compressed gas C-34
Class B - flammable and combustible material C-35 to C-41
 Division 1: flammable gases C-36
 Division 2: flammable liquids C-37
 Division 3: combustible liquids C-38
 Division 4: flammable solids C-39
 Division 5: flammable aerosols C-40
 Division 6: reactive flammable materials C-41
Class C - oxidizing material C-42
Class D - poisonous and infectious material C-43 to C-64
 Formulae for equivalent LC₅₀ C-44
 Toxicological evaluation of mixtures: LD₅₀ and LC₅₀ data C-45
 Division 1: materials causing Immediate and serious toxic effects
 Subdivision A: (very toxic material)
 - acute lethality C-46
 - TDGR, as defined by C-47
 - untested mixtures C-48
 Subdivision B: (toxic material)
 - acute lethality C-49
 - TDGR, as defined by C-50
 - untested mixtures C-51
 Division 2: materials causing other toxic effects
 Subdivision A: chronic toxic effects (very toxic material)
 - chronic toxic effects C-52
 - teratogenicity and embryotoxicity C-53
 - carcinogenicity C-54
 - reproductive toxicity C-55
 - respiratory tract sensitization C-56
 - mutagenicity C-57
 - untested mixtures C-58
 Subdivision B: toxic material
 - chronic toxic effects C-59
 - skin or eye irritation C-60
 - skin sensitization C-61
 - mutagenicity C-62
 - untested mixtures C-63
 Division 3: biohazardous infectious materials C-64
Class E - corrosive material C-65
Class F - dangerously reactive material C-66

coefficient of water/oil distribution,

MSDS disclosure of S-4(11)

combustible liquids,

classification criteria for C-38

combustion products, hazardous

MSDS disclosure of S-5(7)

complex mixture,

defined C-2(1)
disclosure requirements C-5
exemptions C-5(1); C-5(2)

compressed gas,

classification criteria for C-34

compressed gas cylinders,

label design C-20

compressed gas mixtures, information disclosure requirements for

- inert gas mixture
- carbon dioxide / inert gas mixture
- oxygen / inert gas mixture
- flammable gas / inert gas mixture C-11(5)

concentration,

cut-off C-4; C-5
MSDS disclosure of H-13(a); S-1(1)
expression of C-3; C-11(1)(5)
ranges for C-11(2), (3) & (4)

concrete,

classification of C-65

condensation,

"dangerously reactive", criterion for C-66

confidential business information (CBI),

employer exemptions C-8
generic chemical identity H-16
information in respect of C-26 & C-27
secondary supplier exemption C-8.2

confidentiality of information,

to nurse or physician C-30
to inspector H-22(3)

conjunctival swelling,

criteria for eye irritation C-60(b)

Consumer Chemicals & Containers Regulations,

symbol size C-19(1)

consumer product,

exemption H-12(f)

container,

defined H-11(1)

controlled product,

defined H-2
importation of H-14
sale of H-13

corneal damage,

criteria involving C-60(b)

corrosion,

versus irritation C-65

CORROSITEX® (in vitro method)

classification of corrosive materials C-65

corrosive material,

classification criteria for C-65

cosmetic,

exemption for H-3(b); H-12(b)

critical temperature,

compressed gas, as a criterion for C-34(a)

« D »

dangerously reactive material,

criteria for C-66

date of preparation,

MSDS disclosure of S-2(2)

decomposition,

"dangerously reactive", criterion for C-66

decomposition products, hazardous

MSDS disclosure of S-6(4)



INDEX to the Health Canada Reference Manual for the WHMIS Requirements of the HPA & CPR

dermatitis,
see skin sensitization

diagnostics specimens,
labelling of C-16
MSDSs for C-9

dialect,
see form of language

disclaimers,
on MSDSs and labels C-25

distribute,
defined C-16

Domestic Substances List (DSL),
new substances notification C-23

draize test,
skin or eye irritation, criterion for C-33(3)(b)(ii)

drug,
exemption for H-3(b); H-12(b)

dust,
defined C-32

« E »

edema formation,
skin or eye irritation, criterion for C-60(a)

embryotoxicity,
classification criteria for C-53
MSDS disclosure of S-7(9)

embryotoxin,
concentration cut-off C-4; C-5

emergency telephone number
MSDS disclosure of S-3(1); S-3(2)

engineering controls,
MSDS disclosure of S-8(2)

Environmental Protection Agency,
U.S. (EPA),
test for mutagenicity C-33(3)(b)(iv)

erythema formation,
skin or eye irritation, criterion for C-60(a)

European Economic Community (EEC),
directive C-19

evaporation rate,
MSDS disclosure of S-4(7)

explosion hazard,
MSDS disclosure of S-5

explosive,
exemption for H-12(a)

explosive limits,
see "flammable limits, upper and lower"

exposure limits,
MSDS disclosure of C-13; S-7(4)

extinction, means of
MSDS disclosure of S-5(2)

eye irritation,
classification criteria for C-60(b); C-63

« F »

farm,
workplace, as a H-11

Food and Drug Administration (FDA),
chronic test, 90 day C-33(3)(b)(i)

fire extinguishers,
classification of C-34

fire hazard,
MSDS disclosure of S-5

first aid measures,
label disclosure of C-19(1)(e)(iii)
MSDS disclosure of S-9

fixed dose method (FDM),
acute toxicity, as a criterion for C-46(a)

flame projection,
defined C-32
flammable aerosols, as a criterion for C-40

flammability, conditions for,
MSDS disclosure of S-5(1)

flammable aerosols,
classification criteria for C-40

flammable gas,
classification criteria for C-36

flammable limits (upper and lower),
MSDS disclosure of S-5(4); S-5(5)

flammable liquids,
classification criteria for C-37

flammable solids,
classification criteria for C-39

flammable vapours,
amendment to include C-41

flashback,
defined C-32
flammable aerosols, as a criterion for C-40

flash point,
combustible liquid, as a criterion for C-38
defined C-32
flammable liquid, as a criterion for C-37
ignition temperature, versus C-35
MSDS disclosure of S-5(3)
test methods for CPR Schedule IV

flavour,
defined C-5.1
exemption for C-5.1

food,
exemption for H-3(1)(b); H-12(b)

form of language,
acceptable form of language C-24

fragrance,
defined C-5.1
exemption C-5.1

freezing point,
MSDS disclosure of S-4(9)

fuel oil,
sale of H-13

fume,
defined C-32



INDEX to the Health Canada Reference Manual for the WHMIS Requirements of the HPA & CPR

« G »

gas,
see compressed gas

gasoline,
sale of H-13

gene mutation,
criteria involving C-57(1)(b)(ii); C-62

generic chemical identity, laboratory sample C-9(2)(b); C-16(b)(ii)
trade secret, in respect of a H-16

generic MSDS,
requirements for C-7

generic name,
MSDS disclosure of C-5(1); C-5(2)(c)

genetic effects,
see mutagenicity

germ cell mutation,
as a criterion for C-57(1)(b)

grinding wheels,
label design C-20

« H »

handling procedures and equipment,
MSDS disclosure of S-8(5)

harmful (ingredients),
defined H-13(a)(iii)

hazard information,
defined C-2(1)
disclosure on generic MSDS C-7(2)

hazard symbol(s),
bulk shipment C-15
colour restrictions C-22(b)
defined H-11(1)
depiction CPR Schedule II
design C-19(1)(d); C-22(a)
label disclosure H-13(b); C-19(1)(d)
size C-19(1)(d)

Hazardous Materials Information
Review Act (HMIRA),
exemptions H-13

Hazardous Products Act (HPA),
Part I (prohibited and restricted products) H-3 to H-10
Part II (controlled products) H-11 to H-20
Part III (administration and enforcement) H-21 to 31

hazardous product,
defined H-2

hazardous waste,
defined C-2(2); H-11(1)
exemption for H-12(e)

human evidence
classification C33(2)

« I »

IARC,
carcinogenicity, as a criterion for C-54
defined C-32

import,
defined H-2
notification requirements C-23

importer,
defined H-13

importation,
controlled products H-14
prohibited products H-4(1)
restricted products H-4(2)

incompatibility,
MSDS disclosure of S-6(2)

infectious material,
classification criteria for C-64

ingots,
see bulk shipment(s)

Ingredient Disclosure List (IDL),
authority to establish H-17
defined H-11(1)
disclosure of IDL ingredients on MSDS H-13(a)(ii)

ingredients, hazardous
complex mixtures, in C-5
confidential business information, as C-26; C-27
concentration cut-offs for C-4
concentration ranges for C-11(3)
disclosure on labels of laboratory samples C-16(b)(ii)
disclosure on research and development
laboratory samples C-9(2)
MSDS disclosure of S-1; H-13(a)
percentages, expressed as C-3

injury,
defined C-53(2)

inner container,
labelling exemption for C-14(2)(a)

inspector,
defined H-2

instability, conditions of
MSDS disclosure of S-6(1)

International Agency for Research in Cancer,
see IARC

Internet,
MSDS, use of, to transmit H-13

in vitro methods,
classification of corrosive materials C-65

iris damage,
classification of corrosive materials C-65

irritancy of product,
MSDS disclosure of S-7(5)

irritants,
classification of C-60; C-65



INDEX to the Health Canada Reference Manual for the WHMIS Requirements of the HPA & CPR

« K »

kinematic viscosity,
test for flashpoint C-37

kits,
labelling of C-14
MSDSs for C-6

« L »

label,
application to containers or to bulk shipments H-11(2)
border, depiction of CPR Schedule III
border, requirement for C-20(1)
colour restrictions C-22(1)
defined H-11(1)
design C-20
design, administrative exceptions C-20
elements of C-19
importer obligations H-14(b)
language requirement C-24(3)
methods of application H-11(2)
radioactive nuclide/non-radioactive carrier mixture C-19(6)
revisions C-29(1)
supplier obligations H-13(b)

labels, exemptions for
bulk shipments C-15
imported products C-23
laboratory samples C-16
laboratory supply house chemicals C-20(2)
multi-container shipments C-14
radioactive nuclide/non-radioactive carrier mixture C-17.1
small quantities (≤ 100 ml) C-19(1)(a) to (d)
supplier identifier C-19(4); C-19(5)
symbols (disclosure of the "skull and cross-bones"
versus the toxic "T" symbol) C-19(5)
trade secrets (product and supplier identifiers) C-19(2)

laboratory samples,
defined C-2(1)
labelling exemption C-16
MSDS exemption C-9
research and development C-9(2)

language requirements,
labels C-24(3)
MSDSs C-24(1) and C-24(2)

laboratory supply house chemicals,
label exemption C-17
MSDS exemption C-10

leak or spill procedures,
MSDS disclosure of S-8(3)

LC₅₀,
criteria involving C-46(c)(d)(e); C-49(c)(d)
defined C-2(1)
equivalent formulae C-44
formulae for mixtures C-45
limit dose S-1(3)

greater than values S-1(3)
MSDS disclosure of S-1(4); C-12(10)

LD₅₀,
criteria involving C-46(a)(b); C-49(a)(b)
defined C-2(1)
equivalent formulae for mixtures C-45
limit dose S-1(3)
greater than values S-1(3)
MSDS disclosure of S-1(4); C-12(10)

legibility,
label C-21
MSDS H-13

limit dose,
embryotoxicity, in determining C-53

limit test,
LC₅₀ / LD₅₀, MSDS disclosure, relevance to S-1(3)

Local Lymph Node Assay (LLNA)
skin sensitization, in determining C-61

lower flammable limit,
see flammable limits (upper and lower)

« M »

manufactured article,
defined H-11(1)
exemption for H-12(i)

material safety data sheet,
see MSDS

maternal toxicity,
indicators of C-53

mechanical impact, sensitivity to
MSDS disclosure of S-5(8)

medical device,
exemption for H-12(b)

microorganisms
see "biohazardous infectious materials"

Minister,
defined H-2

mist,
defined C-32

mixture,
defined C-2(1)
formulae for equivalent LC₅₀ C-44
toxicological evaluation of ~ using LC₅₀ and LD₅₀ C-45

mole percent,
disclosure of C-11

MSDS,
archiving C-29(1)
charging for H-13
defined H-11(1)
importer obligations H-14(a)
information disclosure requirements C-12
review period C-29(2)
revisions C-29(1)
supplier obligations H-13(a)

MSDS, "exemptions" for
generic MSDSs C-7



INDEX to the Health Canada Reference Manual for the WHMIS Requirements of the HPA & CPR

<p>ingredient disclosure</p> <ul style="list-style-type: none"> - complex mixtures C-5 - concentration cut-off C-4 - concentration ranges C-11 - flavours & fragrances C-5.1 - research and development samples C-9(2) <p>laboratory samples C-9</p> <p>laboratory supply house chemicals C-10</p> <p>language requirement C-24(1)(2)</p> <p>products with same product identifier C-6</p> <p>radioactive nuclide/non-radioactive carrier mixture C-10.1</p> <p>trade secrets</p> <ul style="list-style-type: none"> - sale to employer who has filed a information C-8 - sale by secondary supplier C-8.2 - substitute information C-12(5); C-26; C-27; & H-16 <p>mutagen,</p> <p>concentration cut-off C-4; C-5</p> <p>mutagenicity,</p> <p>classification criteria C-57; C-62</p>	<p>409 subchronic oral toxicity-non-rodent:</p> <ul style="list-style-type: none"> 90 day C-52(a)(ii); C-59(a)(ii) <p>411 subchronic dermal toxicity:</p> <ul style="list-style-type: none"> 90 day C-52(b)(i); C-59(b)(i) <p>413 subchronic inhalation toxicity:</p> <ul style="list-style-type: none"> 90 day C-52(c)(i); C-59(c)(i) <p>414 teratogenicity C-53(a)</p> <p>415 one-generation reproduction</p> <ul style="list-style-type: none"> toxicity C-53(1)(b); C-55(b)(i) <p>416 two-generation reproduction</p> <ul style="list-style-type: none"> toxicity C-53(1)(c); C-55(b)(ii) <p>452 oral route test in chronic toxicity</p> <ul style="list-style-type: none"> studies C-52(a)(iii); C-59(a)(iii) <p>452 dermal route test in chronic toxicity studies C-52(b)(ii); C-59(b)(ii)</p> <p>452 inhalation route test in chronic toxicity studies C-52(c)(ii); C-59(c)(ii)</p> <p>organism, biohazardous</p> <ul style="list-style-type: none"> classification criteria C-64 <p>Organisation for Economic Co-operation and Development,</p> <p>see "OECD"</p> <p>outer container,</p> <ul style="list-style-type: none"> defined C-14(1) label exemption for C-14 <p>oxidizing material,</p> <ul style="list-style-type: none"> classification criteria for C-42 examples of C-42
« N »	
<p>notification,</p> <ul style="list-style-type: none"> pre-market notification for imports C-23 <p>National Association of Corrosion Engineers (NACE),</p> <ul style="list-style-type: none"> defined C-32 test for corrosion C-65(a) <p>nuclear substance,</p> <ul style="list-style-type: none"> exemption for H-3(d) & 12(d) <p>nurse,</p> <ul style="list-style-type: none"> defined C-2(1) role of C-30(1) 	<p>packaging,</p> <ul style="list-style-type: none"> label exemptions C-14 <p>Packing Groups, TDG Regulations</p> <ul style="list-style-type: none"> classification in D1A versus D1B C-43(3) <p>particulate, insoluble</p> <ul style="list-style-type: none"> irritation, as criterion for C-60 <p>personal protective equipment,</p> <ul style="list-style-type: none"> MSDS disclosure of S-8(1) <p>[pest] control product,</p> <ul style="list-style-type: none"> exemption for H-3(c), H-12(c) <p>pH,</p> <ul style="list-style-type: none"> corrosive material, as criterion for C-65 MSDS disclosure of S-4(10) <p>physical data,</p> <ul style="list-style-type: none"> MSDS disclosure of S-4 <p>physical state,</p> <ul style="list-style-type: none"> MSDS disclosure of S-4(1) <p>physician,</p> <ul style="list-style-type: none"> role C-30(1) <p>pictogram(s),</p> <ul style="list-style-type: none"> see hazard symbol(s) <p>PIN,</p> <ul style="list-style-type: none"> see Product identification number <p>poisonous/infectious material,</p> <ul style="list-style-type: none"> classification criteria for C-43 to C-64 <p>poisonous substances,</p> <ul style="list-style-type: none"> equivalent TDGR C-47; C-50
« O »	
<p>odour,</p> <ul style="list-style-type: none"> MSDS disclosure of S-4(2) <p>odour threshold,</p> <ul style="list-style-type: none"> MSDS disclosure of S-4(3) <p>OECD,</p> <ul style="list-style-type: none"> defined C-32 <p>OECD Test Guideline,</p> <ul style="list-style-type: none"> classification using C-33(3)(a) defined C-32 <p>OECD Test Guidelines, referenced in the CPR</p> <ul style="list-style-type: none"> 401 acute oral toxicity C-46; C-49(a) 402 acute dermal toxicity C-46(b); C-49(b) 403 acute inhalation <ul style="list-style-type: none"> toxicity C-46(c)(d)(e); C-49(c)(d); C-66(c) 404 acute dermal <ul style="list-style-type: none"> irritation/corrosion C-60(a); C-65(b) 405 acute eye irritation/corrosion C-60(b) 406 skin sensitization C-61(a) 408 subchronic oral toxicity-rodent: <ul style="list-style-type: none"> 90 day C-52(a)(i); C-59(a)(i) 	



Health Canada
Santé Canada

Reference Manual for the WHMIS
Requirements of the
*Hazardous Products Act and
Controlled Products Regulations*

Page:

INDEX-7

Last update:

2006/04/30

INDEX to the Health Canada Reference Manual for the WHMIS Requirements of the HPA & CPR

polymerization, dangerously reactive, as criterion for	C-66	radioactive substance, see "nuclear substance"	
precautionary measures, label disclosure of	C-19(1)(e)(ii)	reactivity, conditions of MSDS disclosure of	S-6(3)
pre-market notification, requirements for	C-23	reactivity data, MSDS disclosure of	S-6
preparation information, MSDS disclosure of	S-2	redundancy of classifications WHMIS Class D	C-43
prescribed, defined	H-11(1)	regulation, authority to make	H-15
prescribed substance, see "nuclear substance"		defined	H-11
preventive measures, MSDS disclosure of	S-8	reproductive toxicity, classification criteria for	C-55
principle display panels, language requirements	C-20(2)	MSDS disclosure of	S-7(8)
product identification number (PIN), defined	C-2	reproductive toxin, concentration cut-off	C-4; C-5
MSDS disclosure of	S-1(2)	research and development, defined	C-2(1)
product versus ingredients	C-2	research and development samples, ingredient disclosure requirements	C-9(2)
product identifier, definition	C-2	labelling exemption	C-16
exemption for same	C-6	MSDS exemption	C-9(2)
identical (on MSDS & label)	C-28	respiratory tract sensitization, classification criteria for	C-56
label disclosure of	C-19(1)(a)	defined	C-32
MSDS disclosure of	S-3(3)	respiratory tract sensitization, concentration cut-off	C-4; C-5
product information, MSDS disclosure of	S-3	restricted product, defined	H-2
product use, MSDS disclosure of	S-3(4)	prohibition	H-4(2)
professional judgement, use of in classification	C-33; Appendix A	regulations, authority to establish	H-5
prohibited product, defined	H-2	revisions to MSDSs and labels, requirements for	C-29
propane, sale of	H-13	rhinitis, allergic see respiratory tract sensitization	
provision of information, to a physician or nurse	C-30(1)(2)	Risk Groups, for infectious materials	C-64
« Q »		risk phrase, defined	C-2
qualifiers, labels, risk phrases on	C-25	label disclosure of	C-19(1)(e)(i)
MSDSs, on	C-13, C-25	qualification of	C-25
Quantitative Structure-Activity Relationship (QSAR), classification using	C-33	route(s) of entry, MSDS disclosure of	S-7(1)
« R »		« S »	
radioactive nuclide/non-radioactive carrier mixture labelling exemption for	C-17.1	sale, see "sell"	
labelling requirements for	C-19(6)	saturated vapour concentration, classification involving	C-46(d)
MSDS exemption for	C-10.1	secondary supplier, exemptions	C-8.2; C-15.1
		sell, defined	H-2
		sensitization, see "skin sensitization"; "respiratory tract sensitization" and "sensitization to product",	



INDEX to the Health Canada Reference Manual for the WHMIS Requirements of the HPA & CPR

<p>sensitization to product, MSDS disclosure of S-7(6)</p> <p>skin irritant, concentration cut-off C-4; C-5</p> <p>skin irritation, classification criteria C-60(a)</p> <p>skin sensitization, classification criteria C-61 defined C-32 versus skin irritation C-61</p> <p>skin sensitizers, concentration cut-off C-4; C-5</p> <p>somatic cell mutations, mutagenicity, as a criterion for C-62</p> <p>source(s) of information, for toxicological data C-31</p> <p>shipping information, MSDS disclosure of S-8(7)</p> <p>specific gravity, MSDS disclosure of S-4(4)</p> <p>static discharge, sensitivity to MSDS disclosure of S-5(9)</p> <p>statistically significant, defined C-32</p> <p>sterility, classification criterion, as a C-55(a)</p> <p>structure activity relationship, see Quantitative Structure-Activity Relationship</p> <p>storage requirements, MSDS disclosure of S-8(6)</p> <p>SAR, see Quantitative Structure-Activity Relationship</p> <p>sufficiency of evidence, classification using C-33</p> <p>supplier, defined H-11(1) distributor vs. manufacturer C-19(1)</p> <p>supplier identifier, defined C-2(1) label disclosure of C-19(1)(b); C-19(3); C-19(4) MSDS disclosure of C-12(7); C-12(8); S-(3)(2)</p> <p>symbols, see hazard symbols</p> <p>synergistic products, MSDS disclosure of S-7(11)</p>	<p>trade secrets, see confidential business information</p> <p>tobacco/tobacco product, exemption for H-12(h)</p> <p>toxicological properties, obligation not to mislead C-13 MSDS disclosure of S-7</p> <p>transmit, defined H-11(1)</p> <p>Transportation of Dangerous Goods Regulations (TDGR), equivalent classes C-47; C-50 safety marks versus hazard symbols C-22(b)</p>
« U »	
<p>untested mixtures, classification criteria for C-48; C-51; C-58; C-63</p> <p>upper flammable limit, see flammable limits (upper and lower)</p>	
« V »	
<p>vapour, defined C-32</p> <p>vapour density, MSDS disclosure of S-4(6)</p> <p>vapour pressure, MSDS disclosure of S-4(5)</p>	
« W »	
<p>waste disposal, MSDS disclosure of S-8(4)</p> <p>water-octanol partition coefficient, MSDS disclosure of S-4(11)</p> <p>Web site, see Internet</p> <p>weight of evidence, classification using C-33</p> <p>WHMIS border, see label,</p> <p>wood or wood products, exemption for H-12(g)</p> <p>workplace, defined H-11(1)</p> <p>World Health Organization Risk Groups, for infectious materials C-64</p>	
« T »	
<p>TDG Packing Groups classification in D1A versus D1B C-43(3)</p> <p>teratogen, concentration cut-off C-4; C-5</p> <p>teratogenicity, classification criteria for C-53 MSDS disclosure of S-7(9)</p> <p>testing requirements, obligations to test C-33</p>	