

LUNG CANCER IN CANADA

LUNG CANCER develops in the cells of the lungs. Changes in these cells may lead to benign tumours (non-cancerous), but when cells no longer behave normally, they may cause malignant tumours (cancer). Cancer starting in the lung cells is known as primary lung cancer. Cancers that start in other parts of the body can spread to the lungs (lung metastasis), but they are not treated in the same way as primary lung cancers.

THE DATA


LUNG CANCER IS THE
MOST COMMON
CANCER IN CANADA



ABOUT
29,300
CANADIANS

WILL BE DIAGNOSED WITH LUNG CANCER IN 2019

98%
OF LUNG CANCERS OCCUR IN ADULTS AGED 50+



RISK FACTORS AND PREVENTION



SMOKING



EXPOSURE TO SECOND-HAND SMOKE



EXPOSURE TO RADON GAS



EXPOSURE TO ASBESTOS AND OTHER CARCINOGENS



AIR POLLUTION



FAMILY HISTORY



AGE

Being **smoke-free** and **testing for radon at home** can help lower the risk of getting lung cancer

SCREENING AND DETECTION

50%

of all lung cancer cases are diagnosed late **AT STAGE IV***

19%

of Canadians diagnosed with lung cancer **SURVIVE 5 OR MORE YEARS**

5+

Screening for lung cancer is only recommended for high risk Canadians aged 55 to 74. Screening guidelines are available from the **Canadian Task Force on Preventive Health Care**.



For more facts about lung cancer visit:
www.Canada.ca and Search: lung cancer

Data Sources: Canadian Cancer Statistics 2019; Statistics Canada, Canadian Cancer Registry CANSIM Table 103-0554; Canadian Partnership Against Cancer Cancerview.ca - 2017 Cancer System Performance Report.

* Cancer stage distribution is based on eight provinces and does not include Quebec or Ontario.

Like us on Facebook: Public Health Agency of Canada
Follow us on Twitter: @PHAC_GC



Public Health
Agency of Canada

Agence de la santé
publique du Canada

CANADIAN PARTNERSHIP
AGAINST CANCER



PARTENARIAT CANADIEN
CONTRE LE CANCER