

West Nile Virus and Other Mosquito-borne Disease Report

September 16 – September 22, 2018 (Report Week 38)

West Nile Virus

Canada

Human

During surveillance week 38, ending on September 22, 2018, 56 clinical cases of West Nile virus (WNV) were retrospectively reported to the Public Health Agency of Canada (PHAC). A number of other possible infections remain under investigation.

As of week 38, a total of 216 clinical cases of WNV have been reported by the following four provinces: Alberta (37), Manitoba (29), Ontario (88), and Québec (62). Of these, 98 (45%) have been classified as WNV neurological syndrome, 71 (33%) as WNV non-neurological syndrome and 47 (22%) as unspecified. Nine deaths have been reported. In addition, 18 WNV asymptomatic infections have been reported: Alberta (5), Manitoba (3), Ontario (5), and Québec (5).

Mosquito

To date (week 38), the PHAC has been notified of 16,814 mosquito pools tested for WNV: Saskatchewan (761), Manitoba (1,924), Ontario (12,581), and Québec (1,548). Of these, 561 (3.34%) pools have tested positive for WNV: 50 in Saskatchewan, 168 in Manitoba, 304 in Ontario, and 39 in Québec.

Wild Bird

To date, eighty-seven out of 177 dead wild birds have tested positive for WNV by the [Canadian Wildlife Health Cooperative](#) (CWHC), Manitoba Agriculture and British Columbia Ministry of Agriculture-Animal Health Centre: British Columbia (2), Saskatchewan (3), Manitoba (14), Ontario (28), and Québec (40). In addition, 12 live wild birds in Québec have tested positive for WNV by the University of Montréal.

Equine

The [Canadian Food Inspection Agency](#) (CFIA) has reported 109 horses with West Nile fever in the following five provinces: British Columbia (1), Alberta (68), Saskatchewan (30), Manitoba (6), and Ontario (4).

United States and U.S. territories

As of September 18th, 1,077 human cases of WNV have been reported to the US [Centers for Disease Control and Prevention \(CDC\)](#). Of these, 608 (56%) were classified as neuroinvasive disease and 469 (44%) as non-neuroinvasive disease. Thirty-five deaths have been reported. In addition, 196 presumptive viremic blood donors have been identified.

Europe and Neighboring Countries

As of September 27th, 1,670 human cases of West Nile fever have been reported to the European Centre for Disease Prevention and Control. One hundred and twenty-four deaths have been reported. ([Weekly updates: 2018 West Nile fever transmission season](#))



Other Mosquito-borne Diseases in Canada

Eastern Equine Encephalitis virus

The CFIA has reported 11 horses testing positive for Eastern Equine Encephalitis virus (EEEV) in Ontario. No human cases of EEEV have been reported to the PHAC during the 2018 season.

California Serogroup virus


Since May 1, 2018, 23 human cases/exposures of California serogroup virus have been reported by the [National Microbiology Laboratory](#) in the following seven provinces: Alberta (1), Saskatchewan (4), Manitoba (1), Ontario (5), Québec (5), New Brunswick (5), and Nova Scotia (2). Additional work to further type these as Jamestown Canyon virus or Snowshoe hare virus is on-going.

FIGURE 1: Geographic distribution of WNV human clinical cases and asymptomatic infections in Canada, 2018**FIGURE 2: WNV human clinical cases* and asymptomatic infections in Canada by report week [±], 2018**

[±] WNV clinical cases and asymptomatic infections are grouped by report week, based on episode date. Episode date could include one of the following: onset date, diagnosis date, lab sample date or reporting date.

* WNV likely acquired while travelling outside of Canada.

FIGURE 3: WNV human clinical cases and asymptomatic infections for selected years by report week[±], in Canada



WNV clinical cases and asymptomatic infections are grouped by report week, based on episode date. Episode date could include one of the following: onset date, diagnosis date, lab sample date or reporting date.

TABLE 1: WNV human clinical cases and asymptomatic infections in Canada by report week* and year to date, 2018

Report week 38: September 16 to September 22, 2018						
Province/Territory	Clinical Cases				Total travel-related cases ²	Total asymptomatic infections ³
	Neurological syndrome	Non-neurological syndrome	Unclassified/Unspecified	Total clinical cases ¹		
British Columbia	0	0	0	0	0	0
Alberta	0	0	0	0	0	0
Saskatchewan ⁴	0	-	-	0	-	-
Manitoba	0	0	0	0	0	0
Ontario	0	0	0	0	0	0
Québec	0	0	0	0	0	0
Newfoundland and Labrador	0	0	0	0	0	0
Prince Edward Island	0	0	0	0	0	0
Nova Scotia	0	0	0	0	0	0
New Brunswick	0	0	0	0	0	0
Yukon Territory	0	0	0	0	0	0
Northwest Territory	0	0	0	0	0	0
Nunavut	0	0	0	0	0	0
Total	0	0	0	0	0	0
Year to date: January 1 to September 22, 2018						
British Columbia	0	0	0	0	0	0
Alberta	5	32	0	37	7	5
Saskatchewan ⁴	0	-	-	0	-	-
Manitoba	3	3	23	29	0	3
Ontario	40	24	24	88	2	5
Québec	50	12	0	62	2	5
Newfoundland and Labrador	0	0	0	0	0	0
Prince Edward Island	0	0	0	0	0	0
Nova Scotia	0	0	0	0	0	0
New Brunswick	0	0	0	0	0	0
Yukon Territory	0	0	0	0	0	0
Northwest Territory	0	0	0	0	0	0
Nunavut	0	0	0	0	0	0
Total	98	71	47	216	11	18

* WNV clinical cases and asymptomatic infections are grouped by report week, based on episode date. Episode date could include one of the following: onset date, diagnosis date, lab sample date or reporting date.

¹ Total clinical cases are the sum of confirmed and probable: WNV neurological and non-neurological syndromes, along with any unclassified or unspecified cases.

² Likely related to travel outside the Province/Territory. These cases are included in either the total clinical cases or WNV asymptomatic infections.

³ Satisfies WNV diagnostic test criteria in the absence of clinical criteria. This category could include asymptomatic blood donors whose blood is screened using a nucleic acid amplification test, by blood operators (i.e., Canadian Blood Services or Héma-Québec) and is subsequently brought to the attention of public health officials. Blood operators in Canada perform a supplementary WNV specific nucleic acid amplification test following any positive donor screen test result.

⁴ Saskatchewan provides counts of WNV neurological syndrome cases only.

TABLE 2: WNV mosquito surveillance* in Canada, as of September 22, 2018

Province	Number of positive mosquito pools	Number of mosquito pools tested	Percentage of positive mosquito pools (%)
Saskatchewan	50	761	6.57
Manitoba	168	1,924	8.73
Ontario	304	12,581	2.42
Québec	39	1,548	2.52
Total	561	16,814	3.34


*Mosquito surveillance data is reported by the following four provinces: Québec, Ontario, Manitoba, and Saskatchewan.

TABLE 3: Total number of WNV mosquito pools tested by report week and by province/territory, 2018[†]

Province	Report Week																	Total
	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	
Saskatchewan	0	15	18	17	45	55	90	104	96	106	62	65	52	26	10	0	0	761
Manitoba	15	39	89	107	124	122	241	240	247	169	172	163	113	39	29	15	0	1,924
Ontario	0	0	0	0	842	955	1,024	963	1,073	1,059	1,156	1,124	1,133	998	920	667	667	12,581
Québec	0	69	77	105	105	113	109	109	110	99	123	122	102	103	122	80	0	1,548
Total	15	123	184	229	1,116	1,245	1,464	1,416	1,526	1,433	1,513	1,474	1,400	1,166	1,081	762	667	16,814

[†] Detailed West Nile Virus mosquito surveillance data can be accessed through provincial/territorial websites.

FIGURE 4: Number of WNV positive dead wild birds in Canada* by report week[±], 2018



* Not all provinces conduct dead wild bird surveillance as part of their respective WNV surveillance program. However, WNV positive dead wild birds may be identified through the National Wildlife Disease Surveillance Program, CWHC or by specific provinces.

[±] WNV positive birds are grouped by report week, based on best date available. Best date could include one of the following: date found, date of death, date submitted, or date received.