

# Evidence synthesis

## A systematized literature review on the associations between neighbourhood built characteristics and walking among Canadian adults

Brenlea Farkas, MSc (1); Daniel J. Wagner, MSc (1); Alberto Nettel-Aguirre, PhD (1, 2, 3); Christine Friedenreich, PhD (1, 4, 5); Gavin R. McCormack, PhD (1)

This article has been peer reviewed.

 [Tweet this article](#)

### Abstract

**Introduction:** Evidence to date suggests that the built environment has the potential to facilitate and even discourage physical activity. A limitation of previous reviews is that they have typically not been country-specific. We conducted a systematized literature review of quantitative studies that estimated associations between the built environment—which were objectively measured—and walking among Canadian adults.

**Methods:** Five scientific databases were searched for peer-reviewed studies published in all years up to December 31, 2016, that estimated the association between the built environment (i.e. objectively measured using audits and Geographic Information Systems [GIS]) and physical activity among a sample of Canadian adults. The database searches, title and abstract screen, full-text review and data extraction were undertaken by two reviewers.

**Results:** Of 4140 articles identified, 25 met the inclusion criteria. Most studies included data from a single Canadian province. All but two studies were cross-sectional. Most studies captured self-reported walking for transportation and walking for any purpose. Overall walkability and land use were consistently associated with walking for transportation, while proximity to destinations was associated with walking for any purpose.

**Conclusions:** Our review findings suggest that the built environment is potentially important for supporting adult walking. Overall walkability, land use and proximity to destinations appear to be important given their association with transportation walking and walking for any purpose.

**Keywords:** *built environment, walking, pedestrian, neighbourhood, physical activity, walkability, transportation, recreation*

### Introduction

Walking is a popular physical activity that requires no special ability, skill or equipment and incurs a minimal cost to undertake. By contributing to physical activity levels, walking helps to reduce the risk of chronic health conditions

including cardiovascular disease,<sup>1</sup> diabetes,<sup>1</sup> hypertension,<sup>2</sup> depression,<sup>3</sup> cancer,<sup>4,5</sup> and obesity.<sup>6,7</sup> The treatment and management of chronic health conditions resulting from a lack of physical activity place a significant economic burden on Canada's health care system<sup>7-9</sup> and elsewhere. Despite the known health benefits,<sup>10, 11</sup> many

### Highlights

- Among Canadian studies investigating the association between the objectively measured built environment and walking, recreational walking is studied less frequently than transportation walking or walking for any purpose.
- Objectively measured walkability, land use mix and destination proximity are associated with walking outcomes among Canadian adults.
- In Canadian neighbourhoods, objectively measured built characteristics are more consistently associated with transportation walking than with recreational walking.
- Except for two longitudinal studies, all Canadian studies investigating the association between the objectively measured built environment and walking are cross-sectional.

Canadian adults do not undertake enough physical activity.<sup>12</sup> Creating neighbourhood built environments that support physical activity may be one approach to increasing physical activity at the population level and, in turn, decrease the economic burden of chronic health conditions in Canada.

The built environment includes all characteristics of the physical environment that

### Author references:

1. Department of Community Health Sciences, Cumming School of Medicine, University of Calgary, Calgary, Alberta, Canada
2. Department of Pediatrics, Cumming School of Medicine, University of Calgary, Calgary, Alberta, Canada
3. Alberta Children's Hospital Research Institute, Cumming School of Medicine, University of Calgary, Calgary, Alberta, Canada
4. Department of Oncology, Cumming School of Medicine, University of Calgary, Calgary, Alberta, Canada
5. Department of Cancer Epidemiology and Prevention Research, CancerControl Alberta, Alberta Health Services, Calgary, Alberta, Canada

**Correspondence:** Gavin McCormack, Department of Community Health Sciences, Cumming School of Medicine, University of Calgary, 3280 Hospital Drive, N.W. Calgary, AB T2N 4Z6; Tel: 403-220-8193; Email: gmccorma@ucalgary.ca

have been planned, constructed or modified by humans.<sup>13</sup> Evidence from systematic reviews suggests that the neighbourhood built environment is associated with physical activity.<sup>14-16</sup> Findings from these reviews also suggest that the neighbourhood built environment is more supportive of walking than of any other physical activity, and that built environment correlates may differ depending on the purpose of walking (e.g. transportation walking, recreational walking, dog walking).<sup>14,16,17</sup> Studies have consistently found an association between land use mix, destination mix and proximity, residential or population density, street and pedestrian connectivity, and overall levels of walkability and walking.<sup>14,16,18-22</sup> However, it is not known whether there is a link between these findings and the exact geographical location or region (e.g. city or country) in which the study was undertaken.

To date, systematic reviews exploring the relationship between the built environment and physical activity have typically combined findings from studies undertaken in multiple geographical contexts.<sup>14,19,21</sup> The findings from these literature reviews have been heavily informed by studies undertaken in Australia, European countries, and the United States; these studies suggest that the findings may not be generalizable to a specific geographic location. Given that the prevalence of physical activity differs between countries,<sup>23-25</sup> we might also expect that the same built characteristics have different impacts on physical activity depending on the geographical location and context. Pucher and Buehler<sup>25</sup> found higher levels of cycling among Canadians than Americans, and concluded that this difference was the result of the differences in the built environment (levels of residential density and land use mix, safer cycling conditions and difference in cycling infrastructure), incomes, costs associated with car ownership and cycling training programs. While Sugiyama et al.<sup>26</sup> found consistent associations between several self-reported built characteristics and walking among people in 12 countries, the authors also noted that the relationship between self-reported neighbourhood aesthetics and recreational walking differed between countries. Cerin et al.<sup>27</sup> also found that associations between self-reported aesthetics and street connectivity and objectively measured physical activity differed between countries. Moreover, Ding et al.<sup>28</sup> found some differences across countries between

self-reported residential density, proximity to transit, bicycle facilities and safety from crime and the likelihood of meeting physical activity recommendations. These findings suggest that consideration should be given to the country in which the evidence is derived, especially if this evidence is used to inform local urban policy or practice.

Given that the associations between the built environment and physical activity are likely country-specific, it might be useful to review the evidence and develop recommendations that can help inform local urban and transportation policy and planning decisions. The strong emphasis on self-reported measures of the built environment<sup>16,19,22</sup> in some studies is also cause for concern, as self-report and objective measures of the same built environment characteristics do not always correspond.<sup>29,30</sup> Thus, the aim of this study was to undertake a systematized literature review of quantitative studies that estimate the associations between the objectively measured built environment and walking for different purposes among Canadian adults.

## Methods

### Search strategy

The Preferred Reporting Items for Systematic Reviews and Meta-Analysis (PRISMA) guidelines<sup>31</sup> informed the methods used for this investigation. Given that not all elements of a systematic review, such as a quantitative assessment of each study's internal validity, were included, this review is referred to as a "systematized literature review."<sup>32</sup> To identify relevant literature, queries were developed for five databases that had been used in previous built environment-physical activity reviews:<sup>14,16,19</sup> MEDLINE; Cumulative Index to Nursing and Allied Health Literature (CINAHL); SPORTDiscus; Transport Research International Documentation (TRID); and Environment Complete. Our broad and comprehensive search of peer-reviewed articles spanning all years up to December 31, 2016, covered all relevant studies that looked at the association between the built environment and all types of physical activity, and not only walking.

As per best-practice recommendations for systematic reviews of observational studies, a standardized approach was used to identify potentially relevant studies.<sup>18</sup> The

database search comprised three components: (1) identifying relevant terms related to the built environment, with the first Boolean search using "or" to explode (search by subject heading) and map (search by keyword) the medical subject headings "built environment," "urban design," "urban form" or "neighbourhood" or "landscape architecture"; (2) identifying relevant terms related to the physical activity, with the second Boolean search using "or" to explode and map the terms "physical activity," "recreation," "leisure," "transportation," "physical exertion," "exercise," "walking," "cycling" or "jogging"; and (3) identifying studies in the Canadian context, using a final Boolean search using "or" to explode and map the medical subject headings, with keywords that included "Canada," "Canadian," "Alberta," "British Columbia," "Manitoba," "New Brunswick," "Newfoundland and Labrador," "Nova Scotia," "Northwest Territories," "Nunavut," "Ontario," "Prince Edward Island," "Quebec," "Saskatchewan" or "Yukon." These three search strings were then combined using the Boolean operator "and" for all possible combinations.

In addition to the database searches, we scanned the reference lists of relevant literature reviews as well as all articles that were deemed eligible for a comprehensive review.

### Study selection

One reviewer (BF) screened the titles of identified abstracts ( $n = 4140$ ) to exclude non-relevant articles. Of those identified, 796 abstracts were initially reviewed. Abstracts reporting on the association between the built environment and physical activity were selected for full-text review. Comprehensive reviews were also done on articles where the abstracts were unclear. A random sample of 270 abstracts were double screened (by BF and DW) to estimate interrater agreement of included studies (percent of overall agreement = 87.0%) and to validate inclusion criteria. Both researchers then independently reviewed half ( $n = 263$ ) of the remaining 526 abstracts. Literature reviews, commentaries, conference abstracts and proceedings, and pilot studies identified at the abstract or full-text screening stages were excluded from the review.

Articles were retained if they met the inclusion criteria for research design (quantitative), study population (Canadian

adults aged  $\geq 18$  years), exposure (objectively measured built characteristics related to destinations or land uses, population or residential density, pedestrian amenities or infrastructure, pedestrian or street connectivity, personal or traffic safety, aesthetics, neighbourhood typology or walkability) and outcome (any self-reported or objectively measured physical activity such as walking, running, cycling, sports or overall measures of physical activity, such as moderate-to-vigorous physical activity). The final inclusion criterion for the review was that a study had to have estimated an association between an objective measure of the built environment and physical activity. For the full-text review, interrater agreement was acceptable (percent of overall agreement = 87.0%). Articles that included studies measuring self-reported built characteristics only were excluded from the review.

### Data extraction

From each eligible article, the two reviewers (BF and DW) extracted author details (name and year of publication), study design (cross-sectional, longitudinal, experiment), sample design (random or non-random and size), geographical location of data collection, sample characteristics (demographic and socioeconomic), physical activity outcomes, built environment characteristics, estimated associations between built environment characteristics and physical activity outcomes and, where applicable, details on the confounders adjusted for in the analysis. Where possible, the final model, or the most (or fully) covariate-adjusted estimates of association between the built environment and physical activity, were extracted. The estimated associations between each built environment characteristic and physical activity outcome were coded as follows: null, for non-significant associations; or positive or negative, for significant associations based on the direction of association. Purely descriptive statistics that did not include (inferential) tests of statistical significance were not extracted or synthesized in this review.

Where available, we extracted all information on physical activity participation or prevalence including achievement of physical activity recommendations or guidelines (e.g. 150 minutes of moderate to vigorous physical activity per week<sup>33</sup> or reaching recommended number of steps/

day), frequency (e.g. number of walking trips per week), duration and volume (e.g. number of steps per day or energy expenditure). To help in the extraction and synthesis of the built environment characteristics,<sup>34</sup> we used an existing framework that combines built environment characteristics posited to be associated with walking into four broad categories or features: functional, safety, aesthetic and destination. These features—functional, destination, safety and aesthetic—have been used in previous literature reviews:<sup>35-38</sup>

- Functional features include characteristics such as overall walkability (e.g. summary indices, Walk Score) and neighbourhood typology (e.g. urban, suburban, new urbanist), pedestrian and street connectivity (e.g. density of intersections, street pattern) and residential or population density.
- Destination features included characteristics such as land use or destination mix, proximity to transportation or recreational destinations and quality of destinations.
- Safety features included measures of traffic (e.g. speed, volume) and personal or crime-related (e.g. evidence of disorder or incivilities) safety.
- Aesthetic features included measures of attractive, interesting or comfort-related built characteristics (e.g. manicured gardens and lawns, architecture, monuments, water features).

Although we allocated each association between the built environment and walking into one of these features, we acknowledge that in some cases built characteristics could fall into more than one feature. For example, the presence of a park could be considered as either an aesthetic or destination feature. To determine the most appropriate category, we considered what element of the built characteristic had been assessed. For example, a park described as a component of land use mix was categorized as a destination feature,<sup>39</sup> whereas a park described in terms of attractiveness or aesthetics was categorized as an aesthetic feature.<sup>40</sup>

### Synthesis and analysis

Descriptive statistics (counts and frequencies) in addition to a narrative description were used where possible to summarize the study's methodological strengths and limitations as well as the association

between built characteristics and walking. Built environment and walking associations were summarized by feature (functional, destination, safety and aesthetic) and walking outcome (i.e. participation, frequency, achievement of sufficient physical activity, duration and volume). Our summary findings are presented in tabular and graphical form. Given the heterogeneity of the study designs, the built environment and walking variables, and the statistical procedures used, a meta-analysis of our review findings was not possible.

## Results

### Identification of studies


The initial search yielded 4140 unique records (Figure 1). After completion of title and abstract screening, 157 articles underwent full-text review, with 55 studies identified as satisfying the inclusion criteria review. Thirty of these 55 studies, which looked at non-walking physical activity (e.g. total physical activity, moderate to vigorous intensity physical activity, cycling, and walking and cycling combined), were subsequently excluded—leaving only 25 studies that met the inclusion criteria (Table 1).

### Summary of study characteristics

#### Samples

Included studies were published between 2002 and 2016, with more than 80% ( $n = 21$ ) published in 2011 or later. Most studies were undertaken in a single province ( $n = 20$ ); two studies included data from multiple provinces;<sup>41,42</sup> and three studies included national data.<sup>43-45</sup> Quebec was the most frequent study location ( $n = 13$ ), followed by Alberta and British Columbia ( $n = 9$ ) and Ontario ( $n = 6$ ). Three studies included data from each Saskatchewan, Manitoba, Newfoundland, Nova Scotia, PEI and New Brunswick. No studies were specifically undertaken in the three territories (Nunavut, Northwest Territories or Yukon), though data from the territories were included in two studies that used national data.<sup>43,44</sup> Among studies that reported mean age ( $n = 11$ ), the lowest mean age was 33.6 years<sup>46</sup> and the highest mean age was 75 years.<sup>47</sup> Six study samples involved only older adults ( $\geq 50$  years). Of the studies that reported response rate, the lowest rate was 8%<sup>48</sup> and the highest was 74%.<sup>47</sup> Sample sizes ranged from  $n = 77$ <sup>49</sup> to  $n = 151\ 318$ .<sup>44</sup>

**FIGURE 1**  
Details of selection of studies for review



Most studies used a simple random sampling strategy ( $n = 20$ ); three studies used stratified sampling;<sup>45,49,50</sup> and two studies used automated pedestrian count data.<sup>51,52</sup>

### Study design

Most studies used a cross-sectional design ( $n = 23$ ). Two longitudinal studies were included. A longitudinal study conducted by Gauvin et al.<sup>50</sup> captured changes in the built environment and walking among

older adults over a three-year period. Wasfi et al.<sup>45</sup> examined how residential relocation (e.g. moving to a neighbourhood with a higher or lower Walk Score) was associated with duration of transportation walking. The authors explored transportation walking and neighbourhood exposure time over the same 12-year period.<sup>45</sup> Of the 14 studies that indicated the dates of data collection, ten studies captured the walking and built environment data within three years of each other.<sup>40-42,44,46,49,56,58,60,63</sup>

### Measurement of walking

Walking was assessed most frequently using self-report ( $n = 22$ ). Five studies measured walking using the International Physical Activity Questionnaire (IPAQ), which captured physical activity in the past seven days;<sup>40,54-57</sup> two used the Neighbourhood Physical Activity Questionnaire (NPAQ), which captured neighbourhood-based physical activity undertaken in a usual week.<sup>17,42</sup> Other studies included

**TABLE 1**  
Summary of demographic and study characteristics for the 25 included studies

Study	Design	Province	Sample size	Age range (years)	Female (%)	Built environment characteristics <sup>a</sup>	Type of walking <sup>a</sup>
Chiu et al. (2015) <sup>53</sup>	Cross-sectional	ON	106 337	20+	51.2	Walkability (2005–2008)	Walk for transportation (1996, 1997, 2001, 2003, 2005, 2007, 2008)
Chudyk et al. (2015) <sup>48</sup>	Cross-sectional	BC	150	70–79	66	Walkability	Walk for transportation
Craig et al. (2002) <sup>41</sup>	Cross-sectional	ON, QC, AB	10 983	NR	NR	Walkability (1999–2000)	Walk for transportation (1996)
Frank et al. (2015) <sup>42</sup>	Cross-sectional	BC, ON	2 748	25+	58.2	Walkability (2011)	Walk for recreation, walk for transportation (2011)
Gauvin et al. (2008) <sup>54</sup>	Cross-sectional	QC	2 614	44–65+	61.1	Proximity to destination, connectivity, personal safety	Walk for recreation, walk for any purpose (2005)
Gauvin et al. (2012) <sup>50</sup>	Cohort	QC	521	67–84	53.4	Proximity to destination	Walk for any purpose (2006)
Hajna et al. (2015) <sup>43</sup>	Cross-sectional	All (excluding Nunavut)	2 949	18+	51.4	Walk Score and Walkability (2006, 2009, 2015)	Walk for any purpose, walk for transportation (2007–2009)
Hajna et al. (2016) <sup>60</sup>	Cross-sectional	QC	201	18+	48.1	Walk Score and Walkability (2006, 2008, 2009)	Walk for any purpose (2006–2008)
Hirsch et al. (2016) <sup>49</sup>	Cross-sectional	BC	77	65–80+	66.2	Land use, proximity to destination (2013)	Walk for any purpose (2012)
Jack et al. (2014) <sup>55</sup>	Cross-sectional	AB	1 875	18–60+	62.2	Walkability	Walk for transportation, walk for recreation (2007–2008)
Manaugh et al. (2011) <sup>59</sup>	Cross-sectional	QC	17 394	NR	NR	Walk Score and Walkability	Walk for transportation (2003)
McCormack et al. (2012) <sup>17</sup>	Cross-sectional	AB	4 034	18+	59.7	Walkability	Walk for transportation, walk for recreation (2007–2008)
McCormack et al. (2011) <sup>62</sup>	Cross-sectional	AB	506	18+	64.2	Walkability, proximity to destination	Walk for recreation (2007–2008)
Miranda-Moreno et al. (2013) <sup>51</sup>	Cross-sectional	QC	NR <sup>b</sup>	NR	NR	Land use	Walk for any purpose (2010–2011)
Miranda-Moreno et al. (2011) <sup>52</sup>	Cross-sectional	QC	NR <sup>b</sup>	NR	NR	Connectivity, population density, land use, proximity to destination	Walk for any purpose (2011)
Moniruzzaman et al. (2015) <sup>58</sup>	Cross-sectional	QC	13 127	55+	NR	Proximity to destination, land use, population density (2009)	Walk for transportation (2008)
Oliver et al. (2011) <sup>61</sup>	Cross-sectional	BC	1 602	19+	61.8	Land use	Walk for transportation, walk for recreation (2006)
Oliver et al. (2007) <sup>63</sup>	Cross-sectional	BC	1 311	20–60	61.4	Land use (2006)	Walk for transportation, walk for recreation (2006)
Riva et al. (2009) <sup>57</sup>	Cross-sectional	QC	2 923	45–65+	61.8	Walkability	Walk for transportation, walk for recreation, walk for any purpose (2005)

Continued on the following page

**TABLE 1 (continued)**  
Summary of demographic and study characteristics for the 25 included studies

Study	Design	Province	Sample size	Age range (years)	Female (%)	Built environment characteristics <sup>a</sup>	Type of walking <sup>a</sup>
Schopflocher et al. (2014) <sup>40</sup>	Cross-sectional	AB	2 042	NR	NR	Connectivity, land use, proximity to destination, aesthetics, personal safety, traffic safety (2008)	Walk for transportation, walk for recreation, walk for any purpose (2010)
Thielman et al. (2015) <sup>44</sup>	Cross-sectional	All	151 318	12–65+	48.4	Walk Score (2012, 2014)	Walk for transportation (2007–2012)
Toohey et al. (2013) <sup>56</sup>	Cross-sectional	AB	884	50+	60.1	Walkability, population density, aesthetics (2006)	Walk for any purpose (2007)
Wasfi et al. (2013) <sup>46</sup>	Cross-sectional	QC	6 913	18+	57	Connectivity, land use, population density (2006)	Walk for transportation (2003)
Wasfi et al. (2016) <sup>45</sup>	Cohort	All (excluding territories)	2 976	18–55	52	Walk Score (2012)	Walk for transportation (1994, 1996, 1998, 2000, 2002, 2004, 2006)
Winters et al. (2015) <sup>47</sup>	Cross-sectional	BC	1 309	65+	55	Walk Score (2013)	Walk for any purpose (2008–2009)

**Abbreviations:** AB, Alberta; All, all provinces and territories; BC, British Columbia; NR, not reported; ON, Ontario; QC, Quebec.

<sup>a</sup>Data collection date(s) are reported in brackets. If missing, date(s) were not reported or were unclear.

<sup>b</sup>Study included pedestrian counts.

walking data collected for the Canadian Community Health Survey,<sup>44,47,53</sup> Canadian Census<sup>41</sup> and National Population Health Survey.<sup>45,53</sup> Six studies included walking (e.g. trips by foot) reported in travel diaries.<sup>40,46,48,49,58,59</sup> Three studies measured walking using self-reports and accelerometers;<sup>40,43,49</sup> one study captured steps/day using pedometers;<sup>60</sup> and two studies audited pedestrian activity using automated counters.<sup>51,52</sup> Walking undertaken in the past seven days was most often assessed ( $n = 16$ ), although walking in the previous day ( $n = 3$ ), previous 14 days ( $n = 1$ ) and previous three months ( $n = 3$ ) were also captured.

With respect to the purpose of walking, 17 studies included transportation walking, 10 included walking for any purpose and 9 included recreational walking. While all 25 studies included in this review estimated associations between the built environment and walking, 4 studies also estimated associations between the built environment and other physical activities such as leisure time<sup>44,49,53</sup> and moderate-to-vigorous physical activity.<sup>61</sup>

### Measurement of the built environment

The objectively measured built environment characteristics related to walking

included walkability or overall built environment indices ( $n = 15$ ), proximity or density of destinations ( $n = 8$ ), land use ( $n = 7$ ), pedestrian or street connectivity ( $n = 4$ ), population density ( $n = 4$ ), aesthetics ( $n = 2$ ), personal safety ( $n = 2$ ) and traffic safety ( $n = 1$ ). Built environment characteristics were estimated using GIS primarily ( $n = 21$ ); however, four studies also collected built environment data using in-person street audits.<sup>40,41,54,60</sup> Eight studies included Walk Score, while 10 studies used their own walkability indices.

Neighbourhoods or geographical areas or locations used to estimate built environment characteristics were typically delineated using census tract ( $n = 3$ ), postal code ( $n = 5$ ) or 400–1600 m buffers, pedsheds or polygons ( $n = 17$ ) in which the participant's residential address was located. Line-based network buffers ( $n = 10$ ) and circular network buffers ( $n = 6$ ) were commonly used, while two studies used polygonal buffers<sup>43,60</sup> and one study created 805 × 805 m grids to delineate a neighbourhood.<sup>40</sup> Buffers were most often created around the centroid of the participant's geocoded postal code or census tract ( $n = 11$ ) or the participant's geocoded complete household address ( $n = 3$ ).

### Adjustment for confounders

Among the 25 included studies, only 3 cross-sectional studies statistically adjusted for residential self-selection (i.e. a person's walking preferences, attitudes or behaviour that informs their decision to reside in a neighbourhood).<sup>17,42,55</sup> These studies captured residential self-selection via questionnaires where participants self-reported the importance of walking-related built characteristics in their decision to move to their current neighbourhoods. Length of exposure to the environment (i.e. tenure in neighbourhood) was adjusted for in six studies.<sup>17,45,50,54-56</sup> Demographic (e.g. age, gender, marital status, car ownership and number of dependents) and socioeconomic (e.g. income and education level) characteristics were adjusted for in all but three studies.<sup>48,51,52</sup> In addition, studies also adjusted for self-reported health and weight status ( $n = 13$ ), smoking status and/or other physical activity behaviours ( $n = 6$ ), weather or seasonality ( $n = 6$ ) and other environmental characteristics (e.g. urbanicity) ( $n = 5$ ).

### Associations between the built environment and walking

#### Functional characteristics

##### Overview

Twenty studies<sup>17,40-48,52-60,62</sup> reported 144 comparisons between functional characteristics

and walking (Table 2). The most common functional characteristics examined included walkability ( $n = 15$  studies;  $n = 116$  comparisons), connectivity ( $n = 4$  studies;  $n = 20$  comparisons) and population density ( $n = 4$  studies;  $n = 8$  comparisons). Of the 144 estimated associations between functional characteristics and walking, 86 (59.7%) associations were null, 54 (37.5%) were positive and 4 (2.8%) were negative.

#### Walking for transportation

Walking for transportation was the most common walking outcome examined ( $n = 14$  studies). Of the 69 associations estimated between functional characteristics and walking for transportation, 43 (62%) were positive, 26 (38%) were null and 0 were negative (Table 2). In terms of

functional characteristics, walking for transportation was associated with overall walkability. Specifically, positive associations were found between functional characteristics and transportation walking participation ( $n = 25$  comparisons), duration ( $n = 10$  comparisons), volume ( $n = 4$  comparisons), frequency ( $n = 3$  comparisons) and achievement of sufficient physical activity ( $n = 1$  comparison).

#### Walking for recreation

Seven studies estimated associations between functional characteristics and walking for recreation. Of the 32 associations estimated, 31 (97%) were null and 1 (3%) was negative (Table 2). These studies estimated associations between functional characteristics and recreation walking

participation ( $n = 12$  comparisons), frequency ( $n = 8$  comparisons), duration ( $n = 4$  comparisons), volume ( $n = 4$  comparisons) and achievement of sufficient physical activity via walking ( $n = 4$  comparisons). All studies that examined associations between functional characteristics and walking for recreation captured walking data using the IPAQ ( $n = 5$  studies) or NPAQ ( $n = 2$  studies).

#### Walking for any purpose

Eight studies estimated associations between functional characteristics and walking for any purpose (non-purpose specific). Of the 43 associations estimated, 29 (67%) were null, 11 (26%) were positive and 3 (7%) were negative (Table 2). Walkability was positively associated with achievement

**TABLE 2**  
Summary of associations of functional characteristics and walking<sup>a,b,c</sup>

	Walking for transportation			Walking for recreation			Walking for any purpose			Total		
	-	Null	+	-	Null	+	-	Null	+	-	Null	+
<b>Participation</b>												
Overall walkability	0	5	25	0	12	0	0	0	0	0	17	25
Connectivity	0	0	0	0	0	0	0	0	3	0	0	3
Population density	0	0	0	0	0	0	0	0	1	0	0	1
Subtotal	0	5	25	0	12	0	0	0	4	0	17	29
<b>Duration</b>												
Overall walkability	0	8	10	0	4	0	0	0	0	0	12	10
Subtotal	0	8	10	0	4	0	0	0	0	0	12	10
<b>Achieve sufficient physical activity</b>												
Overall walkability	0	1	1	0	2	0	0	3	5	0	6	6
Connectivity	0	0	0	0	2	0	0	2	0	0	4	0
Population density	0	0	0	0	0	0	0	4	0	0	4	0
Subtotal	0	1	1	0	4	0	0	9	5	0	14	6
<b>Frequency</b>												
Overall walkability	0	4	3	1	7	0	0	6	0	1	17	3
Population density	0	2	0	0	0	0	0	0	0	0	2	0
Subtotal	0	6	3	1	7	0	0	6	0	1	19	3
<b>Volume</b>												
Overall walkability	0	0	4	0	0	0	3	10	2	3	10	6
Connectivity	0	5	0	0	4	0	0	4	0	0	13	0
Population density	0	1	0	0	0	0	0	0	0	0	1	0
Subtotal	0	6	4	0	4	0	3	14	2	3	24	6
<b>Grand total</b>	<b>0</b>	<b>26</b>	<b>43</b>	<b>1</b>	<b>31</b>	<b>0</b>	<b>3</b>	<b>29</b>	<b>11</b>	<b>4</b>	<b>86</b>	<b>54</b>

<sup>a</sup> Representative of 144 comparisons reported in 20 studies.

<sup>b</sup> Cell values are the counts of comparisons that report a statistically significant positive, null or statistically significant negative association.

<sup>c</sup> Statistically significant negative (-), null or statistically significant positive association (+).

of sufficient physical activity via walking ( $n = 5$  comparisons) and walking volume ( $n = 2$  comparisons), while pedestrian or street connectivity ( $n = 3$  comparisons) and population density ( $n = 1$  comparison) were positively associated with walking participation. Among the three associations reported between walkability and walking volume, all were in a negative direction.

### Destination-related characteristics of the built environment

#### Overview

Eleven studies<sup>40,46,49-52,54,58,61-63</sup> reported 98 comparisons between destination-related features and walking (Table 3). The most common destination-related feature examined was land use ( $n = 38$  comparisons). Thirty-one comparisons were reported between proximity to destinations and walking. Of the 98 estimated associations, 69 (70%) associations were null, 23 (24%) were positive and 6 (6%) were negative. All negative associations were found in studies that captured walking using self-reported questionnaires ( $n = 4$  studies).

Of the studies that explored an association between proximity to destinations and walking ( $n = 6$ ), almost all studies focused on adults 44 years or older ( $n = 5$ ).

#### Walking for transportation

Walking for transportation was the most common walking outcome examined ( $n = 6$  studies). Of the 42 estimated associations, 12 (29%) were positive, 26 (62%) were null and 4 (10%) were negative (Table 3). In terms of destination-related characteristics, walking for transportation was associated with both land use and proximity to destinations. Specifically, positive associations were found between functional characteristics and transportation walking participation ( $n = 10$  comparisons) and frequency ( $n = 2$  comparison).

#### Walking for recreation

Five studies estimated associations between destination-related characteristics and walking for recreation. Of the 26 estimated associations, 3 (12%) were positive, 21 (81%) were null and 2 (8%) were negative

(Table 3). Specifically, estimated associations were found between destination-related characteristics and recreational walking participation ( $n = 19$  comparisons), volume ( $n = 4$  comparisons), achievement of sufficient physical activity via walking ( $n = 2$  comparisons) and frequency ( $n = 1$  comparison). Positive associations were found between land use and recreational walking ( $n = 3$  comparisons).

#### Walking for any purpose

Six studies estimated associations between destination-related characteristics and walking for any purpose. Of the 30 estimated associations, 8 (27%) were positive and 22 (73%) were null (Table 3). Proximity to destinations was positively associated with participation ( $n = 3$  comparisons), achievement of sufficient physical activity via walking ( $n = 1$  comparison), walking frequency ( $n = 1$  comparison) and walking volume ( $n = 1$  comparison), while land use was associated with walking participation ( $n = 2$  comparisons).

TABLE 3  
Summary of associations of destination-related characteristics and walking<sup>a,b,c,d</sup>

	Walking for transportation			Walking for recreation			Walking for any purpose			Total		
	-	Null	+	-	Null	+	-	Null	+	-	Null	+
<b>Participation</b>												
Land use	3	16	9	1	14	3	0	0	2	4	30	14
Proximity to destination	0	0	1	1	0	0	0	0	3	1	0	4
Subtotal	3	16	10	2	14	3	0	0	5	5	30	18
<b>Achieve sufficient physical activity</b>												
Land use	0	0	0	0	0	0	0	4	0	0	4	0
Proximity to destination	0	0	0	0	2	0	0	5	1	0	7	1
Subtotal	0	0	0	0	2	0	0	9	1	0	11	1
<b>Frequency</b>												
Land use	0	1	0	0	0	0	0	0	0	0	1	0
Proximity to destination	1	4	2	0	1	0	0	2	1	1	7	3
Subtotal	1	5	2	0	1	0	0	2	1	1	8	3
<b>Volume</b>												
Land use	0	3	0	0	2	0	0	5	1	0	10	1
Proximity to destination	0	2	0	0	2	0	0	6	0	0	10	0
Subtotal	0	5	0	0	4	0	0	11	1	0	20	1
<b>Grand total</b>	<b>4</b>	<b>26</b>	<b>12</b>	<b>2</b>	<b>21</b>	<b>3</b>	<b>0</b>	<b>22</b>	<b>8</b>	<b>6</b>	<b>69</b>	<b>23</b>

<sup>a</sup> Representative of 98 comparisons reported in 11 studies.

<sup>b</sup> Cell values are the counts of comparisons that report a statistically significant positive, null or statistically significant negative association.

<sup>c</sup> Statistically significant negative (-), null or statistically significant positive associations (+).

<sup>d</sup> Associations between destination-related characteristics of the built environment and duration of walking was not explored.



## Safety characteristics of the built environment

### Overview

Two studies<sup>40,54</sup> reported 16 comparisons between safety characteristics and walking (Table 4). The safety characteristics examined were personal safety ( $n = 10$  comparisons) and traffic safety ( $n = 6$  comparisons). Of the 16 estimated associations, 2 were positive and 14 were null.

### Walking for transportation

Walking for transportation was the least common walking outcome examined ( $n = 4$  comparisons) (Table 4). Of the 4 estimated associations, 1 was positive and 3 were null. Positive association was found between personal safety and volume of transportation walking.

### Walking for recreation

Two studies<sup>40,54</sup> estimated associations between safety characteristics and walking for recreation. All 6 of the estimated associations were null (Table 4). Studies estimated associations between safety characteristics and recreational walking volume ( $n = 4$  comparisons) and achievement of sufficient physical activity via recreational walking ( $n = 2$  comparisons).

### Walking for any purpose

Two studies<sup>40,54</sup> estimated associations between safety characteristics and walking for any purpose. Of the 6 estimated associations, 5 were null and 1 was positive (Table 4). Personal safety was positively associated with volume of walking for any purpose. Studies estimated associations between safety characteristics and volume of walking for any purpose ( $n = 4$  comparisons) and achievement of sufficient physical activity via walking ( $n = 2$  comparisons).

## Aesthetic characteristics of the built environment

### Overview

Two studies<sup>40,56</sup> reported 10 comparisons between aesthetic characteristics and walking (Table 5). Of the 10 estimated associations, 1 (10%) was positive and 9 (90%) were null.

### Walking for transportation

One study<sup>40</sup> examined the association between aesthetic characteristics and walking for transport. Both associations estimated were null (Table 5).

**TABLE 4**  
Summary of associations of safety-related characteristics and walking<sup>a,b,c,d</sup>

	Walking for transportation			Walking for recreation			Walking for any purpose			Total		
	-	Null	+	-	Null	+	-	Null	+	-	Null	+
<b>Achieve sufficient physical activity</b>												
Personal safety	0	0	0	0	2	0	0	2	0	0	4	0
Subtotal	0	0	0	0	2	0	0	2	0	0	4	0
<b>Volume</b>												
Personal safety	0	1	1	0	2	0	0	1	1	0	4	2
Traffic safety	0	2	0	0	2	0	0	2	0	0	6	0
Subtotal	0	3	1	0	4	0	0	3	1	0	10	2
<b>Grand total</b>	<b>0</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>5</b>	<b>1</b>	<b>0</b>	<b>14</b>	<b>2</b>

<sup>a</sup> Representative of 16 comparisons reported within 2 studies.

<sup>b</sup> Cell values are the counts of comparisons that report a statistically significant positive, null or statistically significant negative association.

<sup>c</sup> Statistically significant negative (-), null or statistically significant positive association (+).

<sup>d</sup> Associations between safety and participation, duration and frequency of walking were not explored.

### Walking for recreation

One study<sup>40</sup> examined the association between aesthetic characteristics and walking for recreation. Of the 2 estimated associations, 1 was positive and 1 was null (Table 5).

### Walking for any purpose

Two studies<sup>40,56</sup> estimated associations between aesthetic characteristics and walking for any purpose. All 6 estimated associations were null (Table 5). The association between aesthetic characteristics and walking for any purpose was estimated between achievement of sufficient physical activity via walking ( $n = 4$  comparisons) and volume ( $n = 2$  comparisons).

## Discussion

This is the first review conducted into the relationship between objective measures of the built environment and physical activity (walking) in the Canadian context. The pattern in publication dates among the reviewed studies suggests that this relationship is an emerging research area in Canada. While findings to date are promising, gaps in evidence still exist—specifically with respect to rural areas and the territories (Northwest Territories, Nunavut and Yukon). Moreover, all but two studies had a cross-sectional study design, suggesting that the evidence pointing to an association between the

**TABLE 5**  
Summary of associations of aesthetic characteristics and walking<sup>a,b,c,d</sup>

	Walking for transportation			Walking for recreation			Walking for any purpose			Total		
	-	Null	+	-	Null	+	-	Null	+	-	Null	+
<b>Achieve sufficient physical activity</b>												
Aesthetics	0	0	0	0	0	0	0	4	0	0	4	0
Subtotal	0	0	0	0	0	0	0	4	0	0	4	0
<b>Volume</b>												
Aesthetics	0	2	0	0	1	1	0	2	0	0	5	1
Subtotal	0	2	0	0	1	1	0	2	0	0	5	1
<b>Grand total</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>6</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>1</b>

<sup>a</sup> Representative of 10 comparisons reported in 2 studies.

<sup>b</sup> Cell values are the counts of comparisons that report a statistically significant positive, null or statistically significant negative association.

<sup>c</sup> Statistically significant negative (-), null or statistically significant positive association (+).

<sup>d</sup> Associations between aesthetics and participation, duration and frequency of walking were not explored.

built environment and physical activity is still preliminary and exploratory; thus, it is not possible to infer causation based on our review findings. Canadian studies to date have rarely adjusted for residential self-selection, which may lead to an overestimation of the association between the built environment and walking. As expected based on previous reviews,<sup>14,21</sup> most studies used self-reported measures of physical activity, measured the built environment using GIS instead of street audits or relied on publicly available walkability data (i.e. Walk Score). Nevertheless, as with other reviews,<sup>14,16,19-21</sup> our findings do suggest that the neighbourhood built environment is associated with walking, particularly walking for transportation among adults, and that some built characteristics may be more important for supporting certain types of walking.

Consistent with findings from other reviews,<sup>14,16,20,21</sup> there was a distinct association between overall neighbourhood walkability (e.g. Walk Score) and transportation walking. Specifically, we found that a higher level of neighbourhood walkability was positively associated with participation, duration, frequency and volume of transportation walking. These findings are important given that active transportation, which includes walking, is inversely associated with overweight/obesity,<sup>64</sup> as well as positively associated with decreased prevalence of adults with type 2 diabetes<sup>65</sup> and reduced cardiovascular risk.<sup>66</sup> The importance of land use and destinations for encouraging and supporting walking in adult population has been noted elsewhere.<sup>14,16</sup> Our review findings suggest that land use (e.g. having a mix of destinations) is important for encouraging participation across all walking domains. Proximity to destinations was associated with frequency of walking for transportation, as well as participation and frequency of walking for any purpose. Improving the walkability of neighbourhoods overall and increasing land use mix and proximity to destinations can potentially increase the physical activity levels of Canadian adults—in turn improving population health.

Unlike other reviews,<sup>14,16,20</sup> our findings suggest that the association between connectivity and population density with walking were non-significant, though very few comparisons were made between these built characteristics and walking. Of the few included studies that explored the

association between connectivity<sup>40,46,52,54</sup> or population density<sup>46,52,56,58</sup> with walking, only one study found positive associations between population density and connectivity with walking for any purpose, measured by automatized pedestrian counters.<sup>52</sup> Future studies into these associations in the Canadian context could help determine if improving connectivity and increasing population density would enhance the ability of neighbourhoods to support physical activity. These studies could also provide a better understanding of how this association may differ in Canada compared to other countries.

Fewer studies included in our review captured walking for recreation, relative to walking for transport or walking for any purpose. The extent to which non-significant or negative associations between the built environment and walking for recreation were not published (i.e., publication bias) could not be determined from our review. Study findings estimating the association between the built environment and walking for recreation were mixed. Our study findings did, however, find less consistency in associations between the built environment and walking for recreation compared to associations between the built environment and walking for transportation.<sup>14,16,20,21</sup> It is possible that measures of the built environment included in the reviewed studies are tailored more towards walking for transportation. Manaugh et al.<sup>59</sup> found small but notable differences in the magnitude of estimated associations between non-work trips by foot and walkability that were related to trip purpose, the population subgroup examined and the definition of walkability used. Some evidence from our review suggested that built characteristics, including land use and aesthetics, were positively associated with participation and volume of walking for recreation. More research identifying which built characteristics are supportive of recreation versus transportation walking—and for whom—is needed.

Evidence from the Canadian studies did not find a significant association between safety and aesthetic characteristics of the built environment and walking. Moreover, safety and aesthetics were the least studied built characteristics within our review, which might be a consequence of our focus on objective measures of the built environment. Traffic and personal safety can be objectively measured (e.g. via

crime and accident statistics and presence of incivilities). However, perceived safety likely informs people's decisions to walk, and these perceptions can be independent of, or unrepresentative, of the actual safety of a neighbourhood.<sup>67</sup> Further, studies that estimate safety from existing statistics may miss the micro-scale built characteristics (e.g. graffiti, drug paraphernalia, litter) associated with sense of safety that might be better captured via street audits—few of which existed in the studies we reviewed.<sup>40,41,54,60</sup>

With evidence suggesting that physical activity behaviours differ between countries, it was important to explore how the built environment is associated with walking in the Canadian context. Findings from this review are supported by other systematic reviews of evidence from the United States, Australia and Europe.<sup>14,21</sup> Cross-sectional study designs are frequently used and measures of walking are mostly self-reported.<sup>14,16,20,21</sup> A review by McCormack et al.<sup>14</sup> reported that there was wide variation in how the built environment is operationalized, but GIS tended to be the most commonly used technique among studies incorporating objective measures of the built environment, which was similar to our findings. Consistency in the measurement of the built environment and walking across studies would provide a better understanding of this association, and may make it possible to pool and synthesize findings using meta-analysis.

There are several limitations to this review that must be considered. Due to limited resources, a comprehensive systematic review (e.g. double-screening at all stages of the search process and validity assessment) was not feasible; nevertheless, steps were taken to ensure scientific rigour. Due to the broad range of built environment characteristics that were measured and defined across studies, we used an established theoretical framework<sup>34</sup> to classify characteristics into four categories (functional, safety, aesthetic, destination). It is possible that some built characteristics were associated with multiple categories from this theoretical framework. Due to the small number of Canadian studies included in the review, we were not able to stratify our findings based on smaller geographical scales (i.e. within and across provinces or cities). This more granular focus may be possible in the future as Canadian studies investigating

the relationship between the built environment and physical activity continue to accumulate. Moreover, our review only included studies that statistically tested an association between the built environment and walking. Despite providing important contributions to the field, several Canadian studies were excluded: either the nature and/or significance of the associations between the built environment and walking was not clearly described or they had a specific methodological focus.<sup>68-71</sup> The predominance of cross-sectional studies included in our review meant that we were not able to draw causal inferences. As suggested in previous reviews,<sup>14,16,21,22</sup> evidence from more rigorous study designs (i.e. natural and quasi-experiments) are needed. While our focus was the associations between the built environment and walking, the built environment could be an important correlate for other physical activities (e.g. cycling, leisure activity or moderate to vigorous activity).<sup>14,20,21</sup>

## Conclusion

Within the Canadian context, current evidence suggests that the neighbourhood built environment is associated with walking and, in particular, walking for transportation. Improving neighbourhood walkability, land use and proximity to destinations may enable or support higher levels of transportation walking, and in turn contribute to better health outcomes among Canadian adults. Future research is needed on the relationship between the built environment and walking in non-urban locations as well as in the territories. Moreover, study designs that estimate the causal relationship between the built environment and walking and other physical activities are needed to better inform urban and transportation policy and planning decisions in Canada.

## Acknowledgements

The authors would like to thank Dr. Karen Tang for her assistance in the literature search. Brenlea Farkas is supported by the Queen Elizabeth II Graduate Scholarship. Gavin McCormack was supported by a Canadian Institutes of Health Research (CIHR) New Investigator Award (MSH-130162). Christine Friedenreich was supported by an Alberta Innovates Health Solutions Health Senior Scholar Award and an Alberta Cancer Foundation Weekend to End Women's Cancers Breast Cancer Chair.

## Conflicts of interest

The authors declare that there is no conflict of interest regarding the publication of this article.

## Authors' contributions and statement

BF, DW and GM conceived the study. BF and DW undertook the database search and article selection and data extraction. All authors contributed to interpretation of the results. BF, GM and DW wrote the article. All authors read and approved the final manuscript.

The content and views expressed in this article are those of the authors and do not necessarily reflect those of the Government of Canada.

## References

1. Wahid A, Manek N, Nichols M, et al. Quantifying the Association between physical activity and cardiovascular disease and diabetes: a systematic review and meta analysis. *J Am Heart Assoc.* 2016;5(9):e002495. doi: 10.1161/JAHA.115.002495.
2. White DK, Gabriel KP, Kim Y, Lewis CE, Sternfeld B. Do short spurts of physical activity benefit cardiovascular health? The CARDIA Study. *Med Sci Sports Exerc.* 2015;47(11):2353-8. doi: 10.1249/MSS.0000000000000662.
3. Mammen G, Faulkner G. Physical activity and the prevention of depression: a systematic review of prospective studies. *Am J Prev Med.* 2013; 45(5):649-57. doi: 10.1016/j.amepre.2013.08.001.
4. Wu Y, Zhang D, Kang S. Physical activity and risk of breast cancer: a meta-analysis of prospective studies. *Breast Cancer Res Treat.* 2013;137(3): 869-82. doi: 10.1007/s10549-012-2396-7.
5. Liu L, Shi Y, Li T et al. Leisure time physical activity and cancer risk: evaluation of the WHO's recommendation based on 126 high-quality epidemiological studies. *Br J Sports Med.* 2016;50(6):372-8. doi: 10.1136/bjsports-2015-094728.

6. Lim SS VT, Flaxman AD, Danaei G et al. A comparative risk assessment of burden of disease and injury attributable to 67 risk factors and risk factor clusters in 21 regions, 1990-2010: a systematic analysis for the Global Burden of Disease Study 2010. *Lancet.* 2012;380(9859):2224-60. doi: 10.1016/S0140-6736(12)61766-8.
7. Krueger H TD, Krueger J, Ready AE. The economic benefits of risk factor reduction in Canada: tobacco smoking, excess weight and physical inactivity. *Can J Public Health.* 2014;105(1): e69-78.
8. Katzmarzyk PT, Janssen I. The economic costs associated with physical inactivity and obesity in Canada: an update. *Can J Appl Physiol.* 2004; 29(1):90-115. doi: 10.1139/h04-008.
9. Janssen I. Health care costs of physical inactivity in Canadian adults. *Appl Physiol Nutr Metab.* 2012; 37(4):803-6. doi: 10.1139/h2012-061.
10. U.S. Department of Health and Human Services. Step It Up! The Surgeon General's Call to Action to Promote Walking and Walkable Communities. Washington, DC; 2015.
11. Physical Activity Guidelines Advisory Committee. 2018 Physical Activity Guidelines Advisory Committee Scientific Report. Washington (DC): US Department of Health and Human Services; 2018.
12. Colley RC, Garriguet D, Janssen I, Craig CL, Clarke J, Tremblay MS. Physical activity of Canadian adults: accelerometer results from the 2007 to 2009 Canadian Health Measures Survey. *Health Rep.* 2011;22(1):7-14.
13. Lopez R. The built environment and public health. San Francisco (CA): Jossey-Bass; 2012.
14. McCormack GR, Shiell A. In search of causality: a systematic review of the relationship between the built environment and physical activity among adults. *Int J Behav Nutr Phys Act.* 2011;8(1):125. doi: 10.1186/1479-5868-8-125.
15. Trost SG, Owen N, Bauman AE, Sallis JF, Brown W. Correlates of adults' participation in physical activity: review and update. *Med Sci Sports Exerc.* 2002;34(12):1996-2001. doi: 10.1097/00005768-200212000-00020.

16. Saelens BE, Handy SL. Built environment correlates of walking: a review. *Med Sci Sports Exerc.* 2008;40(7 Suppl):S550-66. doi: 10.1249/MSS.0b013e31817c67a4.
17. McCormack GR, Friedenreich C, Sandalack BA, Giles-Corti B, Doyle-Baker PK, Shiell A. The relationship between cluster-analysis derived walkability and local recreational and transportation walking among Canadian adults. *Health Place.* 2012;18(5):1079-87. doi: 10.1016/j.healthplace.2012.04.014.
18. Giles-Corti B, Knuiaman M, Timperio A et al. Evaluation of the implementation of a state government community design policy aimed at increasing local walking: design issues and baseline results from RESIDE, Perth Western Australia. *Prev Med.* 2008;46(1):46-54. doi: 10.1016/j.yjmed.2007.08.002.
19. Owen N, Humpel N, Leslie E, Bauman A, Sallis JF. Understanding environmental influences on walking; review and research agenda. *Am J Prev Med.* 2004;27(1):67-76. doi: 10.1016/j.amepre.2004.03.006.
20. Grasser G, Van Dyck D, Titze S, Strongegger W. Objectively measured walkability and active transport and weight-related outcomes in adults: a systematic review. *Int J Public Health.* 2013;58(4):615-25. doi: 10.1007/s00038-012-0435-0.
21. Van Holle V, Deforche B, Van Cauwenberg J et al. Relationship between the physical environment and different domains of physical activity in European adults: a systematic review. *BMC Public Health.* 2012;12(1):807. doi: 10.1186/1471-2458-12-807.
22. Choi J, Lee M, Lee J-K, Kang D, Choi J-Y. Correlates associated with participation in physical activity among adults: a systematic review of reviews and update. *BMC Public Health.* 2017;17(1):356. doi: 10.1186/s12889-017-4255-2.
23. Hallal PC, Andersen LB, Bull FC, Guthold R, Haskell W, Ekelund U. Global physical activity levels: surveillance progress, pitfalls, and prospects. *Lancet.* 2012;380(9838):247-57. doi: 10.1016/S0140-6736(12)60646-1.
24. Adams MA, Frank LD, Schipperijn J et al. International variation in neighborhood walkability, transit, and recreation environments using geographic information systems: the IPEN adult study. *Int J Health Geogr.* 2014;13(1):43. doi: 10.1186/1476-072X-13-43.
25. Pucher J, Buehler R. Why Canadians cycle more than Americans: a comparative analysis of bicycling trends and policies. *Transp Policy.* 2006;13(3):265-79. doi: 10.1016/j.tranpol.2005.11.001.
26. Sugiyama T, Cerin E, Owen N et al. Perceived neighbourhood environmental attributes associated with adults recreational walking: IPEN Adult study in 12 countries. *Health Place.* 2014;28:22-30. doi: 10.1016/j.healthplace.2014.03.003.
27. Cerin E, Cain K, Conway T, Van Dyck D et al. Neighborhood environments and objectively measured physical activity in 11 countries. *Med Sci Sports Exerc.* 2014;46(12):2253-64. doi: 10.1249/MSS.0000000000000367.
28. Ding D, Adams MA, Sallis JF, et al. Perceived neighborhood environment and physical activity in 11 countries: Do associations differ by country? *Int J Behav Nutr Phys Act.* 2013;10(1):57. doi: 10.1186/1479-5868-10-57.
29. Kirtland KA, Porter DE, Addy CL, et al. Environmental measures of physical activity supports: perception versus reality. *Am J Prev Med.* 2003;24(4):323-31. doi: 10.1016/S0749-3797(03)00021-7.
30. Ma L, Dill J. Do people's perceptions of neighborhood bikeability match "reality"? *J Transp Land Use.* 2017;10(1):291-308.
31. Moher D, Liberati A, Tetzlaff J, Altman DG. Preferred reporting items for systematic reviews and meta-analyses: the PRISMA statement. *BMJ.* 2009;339:b2535. doi: 10.1136/bmj.b2535.
32. Grant MJ, Booth A. A typology of reviews: an analysis of 14 review types and associated methodologies. *Health Info Libr J.* 2009;26(2):91-108. doi: 10.1111/j.1471-1842.2009.00848.x.
33. World Health Organization. *Global Recommendations on Physical Activity for Health.* Geneva; World Health Organization; 2010.
34. Pikora T, Giles-Corti B, Bull F, Jamrozik K, Donovan R. Developing a framework for assessment of the environmental determinants of walking and cycling. *Soc Sci Med.* 2003;56(8):1693-703. doi: 10.1016/S0277-9536(02)00163-6.
35. Brownson RC, Hoehner CM, Day K, Forsyth A, Sallis JF. Measuring the built environment for physical activity: state of the science. *Am J Prev Med.* 2009;36(4 Suppl):S99-123.e12. doi: 10.1016/j.amepre.2009.01.005.
36. Ding D, Gebel K. Built environment, physical activity, and obesity: what have we learned from reviewing the literature? *Health Place.* 2012;18(1):100-5. doi: 10.1016/j.healthplace.2011.08.021.
37. McCormack G, Giles-Corti B, Lange A, Smith T, Martin K, Pikora TJ. An update of recent evidence of the relationship between objective and self-report measures of the physical environment and physical activity behaviours. *J Sci Med Sport.* 2004;7(1 Suppl):81-92. doi: 10.1016/S1440-2440(04)80282-2.
38. Christian HE, McCormack GR, Evenson KR, Maitland C. Dog Walking. In: Mulley C, Gebel K, editors. *Walking: Connecting Sustainable Transport with Health Transport and Sustainability.* 9: Emerald Publishing Limited; 2017.
39. Oliver LN, Schuurman N, Hall AW. Comparing circular and network buffers to examine the influence of land use on walking for leisure and errands. *Int J Health Geogr.* 2007;6(1):41. doi: 10.1186/1476-072X-6-41.
40. Schopflocher D, VanSpronsen E, Nykiforuk CI. Relating built environment to physical activity: two failures to validate. *Int J Environ Res Public Health.* 2014;11(2):1233-49. doi: 10.3390/ijerph110201233.
41. Craig CL, Brownson RC, Cragg SE, Dunn AL. Exploring the effect of the environment on physical activity: a study examining walking to work. *Am J Prev Med.* 2002;23(2 Suppl):36-43. doi: 10.1016/S0749-3797(02)00472-5.

42. Frank LD, Kershaw SE, Chapman JE, Campbell M, Swinkels HM. The unmet demand for walkability: disparities between preferences and actual choices for residential environments in Toronto and Vancouver. *Can J Public Health*. 2015;106(1 Suppl 1):eS12-20. doi: 10.17269/cjph.106.4397.
43. Hajna S, Ross NA, Joseph L, Harper S, Dasgupta K. Neighbourhood walkability, daily steps and utilitarian walking in Canadian adults. *BMJ Open*. 2015;5(11):e008964. doi: 10.1136/bmjopen-2015-008964.
44. Thielman J, Rosella L, Copes R, Lebenbaum M, Manson H. Neighborhood walkability: differential associations with self-reported transport walking and leisure-time physical activity in Canadian towns and cities of all sizes. *Prev Med*. 2015;77:174-80. doi: 10.1016/j.ypmed.2015.05.011.
45. Wasfi RA, Dasgupta K, Eluru N, Ross NA. Exposure to walkable neighborhoods in urban areas increases utilitarian walking: longitudinal study of Canadians. *J Transp Health*. 2016;3(4):440-7. doi: 10.1016/j.jth.2015.08.001.
46. Wasfi RA, Ross NA, El-Geneidy AM. Achieving recommended daily physical activity levels through commuting by public transportation: unpacking individual and contextual influences. *Health Place*. 2013;23:18-25. doi: 10.1016/j.healthplace.2013.04.006.
47. Winters M, Barnes R, Venners S et al. Older adults' outdoor walking and the built environment: does income matter? *BMC Public Health*. 2015;15(1):876. doi: 10.1186/s12889-015-2224-1.
48. Chudyk AM, Winters M, Moniruzzaman M, Ashe MC, Gould JS, McKay H. Destinations matter: the association between where older adults live and their travel behavior. *J Transp Health*. 2015;2(1):50-7. doi: 10.1016/j.jth.2014.09.008.
49. Hirsch JA, Winters M, Ashe MC, Clarke PJ, McKay HA. Destinations that older adults experience within their GPS activity spaces relation to objectively measured physical activity. *Environ Behav*. 2016;48(1):55-77. doi: 10.1177/0013916515607312.
50. Gauvin L, Richard L, Kestens Y et al. Living in a well-serviced urban area is associated with maintenance of frequent walking among seniors in the VoisiNuAge study. *J Gerontol B Psychol Sci Soc Sci*. 2012;67(1):76-88. doi: 10.1093/geronb/gbr134.
51. Miranda-Moreno LF, Lahti AC. Temporal trends and the effect of weather on pedestrian volumes: a case study of Montreal, Canada. *Transp Res Part D Transp Environ*. 2013;22:54-9. doi: 10.1016/j.trd.2013.02.008.
52. Miranda-Moreno LF, Morency P, El-Geneidy AM. The link between built environment, pedestrian activity and pedestrian-vehicle collision occurrence at signalized intersections. *Accid Anal Prev*. 2011;43(5):1624-34. doi: 10.1016/j.aap.2011.02.005.
53. Chiu M, Shah BR, Maclagan LC, Rezai M-R, Austin PC, Tu JV. Walk Score® and the prevalence of utilitarian walking and obesity among Ontario adults: a cross-sectional study. *Health Rep*. 2015;26(7):3-10.
54. Gauvin L, Riva M, Barnett T et al. Association between neighborhood active living potential and walking. *Am J Epidemiol*. 2008;167(8):944-53. doi: 10.1093/aje/kwm391.
55. Jack E, McCormack GR. The associations between objectively-determined and self-reported urban form characteristics and neighborhood-based walking in adults. *Int J Behav Nutr Phys Act*. 2014;11(1):71. doi: 10.1186/1479-5868-11-71.
56. Toohey AM, McCormack GR, Doyle-Baker PK, Adams CL, Rock MJ. Dog-walking and sense of community in neighborhoods: implications for promoting regular physical activity in adults 50 years and older. *Health Place*. 2013;22:75-81. doi: 10.1016/j.healthplace.2013.03.007.
57. Riva M, Gauvin L, Apparicio P, Brodeur J-M. Disentangling the relative influence of built and socioeconomic environments on walking: the contribution of areas homogenous along exposures of interest. *Soc Sci Med*. 2009;69(9):1296-305. doi: 10.1016/j.socscimed.2009.07.019.
58. Moniruzzaman M, Páez A, Scott D, Morency C. Trip generation of seniors and the geography of walking in Montreal. *Environ Plann A*. 2015;47(4):957-76. doi: 10.1068/a130070p.
59. Manaugh K, El-Geneidy A. Validating walkability indices: how do different households respond to the walkability of their neighborhood? *Transp Res Part D Transp Environ*. 2011;16(4):309-15. doi: 10.1016/j.trd.2011.01.009.
60. Hajna S, Ross NA, Joseph L, Harper S, Dasgupta K. Neighbourhood walkability and daily steps in adults with type 2 diabetes. *PloS One*. 2016;11(3):e0151544. doi: 10.1371/journal.pone.0151544.
61. Oliver L, Schuurman N, Hall A, Hayes M. Assessing the influence of the built environment on physical activity for utility and recreation in suburban metro Vancouver. *BMC Public Health*. 2011;11(1):959. doi: 10.1186/1471-2458-11-959.
62. McCormack GR, Rock M, Sandalack B, Uribe FA. Access to off-leash parks, street pattern and dog walking among adults. *Public Health*. 2011;125(8):540-6. doi: 10.1016/j.puhe.2011.04.008.
63. Oliver LN, Schuurman N, Hall AW. Comparing circular and network buffers to examine the influence of land use on walking for leisure and errands. *Int J Health Geogr*. 2007;6:41. doi: 10.1186/1476-072X-6-41.
64. Bassett DR, Jr., Pucher J, Buehler R, Thompson DL, Crouter SE. Walking, cycling, and obesity rates in Europe, North America, and Australia. *J Phys Act Health*. 2008;5(6):795-814. doi: 10.1123/jpah.5.6.795.
65. Pucher J, Buehler R, Bassett DR, Dannenberg AL. Walking and cycling to health: a comparative analysis of city, state, and international data. *Am J Public Health*. 2010;100(10):1986-92. doi: 10.2105/AJPH.2009.189324.
66. Hamer M, Chida Y. Active commuting and cardiovascular risk: a meta-analytic review. *Prev Med*. 2008;46(1):9-13. doi: 10.1016/j.ypmed.2007.03.006.

- 
67. Foster S, Giles-Corti B. The built environment, neighborhood crime and constrained physical activity: an exploration of inconsistent findings. *Prev Med.* 2008;47(3):241-51. doi: 10.1016/j.ypmed.2008.03.017.
  68. Spinney JEL, Miliward H, Scott D. Walking for Transport Versus Recreation: A Comparison of Participants, Timing, and Locations. *J Phys Act Health.* 2012;9(2):153-62. doi: 10.1123/jpah.9.2.153.
  69. Winters M, Voss C, Ashe MC, Gutteridge K, McKay H, Sims-Gould J. Where do they go and how do they get there? Older adults' travel behaviour in a highly walkable environment. *Soc Sci Med.* 2015;133:304-12. doi: 10.1016/j.socscimed.2014.07.006.
  70. Gauvin L, Richard L, Craig CL et al. From walkability to active living potential: an "ecometric" validation study. *Am J Prev Med.* 2005;28(2 suppl 2):126-33. doi: 10.1016/j.amepre.2004.10.029.
  71. Ulmer JM, Chapman JE, Kershaw SE, Campbell M, Frank LD. Application of an evidence-based tool to evaluate health impacts of changes to the built environment. *Can J Public Health.* 2014;106(1):eS26-32. doi: 10.17269/cjph.106.4338.