



Substance Risk Evaluation for Determining Environmental Emergency Planning under the *Environmental Emergency Regulations* Set under the *Canadian Environmental Protection Act, 1999 (CEPA 1999)*

**Perchloric acid
(CAS No. 7601-90-3)**

Risk Evaluation Conclusion:

- **Threshold Quantity of 0.22 tonnes (pH ≤ 2) due to corrosiveness**
- **Is a candidate for the *Environmental Emergency Regulations***

1.0 INTRODUCTION

The *Environmental Emergency Regulations*, developed under Part 8 of the *Canadian Environmental Protection Act, CEPA*, 1999 (Government of Canada, 2011) establish a list of substances for which fixed facilities must notify Environment Canada that they store or use the substance on-site, by providing notices to Environment Canada, reporting when the substance is released into the environment, and developing an environmental emergency plan (E2 plan) for each substance stored or used at a fixed facility at or above specified threshold quantities.

To determine if a substance is a candidate to be added to the *Environmental Emergency Regulations*, Environment Canada has developed a risk evaluation methodology based on the following hazard categories:

- Physical: flammable and combustible or oxidizing substances, or those having a potential to cause vapour cloud explosion or pool fires.
- Human Health: substances that are toxic by inhalation, are carcinogenic, or are corrosive.
- Environmental Health: substances that are: corrosive, persistent, bioaccumulative, or aquatically toxic.

For more information on the methodology for setting threshold quantities in the *Environmental Emergency Regulations*, please refer to Environment Canada (2014).

Perchloric acid (CAS No. 7601-90-3) was selected for risk evaluation because it is a substance that meets the criteria for corrosive substances as defined by OECD (OECD, 2001) that, if spilled, could be immediately harmful to humans and/or the environment.

Following the risk evaluation, Environment Canada recommends that this substance be proposed for addition to Schedule 1 of the *Environmental Emergency Regulations* at a threshold quantity of 0.22 tonnes.

2.0 SUMMARY OF THE RISK EVALUATION

2.1 Physical Hazard: Flammable, Combustible or Oxidizing Substances

Because perchloric acid does not have an identified flash point (no flash point data were available during the data gathering process) and has a boiling point of 203°C (Sudhir, *et al.*, 2005), this substance does not present the possibility of a vapour cloud explosion. Therefore, no threshold is set for this substance as a result of its potential for flammability or combustibility.

2.2 Physical Hazard: Potential for Pool Fires

Perchloric acid is not capable of causing a pool fire.

2.3 Human Health Hazard: Inhalation Toxicity

Because perchloric acid has a vapour pressure greater than 10 mmHg (1.33 kPa) at 25°C (Pearce and Nelson, 1933), the substance has sufficient volatility to constitute an inhalation danger. Considering an LD50 of 1,100 ppm (RTECS, 2012), the threshold quantity for this substance is determined to be 2.27 tonnes for the inhalation toxicity.

2.4 Human Health Hazard: Carcinogenicity

Because perchloric acid is not classified in any group of International Agency for Research on Cancer (IARC, 2014) or the U.S. EPA (2005), and because the substance does not have a half-life longer than five years in any medium, no threshold is set for the carcinogenicity of this substance.

2.5 Human and Environmental Health Hazard: Corrosive Substances

The substance has a measured pH equal to or less than 2, or equal to or greater than 11.5, then a threshold of 0.22 tonnes is set for corrosive substances.

2.6 Environmental Health Hazard: Persistent, Bioaccumulative, or Aquatically Toxic

Lethal concentration

This methodology was not used because $\text{pH} \leq 2$ or $\text{pH} \geq 11.5$ are considered corrosive to aquatic life.

Persistence

Perchloric acid is classified as being practically non-persistent in water.

Bioaccumulation

Perchloric acid is practically non-bioaccumulative.

2.7 Assigned Threshold

Following the risk evaluation methodology developed under section 200 of CEPA 1999, the categories (flammability, combustibility, oxidizers, inhalation toxicity, aquatic toxicity, carcinogenicity, corrosiveness, pool fires) having the lowest scientific threshold will be compared against other risk management considerations. For example, the threshold will be compared to other provincial and federal legislation or voluntary programs that may already provide adequate management of the risk from an environmental emergency. Proposed thresholds may also be modified based on policy and other considerations as assessed during the preliminary public consultation period. For more information regarding the determination of thresholds, please refer to the *Implementation Guidelines for the Environmental Emergency Regulations 2011* (Environment Canada, 2011).

Other Considerations

At this time, there are no other considerations to take into account for this substance that would result in an increase or a decrease in the calculated threshold quantity.

Findings

A proposed threshold of 0.22 tonnes is assigned for perchloric acid based on its assessed corrosiveness. The threshold quantity and its respective concentration will not be finalized until after preliminary public consultation.

3.0 CONCLUSION

Information concerning the quantities of perchloric acid (CAS No. 7601-90-3) in use in Canada indicates that the substance exists in commerce. Following the risk evaluation of perchloric acid and taking into consideration the quantities in use in Canada, Environment Canada recommends that this substance be proposed for addition to Schedule 1 of the *Environmental Emergency Regulations* under CEPA 1999 at a threshold quantity of 0.22 tonnes at a pH of ≤ 2 .

When doing the emergency planning of a substance, it is important to take into consideration not only the most stringent assigned threshold quantity, but all of the other higher-threshold quantities that are noted in association with this substance. Other notable thresholds of concern also determined for this substance are: 2.27 tonnes for inhalation toxicity.

Even if the quantity of a substance in use is below the threshold quantity indicated in the *Environmental Emergency Regulations*, Environment Canada recommends that emergency planning be applied to this substance in order to minimize, or prevent, any impacts on humans or the environment in the event of a release of the substance.

4.0 REFERENCES

Environment Canada. 2011. Implementation Guidelines for the Environmental Emergency Regulations 2011. Available from: <http://www.ec.gc.ca/lcpe-cepa/default.asp?lang=En&n=1FB6D405-1>

Environment Canada. 2014. Summary of Risk Evaluation Framework for Determining Quantity Thresholds and Concentrations for Substances under the Environmental Emergency Regulations Set under the Canadian Environmental Protection Act, 1999 (CEPA 1999). Environment Canada. Available from: <http://www.ec.gc.ca/ee-ue/default.asp?lang=En&n=9605FFBD-1>

Government of Canada. 2011. Environmental Emergency Regulations, Canadian Environmental Protection Act, 1999. Environment Canada. Registered on December 8, 2011. Available from: <http://www.gazette.gc.ca/rp-pr/p2/2011/2011-12-21/html/sor-dors294-eng.html>

IARC (International Agency for Research on Cancer). 2014. IARC Monographs Database on Cancer Risks to Humans. International Agency for Research on Cancer, World Health Organization. Available from: <http://monographs.iarc.fr/ENG/Monographs/PDFs/index.php>

OECD (Organisation for Economic Co-operation and Development). 2001. Environmental Directorate, Joint Meeting of the Chemicals Committee and the Working Party on Chemicals, Pesticides and Biotechnology, ENV/JM/MONO(2001)6.

Pearce, JN, Nelson, AF. 1993. The Vapor Pressures and Activity Coefficients of Aqueous Solutions of Perchloric Acid at 25C. The Physical Chemistry Laboratory of the State University of Iowa. Philadelphia, Pennsylvania, US.

RTECS (Registry of Toxic Effects of Chemical Substances). 2012. Perchloric acid. Canadian Centre for Occupational Health and Safety (CCOHS). RTECS #SC7500000. Available from: <http://ccinfoweb.ccohs.ca/rtecs/search.html>

Sudhir K. Mendiratta, Ronald L. Dotson, Robert T. Brooker. 2005. PERCHLORIC ACID AND PERCHLORATES. Kirk-Othmer Encyclopedia of Chemical Technology. Available from: <http://onlinelibrary.wiley.com/doi/10.1002/0471238961.1605180313051404.a01.pub2/pdf>

U.S. EPA (United States Environmental Protection Agency). 2005. Guidelines for Carcinogenic Risk Assessment. Available from: <http://www.epa.gov/cancerguidelines/>

5.0 FURTHER READING

Ketcheson K, Shrives J. 2010. Comparison of Threshold Quantities for Substances with Final AEGL-2 and IDLH Values under CEPA's Environmental Emergency Regulations. In: Proceedings of the Thirty-third Arctic and Marine Oilspill Program Technical Seminar on Environmental Contamination and Response. Environment Canada: Ottawa (ON). pp. 843-861.

U.S. EPA (U.S. Environmental Protection Agency). 1994. List of Regulated Toxic and Flammable Substances and Thresholds for Accidental Release Prevention. Federal Register, 59(20). Document Number 94-1556. 31. Washington (DC). Available from : <http://www.gpo.gov/fdsys/pkg/FR-1994-01-31/html/94-1556.htm>